

23 – M3 Pricing & Rules

Module design for every price a buyer pays and every reduction a customer receives: trade price lists per relationship, one retail list per MPCS, Federation advisory prices, the closed-vocabulary rule engine that is the sole source of any discount or markdown, the two legal ceilings (printed MRP per batch and the gazetted control price by date), and the price-resolution engine that runs identically at central and on an offline till.

Field	Value
Document	23 – M3 Pricing & Rules (Stage 2 module design; template of doc 20 §5)
Version	v0.1 – draft for design review; contract freeze targeted end of Stage 2 week 4
Date	9 September 2026
Owning developer	Module developer (full-stack) for the back office; the shared engine library is co-owned with the till track (it runs on the terminal)
Inputs	05 SRS (FR-PRC-010–130); 16 answers (G section, F-07, A-06, A-07); 09 ADR-14; 17 v0.2.1 §7.3 and ADR-31; 18 v0.2 part B and §4.9; 19 v0.2; 20 v0.3 M3 blueprint; 21, 22 contracts; 30 §5.3; 32 §5; the September 2026 multi-MRP study and the CAA control-price finding
Depends on	M1 (relationships, scope), M2 (SKU, batch MRP, tags, tax rates), M5 query (in-stock batches for authoring checks), kernel
Depended on by	M4 (trade price at order and invoice), M6 (retail resolution on the till through the engine and snapshot), M2 (assortment from retail lists), M8, M7 (P3 preferential price)

Two facts shape this module. First, a gazetted maximum price is law from its publication date and binds all stock regardless of what is printed on older packs (Consumer Affairs Authority Act s.20(5)); selling above it is an offence with fines in the millions of rupees. So the control price is a hard block at every point a price is set, printed or charged. Second, the till must compute the same bill offline that central would compute online, so resolution is one pure library, versioned, with no server dependencies (ADR-31).

1. Purpose and scope

In scope (phase 1)	Out of scope
Trade price lists: one uniform Federation list; negotiated, volume-tiered distributor lists; each bound to a relationship (A-06, A-07)	Cross-entity promotional funding and settlement (G-06)
One retail price list per MPCS for all its shops (G-01); Federation advisory prices (advisory only)	Per-shop price deviation of any kind (G-02)
The rule engine: five rule kinds in a closed vocabulary; the sole mechanism for any reduction (ADR-14, G-05, G-07); markdowns as a distinct kind (F-07)	Discretionary till discounts (rescinded); coupons, vouchers, subsidy instruments (later phases, I-01); loyalty or member pricing (K-01)
Control prices: date-effective gazetted ceilings by SKU or governed tag; hard block at authoring, label printing and sale (G-03)	An automated gazette feed (none exists); scheduled future price lists (G-08 dropped; apply_from covers the practical need)
Multi-MRP resolution policy per SKU or tag (AUTO_LOWEST default, BARCODE_RESOLVED, PICKER); the price-resolution engine (doc 18 §4.9)	Price optimisation, elasticity, forecasting (L-02 scenario tool, phase 2, and never automated)
Tax-inclusive retail prices computed from the rate in force; cash rounding to the rupee (G-09, G-10)	Tax filing and invoicing (M4, M9)
Manual adjustment types permitted on Federation→distributor orders (special discount, delivery fee), permission-gated (A-06)	Their application on documents (M4 applies; M3 defines what exists)
Shelf price labels (print job; ceiling-checked at print)	Batch stickers (M5) and weigh labels (M6 peripheral); the printers themselves
Batch-MRP-below-list review (three-point enforcement, point two)	Per-customer preferential price (phase 3, FR-PRC-110; the hook is designed, not built)

2. Requirements coverage

Identifier	Requirement (abridged)	Design section
FR-PRC-010	Federation uniform trade list with permitted manual adjustments per order (A-06)	3.1, 3.6
FR-PRC-020	Distributor→MPCS negotiated, volume-tiered lists per relationship (A-07)	3.1, 6.2
FR-PRC-030	One retail list per MPCS; shops have no deviation; Federation advisory (G-01, G-02)	3.1, 4.1
FR-PRC-040 (split)	MRP and gazetted ceilings enforced: at authoring, at receipt (batch MRP review), at sale; per batch; effective-dated control prices (G-03)	3.4, 3.5, 6.4, 6.5
FR-PRC-050	No member or loyalty pricing	1 (out of scope)
FR-PRC-060	Rules as the sole reduction mechanism; every reduction stamps its rule (ADR-14, G-07)	3.3, 3.5
FR-PRC-070	Rule kinds: time-limited, quantity, bill-level, free item (G-05)	3.3
FR-PRC-080	Expiry markdown as a distinct rule kind, measurable separately (F-07, F-11)	3.3, 6.3
FR-PRC-090	Tax-inclusive shelf and receipt prices from per-SKU tax categories (G-09)	3.5
FR-PRC-100	Cash rounding to the nearest rupee at receipt level; card and account exact (G-10)	3.5
FR-PRC-110	Per-customer preferential price (P3)	3.7
FR-PRC-120	Price-list publication reaches tills as a snapshot with apply_from (ADR-34)	4.1, 6.1
FR-PRC-130	Multi-MRP resolution policy configurable per SKU or tag (September decision)	3.4, 3.5
ADR-31	One shared engine used by central and the till	3.5, 9
NFR-PRF (till)	Basket resolution under a few milliseconds on an ARM terminal	9.1

3. Domain model

Schema pricing: price_list, price_list_line, discount_rule, control_price (doc 18 v0.2 part B), plus mrp_policy, adjustment_type and label_job introduced here.

3.1 Price lists

Aspect	Design
Aggregate	price_list(kind TRADE RETAIL ADVISORY, owner_entity, name, version, status) with price_list_line(sku, uom, price, tier_from_qty, effective_from/to).
Binding	A TRADE list is referenced by one or more entity_relationship rows (M1); the Federation's uniform list by every Federation→distributor relationship; a distributor's negotiated list by one relationship each. A RETAIL list belongs to an MPCS and is the single retail list for all its shops. ADVISORY lists are Federation-owned and never resolve a price.
Invariants	One PUBLISHED RETAIL list per MPCS at any time. Lines are effective-dated with an exclusion constraint per (list, sku, uom, tier). Prices are tax-inclusive for RETAIL and ADVISORY, tax-exclusive for TRADE (invoices add VAT). A line's price never exceeds the ceilings (Section 3.4) at publication.
Versions	Publication creates a new version of the list with an apply_from business date; lines not changed are carried forward; the previous version's lines are closed at apply_from – 1. History is queryable; nothing is edited.

3.2 Volume tiers and adjustments

Aspect	Design
Tiers	tier_from_qty on trade lines: the line whose tier is the highest not exceeding the order line quantity (in the line's unit) applies. Tier 0 is the base price.
Adjustment types	adjustment_type(code, name, kind SPECIAL_DISCOUNT DELIVERY_FEE, permission_code, max_percent?, max_amount?, owner F). M4 records an adjustment line on a Federation→distributor order only against a registered type and within its bounds, gated by its permission (A-06). No other document accepts manual adjustments.

3.3 Rules: the closed vocabulary

Rule kind	Predicate (all fields optional unless stated)	Benefit	Level	Notes
TIME_LIMITED_PRICE	sku or tag (required); uom; validity window	FIXED_PRICE or PERCENT_OFF or AMOUNT_OFF	Line	The everyday promotion
QUANTITY_BREAK	sku or tag (required); min_qty (required)	PERCENT_OFF or FIXED_PRICE for qualifying quantity	Line	Buy 3 pay less
BILL_THRESHOLD	bill_total ≥ amount (required); optional tag restriction on what counts	PERCENT_OFF or AMOUNT_OFF on the bill	Bill	One bill-level rule per receipt
FREE_ITEM	sku or tag A with qty N (required); sku B (required)	FREE_QTY of B	Line (adds a zero-priced line)	Only if B is in stock at the till
EXPIRY_MARKDOWN	sku or tag; days_to_expiry ≤ D (required); requires expiry-tracked SKUs	PERCENT_OFF or FIXED_PRICE, applied to the specific batch	Line	F-07: reported separately as markdown cost

Aspect	Design
Structure	discount_rule(rule_id, owner_entity, kind, predicate jsonb, benefit jsonb, priority, valid_from, valid_to, status, name). The predicate and benefit are validated against a JSON schema per kind at authoring; there is no expression language (<i>doc 20 §4 guardrail</i>).
Stacking	At most one line-level rule applies to a line (highest priority; ties resolved best-for-customer), then at most one bill-level rule; benefits never compound two line rules. Configurable only as pricing.stacking_policy with values PRIORITY_THEN_BEST (default) or BEST_ONLY.
Ownership	An MPCS authors rules for its shops and funds them (G-06). The Federation may author ADVISORY rules that an MPCS can adopt (copy) but that never apply by themselves.
Stamping	Every receipt line that benefits records discount_rule_id and discount_amount; a bill-level benefit records on the receipt header with apportionment to lines for tax (<i>doc 18 document_line</i>).

3.4 Ceilings and policy

Aspect	Design
Printed MRP	Batch attribute (M2, ADR-08); nullable only when the SKU's has_printed_mrp is false.
Control price	control_price(scope sku tag, ceiling_price, ceiling_uom, effective_from, effective_to, gazette_reference, entered_by), Federation-written only, hard block (doc 18 §4). Where both a SKU-scoped and a tag-scoped ceiling are in force, the lower applies (DR-2).
Multi-MRP policy	mrp_policy(scope sku tag, policy AUTO_LOWEST BARCODE_RESOLVED PICKER, picker_gap_threshold?). SKU scope wins over tag; the default is AUTO_LOWEST (<i>multi-MRP study</i>). M2's sku.multi_mrp_policy is the denormalised effective value maintained by M3 for the snapshot.
Trade prices and MRP	A trade price is not bound by retail ceilings, but a trade line above the SKU's lowest known printed MRP raises a REVIEW at publication: the buyer could not legally resell at a margin.

3.5 The price-resolution engine (the shared library)

Restated and formalised from doc 18 §4.9. Pure functions in the shared engine (17A §9); inputs come from the snapshot on the till and from queries at central; the outputs are what the receipt line records.

Step	Rule
1 List price	The RETAIL line for (sku, uom) in force on the business date; missing line → item not sellable (till shows the reason).
2 Batch term	Policy AUTO_LOWEST: lowest printed MRP among batches with positive on-hand at the location (from the lot snapshot). BARCODE_RESOLVED: the scan-resolved batch's MRP when present, else AUTO_LOWEST. PICKER: the operator's chosen batch's MRP (only when the gap between candidate MRPs exceeds the threshold; otherwise AUTO_LOWEST silently). SKUs without printed MRP: no term.
3 Control term	Control price in force on the business date for the SKU or any of its governed tags, converted to the line's unit; lower of several.
4 Base unit price	min(list, batch term, control term); cap_reason records which bound (NONE, MRP_LOWEST, MRP_BARCODE, MRP_PICKED, CONTROL_PRICE).
5 Rules	Line-level rule selection per stacking policy; benefits reduce the line; EXPIRY_MARKDOWN applies only to the specific batch; bill-level rule after all lines.
6 Re-check	After rules, no line may exceed the control term (a FIXED_PRICE rule set above a later gazette is clamped and flagged).
7 Tax and rounding	Tax decomposed from the inclusive price by the rate in force; cash tender rounds the receipt total to the rupee; other tenders exact; rounding is a receipt-level field, lines untouched.
Outputs	unit_price, batch_id, mrp_applied, control_price_applied, cap_reason, rule_id, discount_amount, tax_rate, tax_amount, line_total per line; bill_rule_id, bill_discount, rounding per receipt; engine_version on the envelope.

3.6 Labels

Aspect	Design
Shelf label job	label_job(owner, location, sku list, template, status) renders price labels (code, three names with fallback, price, MRP note, unit) through the kernel renderer for the shop's label printer where present; the job refuses any label whose price would exceed a ceiling in force on the print date (<i>multi-MRP study option C guard</i>).

3.7 Preferential price hook (phase 3)

Aspect	Design
Design only	A future customer_price(customer_account, sku, price, validity) enters the engine as a candidate list price in step 1 (min with the retail line); nothing else changes. Not built in phase 1; the engine's input record carries an empty optional slot so the till contract does not change later.

4. State machines

4.1 Price list version

From	To	Trigger / command	Guard	Permission	Audit
–	DRAFT	CreatePriceList / DraftNewVersion	owner; kind; RETAIL: no other DRAFT for the MPCS	prc.pricelist.author	PRICELIST_DRAFTED
DRAFT	DRAFT	SetLines (bulk or single)	each line under ceilings (authoring check); trade tiers ascending	prc.pricelist.author	– (draft edits unaudited until publish)
DRAFT	PUBLISHED	PublishPriceList(apply_from)	all lines valid; apply_from ≥ today; RETAIL: one PUBLISHED per MPCS (previous becomes SUPERSEDED at apply_from)	prc.pricelist.publish (MFA for TRADE)	PRICELIST_PUBLISHED
PUBLISHED	SUPERSEDED	Next version's apply_from	–	system	–
DRAFT	WITHDRAWN	WithdrawDraft	reason	prc.pricelist.author	PRICELIST_WITHDRAWN

4.2 Rule

From	To	Trigger / command	Guard	Permission	Audit
–	DRAFT	AuthorRule	owner; kind schema valid; predicate scope exists; expiry kind requires expiry-tracked	prc.rule.author	RULE_AUTHORED
DRAFT	ACTIVE	ActivateRule	valid_from ≥ today; benefit never negative; FIXED_PRICE under ceilings	prc.rule.activate	RULE_ACTIVATED
ACTIVE	EXPIRED	Clock (valid_to)	–	system	–
ACTIVE	WITHDRAWN	WithdrawRule	reason; urgent snapshot change	prc.rule.activate	RULE_WITHDRAWN

4.3 Control price

From	To	Trigger / command	Guard	Permission	Audit
–	IN_FORCE	EnterControlPrice	caller F; MFA; gazette reference; scope exists; effective_from; no overlapping row for the scope	prc.controlprice.enter (F, MFA)	CONTROL_PRICE_ENTERED
IN_FORCE	SUPERSEDED	EnterControlPrice (later effective_from)	closes the previous at effective_from – 1	as above	CONTROL_PRICE_ENTERED
IN_FORCE	RESCINDED	RescindControlPrice(effective_to)	reason; gazette reference of the rescission	as above	CONTROL_PRICE_RESCINDED

Control-price entry and withdrawal of a rule are **urgent** snapshot changes: tills download on the next heartbeat rather than the 15-minute cycle (*doc 32 §5.2*).

5. Contract

5.1 Commands

Command	Input (essentials)	Permission	Effect	Events
CreatePriceList / DraftNewVersion	kind, owner, name; source version	prc.pricelist.author	DRAFT	–
SetLines	list, lines[] (sku, uom, price, tier)	prc.pricelist.author	draft lines; ceiling check per line with reasons	–
PublishPriceList	list, apply_from	prc.pricelist.publish (MFA for TRADE)	PUBLISHED; previous SUPERSEDED at apply_from; change-log rows (RETAIL)	price_list.published.v1 (apply_from)

Command	Input (essentials)	Permission	Effect	Events
WithdrawDraft	list, reason	prc.pricelist.author	WITHDRAWN	–
AuthorRule / AmendDraftRule	kind, predicate, benefit, priority, validity, name	prc.rule.author	DRAFT	–
ActivateRule / WithdrawRule	rule; reason on withdraw	prc.rule.activate	ACTIVE / WITHDRAWN; change-log (urgent on withdraw)	discount_rule.activated/withdrawn.v1
AdoptAdvisoryRule	advisory rule	prc.rule.author	copy into the MPCS as DRAFT	–
EnterControlPrice / RescindControlPrice	scope, ceiling, uom, effective_from, gazette ref; reason	prc.controlprice.enter (F, MFA)	row; change-log to all locations (urgent)	control_price.entered/rescinded.v1
SetMrpPolicy	scope sku tag, policy, threshold	prc.mrp_policy.set (owner; F for tags)	policy row; M2 sku denormalised value updated via event	mrp_policy.changed.v1
DefineAdjustmentType	code, kind, bounds, permission	prc.adjustment.define (F)	row	adjustment_type.defined.v1
PrintShelfLabels	location, sku list, template	prc.label.print (owner)	label_job; render; refuses over-ceiling labels	label_job.rendered.v1

5.2 Queries

Query	Returns	Scope rule
ResolveRetailPrice(location, sku, uom, qty, batch?, picked_batch?, business_date)	Engine result for one line (Section 3.5) – central use: M4 internal, ingestion re-validation, screens	OWN, FEDERATION_VIEW
ResolveBasket(location, lines[], business_date, tender_kind)	Full receipt result incl. bill rule and rounding	As above; the till runs the same function locally
ResolveTradePrice(relationship, sku, uom, qty, date)	Tiered trade price, tax-exclusive, adjustment types allowed	PARTY, FEDERATION_VIEW
skusOnRetailList(entity)	SKU ids on the PUBLISHED retail list	M2 assortment; OWN
GetPriceList(list, version) / ListPriceLists(owner, kind)	Header and lines	OWN; PARTY for the TRADE list bound to their relationship
ListRules(owner, status) / GetRule	Rules	OWN; advisory readable by all
ControlPricesInForce(date) / ControlPriceFor(sku, date)	Ceilings (sku and tag scope)	Any
CheckCeilingsForAuthoring(entity, sku, uom, price)	OK or the binding ceiling with reason	OWN
GetPricingSnapshot(location, since)	Delta of retail lines, rules, control prices, policies, tax rates (via M2), adjustment types not included	Snapshot builder
MarkdownCost(scope, period)	Reductions by rule kind for M8	OWN, FEDERATION_VIEW

5.3 Events published

Event	Payload	Consumers
price_list.published.v1	list id, kind, owner, version, apply_from, changed sku ids	M2 assortment, snapshot change log, M4 (trade), M8
discount_rule.activated/withdrawn.v1	rule id, owner, kind, validity, scope skus/tags	Snapshot (urgent on withdraw), M8
control_price.entered/rescinded.v1	scope, ceiling, effective range, gazette ref	Snapshot (urgent, all locations), M2 (review of lists), M8
mrp_policy.changed.v1	scope, policy, threshold	M2 (sku denormalised value), snapshot
pricing.review_raised.v1	kind (BATCH_MRP_BELOW_LIST, LIST_ABOVE_CEILING_AT_GAZETTE, TRADE_ABOVE_MRP), sku, entity, details	Exception queues (M1), M8
label_job.rendered.v1	job id, location, count	M6 (print), M8

6. Key flows

Flow	Sequence	Failure paths
6.1 Publishing an MPCs retail list	Pricing officer drafts a new version (carries forward lines) → edits lines; each edit checked against lowest in-stock batch MRP at the MPCs's locations (M5 query) and control prices → PublishPriceList(apply_from = next Monday) → change-log rows per location for changed SKUs with apply_from → tills download within 15 minutes and activate at day-open on that date → M2 assortment updated	A line above a ceiling is refused with the binding ceiling shown; a list with any invalid line cannot publish; apply_from in the past refused
6.2 Negotiating a distributor list	Distributor sales drafts a TRADE list with tiers for one MPCs → M1 relationship references it → publish (MFA) → M4 resolves order lines by tier; adjustment types apply only on Federation orders	Descending tiers refused; publish without a bound relationship allowed (bound later at relationship activation)
6.3 Authoring an expiry markdown	MPCs authors EXPIRY_MARKDOWN for tag dairy: days_to_expiry ≤ 5 → 30% off → activate → till applies to the specific batch entering the window; M5's expiry warning tasks and this rule work together; M8 reports the reduction as markdown cost separately (F-07)	Rule on a non-expiry-tracked scope refused at authoring
6.4 A gazette lands	Federation catalogue steward enters a control price for tag rice, Rs 220/kg, effective today, gazette 2492/29 → MFA → urgent change-log to every location → tills apply on next heartbeat and cap immediately (control term); M3 raises LIST_ABOVE_CEILING_AT_GAZETTE reviews for every MPCs whose retail line exceeds it so lists get corrected; label jobs refuse old labels	A second entry overlapping the same scope refused; rescission requires its own reference
6.5 A batch arrives with a lower MRP than the list	M4 confirms a GRN; M2 registers batch with MRP 980 while the retail line is 1,040 → M3 consumer raises BATCH_MRP_BELOW_LIST review to the MPCs pricing role → until corrected, the engine's batch term already caps the sale (AUTO_LOWEST), so the customer is never over-charged; the review is about margin and list hygiene	–
6.6 Till resolution with two batches (doc 13 scenario 4)	Scan; AUTO_LOWEST picks min(1,040 list, 980 lowest MRP, no control) = 980, cap_reason MRP_LOWEST; a TIME_LIMITED rule of 5% applies → 931; tax decomposed; cash rounding at receipt; line records batch, mrp_applied 980, rule id	With PICKER policy and gap above threshold the ItemCard shows both batches with images; the operator's pick records MRP_PICKED
6.7 Federation adjustment on a distributor order	Federation sales adds SPECIAL_DISCOUNT 3% (type bounds 5%) on an order → M4 records the adjustment line with the type and the actor's permission → invoice carries it	Beyond bounds or without the type's permission refused by M4 using M3's query

7. Configuration

Item	Default	Scope	Who may change
pricing.stacking_policy	PRIORITY_THEN_BEST	Entity	prc.rule.activate
pricing.default_mrp_policy	AUTO_LOWEST	Federation	prc.mrp_policy.set (F)
pricing.picker_gap_threshold	Rs 20 or 5%, whichever larger	Entity	prc.mrp_policy.set
pricing.cash_rounding	NEAREST_RUPEE	Federation	– (G-10)
pricing.trade_above_mrp_review	true	Federation	prc.pricelist.publish (F)
pricing.control_price_staleness_days (till warning)	3	Federation	prc.controlprice.enter
pricing.label_template	default	Entity	prc.label.print

8. Screens as paper

Screen	Paper mirrored	Surface	Roles	Notes
Wholesale price list (TRADE)	Wholesale price list	W	Seller pricing	Versions and tiers; ceiling review flags; bound relationships
Shelf price list (RETAIL)	Shelf price list	W	MPCs pricing	Draft/publish with apply_from; per-line ceiling status; advisory column beside; label print
Offer notice (rule editor)	Offer notice	W	MPCs pricing	Form per kind (no free text logic); preview against a sample basket; priority; validity

Screen	Paper mirrored	Surface	Roles	Notes
Gazette (control prices)	Gazette	W	Federation steward	Effective-dated ceilings by SKU or tag; gazette reference; affected lists count; staleness
MRP policy	–	W	MPCS pricing, F for tags	Per SKU or tag; threshold
Pricing reviews	Exceptions book	W	MPCS pricing	BATCH_MRP_BELOW_LIST, LIST_ABOVE_CEILING, TRADE_ABOVE_MRP items with one-click 'open list line'
Markdown queue	Expiry list	W/T	Supervisor	Batches in the window with the rule that applies (M5 data + M3 rule)
MRP picker	Pack label	T	Cashier	Rendered by M6 in the ItemCard zone from the engine's candidate list

9. Non-functional design

Aspect	Design
9.1 Engine performance	Pure functions over in-memory inputs; a 30-line basket with 200 active rules resolves in under 5 ms on the reference ARM terminal; rule indexing by sku and tag at snapshot load, not per scan.
9.2 Determinism and parity	The engine is deterministic given (snapshot version, engine version, business date, inputs); central re-validates every ingested receipt with the version the till reported (<i>doc 32 §5.2</i>); a parity suite of golden baskets runs on JVM and Android in CI (17A).
9.3 Versioning	Engine changes bump engine_version; the snapshot schema carries the minimum engine version; a till below it warns and keeps selling with its own version (central re-validates with that version).
9.4 Snapshot volume	Retail lines for the assortment (a few thousand rows), rules (tens to hundreds), control prices (tens), policies; deltas are small except on a list publication day.
9.5 Legal safety	Property-based tests assert that no engine output ever exceeds the control term; the label job and the authoring check share the same function; control-price entry is MFA-gated and audited with the gazette reference.
9.6 Privacy and security	No personal data; trade lists are PARTY-visible only for the bound relationship; advisory rules public within the federation.

10. Test strategy

Layer	What is tested
Unit (engine)	Each step of Section 3.5 in isolation; every rule kind; stacking policies; tax decomposition and rounding edge cases (0.50 rupee, negative after rounding never); unit conversion of ceilings
Property-based	For random lists, batches, ceilings and rules: output $\leq$ control term always; output $\leq$ list always; cap_reason consistent with the binding term; parity JVM vs Android on the same random inputs
Golden baskets	Doc 13 scenario 4 and twenty more fixtures as JSON shared with the till track; expected receipts to the cent
Contract	Every command and query; authoring refusals carry the binding ceiling; snapshot contributor output
State machine	List versions, rules, control prices; urgent flags on the right transitions
Scenario	Flows 6.1–6.7 end to end incl. the gazette landing and the review fan-out
Performance	Engine under 5 ms per basket on ARM; list publication for a 6,000-SKU list produces change-log rows for all locations of the MPCS under 30 s

11. Decision requests

#	Point	Proposed	Decider
DR-1	Stacking policy default	PRIORITY_THEN_BEST; one line rule plus one bill rule; no compounding	Federation admins with MPCS pricing input
DR-2	SKU-scoped vs tag-scoped control price both in force	The lower applies	Federation legal
DR-3	Trade price above lowest MRP	Allowed with a REVIEW, not blocked	Federation
DR-4	Picker gap threshold default	Rs 20 or 5%	Federation with cashier usability round
DR-5	Advisory rules adoptable by copy	Yes	Federation
DR-6	mrp_policy, adjustment_type, label_job tables (CR-23-1 to doc 18)	Adopt	Architecture review
DR-7	Preferential-price slot in the engine input now (P3 hook)	Adopt (empty optional)	Architecture review, till track

12. Traceability

Section	Identifiers
3.1–3.2	FR-PRC-010, 020, 030; A-06, A-07; G-01, G-02; ADR-04
3.3	FR-PRC-060, 070, 080; G-05, G-06, G-07; F-07, F-11; ADR-14; doc 20 §4 guardrail
3.4–3.5	FR-PRC-040, 090, 100, 130; G-03, G-09, G-10; ADR-08, ADR-31; doc 18 §4.9, B-I6, B-I7; multi-MRP study; CAA Act s.20(5)

Section	Identifiers
3.6–3.7	B-11 (labels); FR-PRC-110 (P3)
4	FR-PRC-120; ADR-34; doc 32 §5.2 urgent changes
6	Doc 13 scenario 4; the September review item 11
9	NFR-PRF (till); NFR-CMP (legal safety); doc 14 §8 spikes 1 and 7

End of document. Draft for design review; the contract freezes when M4 and M6 acknowledge it, targeted end of Stage 2 week 4. Implementation guide: 23A.