Summary statistics

DATA MANIPULATION WITH PANDAS



Maggie Matsui Senior Content Developer at DataCamp



Summarizing numerical data

```
dogs["height_cm"].mean()

49.714285714285715
```

```
.median(), .mode()
```

```
• .min(), .max()
```

```
• .var(), .std()
```

- .sum()
- .quantile()

Summarizing dates

Oldest dog:

```
dogs["date_of_birth"].min()
```

```
'2011-12-11'
```

Youngest dog:

```
dogs["date_of_birth"].max()
```

'2018-02-27'



The .agg() method

```
def pct30(column):
    return column.quantile(0.3)

dogs["weight_kg"].agg(pct30)
```

22.59999999999998

Summaries on multiple columns

```
dogs[["weight_kg", "height_cm"]].agg(pct30)
```

```
weight_kg 22.6
height_cm 45.4
dtype: float64
```



Multiple summaries

Cumulative sum

dogs["weight_kg"]

```
0
     24
     24
     24
3
     17
     29
5
6
     74
Name: weight_kg, dtype: int64
```

```
dogs["weight_kg"].cumsum()

0    24
1    48
2    72
3    89
4    118
5    120
6    194
```

Name: weight_kg, dtype: int64

Cumulative statistics

- .cummax()
- .cummin()
- .cumprod()

Walmart

sales.head()

	store	type	dept	date	weekly_sales	is_holiday	temp_c	fuel_price	unemp
0	1	Α	1	2010-02-05	24924.50	False	5.73	0.679	8.106
1	1	Α	2	2010-02-05	50605.27	False	5.73	0.679	8.106
2	1	Α	3	2010-02-05	13740.12	False	5.73	0.679	8.106
3	1	Α	4	2010-02-05	39954.04	False	5.73	0.679	8.106
4	1	Α	5	2010-02-05	32229.38	False	5.73	0.679	8.106

Let's practice!

DATA MANIPULATION WITH PANDAS



Counting DATA MANIPULATION WITH PANDAS



Maggie Matsui Senior Content Developer at DataCamp



Avoiding double counting



Vet visits

print(vet_visits)

	d o + o	nome	bbood	wojabt ka
	date	name	breed	weight_kg
0	2018-09-02	Bella	Labrador	24.87
1	2019-06-07	Max	Labrador	28.35
2	2018-01-17	Stella	Chihuahua	1.51
3	2019-10-19	Lucy	Chow Chow	24.07
	• • •	• • •	• • •	• • •
71	2018-01-20	Stella	Chihuahua	2.83
72	2019-06-07	Max	Chow Chow	24.01
73	2018-08-20	Lucy	Chow Chow	24.40
74	2019-04-22	Max	Labrador	28.54

Dropping duplicate names

vet_visits.drop_duplicates(subset="name")

	date	name	breed	weight_kg
0	2018-09-02	Bella	Labrador	24.87
1	2019-06-07	Max	Chow Chow	24.01
2	2019-03-19	Charlie	Poodle	24.95
3	2018-01-17	Stella	Chihuahua	1.51
4	2019-10-19	Lucy	Chow Chow	24.07
7	2019-03-30	Cooper	Schnauzer	16.91
10	2019-01-04	Bernie	St. Bernard	74.98
(6	2019-06-07	Max	Labrador	28.35)

Dropping duplicate pairs

```
unique_dogs = vet_visits.drop_duplicates(subset=["name", "breed"])
print(unique_dogs)
```

	date	name	breed	weight_kg
0	2018-09-02	Bella	Labrador	24.87
1	2019-03-13	Max	Chow Chow	24.13
2	2019-03-19	Charlie	Poodle	24.95
3	2018-01-17	Stella	Chihuahua	1.51
4	2019-10-19	Lucy	Chow Chow	24.07
6	2019-06-07	Max	Labrador	28.35
7	2019-03-30	Cooper	Schnauzer	16.91
10	2019-01-04	Bernie	St. Bernard	74.98

Easy as 1, 2, 3

```
unique_dogs["breed"].value_counts()
```

```
Labrador 2
Schnauzer 1
St. Bernard 1
Chow Chow 2
Poodle 1
Chihuahua 1
Name: breed, dtype: int64
```

```
unique_dogs["breed"].value_counts(sort=True)
```

```
Labrador 2
Chow Chow 2
Schnauzer 1
St. Bernard 1
Poodle 1
Chihuahua 1
Name: breed, dtype: int64
```

Proportions

```
unique_dogs["breed"].value_counts(normalize=True)
```

```
Labrador 0.250
Chow Chow 0.250
Schnauzer 0.125
St. Bernard 0.125
Poodle 0.125
Chihuahua 0.125
Name: breed, dtype: float64
```

Let's practice!

DATA MANIPULATION WITH PANDAS



Grouped summary statistics

DATA MANIPULATION WITH PANDAS



Maggie Matsui Senior Content Developer at DataCamp



Summaries by group

```
dogs[dogs["color"] == "Black"]["weight_kg"].mean()
dogs[dogs["color"] == "Brown"]["weight_kg"].mean()
dogs[dogs["color"] == "White"]["weight_kg"].mean()
dogs[dogs["color"] == "Gray"]["weight_kg"].mean()
dogs[dogs["color"] == "Tan"]["weight_kg"].mean()
```

```
26.0
24.0
74.0
17.0
2.0
```

Grouped summaries

```
dogs.groupby("color")["weight_kg"].mean()
```

```
color
Black 26.5
Brown 24.0
Gray 17.0
Tan 2.0
White 74.0
Name: weight_kg, dtype: float64
```

Multiple grouped summaries

```
dogs.groupby("color")["weight_kg"].agg([min, max, sum])
```

```
min
          max
              SUM
color
          29
               53
Black
      24
          24
      24
               48
Brown
     17
          17 17
Gray
     2 2 2
Tan
White
          74
               74
      74
```

Grouping by multiple variables

```
dogs.groupby(["color", "breed"])["weight_kg"].mean()
```

```
color
      breed
Black Chow Chow
                     25
      Labrador
                     29
      Poodle
                     24
      Chow Chow
Brown
                     24
      Labrador
                     24
      Schnauzer
                     17
Gray
Tan
     Chihuahua
White St. Bernard
                    74
Name: weight_kg, dtype: int64
```



Many groups, many summaries

```
dogs.groupby(["color", "breed"])[["weight_kg", "height_cm"]].mean()
```

		weight_kg	height_cm
color	breed		
Black	Labrador	29	59
	Poodle	24	43
Brown	Chow Chow	24	46
	Labrador	24	56
Gray	Schnauzer	17	49
Tan	Chihuahua	2	18
White	St. Bernard	74	77

Let's practice!

DATA MANIPULATION WITH PANDAS



Pivot tables

DATA MANIPULATION WITH PANDAS



Maggie Matsui Senior Content Developer at DataCamp



Group by to pivot table

```
dogs.groupby("color")["weight_kg"].mean()
```

```
color
Black 26
Brown 24
Gray 17
Tan 2
White 74
Name: weight_kg, dtype: int64
```

Different statistics

```
dogs.pivot_table(values="weight_kg", index="color", aggfunc="median")
```

```
      weight_kg

      color

      Black
      26.5

      Brown
      24.0

      Gray
      17.0

      Tan
      2.0

      White
      74.0
```



Multiple statistics

```
dogs.pivot_table(values="weight_kg", index="color", aggfunc=["mean", "median"])
```

```
median
           mean
      weight_kg weight_kg
color
Black
           26.5
                      26.5
           24.0
                      24.0
Brown
           17.0
                     17.0
Gray
                      2.0
Tan
            2.0
White
           74.0
                      74.0
```

Pivot on two variables

```
dogs.groupby(["color", "breed"])["weight_kg"].mean()
```

```
dogs.pivot_table(values="weight_kg", index="color", columns="breed")
```

bre	ed	Chihuahua	Chow Chow	Labrador	Poodle	Schnauzer	St. Bernard
col	or.						
Bla	ck	NaN	NaN	29.0	24.0	NaN	NaN
Bro	wn	NaN	24.0	24.0	NaN	NaN	NaN
Gra	У	NaN	NaN	NaN	NaN	17.0	NaN
Tan		2.0	NaN	NaN	NaN	NaN	NaN
Whi	.te	NaN	NaN	NaN	NaN	NaN	74.0



Filling missing values in pivot tables

```
dogs.pivot_table(values="weight_kg", index="color", columns="breed", fill_value=0)
```

	eed	Chihuahua	Chow Chow	Labrador	Poodle	Schnauzer	St. Bernard
	lor ack	0	0	29	24	0	0
Bro	own	0	24	24	0	0	0
Gra	ay	0	0	0	0	17	0
Tai	n	2	0	0	0	0	0
Wh:	ite	0	0	0	0	0	74

Summing with pivot tables

breed	Chihuahua	Chow Chow	Labrador	Poodle	Schnauzer	St. Bernard	All
color							
Black	0	0	29	24	0	0	26.500000
Brown	0	24	24	0	0	0	24.000000
Gray	0	0	0	0	17	0	17.000000
Tan	2	0	0	0	0	0	2.000000
White	0	0	0	0	0	74	74.000000
All	2	24	26	24	17	74	27.714286

Let's practice!

DATA MANIPULATION WITH PANDAS

