MASTER OF COMPUTER APPLICATION (M.C.A.)

JAMIA MILLIA ISLAMIA

ENTRANCE EXAMINATION 2017

1. If $y = \tan^{-}1\left\{\frac{1+x}{1-x}\right\}$, then $\frac{dy}{dx}$ is equal to ……

   (A) $\frac{2}{1+x^2}$ (B) $\frac{2}{1+2x^2}$

   (C) $\frac{1-x^2}{1+x^2}$ (D) $\frac{1}{1+x^2}$

2. If $y = \log(\tan x), then\ dy/dx$ is equal to …….

   (A) 2cosec 2x (B) 2sec 2x

   (C) 2sin 2x (D) 2cos 2x

3. If $y = \cos^{-}1$ and $z = \sin^{-}1\sqrt{1-x^2}$, then $\frac{dy}{dx}$ is equal to ……

   (A) $1(1-x^2)$ (B) 1

   (C) $x/(1+x^2)$ (D) $x(1-x^2)$

4. If $y = e^{2x}$, then $\frac{d^2y}{dx^2}.\frac{d^2x}{dy}$ is equal to……

   (A) $-2e^{x}$ (B) $-2e^{2x}$

   (C) $-2e^{2x}$ (D) $-2e^{-x}$

5. If $\sqrt{x+y}+\sqrt{y-x}=\sqrt{2}$, then $\frac{d^2y}{dx}$ is equal to ……..

   (A) 1 (B) 1/2

   (C) 1/4 (D) −2

6. $\lim_{x\to 0}\frac{1-cosx}{x^2}$ is equal to …….

   (A) 0 (B) ½

   (C) ¼ (D) 1

7. $\lim_{x\to\infty}(x+\sqrt{x^2+x})$, is equal to ……

(A) $1/2$ (B) 1

(C) -1 (D) $-1/2$

8. $\int \frac{dx}{xlogxlog(\log x)}$ is equal to ……

(A) $\log x$ (B) $\log(\log x)$

(C) $\log(\log(logx))$ (D) $(\log(\log x))\text{^}2$

9. $\int x^x(1+\log x)dx$ is equal to ……..

(A) x^x (B) $x^x logx$

(C) $x^x/logx$ (D) $x^x/(1+x)$

10. $\int_0^1 \frac{x}{(1-x)^{3/4}}dx$ is equal to ……

(A) $12/5$ (B) $-12/5$

(C) $16/5$ (D) $-16/5$

11. Let A and B are two disjoint subsets of a universal set E. The $(\cup B) \cap B$ is equal to …….

(A) E (B) $\emptyset$

(C) A (D) B

12. $(A-B)-A$ is equal to ……..

(A) $\emptyset$ (B) A

(C) B (D) AI B

13. Let 10 is the cardinality of set A. the number of bijective mapping from set A to itself is….

(A) 10 (B) 55

(C) 100 (D) 3628800

14. Let n be a positive decimal integer. The number of digits in n is equal to ……..

(A)$\lceil \log_{10} n \rceil + 1$ (B) $\lfloor \log_{10} n \rfloor + 1$

(C) $\lfloor \log_{10} n \rfloor$ (D) $\lceil \log_{10} n \rceil$

15. Let cardinality of set A and B Are 2 and 5 respectively. The number of relation from A to B is……

(A) 1024 (B) 1000

(C) 1010 (D) 1025

16. Let $f: R \to R, g: R \to R$ be two functions given by $f(x) = 2x - 3$ and $g(x) = x/2$. The $(fog)^{-1}(x)$ is equal to …….

(A) $(x + 3)/2$ (B) $x + 2$

(C) $2x + 3$ (D) $2x - 4$

17. Let $f: R \to R$ is defined by $f(x) = x^2 + 5$, then value of $f^{-1}(4)$ is equal to ……

(A) $+1$ (B) -1

(C) $\emptyset$ (D) 20

18. If $g: R \to R$ is defined by $g(x) = x^2 - 2$, then value of $g^{-1}(23)$ is equal to …..

(A) ± 5 (B) 25

(C) $+4$ (D) 527

19. Let cardinality of A and B are 3 and 10 respectively. The number of one to one functions from A to B is.

(A) 2^{10} (B) 2^2

(C) 101 (D) 720

20. Let $A = \{1,2,3,4\}$ and $b = \{a, b\}$ are two sets. The number of surjective mappings from A to B is……

(A) 14 (B) 16

(C) 2^8 (D) 8!

21. Let $z = \sqrt{3} + i$ be a complex number and $\bar{z}$ be its conjugate. The $|\arg z| + |\arg \bar{z}|$ is equal to …

(A) $\frac{\pi}{3}$ (B) $\frac{2\pi}{3}$

(C) $\frac{\pi}{6}$ (D) $\frac{\pi}{4}$

22. The $\frac{(\sqrt{3}+i)^{17}}{(1-i)^{50}}$ is equal to ……

(A) $\frac{-1-\sqrt{3}}{2^9}$ (B) $\frac{1+\sqrt{3}}{2^9}$

(C) $\frac{-1-\sqrt{3i}}{2^8}$ (D) $\frac{1+\sqrt{3i}}{2^9}$

23. For which of the following value of x, the $\left(\frac{1+i}{1-i}\right)^x = 1$?

(A) 29 (B) 35

(C) 34 (D) 68

24. If ω is a cube root of unity, then the value of $(1-\omega-\omega^2)(1+\omega^3)$ is …..

(A) 2 (B) 4

(C) ω (D) ω^2

25. Le t z be a complex number.. Which of the following is a solution of $|z| - z = 1 + 2i$?

(A) $\frac{3}{2} + 2i$ (B) $2 - \frac{3}{2}i$

(C) $\frac{3}{2} - 2i$ (D) $2 + \frac{3}{2}i$

26. If $sin\theta + cosec\theta = 2$, then $\sin^n\theta + cosec^n\theta$ is equal to ……

(A) 1 (B) 2

(C) 2^n (D) $2^n - 1$

27. The value of $\sin^6 x + \cos^6 x + 3\sin^2 x cos^2 x$ is equal to …..

(A) 3 (B) 2

(C) 1 (D) 0

28. If $x = a\cos^2\theta sin\theta$ and $y = a\sin^2\theta\cos\theta$, then $(x^2+y^2)^3$ is equal to ….

(A) A^2x^2 (B) $a^2x^2y^2$

(C) $a^2(y^2-y^2)$ (D) $a^2(x^2-y^2)$

29. The minimum value of $3cos\,\theta + 4\,sin\,\theta + 10$ is equal to .

(A) 5 (B) 9

(C) 7 (D) 3

30. $Sin6^{\circ}\ sin42°sin66°sin78°$ is equal to

(A) 1/32 (B) 1/16

(C) 1/8 (D) 1/4

31. If 20^{th} term of an A.P. is 30 and its 30^{th} term is 20, then its 10^{th} term is .

(A) 40 (B) 10

(C) 20 (D) 30

32. Let sum of n terms of an A.P. is 2n(n – 1), then sum of their squares is

(A) $\frac{8n(n-1)(2n-1)}{3}$ (B) $\frac{8n(n-1)(2n-1}{6}$

(C) $\frac{n(n+1)(2n+1)}{6}$ (D) $\frac{8n(n+1)(2n+1)}{3}$

33. For what value of x, the $\log_2(5.2^x + 1)$, $\log_4 (2^{1-x} + 1)$, and 1 are in A.P.?

(A) $\log_2 5$ (B) $\log_5 2$

(C) $1 + \log_2 5$ (D) $1 - \log_2 5$

34. If the ratio of sum of m terms and n terms of an A.P. be $m^2 : n^2$, then the ration of its m^{th} and n^{th} terms will be .

(A) m : n (B) 2m – 1 : 2n – 1

(C) m + n : n + 1 (D) n : m

35. The value of $9^{1/3} \times 9^{1/9} \times 9^{1/27} \times \ldots\ldots\infty$ is ……

(A) 3 (B) 9

(C) 1 (D) ∞

36. If α and β are the roots of equation $x^2 + px + p^2 + q = 0$, then the value of $\alpha + \alpha\beta + \beta^2$

(A) p (B) – p

(C) q (D) – q

37. If the roots of $x^2 - bx + c = 0$ are two consecutive numbers, then $b^2 - 4c$ is equal to

(A) 1 (B) 2

(C) 3 (D) 4

38. The number of real roots of equation $(x-1)^2 + (x-2)^2 + (x-3)^2 = 0$ is

(A) 0 (B) 1

(C) 2 (D) 3

39. If the roots of equation $(b-c)x^2 + (c-a)x + (a-b) = 0$ be equals, then a, b, c are in

(A) H.P. (B) G.P.

(C) A.P. (D) None of these

40. If the equations $x^2 + 2x + 3\lambda = 0$ have a non – zero common root, then λ is equal to .....

(A) 1 (B) – 1

(C) 2 (D) – 2

41. If ${}^nP_r = {}^nP_{r+1}$ and ${}^nC_r = {}^nC_{r-1}$, then (n, r) is ……..

(A) (2, 3) (B) (3, 2)

(C) (4, 3) (D) (3, 4)

42. The number of arrangements of the letters of the word BANANA in which the two N's do not appear adjacently is

(A) 40 (B) 60

(C) 80 (D) 100

43. The sum of $(n + 1)$ terms of the series $\frac{C_0}{2} - \frac{C_1}{3} + \frac{C_2}{4} - \frac{C_3}{5} + \cdots$ *is* ... ...

(A) $\frac{1}{n+1}$ (B) $\frac{1}{n+2}$

(C) $\frac{1}{n(n+1)}$ (D) $\frac{1}{(n+1)(n+2)}$

44. If ω is a cube root of unity, then $\begin{vmatrix} 1 & \omega & \omega^2 \\ 1 & \omega^2 & 1 \\ \omega & 1 & \omega^2 \end{vmatrix}$ is equal to…….

(A) ω (B) ω^2

(C) 1 (D) – 3

45. If $\begin{bmatrix} x & 2 \\ 2 & x \end{bmatrix}$ and $|A^2| = 0$, then x is equal to …….

(A) ± 2 (B) ±3

(C) 1 (D) 4

46. Let $\vec{A} = i - j + k, \vec{C} = -i - j$ be two vectors. Which of the following is the vector $\vec{B}$ such that

$\vec{A} \times \vec{B} = \vec{C}$ and $\vec{A}.\vec{B} = 1$?

(A) i (B) k

(C) – j (D) i + j

47. A point P on y – axis is equidistant from the points $A\ (-\ 5, 4\ )$ and $B(3, -\ 2)$. Its coordinate is

(A) $(0, 3/4\ )$ (B) $(0, 4/3)$

(C) $(0, 3/7)$ (D) $(0, 7/3)$

48. The area of the triangle with vertices $A\ (a, b\ +\ c)\ , B\ (b, c\ +\ a)\ , C\ (c, a\ +\ b)$ is equal to

(A) 0 (B) $ab + bc + ca$

(C) $a\ +\ b +\ c$ (D) $a\ +\ b -\ c$

49. Two dices are thrown simultaneously. The probability of obtaining a total score of 5 is ….

(A) 1/12 (B) 1/36

(C) 1/9 (D) 1/8

50. Three of the six vertices of a regular hexagon are chosen at random. The probability that triangle

formed with these chosen vertices is equilateral, equal to .

(A) 1/2 (B) 1/10

(C) 1/5 (D) 1/20

51. Minimum number of two – input NAND gates used to perform the function of two – input OR gate is

(A) One (B) Two

(C) Three (D) Four

52. The time required for electronic circuit to change its state is called……

(A) Propagation time (B) Rise time

(C) Decay time (D) Changing time

53. Which of the following is not equivalent to x?

(A) x . x (B) $x + x$

(C) x . 1 (D) $x + 1$

54. Which of the following is a sequential circuit?

(A) Adder (B) Decoder

(C) Multiplexor (D) Flip flop

55. Which of the following will be the number of output lines in a combinational circuit that takes input a two bit number and produce the output cube of it?

(A) 3 (B) 4

(C) 5 (D) 6

56. Which of the following is a web browser?

(A) Avira (B) Trust Port

(C) Opera (D) None of these

57. Which of the following is an operating system?

(A) Baidu (B) Symbian

(C) AVG (D) None of these

58. Which of the following is antivirus software?

(A) Symbian (B) Norton

(C) SCO (D) None of these

59. Which of the following is a web search engine?

(A) Opera (B) Symbian

(C) AVG (D) None of these

60. Which of the following is a social media website?

(A) Instagram (B) Norton

(C) Symbian (D) None of these

61. z/OS is a

(A) PC operating system (B) Mainframe operating system

(C) Mobile operating system (D) None of these

62. Which of the following is mobile operating system?

(A) Palm operating system (B) AVG

(C) BeOS (D) None of theses

63. Intel 8086 is a Bit microprocessor.

(A) 4 (B) 8

(C) 16 (D) 32

64. Which of the following is mainframe computer?

(A) Vtech (B) Rabbit

(C) Dubna (D) IBM System /360

65. Wellewer is a

(A) Operating System (B) Microprocessor

(C) Mobile company (D) None of these

66. If $(500)_{10} = (x)_5$, then x is equal to

(A) 400 (B) 4000

(C) 1000 (D) None of these

67. If $(780)_{10} = (1056)_x$, then x is equal to

(A) 7 (B) 5

(C) 8 (D) 9

68. If $(2\ ?\ 1)7 = (120)_{10}$, then the missing digit is

(A) 1 (B) 2

(C) 3 (D) 4

69. The 2's complement of the binary number (0110100)2 is

(A) 1001100 (B) 1101100

(C) 1111100 (D) 1101011

70. The 2's complement 10110010 represent the negative number in 8 bits system

(A) – 50 (B) – 78

(C) – 77 (D) – 51

71. Which of the following term is wrong in the series 2, 5, 8, 12, 14, 17, 20 ?

(A) 1st (B) 2nd

(C) 3rd (D) 4th

72. Which of the following term is wrong in the series 1, 4, 9, 16, 21, 36, 49 ?

(A) 6th (B) 5th

(C) 4th (D) 3rd

73. Which of the following term is wrong in the series 1, 3, 6, 11, 15, 21, 28 ?

(A) 1st (B) 2nd

(C) 3rd (D) 4th

74. Which of the following is the next term of the series : A_1B, BD_2, D_3G, GK_4 ?

(A) K_5M (B) K_5P

(C) K_5O (D) K_5Q

75. Which of the following is the next term of the series : $C_1Z, D_3Y, E_5X, F_7\ W,$?

(A) G_8V (B) $G_{10}V$

(C) G_9W (D) None of these

76. Which of the following is the next term of the series : ABZ, BDY , DFX , GHW, ?

(A) KJV (B) KIV

(C) JJV (D) JIV

77. Which of the following is the next term of the series : CAT, EBS, GCR, IDQ, ?

(A) KFP (B) KEQ

(C) KEP (D) LEP

78. If '234' is coded to '11', then '123'is coded to .....

(A) 6 (B) 5

(C) 7 (D) 8

79. If '123456' is coded to '615', then '214652' is coded to

(A) 816 (B) 2134

(C) 613 (D) 713

80. 234 : 24 :: 235 : ?

(A) 9 (B) 56

(C) 210 (D) 30

81. 123 : 9 :: 321 : ?

(A) 5 (B) 9

(C) 8 (D) 6

82. Which of the following is code for CAT in a coding scheme in Which JMI is coded as 32?

(A) 21 (B) 24

(C) 23 (D) 22

83. Which of the following is code for JMI in a coding scheme in Which BAG is coded as 217?

(A) 10139 (B) 9128

(C) 10138 (D) 10129

84. If CAT mean 3, HE mean 2, DELHI mean 5, then SAD is

(A) 1 (B) 2

(C) 3 (D) 4

85. If $54 + 43 = 2, 60 + 51 = 10, 70 + 61 = 12$, then $72 + 62 = ?$

(A) 14 (B) 13

(C) 8 (D) 9

86. Which of the following is the next number in the series : 1, 3 , 6 , 11, 18, 29 ?

(A) 39 (B) 40

(C) 41 (D) None of these

87. Which of the following is the next number in the series : 1, 8 , 27 , 64, 125, ?

(A) 216 (B) 215

(C) 210 (D) None of these

88. Which of the following is the next number in the series : 3 , 7 , 13, 21, 31 ?

(A) 41 (B) 43

(C) 47 (D) None of these

89. Which of the following is the next number in the series : 1, 2 , 6 , 42?

(A) 57 (B) 1805

(C) 1806 (D) None of these

90. Which of the following term is wrong in the series : 1, 1, 2, 4, 5, 8, 13 ?

(A) 2^{nd} (B) 4^{th}

(C) 5^{th} (D) 3^{rd}

91. There are ..... Views on the issue of giving bonus to the employees.

(A) independent (B) divergent

(C) modest (D) adverse

92. Before the of the Europeans in India, India was a free country ?

(A) entry (B) emigration

(C) advent (D) immigration

93. Which of the following is correctly spelt English word?

(A) Delineate (B) Deleneat

(C) Dileneate (D) Deleneate

94. Which of the following is correctly spelt English word?

(A) Enemyty (B) Enemity

(C) Enmity (D) Enmety

95. Which of the following word is most nearly the same in meaning as the word AMAZING?

(A) Beautiful (B) Good

(C) Astonishing (D) Famous

96. Which of the following word is most nearly the same in meaning as the word BRAVE?

(A) Courageous (B) Serence

(C) Aloof (D) Sob

97. Which of the following word is most nearly the same in meaning as the word DILIGENT?

(A) Fool (B) Unhappy

(C) Hardworking (D) Cool

98. Which of the following word is most nearly the opposite in meaning as the word ABSTAIN?

(A) Refrain (B) Desist

(C) Hoard (D) Begin

99. Which of the following word is most nearly the opposite in meaning as the word MITIGATE?

(A) Aggravate (B) Reduce

(C) Weaken (D) Ease

100. Which of the following word is most nearly the opposite in meaning as the word AMBIGUOUS? (A) Opaque (B) Clear

(C) Obscure (D) Vague