Morten Waltorp Knudsen

From: svc-automation@2linkit.net
Sent: 9. marts 2026 14:18
To: IT-Alerts-Identity
Subject: [EXT] Security Insights | Risk Analysis | RiskAnalysis_Summary_Bucket
Attachments: RiskAnalysis_Summary_Bucket.xlsx

Importance: High

Risk Analysis

Attached you will find prioritized security risks, ranked by RiskScore.
The Excel file contains full evidence, raw data, and detailed findings per asset (Details sheet).

AI summary (also included in the Excel Summary sheet):

1) Top 25 risky assets:
- 1. paw-g67z22am0m | Tier=Critical - tier 0 | MaxRiskScore=20.00 | RiskScoreTotal=90.00 | Findings=11 | Domains=Endpoint
- 2. mgmt1.2linkit.local | Tier=Critical - tier 0 | MaxRiskScore=15.00 | RiskScoreTotal=251.00 | Findings=25 | Domains=Azure, Endpoint
- 3. dc3.2linkit.local | Tier=Critical - tier 0 | MaxRiskScore=15.00 | RiskScoreTotal=245.00 | Findings=25 | Domains=Azure, Endpoint
- 4. dc1.2linkit.local | Tier=Critical - tier 0 | MaxRiskScore=15.00 | RiskScoreTotal=230.00 | Findings=25 | Domains=Azure, Endpoint
- 5. strv-paw-lt-01 | Tier=Medium - tier 2 | MaxRiskScore=15.00 | RiskScoreTotal=48.00 | Findings=5 | Domains=Endpoint
- 6. dons-ekn-lt-01 | Tier=Medium - tier 2 | MaxRiskScore=12.00 | RiskScoreTotal=48.00 | Findings=6 | Domains=Endpoint
- 7. heim-new-lt-02 | Tier=Medium - tier 2 | MaxRiskScore=12.00 | RiskScoreTotal=39.00 | Findings=5 | Domains=Endpoint
- 8. strv-cew-lt-03 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=33.00 | Findings=5 | Domains=Endpoint
- 9. strv-mew-dt-02 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=33.00 | Findings=5 | Domains=Endpoint
- 10. heim-new-dt-01 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=30.00 | Findings=4 | Domains=Endpoint
- 11. tomsdesktop | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=27.00 | Findings=4 | Domains=Endpoint
- 12. strv-mok-dt-03 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=27.00 | Findings=4 | Domains=Endpoint
- 13. strv-acw-lt-01 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=27.00 | Findings=4 | Domains=Endpoint
- 14. dons-ekn-lt-02 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=27.00 | Findings=4 | Domains=Endpoint
- 15. strv-mew-lt-02 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=21.00 | Findings=3 | Domains=Endpoint
- 16. strv-mok-lt-06 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=21.00 | Findings=3 | Domains=Endpoint

- 17. usami-tom-lt-01 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=21.00 | Findings=3 | Domains=Endpoint
- 18. paw-pxj70zk58z | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=21.00 | Findings=3 | Domains=Endpoint
- 19. strv-acw-dt-04 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=21.00 | Findings=3 | Domains=Endpoint
- 20. strv-acw-dt-03 | Tier=Medium - tier 2 | MaxRiskScore=9.00 | RiskScoreTotal=21.00 | Findings=3 | Domains=Endpoint
- 21. demowin1 | Tier=Low - tier 3 | MaxRiskScore=6.00 | RiskScoreTotal=18.00 | Findings=3 | Domains=Azure
- 22. eps-demo-whfb | Tier=Low - tier 3 | MaxRiskScore=6.00 | RiskScoreTotal=12.00 | Findings=2 | Domains=Azure
- 23. eps-demo-byod | Tier=Low - tier 3 | MaxRiskScore=6.00 | RiskScoreTotal=12.00 | Findings=2 | Domains=Azure
- 24. demowin2 | Tier=Low - tier 3 | MaxRiskScore=6.00 | RiskScoreTotal=12.00 | Findings=2 | Domains=Azure
- 25. eps-demo-dc1 | Tier=Low - tier 3 | MaxRiskScore=6.00 | RiskScoreTotal=12.00 | Findings=2 | Domains=Azure

2) Top 10 assets detailed:

- Asset: paw-g67z22am0m
- Why high risk: MaxRiskScore 20.00 due to critical EDR impairment (Fix Microsoft Defender for Endpoint impaired communications [scid-2002]), attack surface issues (Block rebooting machine in Safe Mode [scid-2518]), and account security (Disable the built-in Administrator account [scid-3010])
- Top 5 actions:
- Fix Microsoft Defender for Endpoint impaired communications | Resolves highest risk control failure | High risk reduction | [Fix Microsoft Defender for Endpoint impaired communications [scid-2002]]
- Block rebooting machine in Safe Mode | Prevents bypass of security controls | High risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Disable the built-in Administrator account | Reduces attack surface from privileged accounts | Medium risk reduction | [Disable the built-in Administrator account [scid-3010]]
- Set 'Account lockout threshold' to 1-10 invalid login attempts | Limits brute force attacks | Medium risk reduction | [Set 'Account lockout threshold' to 1-10 invalid login attempts [scid-44]]
- Encrypt LDAP client traffic to protect sensitive data in transit | Protects credentials and data in transit | Medium risk reduction | [Encrypt LDAP client traffic to protect sensitive data in transit [scid-104]]
- Expected overall risk reduction: High

- Asset: mgmt1.2linkit.local
- Why high risk: MaxRiskScore 15.00 with many findings including vulnerable software (Update vulnerable software [CVE]), firewall misconfigurations (Secure Microsoft Defender Firewall profiles [scid-2071,2072,2073]), and insecure Azure storage account connection strings
- Top 5 actions:
- Update vulnerable software | Removes critical CVEs | High risk reduction | [Update vulnerable software [CVE]]
- Secure Microsoft Defender Firewall public profile | Closes network attack vectors | High risk reduction | [Secure Microsoft Defender Firewall public profile [scid-2073]]
- Secure Microsoft Defender firewall private profile | Closes network attack vectors | High risk reduction | [Secure Microsoft Defender firewall private profile [scid-2072]]
- Secure Microsoft Defender Firewall domain profile | Closes network attack vectors | High risk

reduction | [Secure Microsoft Defender Firewall domain profile [scid-2071]]
- Fix insecure Azure storage account connection string | Prevents data exposure | Medium risk reduction | [Insecure Azure storage account connection string [Azure]]
- Expected overall risk reduction: High

- Asset: dc3.2linkit.local
- Why high risk: MaxRiskScore 15.00 with critical Azure and Endpoint issues including missing updates, insecure communication protocols, and firewall misconfigurations
- Top 5 actions:
- Update vulnerable software | Removes critical CVEs | High risk reduction | [Update vulnerable software [CVE]]
- Windows servers should be configured to use secure communication protocols | Protects data in transit | High risk reduction | [Windows servers should be configured to use secure communication protocols [Azure]]
- Secure Microsoft Defender Firewall public profile | Closes network attack vectors | High risk reduction | [Secure Microsoft Defender Firewall public profile [scid-2073]]
- Secure Microsoft Defender firewall private profile | Closes network attack vectors | High risk reduction | [Secure Microsoft Defender firewall private profile [scid-2072]]
- Block rebooting machine in Safe Mode | Prevents security bypass | Medium risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Expected overall risk reduction: High

- Asset: dc1.2linkit.local
- Why high risk: MaxRiskScore 15.00 with missing updates, insecure protocols, firewall issues, and lack of encryption at rest
- Top 5 actions:
- Update vulnerable software | Removes critical CVEs | High risk reduction | [Update vulnerable software [CVE]]
- Windows servers should be configured to use secure communication protocols | Protects data in transit | High risk reduction | [Windows servers should be configured to use secure communication protocols [Azure]]
- Secure Microsoft Defender Firewall domain profile | Closes network attack vectors | High risk reduction | [Secure Microsoft Defender Firewall domain profile [scid-2071]]
- Block rebooting machine in Safe Mode | Prevents security bypass | Medium risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Enable Azure Disk Encryption or EncryptionAtHost | Protects data at rest | Medium risk reduction | [Windows virtual machines should enable Azure Disk Encryption or EncryptionAtHost. [Azure]]
- Expected overall risk reduction: High

- Asset: strv-paw-lt-01
- Why high risk: MaxRiskScore 15.00 due to missing firewall, impaired EDR, and missing antivirus email scanning
- Top 5 actions:
- Turn on Microsoft Defender Firewall | Closes network attack vectors | High risk reduction | [Turn on Microsoft Defender Firewall [scid-2070]]
- Fix Microsoft Defender for Endpoint impaired communications | Restores EDR protection | High risk reduction | [Fix Microsoft Defender for Endpoint impaired communications [scid-2002]]
- Enable Microsoft Defender Antivirus email scanning | Blocks email threats | Medium risk reduction | [Enable Microsoft Defender Antivirus email scanning [scid-90]]
- Disable NTLM authentication for Windows | Reduces network authentication risks | Medium risk reduction | [Disable NTLM authentication for Windows [scid-109]]

- Update vulnerable software | Removes CVEs | Medium risk reduction | [Update vulnerable software [CVE]]
- Expected overall risk reduction: High

- Asset: dons-ekn-lt-01
- Why high risk: MaxRiskScore 12.00 with impaired EDR, missing BitLocker encryption, and attack surface issues
- Top 5 actions:
- Fix Microsoft Defender for Endpoint impaired communications | Restores EDR protection | High risk reduction | [Fix Microsoft Defender for Endpoint impaired communications [scid-2002]]
- Encrypt all BitLocker-supported drives | Protects data at rest | Medium risk reduction | [Encrypt all BitLocker-supported drives [scid-2090]]
- Block rebooting machine in Safe Mode | Prevents security bypass | Medium risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Turn on Tamper Protection | Protects antivirus settings | Medium risk reduction | [Turn on Tamper Protection [scid-2003]]
- Disable NTLM authentication for Windows | Reduces network authentication risks | Medium risk reduction | [Disable NTLM authentication for Windows [scid-109]]
- Expected overall risk reduction: Medium-High

- Asset: heim-new-lt-02
- Why high risk: MaxRiskScore 12.00 with impaired EDR, attack surface reduction gaps, and unquoted service path issues
- Top 5 actions:
- Fix Microsoft Defender for Endpoint impaired communications | Restores EDR protection | High risk reduction | [Fix Microsoft Defender for Endpoint impaired communications [scid-2002]]
- Block rebooting machine in Safe Mode | Prevents security bypass | Medium risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Fix unquoted service path for Windows services | Prevents privilege escalation | Medium risk reduction | [Fix unquoted service path for Windows services [scid-3001]]
- Disable NTLM authentication for Windows | Reduces network authentication risks | Medium risk reduction | [Disable NTLM authentication for Windows [scid-109]]
- Update vulnerable software | Removes CVEs | Medium risk reduction | [Update vulnerable software [CVE]]
- Expected overall risk reduction: Medium-High

- Asset: strv-cew-lt-03
- Why high risk: MaxRiskScore 9.00 with attack surface issues, unquoted service paths, and account security gaps
- Top 5 actions:
- Block rebooting machine in Safe Mode | Prevents security bypass | Medium risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Fix unquoted service path for Windows services | Prevents privilege escalation | Medium risk reduction | [Fix unquoted service path for Windows services [scid-3001]]
- Disable NTLM authentication for Windows | Reduces network authentication risks | Medium risk reduction | [Disable NTLM authentication for Windows [scid-109]]
- Disable the built-in Administrator account | Reduces attack surface | Medium risk reduction | [Disable the built-in Administrator account [scid-3010]]
- Update vulnerable software | Removes CVEs | Medium risk reduction | [Update vulnerable software [CVE]]
- Expected overall risk reduction: Medium

- Asset: strv-mew-dt-02
- Why high risk: MaxRiskScore 9.00 with attack surface reduction, unquoted service path, and credential guard missing
- Top 5 actions:
- Block rebooting machine in Safe Mode | Prevents security bypass | Medium risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Fix unquoted service path for Windows services | Prevents privilege escalation | Medium risk reduction | [Fix unquoted service path for Windows services [scid-3001]]
- Disable NTLM authentication for Windows | Reduces network authentication risks | Medium risk reduction | [Disable NTLM authentication for Windows [scid-109]]
- Turn on Microsoft Defender Credential Guard | Protects credentials | Medium risk reduction | [Turn on Microsoft Defender Credential Guard [scid-2080]]
- Update vulnerable software | Removes CVEs | Medium risk reduction | [Update vulnerable software [CVE]]
- Expected overall risk reduction: Medium

- Asset: heim-new-dt-01
- Why high risk: MaxRiskScore 9.00 with missing BitLocker encryption, attack surface reduction, and NTLM enabled
- Top 5 actions:
- Encrypt all BitLocker-supported drives | Protects data at rest | Medium risk reduction | [Encrypt all BitLocker-supported drives [scid-2090]]
- Block rebooting machine in Safe Mode | Prevents security bypass | Medium risk reduction | [Block rebooting machine in Safe Mode [scid-2518]]
- Disable NTLM authentication for Windows | Reduces network authentication risks | Medium risk reduction | [Disable NTLM authentication for Windows [scid-109]]
- Update vulnerable software | Removes CVEs | Medium risk reduction | [Update vulnerable software [CVE]]
- Expected overall risk reduction: Medium

3) Cross-asset quick wins:
- Block rebooting machine in Safe Mode [scid-2518] | Affects 20+ assets | Example assets: paw-g67z22am0m, mgmt1.2linkit.local, dc3.2linkit.local, strv-paw-lt-01
- Disable NTLM authentication for Windows [scid-109] | Affects 20+ assets | Example assets: paw-g67z22am0m, strv-paw-lt-01, dons-ekn-lt-01, heim-new-lt-02
- Update vulnerable software [CVE] | Affects 20+ assets | Example assets: mgmt1.2linkit.local, dc3.2linkit.local, dc1.2linkit.local, strv-paw-lt-01
- Fix Microsoft Defender for Endpoint impaired communications [scid-2002] | Affects 6+ assets | Example assets: paw-g67z22am0m, strv-paw-lt-01, dons-ekn-lt-01, heim-new-lt-02
- Secure Microsoft Defender Firewall public profile [scid-2073] | Affects 3 assets | Example assets: mgmt1.2linkit.local, dc3.2linkit.local, dc1.2linkit.local
- Secure Microsoft Defender firewall private profile [scid-2072] | Affects 3 assets | Example assets: mgmt1.2linkit.local, dc3.2linkit.local, dc1.2linkit.local
- Secure Microsoft Defender Firewall domain profile [scid-2071] | Affects 3 assets | Example assets: mgmt1.2linkit.local, dc3.2linkit.local, dc1.2linkit.local
- Encrypt all BitLocker-supported drives [scid-2090] | Affects 3 assets | Example assets: dons-ekn-lt-01, heim-new-dt-01, demowin1

---## ---
Security Insight | Risk Analysis | support: Morten Knudsen | mok@mortenknudsen.net |

https://github.com/KnudsenMorten/SecurityInsight.
This summary was generated using AI and may contain mistakes or incomplete conclusions. Please validate critical decisions using the detailed findings and raw data in the attached Excel report.