SecurityInsight · Risk Analysis

RiskAnalysis_Detailed
myfamilynetwork · 2026-10-02 16:20 +02:00

RISK SCORE KPI

71 /100

MODERATE

higher = better · 90+ Very Good · 75+ Good · 50+ Moderate · <50 At Risk

DOMAIN	TOTAL	CRITICAL	HIGH	MEDIUM	LOW
Endpoint	187	15	81	79	12
Identity	38	1	21	6	10
Azure	544	1	107	105	331
Public IP	3	0	0	0	3
Total	**772**	**17**	**209**	**190**	**356**

The **Summary** report counts distinct **assets**; the **Detailed** report counts individual **asset findings** (one asset can carry many). The two reports therefore show different totals and percentages for the same estate — that is expected, and neither figure is wrong.

RISK BY DOMAIN

ENDPOINT
62 /100

IDENTITY
57 /100

AZURE
87 /100

PUBLIC IP
90 /100

The attached Excel report contains the full prioritized list of findings ranked by RiskScore, with evidence and asset detail on the *Details* sheet.

AI-generated analysis

Top 50 risky assets

- **1. dc3.2linkit.local** -- Tier **Critical - tier 0** | Weighted Risk Score **8,735** | Total Risk Score **8,735** | Findings **270** | Domains: Azure, Endpoint
- **2. MGMT1** -- Tier **Critical - tier 0** | Weighted Risk Score **6,367** | Total Risk Score **6,367** | Findings **188** | Domains: Azure, Endpoint
- **3. dc1.2linkit.local** -- Tier **Critical - tier 0** | Weighted Risk Score **5,502** | Total Risk Score **5,502** | Findings **168** | Domains: Azure, Endpoint
- **4. pimhybridwrk.2linkit.local** -- Tier **Critical - tier 0** | Weighted Risk Score **4,721** | Total Risk Score **4,721** | Findings **140** | Domains: Azure, Endpoint
- **5. STRV-MOK-DT-04** -- Tier **Critical - tier 0** | Weighted Risk Score **289** | Total Risk Score **289** | Findings **21** | Domains: Endpoint
- **6. STRV-MOK-LT-06** -- Tier **Critical - tier 0** | Weighted Risk Score **281** | Total Risk Score **281** | Findings **21** | Domains: Endpoint
- **7. PAW-PXJ70ZK58Z** -- Tier **Critical - tier 0** | Weighted Risk Score **224** | Total Risk Score **224** | Findings **16** | Domains: Endpoint
- **8. sg-platform-sponsorship-mvp (USD12000)** -- Tier **Critical - tier 0** | Weighted Risk Score **153** | Total Risk Score **153** | Findings **20** | Domains: Azure

- **9. 2LINKIT - Automation - Azure** -- Tier **Critical - tier 0** | Weighted Risk Score **128** | Total Risk Score **128** | Findings **6** | Domains: Identity
- **10. AutomateIT-HighPrivileged-Tier0-MGMT1** -- Tier **Critical - tier 0** | Weighted Risk Score **118** | Total Risk Score **118** | Findings **5** | Domains: Identity
- **11. On-Premises Directory Synchronization Service Account** -- Tier **Critical - tier 0** | Weighted Risk Score **110** | Total Risk Score **110** | Findings **5** | Domains: Identity
- **12. PIM4EntraPS Engine** -- Tier **Critical - tier 0** | Weighted Risk Score **108** | Total Risk Score **108** | Findings **4** | Domains: Identity
- **13. Break Glass Account 0 (Entra ID)** -- Tier **Critical - tier 0** | Weighted Risk Score **82** | Total Risk Score **82** | Findings **5** | Domains: Identity
- **14. ca-pim-tick** -- Tier **Critical - tier 0** | Weighted Risk Score **80** | Total Risk Score **80** | Findings **3** | Domains: Identity
- **15. 2LINKIT - Onboarding and Management of Automation Platform (multi-tenant)** -- Tier **Critical - tier 0** | Weighted Risk Score **80** | Total Risk Score **80** | Findings **3** | Domains: Identity
- **16. Keepit (Admin 2.0)** -- Tier **Critical - tier 0** | Weighted Risk Score **80** | Total Risk Score **80** | Findings **3** | Domains: Identity
- **17. Keepit Azure AD** -- Tier **Critical - tier 0** | Weighted Risk Score **80** | Total Risk Score **80** | Findings **3** | Domains: Identity
- **18. Morten Waltorp Knudsen** -- Tier **Critical - tier 0** | Weighted Risk Score **78** | Total Risk Score **78** | Findings **4** | Domains: Identity
- **19. Microsoft Graph PowerShell** -- Tier **Critical - tier 0** | Weighted Risk Score **76** | Total Risk Score **76** | Findings **3** | Domains: Identity
- **20. Break Glass Account 1 (Entra ID)** -- Tier **Critical - tier 0** | Weighted Risk Score **72** | Total Risk Score **72** | Findings **4** | Domains: Identity
- **21. Break Glass Account 2 Entra ID (BreakGlassAccount--tier0--SI)** -- Tier **Critical - tier 0** | Weighted Risk Score **72** | Total Risk Score **72** | Findings **4** | Domains: Identity
- **22. 2LINKIT - Automation - O365** -- Tier **Critical - tier 0** | Weighted Risk Score **66** | Total Risk Score **66** | Findings **3** | Domains: Identity
- **23. SOLAR, Automation, High Privilege Permissions, PROD** -- Tier **Critical - tier 0** | Weighted Risk Score **52** | Total Risk Score **52** | Findings **2** | Domains: Identity
- **24. MS-PIM** -- Tier **Critical - tier 0** | Weighted Risk Score **52** | Total Risk Score **52** | Findings **2** | Domains: Identity
- **25. PAW Demo (Admin, Cloud, ID, L0, T0)** -- Tier **Critical - tier 0** | Weighted Risk Score **38** | Total Risk Score **38** | Findings **3** | Domains: Identity
- **26. PAW Demo (Admin, Cloud, ID)** -- Tier **Critical - tier 0** | Weighted Risk Score **38** | Total Risk Score **38** | Findings **3** | Domains: Identity
- **27. Morten Knudsen (Admin, Cloud, ID, L0, T0)** -- Tier **Critical - tier 0** | Weighted Risk Score **38** | Total Risk Score **38** | Findings **3** | Domains: Identity
- **28. AdminDroid Agent** -- Tier **Critical - tier 0** | Weighted Risk Score **38** | Total Risk Score **38** | Findings **2** | Domains: Identity
- **29. svc-backup-keepit** -- Tier **Critical - tier 0** | Weighted Risk Score **36** | Total Risk Score **36** | Findings **2** | Domains: Identity
- **30. Morten Knudsen (Admin, Cloud, ID)** -- Tier **Critical - tier 0** | Weighted Risk Score **36** | Total Risk Score **36** | Findings **2** | Domains: Identity
- **31. SecurityInsight** -- Tier **Critical - tier 0** | Weighted Risk Score **32** | Total Risk Score **32** | Findings **2** | Domains: Identity

- **32. PIM Activator** -- Tier **Critical - tier 0** | Weighted Risk Score **28** | Total Risk Score **28** | Findings **1** | Domains: Identity
- **33. 2LINKIT - Automation - Resource Onboarding** -- Tier **Critical - tier 0** | Weighted Risk Score **28** | Total Risk Score **28** | Findings **1** | Domains: Identity
- **34. Sponsor** -- Tier **Critical - tier 0** | Weighted Risk Score **24** | Total Risk Score **24** | Findings **2** | Domains: Identity
- **35. legacycsp** -- Tier **Critical - tier 0** | Weighted Risk Score **24** | Total Risk Score **24** | Findings **2** | Domains: Identity
- **36. Morten Knudsen** -- Tier **Critical - tier 0** | Weighted Risk Score **12** | Total Risk Score **12** | Findings **1** | Domains: Identity
- **37. sg-platform-sponsorship-mvp (USD12000) - Defender plan arm** -- Tier **Critical - tier 0** | Weighted Risk Score **8** | Total Risk Score **8** | Findings **1** | Domains: Azure
- **38. sg-platform-sponsorship-mvp (USD12000) - Defender plan api** -- Tier **Critical - tier 0** | Weighted Risk Score **8** | Total Risk Score **8** | Findings **1** | Domains: Azure
- **39. sg-platform-sponsorship-mvp (USD12000) - Defender plan ai** -- Tier **Critical - tier 0** | Weighted Risk Score **8** | Total Risk Score **8** | Findings **1** | Domains: Azure
- **40. Keepit (Admin)** -- Tier **High - tier 1** | Weighted Risk Score **39** | Total Risk Score **39** | Findings **3** | Domains: Identity
- **41. Azure Logic Apps - Azure AD** -- Tier **High - tier 1** | Weighted Risk Score **39** | Total Risk Score **39** | Findings **3** | Domains: Identity
- **42. OneManagement** -- Tier **High - tier 1** | Weighted Risk Score **39** | Total Risk Score **39** | Findings **3** | Domains: Identity
- **43. CodeTwo User Photos for Office 365 (396e3c91)** -- Tier **High - tier 1** | Weighted Risk Score **39** | Total Risk Score **39** | Findings **3** | Domains: Identity
- **44. Microsoft Intune PowerShell** -- Tier **High - tier 1** | Weighted Risk Score **39** | Total Risk Score **39** | Findings **3** | Domains: Identity
- **45. PnP Management Shell** -- Tier **High - tier 1** | Weighted Risk Score **39** | Total Risk Score **39** | Findings **3** | Domains: Identity
- **46. EasyLife 365** -- Tier **High - tier 1** | Weighted Risk Score **31** | Total Risk Score **31** | Findings **3** | Domains: Identity
- **47. CodeTwo User Photos for Office 365 93833b6fff4449f68a969ebb4fa3317f** -- Tier **High - tier 1** | Weighted Risk Score **27** | Total Risk Score **27** | Findings **2** | Domains: Identity
- **48. SVC-Azure-Automation Exchange Powershell** -- Tier **High - tier 1** | Weighted Risk Score **27** | Total Risk Score **27** | Findings **2** | Domains: Identity
- **49. AutoPilot Hardware Info Upload** -- Tier **High - tier 1** | Weighted Risk Score **27** | Total Risk Score **27** | Findings **2** | Domains: Identity
- **50. Exclaimer Cloud EU Setup - Please remove after setup** -- Tier **High - tier 1** | Weighted Risk Score **27** | Total Risk Score **27** | Findings **2** | Domains: Identity

Top 50 critical findings

- **1. Machines should have secrets findings resolved** [Recommendation] -- Severity **High** | Affected assets **143** | Weighted Risk Score **27,059** | Top affected: dc3.2linkit.local, MGMT1, dc1.2linkit.local, pimhybridwrk.2linkit.local
- **2. Privileged SPN/MI inactive for 180+ days** [IDENTITY-SPN-001] -- Severity **High** | Affected assets **606** | Weighted Risk Score **4,065** | Top affected: Microsoft Graph PowerShell, 2LINKIT - Onboarding and Management of Automation Platform (multi-tenant), MS-PIM, SOLAR, Automation, High Privilege Permissions, PROD

- **3. Unverified-publisher SPN with Tier 0/1 Graph permissions** [IDENTITY-ESCALATION-006] -- Severity **High** | Affected assets **194** | Weighted Risk Score **2,162** | Top affected: 2LINKIT - Automation - Resource Onboarding, SOLAR, Automation, High Privilege Permissions, PROD, SecurityInsight, AutomateIT-HighPrivileged-Tier0-MGMT1
- **4. Update vulnerable software** [CVE] -- Severity **Very High** | Affected assets **18** | Weighted Risk Score **875** | Top affected: dc1.2linkit.local, MGMT1, dc3.2linkit.local, PAW-PXJ70ZK58Z
- **5. Multi-tenant SPN with high-privilege permissions** [IDENTITY-SPN-004] -- Severity **High** | Affected assets **106** | Weighted Risk Score **786** | Top affected: Keepit Azure AD, Microsoft Graph PowerShell, Keepit (Admin 2.0), Exclaimer Cloud Setup
- **6. Privileged user with password unchanged for 365+ days** [IDENTITY-PWD-002] -- Severity **Medium** | Affected assets **87** | Weighted Risk Score **383** | Top affected: PAW Demo (Admin, Cloud, ID, L0, T0), PAW Demo (Admin, Cloud, ID), legacycsp, Break Glass Account 0 (Entra ID)
- **7. Block rebooting machine in Safe Mode** [scid-2518] -- Severity **High** | Affected assets **22** | Weighted Risk Score **259** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1, STRV-MOK-LT-06
- **8. Privileged account synced from on-prem AD - cloud isolation broken** [IDENTITY-ADMIN-002] -- Severity **High** | Affected assets **19** | Weighted Risk Score **217** | Top affected: Morten Waltorp Knudsen, On-Premises Directory Synchronization Service Account, Niels Waltorp, Hanne Waltorp
- **9. SPN with RoleManagement.ReadWrite.Directory - can grant Global Admin to any account** [IDENTITY-ESCALATION-001] -- Severity **High** | Affected assets **7** | Weighted Risk Score **196** | Top affected: 2LINKIT - Automation - O365, AutomateIT-HighPrivileged-Tier0-MGMT1, 2LINKIT - Automation - Azure, Keepit Azure AD
- **10. Block outbound network connections from Microsoft HTML Application Host (mshta.exe)** [scid-107] -- Severity **Medium-High** | Affected assets **22** | Weighted Risk Score **191** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1, STRV-MOK-LT-06
- **11. Disable NTLM authentication for Windows workstations** [scid-109] -- Severity **Medium-High** | Affected assets **22** | Weighted Risk Score **191** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1, STRV-MOK-LT-06
- **12. User account inactive for 180+ days** [IDENTITY-STALE-001] -- Severity **Low** | Affected assets **35** | Weighted Risk Score **186** | Top affected: On-Premises Directory Synchronization Service Account, Morten Knudsen (Admin, Cloud, ID, L0, T0), legacycsp, Break Glass Account 2 Entra ID (BreakGlassAccount--tier0--SI)
- **13. Permanent privileged role assignment - PIM not used** [IDENTITY-PIM-001] -- Severity **High** | Affected assets **7** | Weighted Risk Score **168** | Top affected: Morten Knudsen (Admin, Cloud, ID), Morten Waltorp Knudsen, svc-backup-keepit, Break Glass Account 1 (Entra ID)
- **14. SPN with AppRoleAssignment.ReadWrite.All - can grant any Graph permission to any app** [IDENTITY-ESCALATION-002] -- Severity **High** | Affected assets **5** | Weighted Risk Score **140** | Top affected: AutomateIT-HighPrivileged-Tier0-MGMT1, PIM4EntraPS Engine, ca-pim-tick, 2LINKIT - Automation - Azure
- **15. Require LDAP client signing to prevent tampering and protect directory authentication** [scid-103] -- Severity **Medium** | Affected assets **22** | Weighted Risk Score **123** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1, STRV-MOK-LT-06
- **16. Disable the local storage of passwords and credentials** [scid-93] -- Severity **Medium** | Affected assets **22** | Weighted Risk Score **123** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1, STRV-MOK-LT-06
- **17. Assets carrying operator tags that assert more than one criticality tier** [ENDPOINT-CONFLICTING-TIER-TAGS-001] -- Severity **Very High** | Affected assets **13** | Weighted Risk Score **118** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1, PAW-PXJ70ZK58Z
- **18. Secure Microsoft Defender Firewall public profile** [scid-2073] -- Severity **High** | Affected assets **9** | Weighted Risk Score **106** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **19. Block use of copied or impersonated system tools** [scid-2517] -- Severity **High** | Affected assets **9** | Weighted Risk Score **106** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1

- **20. Secure Microsoft Defender firewall private profile** [scid-2072] -- Severity **High** | Affected assets **9** | Weighted Risk Score **106** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **21. Encrypt all BitLocker-supported drives** [scid-2090] -- Severity **High** | Affected assets **9** | Weighted Risk Score **106** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **22. Secure Microsoft Defender Firewall domain profile** [scid-2071] -- Severity **High** | Affected assets **9** | Weighted Risk Score **106** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **23. Assets excluded from Risk Analysis by an operator tag** [ENDPOINT-EXCLUDED-BY-TAG-001] -- Severity **Medium** | Affected assets **104** | Weighted Risk Score **105** | Top affected: Stue1sal, unnamed-endpoint-f926a885, unnamed-endpoint-0eab7d8d, Sovevrelse
- **24. Set Microsoft Defender SmartScreen app and file checking to block or warn** [scid-2060] -- Severity **High** | Affected assets **10** | Weighted Risk Score **100** | Top affected: STRV-MOK-LT-06, STRV-MOK-DT-04, STRV-ACW-DT-04, STRV-ACW-DT-03
- **25. SPN with PrivilegedAccess.ReadWrite - can create/modify PIM assignments directly** [IDENTITY-ESCALATION-005] -- Severity **High** | Affected assets **4** | Weighted Risk Score **96** | Top affected: ca-pim-tick, AutomateIT-HighPrivileged-Tier0-MGMT1, 2LINKIT - Automation - Azure, PIM4EntraPS Engine
- **26. Set User Account Control (UAC) to automatically deny elevation requests** [scid-27] -- Severity **Medium-High** | Affected assets **10** | Weighted Risk Score **92** | Top affected: dc3.2linkit.local, dc1.2linkit.local, MGMT1
- **27. Enable UEFI Secure Boot mode** [scid-2100] -- Severity **High** | Affected assets **3** | Weighted Risk Score **85** | Top affected: dc3.2linkit.local, dc1.2linkit.local, MGMT1
- **28. Set 'Remote Desktop security level' to 'TLS'** [scid-24] -- Severity **Medium-High** | Affected assets **9** | Weighted Risk Score **84** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **29. Disable Remote Registry Service on Windows** [scid-108] -- Severity **Medium-High** | Affected assets **9** | Weighted Risk Score **84** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **30. User missing MFA registration** [IDENTITY-MFA-002] -- Severity **Very High** | Affected assets **27** | Weighted Risk Score **82** | Top affected: On-Premises Directory Synchronization Service Account, AppTest, Lasse Skytte Knudsen (Admin, Cloud, ID), LogicApp Connector Service Account, Azure WestEurope [DEMO]
- **31. Enable 'Block third party cookies'** [scid-23] -- Severity **Low** | Affected assets **14** | Weighted Risk Score **80** | Top affected: dc1.2linkit.local, MGMT1, STRV-MOK-LT-06, STRV-MOK-DT-04
- **32. Disable 'Password Manager'** [scid-22] -- Severity **Medium** | Affected assets **14** | Weighted Risk Score **80** | Top affected: dc1.2linkit.local, MGMT1, STRV-MOK-LT-06, STRV-MOK-DT-04
- **33. Privileged account never signed in after 14-day grace period** [IDENTITY-ADMIN-003] -- Severity **Medium** | Affected assets **26** | Weighted Risk Score **78** | Top affected: Anders Kongsted (2LINKIT), silin009, shareddevicewhfb, Lasse Skytte Knudsen (Admin, Cloud, ID)
- **34. External user with privileged Entra ID role** [IDENTITY-EXT-001] -- Severity **High** | Affected assets **13** | Weighted Risk Score **78** | Top affected: Simon Skotheimsvik, Jan Friis Nielsen, Thomas Hossfeld, PIMLAB External Consultant
- **35. Privilege escalation large tier jump** [user-azure-cli-secret] -- Severity **Very High** | Affected assets **17** | Weighted Risk Score **73** | Top affected: dc1.2linkit.local, dc3.2linkit.local, kv-2linkit-automateit, sg-visualstudio 1 (DEMO)
- **36. Set 'Minimum password length' to '14 or more characters'** [scid-32] -- Severity **Medium** | Affected assets **11** | Weighted Risk Score **73** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **37. Block file transfer over RDP** [scid-110] -- Severity **Medium** | Affected assets **10** | Weighted Risk Score **72** | Top affected: dc3.2linkit.local, dc1.2linkit.local, MGMT1
- **38. Break-glass account anomaly: TestingOverdue** [IDENTITY-ADMIN-005] -- Severity **High** | Affected assets **3** | Weighted Risk Score **72** | Top affected: Break Glass Account 0 (Entra ID), Break Glass Account 2 Entra ID (BreakGlassAccount--tier0--SI), Break Glass Account 1 (Entra ID)

- **39. Ensure LAPS is enabled on every endpoint and server** [scid-113] -- Severity **Medium-High** | Affected assets **4** | Weighted Risk Score **71** | Top affected: dc3.2linkit.local, dc1.2linkit.local, PAW-PXJ70ZK58Z
- **40. Device with high severity vulnerabilities allows lateral movement to Azure storage account** [Device with high severity vulnerabilities allows lateral movement to Azure storage account] -- Severity **Very High** | Affected assets **4** | Weighted Risk Score **70** | Top affected: STRV-MOK-DT-04, STRV-MOK-LT-06, DONS-EKN-DT-01
- **41. Disallow offline access to shares** [scid-4000] -- Severity **Medium-High** | Affected assets **3** | Weighted Risk Score **70** | Top affected: dc3.2linkit.local, dc1.2linkit.local, MGMT1
- **42. Ensure that TPM 2.0 is present, enabled, and activated** [scid-116] -- Severity **Medium-High** | Affected assets **3** | Weighted Risk Score **70** | Top affected: dc3.2linkit.local, dc1.2linkit.local, MGMT1
- **43. Enable Memory Integrity (HVCI)** [scid-118] -- Severity **Medium** | Affected assets **10** | Weighted Risk Score **66** | Top affected: dc3.2linkit.local, dc1.2linkit.local, MGMT1
- **44. Fix unquoted service path for Windows services** [scid-3001] -- Severity **Medium-High** | Affected assets **9** | Weighted Risk Score **64** | Top affected: STRV-MOK-LT-06, STRV-MOK-DT-04, STRV-ACW-DT-04
- **45. Set user authentication for remote connections by using Network Level Authentication to 'Enabled'** [scid-45] -- Severity **Medium** | Affected assets **9** | Weighted Risk Score **62** | Top affected: dc1.2linkit.local, dc3.2linkit.local, MGMT1
- **46. Set 'Account lockout threshold' to 1-10 invalid login attempts** [scid-44] -- Severity **Medium** | Affected assets **6** | Weighted Risk Score **58** | Top affected: dc3.2linkit.local, dc1.2linkit.local, PAW-PXJ70ZK58Z
- **47. Encrypt LDAP client traffic to protect sensitive data in transit** [scid-104] -- Severity **Medium** | Affected assets **13** | Weighted Risk Score **55** | Top affected: STRV-MOK-DT-04, PAW-PXJ70ZK58Z, STRV-MOK-LT-06
- **48. Enable Microsoft Defender Antivirus email scanning** [scid-90] -- Severity **High** | Affected assets **2** | Weighted Risk Score **55** | Top affected: dc3.2linkit.local, MGMT1
- **49. SPN granted application-scope mailbox impersonation** [IDENTITY-SPN-MAILBOX-IMPERSONATION-001] -- Severity **Low** | Affected assets **8** | Weighted Risk Score **53** | Top affected: 2LINKIT - Automation - Azure, AdminDroid Agent, AutomateIT-HighPrivileged-Tier0-MGMT1
- **50. Require LDAP server signing to ensure integrity of directory traffic** [scid-106] -- Severity **Medium-High** | Affected assets **2** | Weighted Risk Score **50** | Top affected: dc3.2linkit.local, dc1.2linkit.local

Top 10 asset drilldown

1. dc3.2linkit.local

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 8,735 | **Total Risk Score:** 8,735
- **Why it is high risk:** High risk due to unresolved secrets findings and missing critical software updates like OpenSSL.
- **Top 5 actions to reduce risk FAST:**
  - **Resolve secrets findings** -- Secrets exposure increases risk of data breach | High impact | *References: Machines should have secrets findings resolved [Recommendation]*
  - **Update OpenSSL** -- Fixes critical vulnerabilities | High impact | *References: Update vulnerable software [CVE]*
  - **Enable Azure Disk Encryption or EncryptionAtHost** -- Protects data at rest | Medium impact | *References: Windows virtual machines should enable Azure Disk Encryption or EncryptionAtHost [Recommendation]*
  - **Configure secure communication protocols** -- Protects data in transit | Medium impact | *References: Windows servers should be configured to use secure communication protocols [Recommendation]*
  - **Block rebooting machine in Safe Mode** -- Reduces attack surface | Medium impact | *References: Block rebooting machine in Safe Mode [scid-2518]*
- **Expected overall risk reduction:** High
- **Reference links:** Azure VM Disk Encryption, OpenSSL Update, Guest Configuration

2. MGMT1

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 6,367 | **Total Risk Score:** 6,367
- **Why it is high risk:** High risk from unresolved secrets findings and multiple critical software updates missing.
- **Top 5 actions to reduce risk FAST:**
  - **Resolve secrets findings** -- Prevents data leakage | High impact | *References: Machines should have secrets findings resolved [Recommendation]*
  - **Install system updates** -- Fixes vulnerabilities in SQL Server, Windows Server, NodeJS, Notepad++ | High impact | *References: Update vulnerable software [CVE]*
  - **Fix insecure Azure database and storage account connection strings** -- Prevents credential exposure | High impact | *References: Machines should have secrets findings resolved [Recommendation]*
  - **Block rebooting machine in Safe Mode** -- Limits attack surface | Medium impact | *References: Block rebooting machine in Safe Mode [scid-2518]*
  - **Enable Azure Disk Encryption or EncryptionAtHost** -- Protects data at rest | Medium impact | *References: Windows virtual machines should enable Azure Disk Encryption or EncryptionAtHost [Recommendation]*
- **Expected overall risk reduction:** High
- **Reference links:** Secrets Findings, Update Management

3. dc1.2linkit.local

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 5,502 | **Total Risk Score:** 5,502
- **Why it is high risk:** Missing critical software updates (OpenSSL, Notepad++, Chrome) and lacks disk encryption.
- **Top 5 actions to reduce risk FAST:**
  - **Update Notepad++ and OpenSSL** -- Fixes critical vulnerabilities | High impact | *References: Update vulnerable software [CVE]*
  - **Enable Azure Disk Encryption or EncryptionAtHost** -- Protects data at rest | Medium impact | *References: Windows virtual machines should enable Azure Disk Encryption or EncryptionAtHost [Recommendation]*
  - **Configure secure communication protocols** -- Protects data in transit | Medium impact | *References: Windows servers should be configured to use secure communication protocols [Recommendation]*
  - **Block rebooting machine in Safe Mode** -- Reduces attack surface | Medium impact | *References: Block rebooting machine in Safe Mode [scid-2518]*
  - **Enable Microsoft Defender Firewall profiles (Domain, Private, Public)** -- Improves network security | Medium impact | *References: Secure Microsoft Defender Firewall domain profile [scid-2071], Secure Microsoft Defender Firewall private profile [scid-2072], Secure Microsoft Defender Firewall public profile [scid-2073]*
- **Expected overall risk reduction:** High
- **Reference links:** OpenSSL Update, Disk Encryption

4. pimhybridwrk.2linkit.local

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 4,721 | **Total Risk Score:** 4,721
- **Why it is high risk:** Missing OpenSSL update and lacks disk encryption; also has multiple Windows security configuration vulnerabilities.
- **Top 5 actions to reduce risk FAST:**
  - **Update OpenSSL** -- Fixes critical vulnerabilities | High impact | *References: Update vulnerable software [CVE]*
  - **Enable Azure Disk Encryption or EncryptionAtHost** -- Protects data at rest | Medium impact | *References: Windows virtual machines should enable Azure Disk Encryption or EncryptionAtHost [Recommendation]*
  - **Remediate Windows security configuration vulnerabilities** -- Improves system hardening | Medium impact | *References: Vulnerabilities in security configuration on your Windows machines should be remediated [Recommendation]*

    - **Enable Windows Firewall domain profile and logging** -- Enhances network security | Medium impact | *References: Ensure 'Windows Firewall: Domain: Settings: Apply local connection security rules' is set to 'Yes (default)' [Recommendation]*
    - **Limit caching of logon credentials** -- Reduces credential theft risk | Medium impact | *References: Caching of logon credentials must be limited [Recommendation]*
- **Expected overall risk reduction:** Medium
- **Reference links:** Disk Encryption, OpenSSL Update

5. STRV-MOK-DT-04

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 289 | **Total Risk Score:** 289
- **Why it is high risk:** Multiple high severity vulnerabilities allowing lateral movement and missing critical software updates.
- **Top 5 actions to reduce risk FAST:**
    - **Update vulnerable software** -- Fixes critical CVEs | High impact | *References: Update vulnerable software [CVE]*
    - **Block rebooting machine in Safe Mode** -- Reduces attack surface | Medium impact | *References: Block rebooting machine in Safe Mode [scid-2518]*
    - **Set Microsoft Defender SmartScreen app and file checking to block or warn** -- Prevents malicious file execution | Medium impact | *References: Set Microsoft Defender SmartScreen app and file checking to block or warn [scid-2060]*
    - **Disable NTLM authentication for Windows workstations** -- Mitigates credential relay attacks | Medium impact | *References: Disable NTLM authentication for Windows workstations [scid-109]*
    - **Fix unquoted service path for Windows services** -- Prevents privilege escalation | Medium impact | *References: Fix unquoted service path for Windows services [scid-3001]*
- **Expected overall risk reduction:** Medium
- **Reference links:** CVE-2026-75803, CVE-2021-29921

6. STRV-MOK-LT-06

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 281 | **Total Risk Score:** 281
- **Why it is high risk:** Similar to STRV-MOK-DT-04 with high severity vulnerabilities and missing security controls.
- **Top 5 actions to reduce risk FAST:**
    - **Update vulnerable software** -- Fixes critical CVEs | High impact | *References: Update vulnerable software [CVE]*
    - **Block rebooting machine in Safe Mode** -- Reduces attack surface | Medium impact | *References: Block rebooting machine in Safe Mode [scid-2518]*
    - **Set Microsoft Defender SmartScreen app and file checking to block or warn** -- Prevents malicious file execution | Medium impact | *References: Set Microsoft Defender SmartScreen app and file checking to block or warn [scid-2060]*
    - **Disable NTLM authentication for Windows workstations** -- Mitigates credential relay attacks | Medium impact | *References: Disable NTLM authentication for Windows workstations [scid-109]*
    - **Fix unquoted service path for Windows services** -- Prevents privilege escalation | Medium impact | *References: Fix unquoted service path for Windows services [scid-3001]*
- **Expected overall risk reduction:** Medium
- **Reference links:** CVE-2026-75803, CVE-2021-29921

7. PAW-PXJ70ZK58Z

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 224 | **Total Risk Score:** 224

- **Why it is high risk:** Missing critical software updates and security controls including SmartScreen and NTLM disablement.
- **Top 5 actions to reduce risk FAST:**
  - **Update vulnerable software** -- Fixes critical CVEs | High impact | *References: Update vulnerable software [CVE]*
  - **Block rebooting machine in Safe Mode** -- Reduces attack surface | Medium impact | *References: Block rebooting machine in Safe Mode [scid-2518]*
  - **Enable LAPS on endpoint** -- Improves local admin password management | Medium impact | *References: Ensure LAPS is enabled on every endpoint and server [scid-113]*
  - **Block outbound network connections from mshta.exe** -- Limits attack vectors | Medium impact | *References: Block outbound network connections from Microsoft HTML Application Host (mshta.exe) [scid-107]*
  - **Disable NTLM authentication for Windows workstations** -- Mitigates credential relay attacks | Medium impact | *References: Disable NTLM authentication for Windows workstations [scid-109]*
- **Expected overall risk reduction:** Medium

8. sg-platform-sponsorship-mvp (USD12000)

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 153 | **Total Risk Score:** 153
- **Why it is high risk:** Lacks key Azure governance and monitoring controls.
- **Top 5 actions to reduce risk FAST:**
  - **Designate a maximum of 3 owners for subscriptions** -- Limits administrative risk | Medium impact | *References: A maximum of 3 owners should be designated for subscriptions [Recommendation]*
  - **Enable Microsoft Defender for Resource Manager** -- Improves resource security monitoring | Medium impact | *References: Microsoft Defender for Resource Manager should be enabled [Recommendation]*
  - **Create activity log alerts for NSG and SQL Server firewall changes** -- Enhances auditing | Medium impact | *References: An activity log alert should exist for Create or Update Network Security Group Rule [Recommendation]*
  - **Retain activity logs for at least one year** -- Supports forensic investigations | Medium impact | *References: Activity log should be retained for at least one year [Recommendation]*
  - **Create alerts for specific administrative and security operations** -- Improves detection | Medium impact | *References: An activity log alert should exist for specific Administrative operations [Recommendation]*
- **Expected overall risk reduction:** Medium
- **Reference links:** Azure Security Recommendations

9. 2LINKIT - Automation - Azure

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 128 | **Total Risk Score:** 128
- **Why it is high risk:** Privileged SPNs with excessive permissions and potential for privilege escalation.
- **Top 5 actions to reduce risk FAST:**
  - **Review and restrict SPN RoleManagement.ReadWrite.Directory permissions** -- Prevents Global Admin grant abuse | High impact | *References: SPN with RoleManagement.ReadWrite.Directory - can grant Global Admin to any account [IDENTITY-ESCALATION-001]*
  - **Validate publisher of SPNs with Tier 0/1 Graph permissions** -- Reduces supply chain risk | High impact | *References: Unverified-publisher SPN with Tier 0/1 Graph permissions [IDENTITY-ESCALATION-006]*
  - **Restrict SPN AppRoleAssignment.ReadWrite.All permissions** -- Prevents app permission escalation | High impact | *References: SPN with AppRoleAssignment.ReadWrite.All - can grant any Graph permission to any app [IDENTITY-ESCALATION-002]*
  - **Audit SPNs with PrivilegedAccess.ReadWrite** -- Prevents unauthorized PIM assignment changes | High impact | *References: SPN with PrivilegedAccess.ReadWrite - can create/modify PIM assignments directly*

[IDENTITY-ESCALATION-005]

  - **Review SPN mailbox impersonation permissions** -- Limits mailbox access abuse | Medium impact | *References: SPN granted application-scope mailbox impersonation [IDENTITY-SPN-MAILBOX-IMPERSONATION-001]*
- **Expected overall risk reduction:** High
- **Reference links:** Security Overview

10. AutomateIT-HighPrivileged-Tier0-MGMT1

- **Tier:** Critical - tier 0 | **Weighted Risk Score:** 118 | **Total Risk Score:** 118
- **Why it is high risk:** Privileged SPNs with excessive permissions and potential for privilege escalation.
- **Top 5 actions to reduce risk FAST:**
  - **Review and restrict SPN RoleManagement.ReadWrite.Directory permissions** -- Prevents Global Admin grant abuse | High impact | *References: SPN with RoleManagement.ReadWrite.Directory - can grant Global Admin to any account [IDENTITY-ESCALATION-001]*
  - **Validate publisher of SPNs with Tier 0/1 Graph permissions** -- Reduces supply chain risk | High impact | *References: Unverified-publisher SPN with Tier 0/1 Graph permissions [IDENTITY-ESCALATION-006]*
  - **Restrict SPN AppRoleAssignment.ReadWrite.All permissions** -- Prevents app permission escalation | High impact | *References: SPN with AppRoleAssignment.ReadWrite.All - can grant any Graph permission to any app [IDENTITY-ESCALATION-002]*
  - **Audit SPNs with PrivilegedAccess.ReadWrite** -- Prevents unauthorized PIM assignment changes | High impact | *References: SPN with PrivilegedAccess.ReadWrite - can create/modify PIM assignments directly [IDENTITY-ESCALATION-005]*
  - **Review SPN mailbox impersonation permissions** -- Limits mailbox access abuse | Medium impact | *References: SPN granted application-scope mailbox impersonation [IDENTITY-SPN-MAILBOX-IMPERSONATION-001]*
- **Expected overall risk reduction:** High
- **Reference links:** Security Overview

Cross-asset quick wins

- **Resolve secrets findings** [Recommendation] -- Affects 143 assets | Example: dc3.2linkit.local, MGMT1, dc1.2linkit.local, pimhybridwrk.2linkit.local
- **Address privileged SPN/MI inactive for 180+ days** [IDENTITY-SPN-001] -- Affects 606 assets | Example: Microsoft Graph PowerShell, 2LINKIT - Onboarding and Management of Automation Platform (multi-tenant), MS-PIM, SOLAR, Automation, High Privilege Permissions, PROD
- **Validate and restrict unverified-publisher SPNs with Tier 0/1 Graph permissions** [IDENTITY-ESCALATION-006] -- Affects 194 assets | Example: 2LINKIT - Automation - Resource Onboarding, SOLAR, Automation, High Privilege Permissions, PROD, SecurityInsight
- **Update vulnerable software** [CVE] -- Affects 18 assets | Example: dc1.2linkit.local, MGMT1, dc3.2linkit.local, PAW-PXJ70ZK58Z
- **Enforce disabling NTLM authentication for Windows workstations** [scid-109] -- Affects 22 assets | Example: dc1.2linkit.local, dc3.2linkit.local, MGMT1, STRV-MOK-LT-06
- **Block rebooting machine in Safe Mode** [scid-2518] -- Affects 22 assets | Example: dc1.2linkit.local, dc3.2linkit.local, MGMT1, STRV-MOK-LT-06
- **Enable Azure Disk Encryption or EncryptionAtHost on Windows VMs** [Recommendation] -- Affects multiple critical assets | Example: dc3.2linkit.local, dc1.2linkit.local, pimhybridwrk.2linkit.local
- **Enable Microsoft Defender Firewall profiles (Domain, Private, Public)** [scid-2071, scid-2072, scid-2073] -- Affects 9 assets | Example: dc1.2linkit.local, dc3.2linkit.local, MGMT1

This narrative was generated by AI and may contain mistakes. Validate critical decisions against the detailed Excel findings.

Headline KPI + Top-50 + this narrative: generated by **RiskAnalysis_Summary** 6,7h ago (this **RiskAnalysis_Detailed** run reused today's snapshot, so both reports show the same figures). Re-runs of either report today replay the same snapshot.