

AK High-Dimensional Projection Structural Theory

Appendix CR-v20

Compact Final Claim Register

Minimal Governance, Canonical Index, and Release Closure

Version 20.0.0

Atsushi Kobayashi

July 2026

Final register status

Document role: claim-governance appendix. Evidence status: operational. Invocation role: operational rule. Conformance status: conformant. The final compact register is registered for v20.0.0. Publication and package release remain separate acts. The Known-Theorem Recovery gate G16 is passed at the exact strengths recorded below.

Contents

1	Purpose and minimality rule	3
2	Canonical source set	3
3	Minimal canonical schema	3
3.1	UID rules	3
4	Claim-use kernel	4
5	Failure-route kernel	4
6	Final closure and release-critical records	4
7	Inventory policy and counts	5
8	Preserved Main/Foundation baseline index	6
8.1	Global governing records (20)	6
8.2	Main Chapter 1 (43)	6
8.3	Main Chapter 2 (47)	7
8.4	Main Chapter 3 (57)	8
8.5	Main Chapter 4 (43)	9
8.6	Main Chapter 5 (36)	10
8.7	Main Chapter 6 (51)	11
8.8	Main Chapter 7 (65)	12
8.9	Main Chapter 8 (58)	13
8.10	Foundation Appendix A (60)	14
8.11	Foundation Appendix B (79)	16
8.12	Foundation Appendix C (49)	17
8.13	Foundation Appendix D (66)	18
8.14	Foundation Appendix E (61)	20
8.15	Foundation Appendix F (78)	21
8.16	Other baseline records (52)	23
9	CM-v20 and TB-v20 UID index	25
9.1	CM-v20	25
9.2	TB-v20	26
10	Downstream theorem-bearing compact index	28
10.1	Appendix H (34)	28
10.2	Appendix I (44)	28
10.3	Appendix J (55)	28
10.4	Appendix K (40)	29
10.5	Appendix L (48)	30
10.6	Appendix M (35)	30
10.7	Appendix N (44)	31
10.8	Appendix MS-A (44)	31
10.9	Appendix MS-B (59)	32
10.10	Appendix MS-C (53)	32
10.11	Appendix MS-F (40)	33
10.12	Appendix AGI-N (49)	33
10.13	Appendix NS-A (18)	34
10.14	Appendix NS-B (24)	34
10.15	Appendix NS-C (21)	34
10.16	Appendix U (55)	35
10.17	Appendix V (50)	36
10.18	Appendix W (45)	38
10.19	Appendix X (43)	39

10.20Appendix Y (64)	40
10.21Appendix Z (62)	42
10.22Companion (25)	44
11 Final non-confusion and closure statement	45

1 Purpose and minimality rule

This document replaces the 373-page baseline register as the final compact governance layer for AK-HPDST v20.0.0. It preserves every existing Main/Foundation ClaimID, registers the already assigned CM/TB UUIDs, promotes only theorem-bearing downstream statements, and records the release-critical recovery and boundary claims.

Minimality rule

The register does not duplicate full theorem statements, hypotheses, proofs, dependency prose, permitted-use paragraphs, or SHA-256 values. The frozen source artifact and exact locator control those data. Complete artifact hashes are written once in the external package manifest. If this register and a source disagree, the weaker safe source-supported reading governs.

Routine downstream definitions, remarks, and examples remain source-local. They retain stable source locators and may be cited as definitions or provenance, but they do not receive new canonical UUIDs merely because they appear in a frozen document.

2 Canonical source set

Artifact ID	Document	Status	Pages	Identity policy
DOC-MAIN	Main Chapters 1-8	canonical_core	185	External SHA-256 manifest; source file and locator control.
DOC-FOUNDATION	Foundation Appendices A-G	canonical_core	167	External SHA-256 manifest; source file and locator control.
DOC-CM	Core Micro-Theorem Pack	registered_reusable	30	External SHA-256 manifest; source file and locator control.
DOC-TB	Toy Bridge and Counterexample Pack	registered_toy	34	External SHA-256 manifest; source file and locator control.
DOC-TE	Technical Extension H-N	frozen_source_controlled	102	External SHA-256 manifest; source file and locator control.
DOC-PI	Problem Interface Part IV	frozen_source_controlled	186	External SHA-256 manifest; source file and locator control.
DOC-SP	Search / Platform Part V	partV_crosschecked	176	External SHA-256 manifest; source file and locator control.
DOC-COMP	Companion	companion_crosschecked	45	External SHA-256 manifest; source file and locator control.
DOC-CR-BASELINE	CR-v20 baseline repair input	superseded_by_compact_final	373	External SHA-256 manifest; source file and locator control.
SRC-IW-KTR	Iwasawa 1959 statement binding, source registry, and recovery manifest	registered exact recovery	n/a	External SHA-256 manifest; DOI and printed locator identify authority.
SRC-NS-KTR	Serrin/Prodi statement binding, source registry, and recovery manifest	registered exact recovery	n/a	External SHA-256 manifest; DOI and printed locator identify authority.

3 Minimal canonical schema

A canonical entry contains only:

1. a stable UUID or preserved historical ClaimID;
2. a source artifact ID and exact source locator;
3. a statement title or compact digest;
4. a document-role or statement-kind field;
5. evidence status and invocation role, or the token `source_controlled` when the frozen local status register governs;
6. conformance status and comparison policy only when they differ from the source-controlled default.

All hypotheses, proof text, dependency detail, permitted use, stronger-reading prohibition, detector scope, and artifact requirements are incorporated by the source binding rather than repeated here.

3.1 UID rules

- Existing CR-G-*, CR-CH-*, and CR-A-* through CR-G-* identifiers are preserved without renumbering.
- Existing CM-v20 and TB-v20 UUIDs are preserved.
- New downstream UUIDs use the deterministic source namespace and stable local locator. Renaming the source statement requires an explicit supersession record.

4 Claim-use kernel

1. Registration is not proof. The source proof or policy evidence controls.
2. Missing required evidence yields `undefined`; it is not converted to zero, `pass`, `not_invoked`, or a numbered obstruction.
3. `not_invoked` requires an immutable scope-exclusion policy.
4. A detector certificate and its mathematical value are separate; zero requires the registered completeness theorem at the declared stage.
5. A higher Ext^n discharge uses the complete eligible realization and edge package. The reverse direction requires an independent zero-reflection theorem.
6. Type IV uses an actual comparison morphism. Terminal diagnostics do not imply transient cleanliness, full isomorphism, apex agreement, or external information preservation.
7. Finite observation is not finite-to-infinite reduction. Realization is not Return.
8. Metric slack cannot repair a non-scalar obligation. Only actual profile discrepancies enter the selected necessary sub-DAG ledger.
9. Search, AI output, storage, execution, replay, formalization, and manifest completeness do not by themselves establish mathematical truth.
10. External conclusions require a complete Interface-Core-Reduction-Return chain.

5 Failure-route kernel

Route	Minimal meaning
FR-MISSING	Required evidence absent: <code>undefined</code> .
FR-T1	Certified repaired persistence nonvanishing: reject / Type I.
FR-T2	Certified eligible categorical nonvanishing: reject / Type II.
FR-T3	Certified detector, metric, comparison, representative, coverage, Restart, replay, or reduction failure: reject / Type III.
FR-T4	Certified nonzero terminal Type IV diagnostic: reject / Type IV.
FR-TRANSIENT	Certified retained interior defect: reject / transient defect, not Type IV.
FR-RETURN-MISSING	Interface, reduction, or Return missing: external conclusion remains unlicensed and <code>undefined</code> .
FR-T5	Governance, identity, provenance, schema, permission, or promotion failure: reject / Type V.
FR-NONVERDICT	Operational, toy, Search, Companion, spec, or non-claim material used as theorem evidence: reject / Type V.

6 Final closure and release-critical records

CR-FINAL-001: Final v20 document-set closure and weaker-safe claim use

UID: `ak-hpdst:20.0.0:cr-v20:CR-FINAL-001`

Typing: `operational_policy / operational / op`

Source/locator: `DOC-CR-FINAL / closure`

Registered reading: All frozen v20 artifacts are consumed only at their source strength; registration does not enlarge theorem strength.

CR-FINAL-002: Source text and hypotheses are not duplicated in the compact register

UID: `ak-hpdst:20.0.0:cr-v20:CR-FINAL-002`

Typing: `operational_policy / operational / op`

Source/locator: `DOC-CR-FINAL / minimal-schema`

Registered reading: The source artifact and exact locator control statement wording, hypotheses, proof, permitted use, and stronger-reading boundary.

CR-FINAL-003: Artifact hashes are external package-manifest data

UID: `ak-hpdst:20.0.0:cr-v20:CR-FINAL-003`

Typing: `operational_policy / operational / op`

Source/locator: `DOC-CR-FINAL / external-identity-manifest`

Registered reading: The PDF carries stable artifact IDs and roles; complete SHA-256 identities are recorded once in the external manifest to avoid repetition and circular self-hash claims.

CR-G16-IW: Exact relative recovery of Iwasawa 1959 Theorem 4 characteristic-growth clause

UID: `ak-hpdst:20.0.0:cr-v20:CR-G16-IW`

Typing: `interface_theorem / proved / thm`

Source/locator: `SRC-IW-KTR / IW-KTR-GROWTH`

Registered reading: Exact-strength recovery relative to the registered precursor package; no main conjecture or class-number theorem.

CR-G16-NS: Exact one-way fixed-exponent strict-subcritical Serrin recovery

UID: ak-hpdst:20.0.0:cr-v20:CR-G16-NS

Typing: interface_theorem / proved / thm

Source/locator: SRC-NS-KTR / NS-KTR-SERRIN-L6

Registered reading: Exact criterion-level recovery of $L6_t L6_x$ implies interior regularity; no new analytic proof or unconditional regularity.

CR-G16-PASS: Known-Theorem Recovery release gate

UID: ak-hpdst:20.0.0:cr-v20:CR-G16-PASS

Typing: operational_policy / operational / op

Source/locator: DOC-CR-FINAL / release-gate-G16

Registered reading: G16 passes because at least one exact-strength complete Interface-Core-Reduction-Return recovery is registered; two tracks are registered.

CR-NONCLAIM-001: No major external conjecture or unconditional PDE theorem is claimed

UID: ak-hpdst:20.0.0:cr-v20:CR-NONCLAIM-001

Typing: non_claim / operational / prov

Source/locator: DOC-CR-FINAL / global-nonclaim

Registered reading: No BSD, ABC, RH, Iwasawa main conjecture, unconditional Navier-Stokes regularity, Fukaya/HMS equivalence, or AGI-N theorem is promoted.

The G16 pass is limited to the exact-strength recovery tracks. It does not convert either recovery into an Iwasawa main conjecture, a class-number theorem, a new Navier-Stokes regularity proof, or unconditional three-dimensional regularity.

7 Inventory policy and counts

Source family	Formal inventory	Canonical treatment
Main/Foundation baseline	865	865 preserved canonical UIDs
CM-v20	73	all existing CM UIDs
TB-v20	53	all existing TB UIDs
Technical Extension H-N	546	300 theorem-bearing promoted; 246 definitions/remarks source-local
Problem Interface Part IV	1007	308 theorem-bearing promoted; 699 definitions/remarks source-local
Search / Platform Part V	1125	319 theorem-bearing promoted; 806 definitions/remarks source-local
Companion	132	25 propositions promoted; 107 definitions/remarks source-local

The complete machine-readable canonical inventory is the accompanying JSON/CSV projection. The following compact tables are the human-readable index.

8 Preserved Main/Foundation baseline index

8.1 Global governing records (20)

ID	Source	Locator	Type / status / use	Title
CR-G-001	DOC-CR-BASELIN E	CR-G-001	operational_policy/operational/op	Core pass and external theorem separation
CR-G-002	DOC-CR-BASELIN E	CR-G-002	operational_policy/operational/op	Registration is not proof
CR-G-003	DOC-CR-BASELIN E	CR-G-003	operational_policy/operational/op	Finite observation is not finite proof
CR-G-004	DOC-CR-BASELIN E	CR-G-004	operational_policy/operational/op	Detector soundness and completeness are independent
CR-G-005	DOC-CR-BASELIN E	CR-G-005	operational_policy/operational/op	Search and AI output are non-verdict
CR-G-006	DOC-CR-BASELIN E	CR-G-006	operational_policy/operational/op	Bridge Program is not Bridge Theorem
CR-G-007	DOC-CR-BASELIN E	CR-G-007	operational_policy/operational/op	Synthetic or toy duality is not a natural bridge
CR-G-008	DOC-CR-BASELIN E	CR-G-008	operational_policy/operational/op	Spec is not theorem
CR-G-009	DOC-CR-BASELIN E	CR-G-009	operational_policy/operational/op	Companion template is not certification
CR-G-010	DOC-CR-BASELIN E	CR-G-010	operational_policy/operational/op	Weaker-safe interpretation
CR-G-011	DOC-CR-BASELIN E	CR-G-011	operational_policy/operational/op	Immutable repair
CR-G-012	DOC-CR-BASELIN E	CR-G-012	operational_policy/operational/op	Stable Claim UID and register-snapshot separation
CR-G-013	DOC-CR-BASELIN E	CR-G-013	operational_policy/operational/op	Conformance is independent of proof status
CR-G-014	DOC-CR-BASELIN E	CR-G-014	operational_policy/operational/op	Claim-use preflight is mandatory
CR-G-015	DOC-CR-BASELIN E	CR-G-015	operational_policy/operational/op	Content-addressed artifact identity
CR-G-016	DOC-CR-BASELIN E	CR-G-016	operational_policy/operational/op	Human-readable and machine-readable register equivalence
CR-G-017	DOC-CR-BASELIN E	CR-G-017	operational_policy/operational/op	Baseline registration is not downstream promotion
CR-G-018	DOC-CR-BASELIN E	CR-G-018	operational_policy/operational/op	Conservative extension does not rewrite v19
CR-G-019	DOC-CR-BASELIN E	CR-G-019	operational_policy/operational/op	Return Theorem is mandatory for external conclusion
CR-G-020	DOC-CR-BASELIN E	CR-G-020	operational_policy/operational/op	Package closure is not mathematical truth

8.2 Main Chapter 1 (43)

ID	Source	Locator	Type / status / use	Title
CR-CH1-001	DOC-CR-BASELIN E	CR-CH1-001	core_definition/operational/op	Claim Taxonomy
CR-CH1-002	DOC-CR-BASELIN E	CR-CH1-002	core_definition/operational/op	Three-axis claim typing
CR-CH1-003	DOC-CR-BASELIN E	CR-CH1-003	core_definition/operational/op	Conservative v20 extension
CR-CH1-004	DOC-CR-BASELIN E	CR-CH1-004	core_definition/operational/op	Four-pillar v20 contract
CR-CH1-005	DOC-CR-BASELIN E	CR-CH1-005	core_definition/operational/op	Finite observation and finite proof certificate
CR-CH1-006	DOC-CR-BASELIN E	CR-CH1-006	core_definition/operational/op	Detector profile stage
CR-CH1-007	DOC-CR-BASELIN E	CR-CH1-007	core_definition/operational/op	Finite detector certificate record
CR-CH1-008	DOC-CR-BASELIN E	CR-CH1-008	operational_policy/operational/op	Detector admission and non-compensation
CR-CH1-009	DOC-CR-BASELIN E	CR-CH1-009	core_definition/operational/op	Two-axis detector status
CR-CH1-010	DOC-CR-BASELIN E	CR-CH1-010	core_definition/operational/op	Metric-safe detector transport chain
CR-CH1-011	DOC-CR-BASELIN E	CR-CH1-011	core_definition/operational/op	Higher obstruction contract
CR-CH1-012	DOC-CR-BASELIN E	CR-CH1-012	core_definition/operational/op	Natural zero-reflection upgrade
CR-CH1-013	DOC-CR-BASELIN E	CR-CH1-013	core_definition/operational/op	Family-relative proof compression
CR-CH1-014	DOC-CR-BASELIN E	CR-CH1-014	core_definition/operational/op	Problem-Bridge proof chain
CR-CH1-015	DOC-CR-BASELIN E	CR-CH1-015	operational_policy/operational/op	Return-Theorem and finite-to-infinite discipline
CR-CH1-016	DOC-CR-BASELIN E	CR-CH1-016	operational_policy/operational/op	v20 release acceptance contract
CR-CH1-017	DOC-CR-BASELIN E	CR-CH1-017	core_theorem/conditional/thm	Threshold-gap-safe stability under the standard bottleneck metric
CR-CH1-018	DOC-CR-BASELIN E	CR-CH1-018	core_definition/operational/op	v20 Unified Collapse Contract: inherited and extended mathematical data
CR-CH1-019	DOC-CR-BASELIN E	CR-CH1-019	operational_policy/operational/op	v20 Unified Collapse Contract: audit policy
CR-CH1-020	DOC-CR-BASELIN E	CR-CH1-020	core_definition/operational/op	v20 UCC-Contract
CR-CH1-021	DOC-CR-BASELIN E	CR-CH1-021	core_definition/operational/op	Right-open windows, partition covers, and overlap covers
CR-CH1-022	DOC-CR-BASELIN E	CR-CH1-022	core_definition/operational/op	Window restriction
CR-CH1-023	DOC-CR-BASELIN E	CR-CH1-023	core_definition/operational/op	Windowed pre-threshold profile
CR-CH1-024	DOC-CR-BASELIN E	CR-CH1-024	core_definition/operational/op	Windowed repaired profile

ID	Source	Locator	Type / status / use	Title
CR-CH1-025	DOC-CR-BASELIN	CR-CH1-025	core_definition/operatio	Canonical comparison mode
CR-CH1-026	DOC-CR-BASELIN	CR-CH1-026	nal/op	Exact comparison record
CR-CH1-027	DOC-CR-BASELIN	CR-CH1-027	core_definition/operatio	Threshold clearance
CR-CH1-028	DOC-CR-BASELIN	CR-CH1-028	nal/op	Threshold safety margin
CR-CH1-029	DOC-CR-BASELIN	CR-CH1-029	core_definition/operatio	Window-edge clearance and crop budget
CR-CH1-030	DOC-CR-BASELIN	CR-CH1-030	nal/op	Metric threshold-gap record
CR-CH1-031	DOC-CR-BASELIN	CR-CH1-031	core_definition/operatio	Typed pipeline ledger and scalarized budget
CR-CH1-032	DOC-CR-BASELIN	CR-CH1-032	nal/op	Overlap Gate
CR-CH1-033	DOC-CR-BASELIN	CR-CH1-033	core_definition/operatio	B-Gate+ (v20 finite-certificate repaired gate)
CR-CH1-034	DOC-CR-BASELIN	CR-CH1-034	nal/op	Failure landscape
CR-CH1-035	DOC-CR-BASELIN	CR-CH1-035	core_definition/operatio	Type IV scope status at the Chapter 1 contract level
CR-CH1-036	DOC-CR-BASELIN	CR-CH1-036	nal/op	Tower comparison artifact
CR-CH1-037	DOC-CR-BASELIN	CR-CH1-037	core_definition/operatio	Terminal-generic Type IV diagnostics at contract level
CR-CH1-038	DOC-CR-BASELIN	CR-CH1-038	nal/op	Transient-defect detector contract
CR-CH1-039	DOC-CR-BASELIN	CR-CH1-039	core_definition/operatio	Minimal Manifest Axiom
CR-CH1-040	DOC-CR-BASELIN	CR-CH1-040	operational_policy/operational/op	Monitored Windowed Collapse Zone
CR-CH1-041	DOC-CR-BASELIN	CR-CH1-041	core_definition/operatio	Manifest-complete proof-object candidate
CR-CH1-042	DOC-CR-BASELIN	CR-CH1-042	nal/op	Certified proof object
CR-CH1-043	DOC-CR-BASELIN	CR-CH1-043	operational_policy/operational/op	Countable atlas forward contract

8.3 Main Chapter 2 (47)

ID	Source	Locator	Type / status / use	Title
CR-CH2-001	DOC-CR-BASELIN	CR-CH2-001	core_definition/operatio	Constructible persistence module
CR-CH2-002	DOC-CR-BASELIN	CR-CH2-002	nal/op	Finite-type filtered chain complex
CR-CH2-003	DOC-CR-BASELIN	CR-CH2-003	core_definition/operatio	Constructible interval decomposition
CR-CH2-004	DOC-CR-BASELIN	CR-CH2-004	nal/op	Bar and barcode
CR-CH2-005	DOC-CR-BASELIN	CR-CH2-005	core_definition/operatio	Standard bottleneck distance with infinite bars
CR-CH2-006	DOC-CR-BASELIN	CR-CH2-006	nal/op	Positive-threshold short-bar objects are not Serre in general
CR-CH2-007	DOC-CR-BASELIN	CR-CH2-007	core_theorem/proved/thm	No global exact reflector claim
CR-CH2-008	DOC-CR-BASELIN	CR-CH2-008	core_definition/operatio	Hard barcode threshold deletion
CR-CH2-009	DOC-CR-BASELIN	CR-CH2-009	nal/op	Basic properties of hard threshold deletion
CR-CH2-010	DOC-CR-BASELIN	CR-CH2-010	core_theorem/proved/thm	Deprecated v18 metric claim
CR-CH2-011	DOC-CR-BASELIN	CR-CH2-011	deprecated_or_rejected_claim/rejected/prov	Threshold clearance
CR-CH2-012	DOC-CR-BASELIN	CR-CH2-012	core_definition/operatio	Threshold gap as ledger alias
CR-CH2-013	DOC-CR-BASELIN	CR-CH2-013	nal/op	Bottleneck scalarization and typed metric budget
CR-CH2-014	DOC-CR-BASELIN	CR-CH2-014	core_definition/operatio	Windowed pre-threshold profile
CR-CH2-015	DOC-CR-BASELIN	CR-CH2-015	nal/op	Threshold-gap comparison record
CR-CH2-016	DOC-CR-BASELIN	CR-CH2-016	core_definition/operatio	Metric-repair theorem: sharp threshold-gap-safe stability
CR-CH2-017	DOC-CR-BASELIN	CR-CH2-017	nal/op	Scalarized-ledger-safe threshold classification
CR-CH2-018	DOC-CR-BASELIN	CR-CH2-018	core_theorem/proved/thm	τ -reduced barcode profile
CR-CH2-019	DOC-CR-BASELIN	CR-CH2-019	core_definition/operatio	Zero radius of a finite barcode profile
CR-CH2-020	DOC-CR-BASELIN	CR-CH2-020	nal/op	Sharp zero separation for τ -reduced profiles
CR-CH2-021	DOC-CR-BASELIN	CR-CH2-021	core_theorem/proved/thm	Metric-safe repaired-zero transport
CR-CH2-022	DOC-CR-BASELIN	CR-CH2-022	core_theorem/conditional/thm	Scalarized metric-safe repaired-zero transport
CR-CH2-023	DOC-CR-BASELIN	CR-CH2-023	core_definition/operatio	Post-threshold zero-separation record
CR-CH2-024	DOC-CR-BASELIN	CR-CH2-024	nal/op	Metric-safe detector-zero transport record
CR-CH2-025	DOC-CR-BASELIN	CR-CH2-025	core_definition/operatio	Detector-certified metric zero transport
CR-CH2-026	DOC-CR-BASELIN	CR-CH2-026	core_theorem/conditional/thm	Pointwise span-rank observation
CR-CH2-027	DOC-CR-BASELIN	CR-CH2-027	core_definition/operatio	No bottleneck stability theorem for raw pointwise detector ranks
CR-CH2-028	DOC-CR-BASELIN	CR-CH2-028	nal/op	No unconditional crop-collapse commutation

ID	Source	Locator	Type / status / use	Title
CR-CH2-029	DOC-CR-BASELIN E	CR-CH2-029	core_definition/operatio nal/op	Window-edge clearance
CR-CH2-030	DOC-CR-BASELIN E	CR-CH2-030	core_definition/operatio nal/op	Crop budget
CR-CH2-031	DOC-CR-BASELIN E	CR-CH2-031	core_definition/operatio nal/op	τ -window-adapted condition
CR-CH2-032	DOC-CR-BASELIN E	CR-CH2-032	core_theorem/proved/thm	Exact crop-collapse commutation criterion
CR-CH2-033	DOC-CR-BASELIN E	CR-CH2-033	core_definition/operatio nal/op	Windowed collapsed persistence evaluation
CR-CH2-034	DOC-CR-BASELIN E	CR-CH2-034	core_definition/operatio nal/op	Repaired evaluation record
CR-CH2-035	DOC-CR-BASELIN E	CR-CH2-035	core_definition/operatio nal/op	Threshold-gap-certified repaired evaluation comparison
CR-CH2-036	DOC-CR-BASELIN E	CR-CH2-036	core_theorem/proved/thm	Overlap repaired-zero equivalence
CR-CH2-037	DOC-CR-BASELIN E	CR-CH2-037	core_definition/operatio nal/op	τ -split object
CR-CH2-038	DOC-CR-BASELIN E	CR-CH2-038	core_definition/operatio nal/op	τ -split morphism
CR-CH2-039	DOC-CR-BASELIN E	CR-CH2-039	core_definition/operatio nal/op	τ -split regime
CR-CH2-040	DOC-CR-BASELIN E	CR-CH2-040	core_theorem/proved/thm	Functorial deletion in a τ -split regime
CR-CH2-041	DOC-CR-BASELIN E	CR-CH2-041	core_definition/operatio nal/op	Exact-admissible collapse regime
CR-CH2-042	DOC-CR-BASELIN E	CR-CH2-042	core_definition/operatio nal/op	Admissible filtered representative
CR-CH2-043	DOC-CR-BASELIN E	CR-CH2-043	core_definition/operatio nal/op	Tower comparison artifact
CR-CH2-044	DOC-CR-BASELIN E	CR-CH2-044	core_definition/operatio nal/op	Typed Type IV scope status
CR-CH2-045	DOC-CR-BASELIN E	CR-CH2-045	core_definition/operatio nal/op	Collapse diagnostics notation contract
CR-CH2-046	DOC-CR-BASELIN E	CR-CH2-046	core_definition/operatio nal/op	Collapse policy manifest entry
CR-CH2-047	DOC-CR-BASELIN E	CR-CH2-047	core_definition/operatio nal/op	Metric and crop repair record

8.4 Main Chapter 3 (57)

ID	Source	Locator	Type / status / use	Title
CR-CH3-001	DOC-CR-BASELIN E	CR-CH3-001	core_definition/operatio nal/op	Pre-threshold windowed profile
CR-CH3-002	DOC-CR-BASELIN E	CR-CH3-002	core_definition/operatio nal/op	Repaired windowed evaluation
CR-CH3-003	DOC-CR-BASELIN E	CR-CH3-003	core_definition/operatio nal/op	Threshold clearance on a windowed profile
CR-CH3-004	DOC-CR-BASELIN E	CR-CH3-004	core_definition/operatio nal/op	Ledger gap
CR-CH3-005	DOC-CR-BASELIN E	CR-CH3-005	core_definition/operatio nal/op	Bottleneck scalarization and metric ledger
CR-CH3-006	DOC-CR-BASELIN E	CR-CH3-006	core_definition/operatio nal/op	Non-scalar record obligations
CR-CH3-007	DOC-CR-BASELIN E	CR-CH3-007	core_definition/operatio nal/op	Repaired evaluation record
CR-CH3-008	DOC-CR-BASELIN E	CR-CH3-008	core_definition/operatio nal/op	Single-profile threshold-gap readiness record
CR-CH3-009	DOC-CR-BASELIN E	CR-CH3-009	core_definition/operatio nal/op	Comparison record and two-sided metric certificate
CR-CH3-010	DOC-CR-BASELIN E	CR-CH3-010	core_theorem/conditional /thm	Scalarized gap-certified stability transfer
CR-CH3-011	DOC-CR-BASELIN E	CR-CH3-011	core_definition/operatio nal/op	Window-edge clearance record
CR-CH3-012	DOC-CR-BASELIN E	CR-CH3-012	core_definition/operatio nal/op	Profile-level metric-ledger decomposition
CR-CH3-013	DOC-CR-BASELIN E	CR-CH3-013	core_definition/operatio nal/op	Infinite-bar policy for windowed evaluation
CR-CH3-014	DOC-CR-BASELIN E	CR-CH3-014	core_definition/operatio nal/op	Admissible filtered representative
CR-CH3-015	DOC-CR-BASELIN E	CR-CH3-015	core_definition/operatio nal/op	Representative record
CR-CH3-016	DOC-CR-BASELIN E	CR-CH3-016	core_definition/operatio nal/op	Realization-compatible representative
CR-CH3-017	DOC-CR-BASELIN E	CR-CH3-017	core_theorem/conditional /thm	Profile-level representative invariance
CR-CH3-018	DOC-CR-BASELIN E	CR-CH3-018	core_definition/operatio nal/op	Topological clause input
CR-CH3-019	DOC-CR-BASELIN E	CR-CH3-019	core_definition/operatio nal/op	Scalarized gap-ready topological input
CR-CH3-020	DOC-CR-BASELIN E	CR-CH3-020	core_definition/operatio nal/op	Overlap pre-threshold profile
CR-CH3-021	DOC-CR-BASELIN E	CR-CH3-021	core_definition/operatio nal/op	Overlap repaired evaluation
CR-CH3-022	DOC-CR-BASELIN E	CR-CH3-022	core_theorem/proved/thm	Scalarized overlap threshold safety
CR-CH3-023	DOC-CR-BASELIN E	CR-CH3-023	core_definition/operatio nal/op	Detector profile stage
CR-CH3-024	DOC-CR-BASELIN E	CR-CH3-024	core_definition/operatio nal/op	Effective detector domain
CR-CH3-025	DOC-CR-BASELIN E	CR-CH3-025	core_definition/operatio nal/op	Exact finite stencil detector
CR-CH3-026	DOC-CR-BASELIN E	CR-CH3-026	core_definition/operatio nal/op	Retained bars and active-start region
CR-CH3-027	DOC-CR-BASELIN E	CR-CH3-027	core_theorem/proved/thm	Interval decomposition of a stencil image
CR-CH3-028	DOC-CR-BASELIN E	CR-CH3-028	core_theorem/proved/thm	Finite-stencil soundness

ID	Source	Locator	Type / status / use	Title
CR-CH3-029	DOC-CR-BASELIN E	CR-CH3-029	core_definition/operatio nal/op	Exhaustive birth set
CR-CH3-030	DOC-CR-BASELIN E	CR-CH3-030	core_theorem/proved/thm	Birth detector characterization
CR-CH3-031	DOC-CR-BASELIN E	CR-CH3-031	core_definition/operatio nal/op	Right germ and shifted germ map
CR-CH3-032	DOC-CR-BASELIN E	CR-CH3-032	core_definition/operatio nal/op	Germ detector
CR-CH3-033	DOC-CR-BASELIN E	CR-CH3-033	core_theorem/proved/thm	Decoration-invariant germ characterization
CR-CH3-034	DOC-CR-BASELIN E	CR-CH3-034	core_definition/operatio nal/op	Stencil coverage certificate
CR-CH3-035	DOC-CR-BASELIN E	CR-CH3-035	core_theorem/proved/thm	Certified stencil completeness
CR-CH3-036	DOC-CR-BASELIN E	CR-CH3-036	core_definition/operatio nal/op	Window-relative threshold excess
CR-CH3-037	DOC-CR-BASELIN E	CR-CH3-037	core_definition/operatio nal/op	Augmented mesh
CR-CH3-038	DOC-CR-BASELIN E	CR-CH3-038	core_lemma/proved/thm	Augmented-mesh hitting lemma
CR-CH3-039	DOC-CR-BASELIN E	CR-CH3-039	core_theorem/proved/thm	Family-mesh completeness
CR-CH3-040	DOC-CR-BASELIN E	CR-CH3-040	core_theorem/proved/thm	Strict mesh sharpness and equality boundary
CR-CH3-041	DOC-CR-BASELIN E	CR-CH3-041	core_definition/operatio nal/op	Finite detector certificate record
CR-CH3-042	DOC-CR-BASELIN E	CR-CH3-042	core_definition/operatio nal/op	Two-axis detector status
CR-CH3-043	DOC-CR-BASELIN E	CR-CH3-043	core_theorem/conditional /thm	Detector invariance under profile isomorphism
CR-CH3-044	DOC-CR-BASELIN E	CR-CH3-044	core_theorem/proved/thm	Metric zero-verdict composition
CR-CH3-045	DOC-CR-BASELIN E	CR-CH3-045	core_definition/operatio nal/op	Boundary-safe robust stencil
CR-CH3-046	DOC-CR-BASELIN E	CR-CH3-046	core_theorem/proved/thm	Robust-to-exact sandwich
CR-CH3-047	DOC-CR-BASELIN E	CR-CH3-047	core_definition/operatio nal/op	Detector information class
CR-CH3-048	DOC-CR-BASELIN E	CR-CH3-048	core_definition/operatio nal/op	Family-relative minimal certificate
CR-CH3-049	DOC-CR-BASELIN E	CR-CH3-049	core_theorem/proved/thm	Birth-set upper bound
CR-CH3-050	DOC-CR-BASELIN E	CR-CH3-050	core_definition/operatio nal/op	Minimal augmented-mesh stencil number
CR-CH3-051	DOC-CR-BASELIN E	CR-CH3-051	core_theorem/proved/thm	Exact stencil count for an augmented-mesh target
CR-CH3-052	DOC-CR-BASELIN E	CR-CH3-052	core_theorem/proved/thm	Family mesh upper bound for MinCert
CR-CH3-053	DOC-CR-BASELIN E	CR-CH3-053	core_theorem/proved/thm	Uniform finite-detector no-go on an unbounded birth family
CR-CH3-054	DOC-CR-BASELIN E	CR-CH3-054	core_definition/operatio nal/op	Residual degree-one bar mass
CR-CH3-055	DOC-CR-BASELIN E	CR-CH3-055	core_theorem/proved/thm	Sound E1-vanishing detector
CR-CH3-056	DOC-CR-BASELIN E	CR-CH3-056	core_theorem/proved/thm	Whole-barcode E1 characterization
CR-CH3-057	DOC-CR-BASELIN E	CR-CH3-057	core_definition/operatio nal/op	Chapter 3 evaluation and representative manifest extension

8.5 Main Chapter 4 (43)

ID	Source	Locator	Type / status / use	Title
CR-CH4-001	DOC-CR-BASELIN E	CR-CH4-001	core_definition/operatio nal/op	Degree-one repaired profile
CR-CH4-002	DOC-CR-BASELIN E	CR-CH4-002	core_definition/operatio nal/op	Degree-one admissible representative
CR-CH4-003	DOC-CR-BASELIN E	CR-CH4-003	core_definition/operatio nal/op	Realization datum
CR-CH4-004	DOC-CR-BASELIN E	CR-CH4-004	core_definition/operatio nal/op	Residual edge extractor
CR-CH4-005	DOC-CR-BASELIN E	CR-CH4-005	core_definition/operatio nal/op	Edge-realization certificate
CR-CH4-006	DOC-CR-BASELIN E	CR-CH4-006	core_definition/operatio nal/op	Eligible realization record
CR-CH4-007	DOC-CR-BASELIN E	CR-CH4-007	core_definition/operatio nal/op	Degree-nrepaired profile
CR-CH4-008	DOC-CR-BASELIN E	CR-CH4-008	core_definition/operatio nal/op	Degree-ncompatible representative
CR-CH4-009	DOC-CR-BASELIN E	CR-CH4-009	core_definition/operatio nal/op	Degree-indexed realization datum
CR-CH4-010	DOC-CR-BASELIN E	CR-CH4-010	core_definition/operatio nal/op	Higher residual edge extractor
CR-CH4-011	DOC-CR-BASELIN E	CR-CH4-011	core_definition/operatio nal/op	Higher edge-realization certificate
CR-CH4-012	DOC-CR-BASELIN E	CR-CH4-012	core_definition/operatio nal/op	Standard n-eligible realization record
CR-CH4-013	DOC-CR-BASELIN E	CR-CH4-013	core_theorem/proved/thm	Canonical higher Ext-edge over a field
CR-CH4-014	DOC-CR-BASELIN E	CR-CH4-014	core_theorem/proved/thm	Higher edge vanishing and reflection
CR-CH4-015	DOC-CR-BASELIN E	CR-CH4-015	core_lemma/proved/thm	Formality over a field; noncanonical splitting
CR-CH4-016	DOC-CR-BASELIN E	CR-CH4-016	core_theorem/proved/thm	Canonical two-term Ext1-edge identification
CR-CH4-017	DOC-CR-BASELIN E	CR-CH4-017	core_theorem/proved/thm	Naturality square
CR-CH4-018	DOC-CR-BASELIN E	CR-CH4-018	core_theorem/proved/thm	Edge vanishing criterion

ID	Source	Locator	Type / status / use	Title
CR-CH4-019	DOC-CR-BASELIN E	CR-CH4-019	core_theorem/conditional /thm	Eligible higher Ext-edge identification
CR-CH4-020	DOC-CR-BASELIN E	CR-CH4-020	core_theorem/proved/thm	Higher one-way repaired discharge
CR-CH4-021	DOC-CR-BASELIN E	CR-CH4-021	core_definition/operatio nal/op	Natural higher zero-reflection package
CR-CH4-022	DOC-CR-BASELIN E	CR-CH4-022	core_theorem/proved/thm	Zero-reflecting higher vanishing equivalence
CR-CH4-023	DOC-CR-BASELIN E	CR-CH4-023	core_theorem/proved/thm	Functoriality of a fixed stencil detector
CR-CH4-024	DOC-CR-BASELIN E	CR-CH4-024	core_theorem/proved/thm	Complete fixed-stencil higher vanishing equivalence
CR-CH4-025	DOC-CR-BASELIN E	CR-CH4-025	core_theorem/conditional /thm	Conditional one-way repaired bridge
CR-CH4-026	DOC-CR-BASELIN E	CR-CH4-026	core_definition/operatio nal/op	Higher Ext-edge discharge record
CR-CH4-027	DOC-CR-BASELIN E	CR-CH4-027	core_definition/operatio nal/op	Typed degree-nExt-clause status
CR-CH4-028	DOC-CR-BASELIN E	CR-CH4-028	core_theorem/proved/thm	Higher B-Gate+ categorical discharge
CR-CH4-029	DOC-CR-BASELIN E	CR-CH4-029	core_definition/operatio nal/op	Aggregate higher categorical gate status
CR-CH4-030	DOC-CR-BASELIN E	CR-CH4-030	core_definition/operatio nal/op	Ext-edge discharge record
CR-CH4-031	DOC-CR-BASELIN E	CR-CH4-031	core_definition/operatio nal/op	Typed Ext-edge clause status
CR-CH4-032	DOC-CR-BASELIN E	CR-CH4-032	core_theorem/proved/thm	B-Gate+ categorical discharge
CR-CH4-033	DOC-CR-BASELIN E	CR-CH4-033	core_definition/operatio nal/op	Degree-nrealization-equivalent representatives
CR-CH4-034	DOC-CR-BASELIN E	CR-CH4-034	core_theorem/conditional /thm	Higher representative invariance
CR-CH4-035	DOC-CR-BASELIN E	CR-CH4-035	core_definition/operatio nal/op	Realization-equivalent representatives
CR-CH4-036	DOC-CR-BASELIN E	CR-CH4-036	core_theorem/conditional /thm	Representative invariance of Ext discharge
CR-CH4-037	DOC-CR-BASELIN E	CR-CH4-037	core_theorem/proved/thm	Complete detector higher Ext discharge
CR-CH4-038	DOC-CR-BASELIN E	CR-CH4-038	core_theorem/proved/thm	Operational E1-detector discharge
CR-CH4-039	DOC-CR-BASELIN E	CR-CH4-039	core_definition/operatio nal/op	Synthetic detector object
CR-CH4-040	DOC-CR-BASELIN E	CR-CH4-040	core_theorem/proved/thm	Encoded detector duality
CR-CH4-041	DOC-CR-BASELIN E	CR-CH4-041	core_theorem/proved/thm	Failure of the reverse bridge for a natural nonfaithful edge
CR-CH4-042	DOC-CR-BASELIN E	CR-CH4-042	core_definition/operatio nal/op	Eligibility manifest extension
CR-CH4-043	DOC-CR-BASELIN E	CR-CH4-043	core_theorem/conditional /thm	Eligible Ext-edge bridge package

8.6 Main Chapter 5 (36)

ID	Source	Locator	Type / status / use	Title
CR-CH5-001	DOC-CR-BASELIN E	CR-CH5-001	core_definition/operatio nal/op	v20 failure types and transient-defect refinement
CR-CH5-002	DOC-CR-BASELIN E	CR-CH5-002	core_definition/operatio nal/op	Failure-check order
CR-CH5-003	DOC-CR-BASELIN E	CR-CH5-003	core_definition/operatio nal/op	Type IV scope status
CR-CH5-004	DOC-CR-BASELIN E	CR-CH5-004	core_definition/operatio nal/op	Audited collapse admissibility
CR-CH5-005	DOC-CR-BASELIN E	CR-CH5-005	core_theorem/conditional /thm	Eligible monitored vanishing discharges the invoked Type II clauses
CR-CH5-006	DOC-CR-BASELIN E	CR-CH5-006	core_definition/operatio nal/op	Structural collapse admissibility
CR-CH5-007	DOC-CR-BASELIN E	CR-CH5-007	core_definition/operatio nal/op	Repaired tower-profile system
CR-CH5-008	DOC-CR-BASELIN E	CR-CH5-008	core_definition/operatio nal/op	Collapsed source profile
CR-CH5-009	DOC-CR-BASELIN E	CR-CH5-009	core_definition/operatio nal/op	Tower comparison artifact
CR-CH5-010	DOC-CR-BASELIN E	CR-CH5-010	core_definition/operatio nal/op	Terminal-tame profile
CR-CH5-011	DOC-CR-BASELIN E	CR-CH5-011	core_definition/operatio nal/op	Terminal-generic dimension
CR-CH5-012	DOC-CR-BASELIN E	CR-CH5-012	core_theorem/proved/thm	Well-definedness of terminal-generic dimension
CR-CH5-013	DOC-CR-BASELIN E	CR-CH5-013	core_theorem/proved/thm	Terminal dimension counts cofinal bars
CR-CH5-014	DOC-CR-BASELIN E	CR-CH5-014	core_theorem/proved/thm	Terminal tameness passes to defects
CR-CH5-015	DOC-CR-BASELIN E	CR-CH5-015	core_definition/operatio nal/op	Degreewise Type IV diagnostics
CR-CH5-016	DOC-CR-BASELIN E	CR-CH5-016	core_definition/operatio nal/op	Total collapse diagnostics
CR-CH5-017	DOC-CR-BASELIN E	CR-CH5-017	core_definition/operatio nal/op	Type IV diagnostic record
CR-CH5-018	DOC-CR-BASELIN E	CR-CH5-018	core_definition/operatio nal/op	Type IV obstruction and Type IV-free status
CR-CH5-019	DOC-CR-BASELIN E	CR-CH5-019	core_theorem/proved/thm	Characterization of certified Type IV-free status
CR-CH5-020	DOC-CR-BASELIN E	CR-CH5-020	core_definition/operatio nal/op	Cofinal and interior barcode profiles
CR-CH5-021	DOC-CR-BASELIN E	CR-CH5-021	core_theorem/proved/thm	Terminal/interior separation
CR-CH5-022	DOC-CR-BASELIN E	CR-CH5-022	core_definition/operatio nal/op	Defect threshold and detector component

ID	Source	Locator	Type / status / use	Title
CR-CH5-023	DOC-CR-BASELIN E	CR-CH5-023	core_definition/operatio nal/op	Kernel and cokernel defect detectors
CR-CH5-024	DOC-CR-BASELIN E	CR-CH5-024	core_theorem/proved/thm	Complete transient-defect characterization
CR-CH5-025	DOC-CR-BASELIN E	CR-CH5-025	core_theorem/conditional /thm	Full and interior detectors coincide under terminal zero
CR-CH5-026	DOC-CR-BASELIN E	CR-CH5-026	core_definition/operatio nal/op	Aggregate long-transient verdict
CR-CH5-027	DOC-CR-BASELIN E	CR-CH5-027	core_theorem/proved/thm	Joint terminal/transient defect classification
CR-CH5-028	DOC-CR-BASELIN E	CR-CH5-028	core_definition/operatio nal/op	Short-defect exclusion certificate
CR-CH5-029	DOC-CR-BASELIN E	CR-CH5-029	core_theorem/conditional /thm	Conditional full-isomorphism upgrade
CR-CH5-030	DOC-CR-BASELIN E	CR-CH5-030	core_definition/operatio nal/op	Artifact-coherent Type IV stable band
CR-CH5-031	DOC-CR-BASELIN E	CR-CH5-031	core_theorem/conditional /thm	No terminal-generic Type IV obstruction on a stable band
CR-CH5-032	DOC-CR-BASELIN E	CR-CH5-032	core_definition/operatio nal/op	Artifact-coherent joint defect-clean band
CR-CH5-033	DOC-CR-BASELIN E	CR-CH5-033	core_theorem/proved/thm	Uniform terminal and long-transient cleanliness
CR-CH5-034	DOC-CR-BASELIN E	CR-CH5-034	core_definition/operatio nal/op	Type IV and transient-defect gate discharge
CR-CH5-035	DOC-CR-BASELIN E	CR-CH5-035	core_theorem/proved/thm	Audited admissibility implies the structural and safety clauses of B-Gate+
CR-CH5-036	DOC-CR-BASELIN E	CR-CH5-036	core_definition/operatio nal/op	v20 failure-and-diagnostics contract

8.7 Main Chapter 6 (51)

ID	Source	Locator	Type / status / use	Title
CR-CH6-001	DOC-CR-BASELIN E	CR-CH6-001	core_definition/operatio nal/op	Right-open Core window
CR-CH6-002	DOC-CR-BASELIN E	CR-CH6-002	core_definition/operatio nal/op	Right-open partition cover
CR-CH6-003	DOC-CR-BASELIN E	CR-CH6-003	core_definition/operatio nal/op	Overlap-admitting cover
CR-CH6-004	DOC-CR-BASELIN E	CR-CH6-004	core_definition/operatio nal/op	Direct common-window profile
CR-CH6-005	DOC-CR-BASELIN E	CR-CH6-005	core_definition/operatio nal/op	Scalarized metric ledger
CR-CH6-006	DOC-CR-BASELIN E	CR-CH6-006	core_definition/operatio nal/op	Non-scalar continuation and coherence obligations
CR-CH6-007	DOC-CR-BASELIN E	CR-CH6-007	core_definition/operatio nal/op	Bottleneck scalarization
CR-CH6-008	DOC-CR-BASELIN E	CR-CH6-008	core_definition/operatio nal/op	Gate-scoped threshold reserve
CR-CH6-009	DOC-CR-BASELIN E	CR-CH6-009	core_definition/operatio nal/op	Threshold reconciliation record
CR-CH6-010	DOC-CR-BASELIN E	CR-CH6-010	core_definition/operatio nal/op	Overlap comparison mode
CR-CH6-011	DOC-CR-BASELIN E	CR-CH6-011	core_definition/operatio nal/op	Exact overlap certificate
CR-CH6-012	DOC-CR-BASELIN E	CR-CH6-012	core_definition/operatio nal/op	Two-sided overlap metric certificate
CR-CH6-013	DOC-CR-BASELIN E	CR-CH6-013	core_theorem/proved/thm	Sharp overlap transfer
CR-CH6-014	DOC-CR-BASELIN E	CR-CH6-014	core_definition/operatio nal/op	Pairwise Overlap Gate
CR-CH6-015	DOC-CR-BASELIN E	CR-CH6-015	core_definition/operatio nal/op	Čech depth
CR-CH6-016	DOC-CR-BASELIN E	CR-CH6-016	core_definition/operatio nal/op	Simplex coherence mode
CR-CH6-017	DOC-CR-BASELIN E	CR-CH6-017	core_definition/operatio nal/op	Exact simplex cocycle record
CR-CH6-018	DOC-CR-BASELIN E	CR-CH6-018	core_definition/operatio nal/op	Metric-reference simplex record
CR-CH6-019	DOC-CR-BASELIN E	CR-CH6-019	core_theorem/proved/thm	Pairwise bound from a metric simplex reference
CR-CH6-020	DOC-CR-BASELIN E	CR-CH6-020	core_definition/operatio nal/op	Simplex compatibility record
CR-CH6-021	DOC-CR-BASELIN E	CR-CH6-021	core_definition/operatio nal/op	Čech-coherent certificate atlas
CR-CH6-022	DOC-CR-BASELIN E	CR-CH6-022	core_theorem/proved/thm	Finite-depth verification bound
CR-CH6-023	DOC-CR-BASELIN E	CR-CH6-023	core_theorem/conditional /thm	Finite-cover record-level gluing
CR-CH6-024	DOC-CR-BASELIN E	CR-CH6-024	core_definition/operatio nal/op	Global profile and local restriction interface
CR-CH6-025	DOC-CR-BASELIN E	CR-CH6-025	core_definition/operatio nal/op	Certified local detector atlas
CR-CH6-026	DOC-CR-BASELIN E	CR-CH6-026	core_definition/operatio nal/op	Global retained-bar coverage
CR-CH6-027	DOC-CR-BASELIN E	CR-CH6-027	core_theorem/proved/thm	Detector-atlas local-to-global zero theorem
CR-CH6-028	DOC-CR-BASELIN E	CR-CH6-028	core_definition/operatio nal/op	Object-level descent interface
CR-CH6-029	DOC-CR-BASELIN E	CR-CH6-029	core_definition/operatio nal/op	Continuation artifact
CR-CH6-030	DOC-CR-BASELIN E	CR-CH6-030	core_definition/operatio nal/op	kk-admissible continuation
CR-CH6-031	DOC-CR-BASELIN E	CR-CH6-031	core_definition/operatio nal/op	Restart transition status
CR-CH6-032	DOC-CR-BASELIN E	CR-CH6-032	core_theorem/conditional /thm	Finite-horizon Restart bound
CR-CH6-033	DOC-CR-BASELIN E	CR-CH6-033	core_theorem/proved/thm	Non-degrading continuation

ID	Source	Locator	Type / status / use	Title
CR-CH6-034	DOC-CR-BASELIN E	CR-CH6-034	core_definition/operatio nal/op	Normalized Restart loss
CR-CH6-035	DOC-CR-BASELIN E	CR-CH6-035	core_theorem/proved/thm	Normalized reserve criterion
CR-CH6-036	DOC-CR-BASELIN E	CR-CH6-036	core_definition/operatio nal/op	κ -normalized summability
CR-CH6-037	DOC-CR-BASELIN E	CR-CH6-037	core_theorem/conditional /thm	Conditional countable Restart principle
CR-CH6-038	DOC-CR-BASELIN E	CR-CH6-038	core_theorem/proved/thm	Pointwise reserve and uniform reserve are distinct
CR-CH6-039	DOC-CR-BASELIN E	CR-CH6-039	core_definition/operatio nal/op	Detector-aware Restart handoff
CR-CH6-040	DOC-CR-BASELIN E	CR-CH6-040	core_definition/operatio nal/op	Boundary-bridge coverage for a partition
CR-CH6-041	DOC-CR-BASELIN E	CR-CH6-041	core_theorem/proved/thm	Detector-safe partition globalization
CR-CH6-042	DOC-CR-BASELIN E	CR-CH6-042	core_definition/operatio nal/op	Audit-locally finite cover
CR-CH6-043	DOC-CR-BASELIN E	CR-CH6-043	core_definition/operatio nal/op	Summable simplex exposure
CR-CH6-044	DOC-CR-BASELIN E	CR-CH6-044	core_theorem/proved/thm	Countable record-atlas principle
CR-CH6-045	DOC-CR-BASELIN E	CR-CH6-045	core_definition/operatio nal/op	Local certificate status
CR-CH6-046	DOC-CR-BASELIN E	CR-CH6-046	core_theorem/proved/thm	Compatibility does not repair a local failure
CR-CH6-047	DOC-CR-BASELIN E	CR-CH6-047	core_theorem/proved/thm	Typed Type IV participation
CR-CH6-048	DOC-CR-BASELIN E	CR-CH6-048	core_theorem/conditional /thm	Transient-defect participation and nontransport
CR-CH6-049	DOC-CR-BASELIN E	CR-CH6-049	core_definition/operatio nal/op	Chapter 6 failure routing
CR-CH6-050	DOC-CR-BASELIN E	CR-CH6-050	core_theorem/conditional /thm	Window/overlap/Restart manifest extension
CR-CH6-051	DOC-CR-BASELIN E	CR-CH6-051	core_theorem/conditional /thm	Conditional window/overlap/Restart closure package

8.8 Main Chapter 7 (65)

ID	Source	Locator	Type / status / use	Title
CR-CH7-001	DOC-CR-BASELIN E	CR-CH7-001	core_definition/operatio nal/op	Canonical token-sort registry
CR-CH7-002	DOC-CR-BASELIN E	CR-CH7-002	core_theorem/proved/thm	No cross-sort token substitution
CR-CH7-003	DOC-CR-BASELIN E	CR-CH7-003	core_definition/operatio nal/op	Audit clause identity
CR-CH7-004	DOC-CR-BASELIN E	CR-CH7-004	core_definition/operatio nal/op	Typed evidence record
CR-CH7-005	DOC-CR-BASELIN E	CR-CH7-005	core_definition/operatio nal/op	Well-founded audit dependency graph
CR-CH7-006	DOC-CR-BASELIN E	CR-CH7-006	core_theorem/proved/thm	No silent claim supersession
CR-CH7-007	DOC-CR-BASELIN E	CR-CH7-007	core_definition/operatio nal/op	Audit run identity
CR-CH7-008	DOC-CR-BASELIN E	CR-CH7-008	core_definition/operatio nal/op	Immutable audit scope
CR-CH7-009	DOC-CR-BASELIN E	CR-CH7-009	core_theorem/proved/thm	Determinacy on a complete well-founded graph
CR-CH7-010	DOC-CR-BASELIN E	CR-CH7-010	core_definition/operatio nal/op	Claim supersession and conditional override record
CR-CH7-011	DOC-CR-BASELIN E	CR-CH7-011	core_definition/operatio nal/op	Declared ledger algebra
CR-CH7-012	DOC-CR-BASELIN E	CR-CH7-012	core_definition/operatio nal/op	Metric-bearing ledger components
CR-CH7-013	DOC-CR-BASELIN E	CR-CH7-013	core_definition/operatio nal/op	Bottleneck scalarization
CR-CH7-014	DOC-CR-BASELIN E	CR-CH7-014	core_definition/operatio nal/op	Non-scalarizable proof obligations
CR-CH7-015	DOC-CR-BASELIN E	CR-CH7-015	core_theorem/proved/thm	No scalar repair of missing evidence
CR-CH7-016	DOC-CR-BASELIN E	CR-CH7-016	core_definition/operatio nal/op	Gate-scoped threshold reserve
CR-CH7-017	DOC-CR-BASELIN E	CR-CH7-017	core_definition/operatio nal/op	Ledger completeness
CR-CH7-018	DOC-CR-BASELIN E	CR-CH7-018	core_definition/operatio nal/op	Claim-use status
CR-CH7-019	DOC-CR-BASELIN E	CR-CH7-019	core_definition/operatio nal/op	Claim invocation role
CR-CH7-020	DOC-CR-BASELIN E	CR-CH7-020	core_definition/operatio nal/op	Audit preflight
CR-CH7-021	DOC-CR-BASELIN E	CR-CH7-021	core_definition/operatio nal/op	Typed preflight verdict
CR-CH7-022	DOC-CR-BASELIN E	CR-CH7-022	core_theorem/proved/thm	Preflight failure blocks pass
CR-CH7-023	DOC-CR-BASELIN E	CR-CH7-023	core_definition/operatio nal/op	Atomic audit status
CR-CH7-024	DOC-CR-BASELIN E	CR-CH7-024	core_definition/operatio nal/op	Canonical specialization maps
CR-CH7-025	DOC-CR-BASELIN E	CR-CH7-025	core_definition/operatio nal/op	Aggregate audit verdict
CR-CH7-026	DOC-CR-BASELIN E	CR-CH7-026	core_theorem/proved/thm	Determinacy of complete records
CR-CH7-027	DOC-CR-BASELIN E	CR-CH7-027	core_theorem/proved/thm	Undefined is neither success nor counterexample
CR-CH7-028	DOC-CR-BASELIN E	CR-CH7-028	core_definition/operatio nal/op	Comparison-mode audit record
CR-CH7-029	DOC-CR-BASELIN E	CR-CH7-029	core_definition/operatio nal/op	Detector-clause audit verdict

ID	Source	Locator	Type / status / use	Title
CR-CH7-030	DOC-CR-BASELIN E	CR-CH7-030	core_definition/operatio nal/op	Degreewise higher-obstruction audit family
CR-CH7-031	DOC-CR-BASELIN E	CR-CH7-031	core_definition/operatio nal/op	Terminal and transient defect audit
CR-CH7-032	DOC-CR-BASELIN E	CR-CH7-032	core_definition/operatio nal/op	Global detector-atlas verdict
CR-CH7-033	DOC-CR-BASELIN E	CR-CH7-033	core_definition/operatio nal/op	Finite-to-infinite reduction verdict
CR-CH7-034	DOC-CR-BASELIN E	CR-CH7-034	core_definition/operatio nal/op	Object-descent and Return-Theorem verdicts
CR-CH7-035	DOC-CR-BASELIN E	CR-CH7-035	core_theorem/proved/thm	Separation of audit conclusion levels
CR-CH7-036	DOC-CR-BASELIN E	CR-CH7-036	core_definition/operatio nal/op	B-Gate+ audit clause set
CR-CH7-037	DOC-CR-BASELIN E	CR-CH7-037	core_definition/operatio nal/op	Core audit pass
CR-CH7-038	DOC-CR-BASELIN E	CR-CH7-038	core_definition/operatio nal/op	Core audit reject
CR-CH7-039	DOC-CR-BASELIN E	CR-CH7-039	core_definition/operatio nal/op	Core audit undefined
CR-CH7-040	DOC-CR-BASELIN E	CR-CH7-040	core_theorem/proved/thm	Soundness of the pass reading
CR-CH7-041	DOC-CR-BASELIN E	CR-CH7-041	core_theorem/proved/thm	No pass by cancellation
CR-CH7-042	DOC-CR-BASELIN E	CR-CH7-042	core_definition/operatio nal/op	Local certificate verdict
CR-CH7-043	DOC-CR-BASELIN E	CR-CH7-043	core_definition/operatio nal/op	Compatibility verdict
CR-CH7-044	DOC-CR-BASELIN E	CR-CH7-044	core_definition/operatio nal/op	Restart verdict
CR-CH7-045	DOC-CR-BASELIN E	CR-CH7-045	core_theorem/proved/thm	Atlas composition rule
CR-CH7-046	DOC-CR-BASELIN E	CR-CH7-046	core_definition/operatio nal/op	Manifest status
CR-CH7-047	DOC-CR-BASELIN E	CR-CH7-047	core_definition/operatio nal/op	Canonical minimal v20 audit manifest
CR-CH7-048	DOC-CR-BASELIN E	CR-CH7-048	core_definition/operatio nal/op	Artifact closure
CR-CH7-049	DOC-CR-BASELIN E	CR-CH7-049	core_definition/operatio nal/op	Semantic schema-migration record
CR-CH7-050	DOC-CR-BASELIN E	CR-CH7-050	core_theorem/proved/thm	No lossy migration of theorem evidence
CR-CH7-051	DOC-CR-BASELIN E	CR-CH7-051	core_theorem/proved/thm	Canonical manifest conformance
CR-CH7-052	DOC-CR-BASELIN E	CR-CH7-052	core_definition/operatio nal/op	Computational and semantic replayability
CR-CH7-053	DOC-CR-BASELIN E	CR-CH7-053	core_theorem/conditional /thm	Replay invariance under fixed inputs
CR-CH7-054	DOC-CR-BASELIN E	CR-CH7-054	core_theorem/proved/thm	Manifest effect on the headline verdict
CR-CH7-055	DOC-CR-BASELIN E	CR-CH7-055	core_definition/operatio nal/op	Audit failure-routing record
CR-CH7-056	DOC-CR-BASELIN E	CR-CH7-056	core_theorem/proved/thm	Repair creates a new verdict record
CR-CH7-057	DOC-CR-BASELIN E	CR-CH7-057	core_definition/operatio nal/op	Core sovereignty
CR-CH7-058	DOC-CR-BASELIN E	CR-CH7-058	core_definition/operatio nal/op	Proposer and verifier
CR-CH7-059	DOC-CR-BASELIN E	CR-CH7-059	core_definition/operatio nal/op	Re-entry protocol
CR-CH7-060	DOC-CR-BASELIN E	CR-CH7-060	core_theorem/proved/thm	Search and AI outputs do not update verdicts
CR-CH7-061	DOC-CR-BASELIN E	CR-CH7-061	core_theorem/proved/thm	Verifier independence
CR-CH7-062	DOC-CR-BASELIN E	CR-CH7-062	core_definition/operatio nal/op	v20 release-acceptance record
CR-CH7-063	DOC-CR-BASELIN E	CR-CH7-063	core_definition/operatio nal/op	Release headline status
CR-CH7-064	DOC-CR-BASELIN E	CR-CH7-064	core_theorem/proved/thm	No release completion by local success
CR-CH7-065	DOC-CR-BASELIN E	CR-CH7-065	core_theorem/proved/thm	Typed audit-and-sovereignty contract consequences

8.9 Main Chapter 8 (58)

ID	Source	Locator	Type / status / use	Title
CR-CH8-001	DOC-CR-BASELIN E	CR-CH8-001	core_definition/operatio nal/op	Release-level claim classes
CR-CH8-002	DOC-CR-BASELIN E	CR-CH8-002	core_definition/operatio nal/op	Claim invocation role
CR-CH8-003	DOC-CR-BASELIN E	CR-CH8-003	core_definition/operatio nal/op	Safe-use order
CR-CH8-004	DOC-CR-BASELIN E	CR-CH8-004	core_definition/operatio nal/op	Release token-sort conformance
CR-CH8-005	DOC-CR-BASELIN E	CR-CH8-005	core_theorem/proved/thm	Status cannot be promoted by prose
CR-CH8-006	DOC-CR-BASELIN E	CR-CH8-006	core_theorem/proved/thm	Contents of the proved Core nucleus
CR-CH8-007	DOC-CR-BASELIN E	CR-CH8-007	core_definition/operatio nal/op	Proved Core nucleus
CR-CH8-008	DOC-CR-BASELIN E	CR-CH8-008	core_definition/operatio nal/op	Conditional Core layer
CR-CH8-009	DOC-CR-BASELIN E	CR-CH8-009	core_definition/operatio nal/op	Operational Core layer
CR-CH8-010	DOC-CR-BASELIN E	CR-CH8-010	core_definition/operatio nal/op	Canonical comparison mode
CR-CH8-011	DOC-CR-BASELIN E	CR-CH8-011	core_theorem/conditional /thm	Conditional and operational layers do not self-promote

ID	Source	Locator	Type / status / use	Title
CR-CH8-012	DOC-CR-BASELIN E	CR-CH8-012	core_definition/operatio nal/op	Eventually constant reduction package
CR-CH8-013	DOC-CR-BASELIN E	CR-CH8-013	core_theorem/proved/thm	Eventually constant tower with compatible apex agreement
CR-CH8-014	DOC-CR-BASELIN E	CR-CH8-014	core_theorem/conditional /thm	Vanishing of full comparison defects under reduction
CR-CH8-015	DOC-CR-BASELIN E	CR-CH8-015	core_definition/operatio nal/op	Metric-repair and architecture rejection set
CR-CH8-016	DOC-CR-BASELIN E	CR-CH8-016	deprecated_or_rejected_c laim/rejected/prov	Rejected claims cannot be repaired locally by a ledger
CR-CH8-017	DOC-CR-BASELIN E	CR-CH8-017	core_definition/operatio nal/op	v20 Core closure contract
CR-CH8-018	DOC-CR-BASELIN E	CR-CH8-018	core_theorem/proved/thm	Main-body Core closure
CR-CH8-019	DOC-CR-BASELIN E	CR-CH8-019	core_theorem/proved/thm	Final-audit closure criterion
CR-CH8-020	DOC-CR-BASELIN E	CR-CH8-020	core_definition/operatio nal/op	Main-body and release acceptance boundary
CR-CH8-021	DOC-CR-BASELIN E	CR-CH8-021	interface_definition/ope rational/op	External source class
CR-CH8-022	DOC-CR-BASELIN E	CR-CH8-022	core_definition/operatio nal/op	AK projection datum
CR-CH8-023	DOC-CR-BASELIN E	CR-CH8-023	core_definition/operatio nal/op	Core-readable projected object
CR-CH8-024	DOC-CR-BASELIN E	CR-CH8-024	core_theorem/proved/thm	Projection supplies input, not verdict
CR-CH8-025	DOC-CR-BASELIN E	CR-CH8-025	interface_definition/ope rational/op	Purpose-faithful realization
CR-CH8-026	DOC-CR-BASELIN E	CR-CH8-026	interface_definition/ope rational/op	Interface entry record
CR-CH8-027	DOC-CR-BASELIN E	CR-CH8-027	interface_theorem/condit ional/thm	No admissible Interface without typed entry
CR-CH8-028	DOC-CR-BASELIN E	CR-CH8-028	interface_definition/ope rational/op	Detector realization theorem interface
CR-CH8-029	DOC-CR-BASELIN E	CR-CH8-029	core_definition/operatio nal/op	Detector soundness Bridge
CR-CH8-030	DOC-CR-BASELIN E	CR-CH8-030	core_definition/operatio nal/op	Detector completeness Bridge
CR-CH8-031	DOC-CR-BASELIN E	CR-CH8-031	interface_definition/ope rational/op	Higher Ext realization theorem interface
CR-CH8-032	DOC-CR-BASELIN E	CR-CH8-032	interface_definition/ope rational/op	Finite-to-infinite Interface record
CR-CH8-033	DOC-CR-BASELIN E	CR-CH8-033	interface_definition/ope rational/op	Interface evaluation path
CR-CH8-034	DOC-CR-BASELIN E	CR-CH8-034	interface_theorem/proved /thm	External origin does not relax Core hypotheses
CR-CH8-035	DOC-CR-BASELIN E	CR-CH8-035	interface_definition/ope rational/op	Interface outcome
CR-CH8-036	DOC-CR-BASELIN E	CR-CH8-036	core_definition/operatio nal/op	Core outcome for projected data
CR-CH8-037	DOC-CR-BASELIN E	CR-CH8-037	core_definition/operatio nal/op	Bridge outcome
CR-CH8-038	DOC-CR-BASELIN E	CR-CH8-038	interface_definition/ope rational/op	External-domain outcome
CR-CH8-039	DOC-CR-BASELIN E	CR-CH8-039	core_definition/operatio nal/op	Finite-certificate outcome
CR-CH8-040	DOC-CR-BASELIN E	CR-CH8-040	interface_definition/ope rational/op	Reduction and Return outcomes
CR-CH8-041	DOC-CR-BASELIN E	CR-CH8-041	core_theorem/proved/thm	No outcome-layer collapse
CR-CH8-042	DOC-CR-BASELIN E	CR-CH8-042	interface_definition/ope rational/op	Interface-to-Core transport statement
CR-CH8-043	DOC-CR-BASELIN E	CR-CH8-043	interface_definition/ope rational/op	Core-to-Interface transport statement
CR-CH8-044	DOC-CR-BASELIN E	CR-CH8-044	core_definition/operatio nal/op	Transport theorem
CR-CH8-045	DOC-CR-BASELIN E	CR-CH8-045	interface_definition/ope rational/op	External Return Theorem
CR-CH8-046	DOC-CR-BASELIN E	CR-CH8-046	core_definition/operatio nal/op	Default status of transport statements
CR-CH8-047	DOC-CR-BASELIN E	CR-CH8-047	core_theorem/proved/thm	No silent Bridge promotion
CR-CH8-048	DOC-CR-BASELIN E	CR-CH8-048	interface_theorem/condit ional/thm	Composed AK Return principle
CR-CH8-049	DOC-CR-BASELIN E	CR-CH8-049	core_definition/operatio nal/op	Permitted adjacent support
CR-CH8-050	DOC-CR-BASELIN E	CR-CH8-050	core_theorem/proved/thm	Adjacent material does not enlarge the Core silently
CR-CH8-051	DOC-CR-BASELIN E	CR-CH8-051	core_definition/operatio nal/op	Known-theorem-recovery record
CR-CH8-052	DOC-CR-BASELIN E	CR-CH8-052	core_theorem/proved/thm	Calibration is not promotion
CR-CH8-053	DOC-CR-BASELIN E	CR-CH8-053	core_definition/operatio nal/op	v20 release-closure record
CR-CH8-054	DOC-CR-BASELIN E	CR-CH8-054	core_theorem/proved/thm	Main closure does not predeclare release pass
CR-CH8-055	DOC-CR-BASELIN E	CR-CH8-055	core_definition/operatio nal/op	v20 release-gate reflection matrix
CR-CH8-056	DOC-CR-BASELIN E	CR-CH8-056	core_theorem/proved/thm	Mandatory and recommended release gates do not compensate
CR-CH8-057	DOC-CR-BASELIN E	CR-CH8-057	core_theorem/proved/thm	Final architecture of the v20 main body
CR-CH8-058	DOC-CR-BASELIN E	CR-CH8-058	interface_theorem/condit ional/thm	Final AK projection-and-return principle

8.10 Foundation Appendix A (60)

ID	Source	Locator	Type / status / use	Title
CR-A-001	DOC-CR-BASELIN E	CR-A-001	core_definition/operatio nal/op	Constructible persistence module
CR-A-002	DOC-CR-BASELIN E	CR-A-002	core_definition/operatio nal/op	Finite-type filtered chain complex
CR-A-003	DOC-CR-BASELIN E	CR-A-003	core_definition/operatio nal/op	Interval module
CR-A-004	DOC-CR-BASELIN E	CR-A-004	core_definition/operatio nal/op	Length of a bar
CR-A-005	DOC-CR-BASELIN E	CR-A-005	core_definition/operatio nal/op	Standard bottleneck distance with infinite bars
CR-A-006	DOC-CR-BASELIN E	CR-A-006	core_definition/operatio nal/op	Bar and barcode
CR-A-007	DOC-CR-BASELIN E	CR-A-007	core_theorem/proved/thm	Interval decomposition
CR-A-008	DOC-CR-BASELIN E	CR-A-008	core_theorem/proved/thm	Positive-threshold short-bar objects are not Serre in general
CR-A-009	DOC-CR-BASELIN E	CR-A-009	core_theorem/proved/thm	No global exact reflector claim
CR-A-010	DOC-CR-BASELIN E	CR-A-010	core_definition/operatio nal/op	Hard barcode threshold deletion
CR-A-011	DOC-CR-BASELIN E	CR-A-011	deprecated_or_rejected_c laim/rejected/prov	Rejected global non-expansiveness claim
CR-A-012	DOC-CR-BASELIN E	CR-A-012	core_definition/operatio nal/op	Threshold clearance
CR-A-013	DOC-CR-BASELIN E	CR-A-013	core_definition/operatio nal/op	Threshold gap as ledger alias
CR-A-014	DOC-CR-BASELIN E	CR-A-014	core_definition/operatio nal/op	Typed bottleneck scalarization
CR-A-015	DOC-CR-BASELIN E	CR-A-015	core_definition/operatio nal/op	Windowed pre-threshold profile
CR-A-016	DOC-CR-BASELIN E	CR-A-016	core_definition/operatio nal/op	Threshold-gap record
CR-A-017	DOC-CR-BASELIN E	CR-A-017	core_theorem/conditional /thm	Metric-repair theorem: sharp threshold-gap-safe stability
CR-A-018	DOC-CR-BASELIN E	CR-A-018	core_theorem/proved/thm	Scalarized-ledger-safe threshold classification
CR-A-019	DOC-CR-BASELIN E	CR-A-019	core_definition/operatio nal/op	τ -reduced barcode profile
CR-A-020	DOC-CR-BASELIN E	CR-A-020	core_definition/operatio nal/op	Zero radius of a finite barcode profile
CR-A-021	DOC-CR-BASELIN E	CR-A-021	core_theorem/proved/thm	Sharp zero separation for τ -reduced profiles
CR-A-022	DOC-CR-BASELIN E	CR-A-022	core_theorem/conditional /thm	Exact zero transport
CR-A-023	DOC-CR-BASELIN E	CR-A-023	core_theorem/conditional /thm	Metric-safe repaired-zero transport
CR-A-024	DOC-CR-BASELIN E	CR-A-024	core_theorem/conditional /thm	Scalarized metric-safe repaired-zero transport
CR-A-025	DOC-CR-BASELIN E	CR-A-025	core_definition/operatio nal/op	Post-threshold zero-separation record
CR-A-026	DOC-CR-BASELIN E	CR-A-026	core_definition/operatio nal/op	Metric-safe detector-zero transport record
CR-A-027	DOC-CR-BASELIN E	CR-A-027	core_theorem/conditional /thm	Detector-certified metric zero transport
CR-A-028	DOC-CR-BASELIN E	CR-A-028	core_definition/operatio nal/op	Pointwise span-rank observation
CR-A-029	DOC-CR-BASELIN E	CR-A-029	core_theorem/proved/thm	No bottleneck stability theorem for raw pointwise detector ranks
CR-A-030	DOC-CR-BASELIN E	CR-A-030	core_definition/operatio nal/op	Right-open window
CR-A-031	DOC-CR-BASELIN E	CR-A-031	core_definition/operatio nal/op	Window restriction
CR-A-032	DOC-CR-BASELIN E	CR-A-032	core_theorem/conditional /thm	No unconditional crop-collapse commutation
CR-A-033	DOC-CR-BASELIN E	CR-A-033	core_definition/operatio nal/op	Window-edge clearance
CR-A-034	DOC-CR-BASELIN E	CR-A-034	core_definition/operatio nal/op	Crop budget
CR-A-035	DOC-CR-BASELIN E	CR-A-035	core_definition/operatio nal/op	τ -window-adapted condition
CR-A-036	DOC-CR-BASELIN E	CR-A-036	core_theorem/proved/thm	Exact crop-collapse commutation criterion
CR-A-037	DOC-CR-BASELIN E	CR-A-037	core_definition/operatio nal/op	Windowed repaired evaluation
CR-A-038	DOC-CR-BASELIN E	CR-A-038	core_definition/operatio nal/op	Repaired evaluation record
CR-A-039	DOC-CR-BASELIN E	CR-A-039	core_definition/operatio nal/op	Threshold-gap-certified repaired evaluation record
CR-A-040	DOC-CR-BASELIN E	CR-A-040	core_definition/operatio nal/op	Overlap pre-threshold profiles
CR-A-041	DOC-CR-BASELIN E	CR-A-041	core_theorem/proved/thm	Overlap repaired-zero equivalence
CR-A-042	DOC-CR-BASELIN E	CR-A-042	core_definition/operatio nal/op	τ -split object
CR-A-043	DOC-CR-BASELIN E	CR-A-043	core_definition/operatio nal/op	τ -split morphism
CR-A-044	DOC-CR-BASELIN E	CR-A-044	core_definition/operatio nal/op	τ -split regime
CR-A-045	DOC-CR-BASELIN E	CR-A-045	core_theorem/proved/thm	Functorial deletion in a τ -split regime
CR-A-046	DOC-CR-BASELIN E	CR-A-046	core_definition/operatio nal/op	Exact-admissible collapse regime
CR-A-047	DOC-CR-BASELIN E	CR-A-047	core_definition/operatio nal/op	Windowed collapsed persistence profile
CR-A-048	DOC-CR-BASELIN E	CR-A-048	core_definition/operatio nal/op	Admissible filtered representative
CR-A-049	DOC-CR-BASELIN E	CR-A-049	core_definition/operatio nal/op	Representative equivalence
CR-A-050	DOC-CR-BASELIN E	CR-A-050	core_definition/operatio nal/op	Windowed B-side input
CR-A-051	DOC-CR-BASELIN E	CR-A-051	core_definition/operatio nal/op	Windowed topological clause
CR-A-052	DOC-CR-BASELIN E	CR-A-052	core_definition/operatio nal/op	Windowed categorical clause

ID	Source	Locator	Type / status / use	Title
CR-A-053	DOC-CR-BASELINE	CR-A-053	core_definition/operational/op	Comparison-typed B-Gate+ input
CR-A-054	DOC-CR-BASELINE	CR-A-054	core_definition/operational/op	Windowed collapsed tower objects
CR-A-055	DOC-CR-BASELINE	CR-A-055	core_definition/operational/op	Tower comparison artifact
CR-A-056	DOC-CR-BASELINE	CR-A-056	core_definition/operational/op	Typed Type IV scope status
CR-A-057	DOC-CR-BASELINE	CR-A-057	core_definition/operational/op	Collapse diagnostics notation contract
CR-A-058	DOC-CR-BASELINE	CR-A-058	core_definition/operational/op	Collapse policy manifest entry
CR-A-059	DOC-CR-BASELINE	CR-A-059	core_definition/operational/op	Metric, zero-transport, and crop repair record
CR-A-060	DOC-CR-BASELINE	CR-A-060	core_theorem/proved/thm	Appendix A v20 metric-repair and repaired-zero foundation package

8.11 Foundation Appendix B (79)

ID	Source	Locator	Type / status / use	Title
CR-B-001	DOC-CR-BASELINE	CR-B-001	core_definition/operational/op	Finite-type filtered chain complex
CR-B-002	DOC-CR-BASELINE	CR-B-002	core_definition/operational/op	Persistence functor
CR-B-003	DOC-CR-BASELINE	CR-B-003	core_definition/operational/op	Monitored scope
CR-B-004	DOC-CR-BASELINE	CR-B-004	core_definition/operational/op	Monitored persistence equivalence
CR-B-005	DOC-CR-BASELINE	CR-B-005	core_definition/operational/op	Levelwise filtered quasi-isomorphism
CR-B-006	DOC-CR-BASELINE	CR-B-006	core_definition/operational/op	Realization-compatible equivalence
CR-B-007	DOC-CR-BASELINE	CR-B-007	core_theorem/proved/thm	Implications between equivalence levels
CR-B-008	DOC-CR-BASELINE	CR-B-008	core_definition/operational/op	Localized representative category
CR-B-009	DOC-CR-BASELINE	CR-B-009	core_definition/operational/op	Windowed repaired persistence profile
CR-B-010	DOC-CR-BASELINE	CR-B-010	core_definition/operational/op	Profile family over the monitored scope
CR-B-011	DOC-CR-BASELINE	CR-B-011	core_definition/operational/op	Comparison mode for profile claims
CR-B-012	DOC-CR-BASELINE	CR-B-012	core_definition/operational/op	Detector profile stage
CR-B-013	DOC-CR-BASELINE	CR-B-013	core_definition/operational/op	Effective detector domain
CR-B-014	DOC-CR-BASELINE	CR-B-014	core_definition/operational/op	Exact finite stencil detector
CR-B-015	DOC-CR-BASELINE	CR-B-015	core_definition/operational/op	Retained bars and active-start region
CR-B-016	DOC-CR-BASELINE	CR-B-016	core_theorem/proved/thm	Interval decomposition of a stencil image
CR-B-017	DOC-CR-BASELINE	CR-B-017	core_theorem/proved/thm	Finite-stencil soundness
CR-B-018	DOC-CR-BASELINE	CR-B-018	core_definition/operational/op	Exhaustive birth set
CR-B-019	DOC-CR-BASELINE	CR-B-019	core_theorem/proved/thm	Birth detector characterization
CR-B-020	DOC-CR-BASELINE	CR-B-020	core_definition/operational/op	Stable right germ and shifted germ map
CR-B-021	DOC-CR-BASELINE	CR-B-021	core_definition/operational/op	Germ detector
CR-B-022	DOC-CR-BASELINE	CR-B-022	core_theorem/proved/thm	Decoration-invariant germ characterization
CR-B-023	DOC-CR-BASELINE	CR-B-023	core_definition/operational/op	Stencil coverage certificate
CR-B-024	DOC-CR-BASELINE	CR-B-024	core_theorem/proved/thm	Certified stencil completeness
CR-B-025	DOC-CR-BASELINE	CR-B-025	core_definition/operational/op	Window-relative threshold excess
CR-B-026	DOC-CR-BASELINE	CR-B-026	core_definition/operational/op	Augmented mesh
CR-B-027	DOC-CR-BASELINE	CR-B-027	core_lemma/proved/thm	Augmented-mesh hitting lemma
CR-B-028	DOC-CR-BASELINE	CR-B-028	core_theorem/proved/thm	Family-mesh completeness
CR-B-029	DOC-CR-BASELINE	CR-B-029	core_theorem/proved/thm	Strict mesh sharpness and equality boundary
CR-B-030	DOC-CR-BASELINE	CR-B-030	core_definition/operational/op	Finite detector certificate record
CR-B-031	DOC-CR-BASELINE	CR-B-031	core_definition/operational/op	Two-axis detector status
CR-B-032	DOC-CR-BASELINE	CR-B-032	core_theorem/conditional/thm	Detector invariance under exact source-stage isomorphism
CR-B-033	DOC-CR-BASELINE	CR-B-033	core_theorem/proved/thm	Metric zero-verdict composition
CR-B-034	DOC-CR-BASELINE	CR-B-034	core_theorem/conditional/thm	One-way transport of a detector-certified zero
CR-B-035	DOC-CR-BASELINE	CR-B-035	core_definition/operational/op	Boundary-safe robust stencil
CR-B-036	DOC-CR-BASELINE	CR-B-036	core_theorem/proved/thm	Robust-to-exact sandwich
CR-B-037	DOC-CR-BASELINE	CR-B-037	core_definition/operational/op	Detector information class
CR-B-038	DOC-CR-BASELINE	CR-B-038	core_definition/operational/op	Family-relative minimal certificate
CR-B-039	DOC-CR-BASELINE	CR-B-039	core_theorem/proved/thm	Birth-set upper bound

ID	Source	Locator	Type / status / use	Title
CR-B-040	DOC-CR-BASELINE	CR-B-040	core_definition/operational/op	Minimal augmented-mesh stencil number
CR-B-041	DOC-CR-BASELINE	CR-B-041	core_theorem/proved/thm	Exact stencil count for an augmented-mesh target
CR-B-042	DOC-CR-BASELINE	CR-B-042	core_theorem/proved/thm	Family-mesh upper bound for MinCert
CR-B-043	DOC-CR-BASELINE	CR-B-043	core_theorem/proved/thm	Uniform finite-detector no-go on an unbounded birth family
CR-B-044	DOC-CR-BASELINE	CR-B-044	core_theorem/proved/thm	Whole-profile E1 characterization
CR-B-045	DOC-CR-BASELINE	CR-B-045	core_definition/operational/op	Elementary interval complex
CR-B-046	DOC-CR-BASELINE	CR-B-046	core_lemma/proved/thm	Persistence of an elementary interval complex
CR-B-047	DOC-CR-BASELINE	CR-B-047	core_definition/operational/op	Bare barcode realization
CR-B-048	DOC-CR-BASELINE	CR-B-048	core_theorem/proved/thm	Finite barcode family realization
CR-B-049	DOC-CR-BASELINE	CR-B-049	core_definition/operational/op	Admissible filtered representative
CR-B-050	DOC-CR-BASELINE	CR-B-050	core_definition/operational/op	Representative compatibility
CR-B-051	DOC-CR-BASELINE	CR-B-051	core_theorem/proved/thm	Compatibility is exactly the representative condition
CR-B-052	DOC-CR-BASELINE	CR-B-052	core_definition/operational/op	Representative lifecycle and canonical record status
CR-B-053	DOC-CR-BASELINE	CR-B-053	operational_policy/operational/op	Structure-compatible representative availability
CR-B-054	DOC-CR-BASELINE	CR-B-054	core_definition/operational/op	Implementable representative range
CR-B-055	DOC-CR-BASELINE	CR-B-055	core_theorem/proved/thm	Non-uniqueness of filtered representatives
CR-B-056	DOC-CR-BASELINE	CR-B-056	core_definition/operational/op	Admissible representative choice
CR-B-057	DOC-CR-BASELINE	CR-B-057	core_theorem/conditional/thm	Representative invariance of persistence-level clauses
CR-B-058	DOC-CR-BASELINE	CR-B-058	core_definition/operational/op	Stage-compatible detector transport
CR-B-059	DOC-CR-BASELINE	CR-B-059	core_theorem/proved/thm	Detector preservation by an exact stage-compatible isomorphism
CR-B-060	DOC-CR-BASELINE	CR-B-060	core_definition/operational/op	Global representative construction
CR-B-061	DOC-CR-BASELINE	CR-B-061	core_definition/operational/op	Window compatibility of a global representative
CR-B-062	DOC-CR-BASELINE	CR-B-062	core_theorem/conditional/thm	Restriction under window compatibility
CR-B-063	DOC-CR-BASELINE	CR-B-063	core_definition/operational/op	Window-normalized representative
CR-B-064	DOC-CR-BASELINE	CR-B-064	core_theorem/proved/thm	Windowed representative idempotence
CR-B-065	DOC-CR-BASELINE	CR-B-065	core_theorem/proved/thm	Windowed threshold composition
CR-B-066	DOC-CR-BASELINE	CR-B-066	core_definition/operational/op	Repaired profile morphism artifact
CR-B-067	DOC-CR-BASELINE	CR-B-067	core_definition/operational/op	Representative morphism datum
CR-B-068	DOC-CR-BASELINE	CR-B-068	core_definition/operational/op	Weak representative functoriality
CR-B-069	DOC-CR-BASELINE	CR-B-069	core_theorem/conditional/thm	Weak functoriality is conditional
CR-B-070	DOC-CR-BASELINE	CR-B-070	core_definition/operational/op	Detector and representative input to B-Gate+
CR-B-071	DOC-CR-BASELINE	CR-B-071	core_definition/operational/op	Degree-wise topological zero clause
CR-B-072	DOC-CR-BASELINE	CR-B-072	core_definition/operational/op	Realization-compatible representative
CR-B-073	DOC-CR-BASELINE	CR-B-073	core_theorem/conditional/thm	Realization invariance under stronger equivalence
CR-B-074	DOC-CR-BASELINE	CR-B-074	core_definition/operational/op	Degree-wise categorical clause via representative
CR-B-075	DOC-CR-BASELINE	CR-B-075	core_definition/operational/op	Representative tower
CR-B-076	DOC-CR-BASELINE	CR-B-076	core_definition/operational/op	Representative tower comparison artifact
CR-B-077	DOC-CR-BASELINE	CR-B-077	core_definition/operational/op	Appendix B certificate and manifest extension
CR-B-078	DOC-CR-BASELINE	CR-B-078	core_definition/operational/op	Appendix B non-scalar obligation bundle
CR-B-079	DOC-CR-BASELINE	CR-B-079	core_theorem/proved/thm	Appendix B v20 finite-detector and representative package

8.12 Foundation Appendix C (49)

ID	Source	Locator	Type / status / use	Title
CR-C-001	DOC-CR-BASELINE	CR-C-001	core_definition/operational/op	Bounded derived object
CR-C-002	DOC-CR-BASELINE	CR-C-002	core_definition/operational/op	Amplitude
CR-C-003	DOC-CR-BASELINE	CR-C-003	core_definition/operational/op	Inherited two-term eligible amplitude
CR-C-004	DOC-CR-BASELINE	CR-C-004	core_definition/operational/op	Higher derived Ext
CR-C-005	DOC-CR-BASELINE	CR-C-005	core_lemma/proved/thm	Derived splitting over a field
CR-C-006	DOC-CR-BASELINE	CR-C-006	core_theorem/proved/thm	Canonical higher field-coefficient Ext edge
CR-C-007	DOC-CR-BASELINE	CR-C-007	core_theorem/proved/thm	Higher edge naturality

ID	Source	Locator	Type / status / use	Title
CR-C-008	DOC-CR-BASELINE	CR-C-008	core_theorem/proved/thm	Higher edge vanishing criterion
CR-C-009	DOC-CR-BASELINE	CR-C-009	core_lemma/proved/thm	Semisimplicity over a field
CR-C-010	DOC-CR-BASELINE	CR-C-010	core_theorem/proved/thm	Two-term splitting
CR-C-011	DOC-CR-BASELINE	CR-C-011	core_theorem/proved/thm	Canonical two-term Ext1-edge identification
CR-C-012	DOC-CR-BASELINE	CR-C-012	core_definition/operational/op	Repaired windowed profile
CR-C-013	DOC-CR-BASELINE	CR-C-013	core_definition/operational/op	Admissible representative
CR-C-014	DOC-CR-BASELINE	CR-C-014	core_definition/operational/op	Degree-ncompatible representative
CR-C-015	DOC-CR-BASELINE	CR-C-015	core_definition/operational/op	Declared repaired-profile class
CR-C-016	DOC-CR-BASELINE	CR-C-016	core_definition/operational/op	Higher realization functor
CR-C-017	DOC-CR-BASELINE	CR-C-017	core_definition/operational/op	Realization-compatible representative
CR-C-018	DOC-CR-BASELINE	CR-C-018	core_definition/operational/op	Eligible realized object
CR-C-019	DOC-CR-BASELINE	CR-C-019	core_definition/operational/op	Higher edge extractor
CR-C-020	DOC-CR-BASELINE	CR-C-020	core_definition/operational/op	Edge-realization certificate
CR-C-021	DOC-CR-BASELINE	CR-C-021	core_definition/operational/op	Non-adaptive policy
CR-C-022	DOC-CR-BASELINE	CR-C-022	core_definition/operational/op	Standard n-eligible regime
CR-C-023	DOC-CR-BASELINE	CR-C-023	core_theorem/proved/thm	Repaired degree-nvanishing implies edge vanishing
CR-C-024	DOC-CR-BASELINE	CR-C-024	core_theorem/conditional/thm	Conditional higher repaired bridge
CR-C-025	DOC-CR-BASELINE	CR-C-025	core_theorem/proved/thm	Repaired degree-one vanishing implies edge vanishing
CR-C-026	DOC-CR-BASELINE	CR-C-026	core_theorem/proved/thm	One-way repaired bridge
CR-C-027	DOC-CR-BASELINE	CR-C-027	core_definition/operational/op	Zero-reflecting edge extractor
CR-C-028	DOC-CR-BASELINE	CR-C-028	core_definition/operational/op	Natural zero-reflection package
CR-C-029	DOC-CR-BASELINE	CR-C-029	core_theorem/proved/thm	Natural zero-reflecting vanishing equivalence
CR-C-030	DOC-CR-BASELINE	CR-C-030	core_definition/operational/op	Fixed-threshold stencil edge functor
CR-C-031	DOC-CR-BASELINE	CR-C-031	core_theorem/proved/thm	Functoriality of the fixed-threshold stencil edge
CR-C-032	DOC-CR-BASELINE	CR-C-032	core_theorem/conditional/thm	Non-synthetic family-mesh zero-reflection
CR-C-033	DOC-CR-BASELINE	CR-C-033	core_theorem/proved/thm	Family-mesh higher Ext equivalence
CR-C-034	DOC-CR-BASELINE	CR-C-034	core_theorem/proved/thm	Complete detector higher Ext discharge
CR-C-035	DOC-CR-BASELINE	CR-C-035	core_definition/operational/op	Imported residual degree-one bar-mass detector
CR-C-036	DOC-CR-BASELINE	CR-C-036	core_theorem/proved/thm	Inherited E1-first discharge
CR-C-037	DOC-CR-BASELINE	CR-C-037	core_theorem/conditional/thm	Higher reverse inference requires zero-reflection
CR-C-038	DOC-CR-BASELINE	CR-C-038	core_theorem/proved/thm	Higher failure of the reverse bridge for a natural nonfaithful edge
CR-C-039	DOC-CR-BASELINE	CR-C-039	core_definition/operational/op	Synthetic shifted detector object
CR-C-040	DOC-CR-BASELINE	CR-C-040	core_theorem/proved/thm	Synthetic detector duality
CR-C-041	DOC-CR-BASELINE	CR-C-041	core_theorem/proved/thm	No synthetic promotion
CR-C-042	DOC-CR-BASELINE	CR-C-042	core_definition/operational/op	Typed degree-nExt-clause status
CR-C-043	DOC-CR-BASELINE	CR-C-043	core_definition/operational/op	Finite monitored degree set and aggregate categorical status
CR-C-044	DOC-CR-BASELINE	CR-C-044	core_definition/operational/op	Higher Ext discharge record
CR-C-045	DOC-CR-BASELINE	CR-C-045	core_theorem/proved/thm	Degree-one B-Gate discharge
CR-C-046	DOC-CR-BASELINE	CR-C-046	core_definition/operational/op	Higher realization-equivalent representatives
CR-C-047	DOC-CR-BASELINE	CR-C-047	core_definition/operational/op	Higher eligibility manifest extension
CR-C-048	DOC-CR-BASELINE	CR-C-048	core_definition/operational/op	Higher eligible-realization obligation bundle
CR-C-049	DOC-CR-BASELINE	CR-C-049	core_theorem/conditional/thm	Appendix C higher eligible Ext-edge package

8.13 Foundation Appendix D (66)

ID	Source	Locator	Type / status / use	Title
CR-D-001	DOC-CR-BASELINE	CR-D-001	core_definition/operational/op	Directed tower
CR-D-002	DOC-CR-BASELINE	CR-D-002	core_definition/operational/op	Declared apex object
CR-D-003	DOC-CR-BASELINE	CR-D-003	core_definition/operational/op	Apex identity and authority record
CR-D-004	DOC-CR-BASELINE	CR-D-004	core_definition/operational/op	Windowed collapsed finite-stage profile
CR-D-005	DOC-CR-BASELINE	CR-D-005	core_definition/operational/op	Repaired windowed collapsed tower-profile system

ID	Source	Locator	Type / status / use	Title
CR-D-006	DOC-CR-BASELIN E	CR-D-006	core_definition/operatio nal/op	Collapsed source profile
CR-D-007	DOC-CR-BASELIN E	CR-D-007	core_definition/operatio nal/op	Monitored degrees and parameter-indexed scope
CR-D-008	DOC-CR-BASELIN E	CR-D-008	core_definition/operatio nal/op	Source-semantic authority record
CR-D-009	DOC-CR-BASELIN E	CR-D-009	core_definition/operatio nal/op	Collapsed apex profile
CR-D-010	DOC-CR-BASELIN E	CR-D-010	core_definition/operatio nal/op	Tower comparison artifact
CR-D-011	DOC-CR-BASELIN E	CR-D-011	core_definition/operatio nal/op	Exact-admissible tower artifact
CR-D-012	DOC-CR-BASELIN E	CR-D-012	core_definition/operatio nal/op	Terminal-tame profile
CR-D-013	DOC-CR-BASELIN E	CR-D-013	core_definition/operatio nal/op	Generic and terminal-generic dimension
CR-D-014	DOC-CR-BASELIN E	CR-D-014	core_theorem/proved/thm	Well-definedness of terminal-generic dimension
CR-D-015	DOC-CR-BASELIN E	CR-D-015	core_definition/operatio nal/op	Cofinal bar
CR-D-016	DOC-CR-BASELIN E	CR-D-016	core_theorem/proved/thm	Terminal dimension counts cofinal bars
CR-D-017	DOC-CR-BASELIN E	CR-D-017	core_theorem/proved/thm	Terminal tameness passes to defects
CR-D-018	DOC-CR-BASELIN E	CR-D-018	core_definition/operatio nal/op	Kernel and cokernel defect profiles
CR-D-019	DOC-CR-BASELIN E	CR-D-019	core_definition/operatio nal/op	Full defect profile
CR-D-020	DOC-CR-BASELIN E	CR-D-020	core_definition/operatio nal/op	Degreewise tower diagnostics
CR-D-021	DOC-CR-BASELIN E	CR-D-021	core_definition/operatio nal/op	Total collapse diagnostics
CR-D-022	DOC-CR-BASELIN E	CR-D-022	core_theorem/proved/thm	Diagnostics count terminal-cofinal defects
CR-D-023	DOC-CR-BASELIN E	CR-D-023	core_definition/operatio nal/op	Type IV diagnostic record
CR-D-024	DOC-CR-BASELIN E	CR-D-024	core_definition/operatio nal/op	Monitored terminal-generic Type IV obstruction
CR-D-025	DOC-CR-BASELIN E	CR-D-025	core_definition/operatio nal/op	Type IV-free in the monitored terminal-generic sense
CR-D-026	DOC-CR-BASELIN E	CR-D-026	core_theorem/proved/thm	Characterization of certified Type IV-free status
CR-D-027	DOC-CR-BASELIN E	CR-D-027	core_definition/operatio nal/op	Interior or noncofinal defect
CR-D-028	DOC-CR-BASELIN E	CR-D-028	core_definition/operatio nal/op	No-interior-defect condition
CR-D-029	DOC-CR-BASELIN E	CR-D-029	core_theorem/proved/thm	Zero diagnostics plus no interior defects imply isomorphism
CR-D-030	DOC-CR-BASELIN E	CR-D-030	core_definition/operatio nal/op	Cofinal and interior barcode profiles
CR-D-031	DOC-CR-BASELIN E	CR-D-031	core_theorem/proved/thm	Terminal/interior separation
CR-D-032	DOC-CR-BASELIN E	CR-D-032	core_definition/operatio nal/op	Kernel/cokernel component notation
CR-D-033	DOC-CR-BASELIN E	CR-D-033	core_definition/operatio nal/op	Defect threshold and detector component
CR-D-034	DOC-CR-BASELIN E	CR-D-034	core_definition/operatio nal/op	Kernel and cokernel transient detectors
CR-D-035	DOC-CR-BASELIN E	CR-D-035	core_theorem/proved/thm	Complete transient-defect characterization
CR-D-036	DOC-CR-BASELIN E	CR-D-036	core_theorem/conditional /thm	Full and interior detectors coincide under terminal zero
CR-D-037	DOC-CR-BASELIN E	CR-D-037	core_definition/operatio nal/op	Aggregate long-transient verdict
CR-D-038	DOC-CR-BASELIN E	CR-D-038	core_theorem/proved/thm	Joint terminal/transient defect classification
CR-D-039	DOC-CR-BASELIN E	CR-D-039	core_definition/operatio nal/op	Short-defect exclusion certificate
CR-D-040	DOC-CR-BASELIN E	CR-D-040	core_theorem/conditional /thm	Conditional full-isomorphism upgrade
CR-D-041	DOC-CR-BASELIN E	CR-D-041	core_definition/operatio nal/op	Pure kernel Type IV
CR-D-042	DOC-CR-BASELIN E	CR-D-042	core_definition/operatio nal/op	Pure cokernel Type IV
CR-D-043	DOC-CR-BASELIN E	CR-D-043	core_definition/operatio nal/op	Mixed Type IV
CR-D-044	DOC-CR-BASELIN E	CR-D-044	core_definition/operatio nal/op	Finite-level collapse admissibility
CR-D-045	DOC-CR-BASELIN E	CR-D-045	core_theorem/proved/thm	Finite admissibility does not imply monitored tower admissibility
CR-D-046	DOC-CR-BASELIN E	CR-D-046	core_definition/operatio nal/op	Finite-to-infinite reduction certificate
CR-D-047	DOC-CR-BASELIN E	CR-D-047	core_definition/operatio nal/op	Exact eventual-constancy reduction
CR-D-048	DOC-CR-BASELIN E	CR-D-048	core_theorem/conditional /thm	Eventually constant exact finite-to-infinite reduction
CR-D-049	DOC-CR-BASELIN E	CR-D-049	core_definition/operatio nal/op	Degreewise artifact-coherent stable band
CR-D-050	DOC-CR-BASELIN E	CR-D-050	core_definition/operatio nal/op	Global artifact-coherent stable band
CR-D-051	DOC-CR-BASELIN E	CR-D-051	core_theorem/conditional /thm	Degreewise stable bands exclude degreewise Type IV
CR-D-052	DOC-CR-BASELIN E	CR-D-052	core_theorem/conditional /thm	Global stable bands exclude monitored Type IV
CR-D-053	DOC-CR-BASELIN E	CR-D-053	core_definition/operatio nal/op	Full-isomorphism band
CR-D-054	DOC-CR-BASELIN E	CR-D-054	core_theorem/conditional /thm	Full-isomorphism band implies stable band
CR-D-055	DOC-CR-BASELIN E	CR-D-055	core_definition/operatio nal/op	Artifact-coherent joint defect-clean band
CR-D-056	DOC-CR-BASELIN E	CR-D-056	core_theorem/proved/thm	Uniform terminal and long-transient cleanliness
CR-D-057	DOC-CR-BASELIN E	CR-D-057	core_definition/operatio nal/op	Tower-clean structural collapse admissibility

ID	Source	Locator	Type / status / use	Title
CR-D-058	DOC-CR-BASELIN E	CR-D-058	core_theorem/conditional/thm	Eligible reduction of tower-clean admissibility
CR-D-059	DOC-CR-BASELIN E	CR-D-059	core_definition/operational/op	v20 monitored tower-clean structural collapse admissibility
CR-D-060	DOC-CR-BASELIN E	CR-D-060	core_theorem/conditional/thm	v20 eligible reduction of monitored tower-clean admissibility
CR-D-061	DOC-CR-BASELIN E	CR-D-061	core_definition/operational/op	Diagnostically equivalent tower artifacts
CR-D-062	DOC-CR-BASELIN E	CR-D-062	core_theorem/proved/thm	Invariance of diagnostics
CR-D-063	DOC-CR-BASELIN E	CR-D-063	core_definition/operational/op	Type IV manifest entry
CR-D-064	DOC-CR-BASELIN E	CR-D-064	core_definition/operational/op	Type IV obligation bundle
CR-D-065	DOC-CR-BASELIN E	CR-D-065	core_theorem/proved/thm	Appendix D terminal-generic Type IV package
CR-D-066	DOC-CR-BASELIN E	CR-D-066	core_theorem/proved/thm	Appendix D v20 tower-defect package

8.14 Foundation Appendix E (61)

ID	Source	Locator	Type / status / use	Title
CR-E-001	DOC-CR-BASELIN E	CR-E-001	core_definition/operational/op	Right-open window
CR-E-002	DOC-CR-BASELIN E	CR-E-002	core_definition/operational/op	Declared window range
CR-E-003	DOC-CR-BASELIN E	CR-E-003	core_definition/operational/op	Window restriction
CR-E-004	DOC-CR-BASELIN E	CR-E-004	core_definition/operational/op	Core window-evaluation order
CR-E-005	DOC-CR-BASELIN E	CR-E-005	core_definition/operational/op	MECE windowing / right-open partition cover
CR-E-006	DOC-CR-BASELIN E	CR-E-006	core_definition/operational/op	MECE certificate sequence
CR-E-007	DOC-CR-BASELIN E	CR-E-007	core_definition/operational/op	Overlap-admitting cover
CR-E-008	DOC-CR-BASELIN E	CR-E-008	core_definition/operational/op	Overlap stratum
CR-E-009	DOC-CR-BASELIN E	CR-E-009	core_definition/operational/op	Declared overlap structure
CR-E-010	DOC-CR-BASELIN E	CR-E-010	core_definition/operational/op	Window-restricted certificate record
CR-E-011	DOC-CR-BASELIN E	CR-E-011	core_definition/operational/op	Globally coherent certificate record
CR-E-012	DOC-CR-BASELIN E	CR-E-012	core_definition/operational/op	Overlap budget
CR-E-013	DOC-CR-BASELIN E	CR-E-013	core_definition/operational/op	Preferred repaired overlap profile
CR-E-014	DOC-CR-BASELIN E	CR-E-014	core_definition/operational/op	Overlap comparison data
CR-E-015	DOC-CR-BASELIN E	CR-E-015	core_definition/operational/op	Overlap Gate
CR-E-016	DOC-CR-BASELIN E	CR-E-016	core_theorem/proved/thm	Overlap Gate preserves pairwise audit readability
CR-E-017	DOC-CR-BASELIN E	CR-E-017	core_definition/operational/op	Čech nerve
CR-E-018	DOC-CR-BASELIN E	CR-E-018	core_definition/operational/op	Finite Čech depth
CR-E-019	DOC-CR-BASELIN E	CR-E-019	core_theorem/proved/thm	Finite overlap reduction
CR-E-020	DOC-CR-BASELIN E	CR-E-020	core_definition/operational/op	Compatible local certificate family
CR-E-021	DOC-CR-BASELIN E	CR-E-021	core_theorem/proved/thm	Finite-cover record-level local-to-global principle
CR-E-022	DOC-CR-BASELIN E	CR-E-022	core_definition/operational/op	Sequential continuation step
CR-E-023	DOC-CR-BASELIN E	CR-E-023	core_definition/operational/op	Per-window budget
CR-E-024	DOC-CR-BASELIN E	CR-E-024	core_definition/operational/op	Restart margin
CR-E-025	DOC-CR-BASELIN E	CR-E-025	core_lemma/conditional/thm	Finite-horizon Restart bound
CR-E-026	DOC-CR-BASELIN E	CR-E-026	core_definition/operational/op	Summability of window budgets
CR-E-027	DOC-CR-BASELIN E	CR-E-027	core_definition/operational/op	Summable restart sequence
CR-E-028	DOC-CR-BASELIN E	CR-E-028	core_theorem/conditional/thm	Conditional countable Restart-Summability principle
CR-E-029	DOC-CR-BASELIN E	CR-E-029	core_definition/operational/op	Definable window
CR-E-030	DOC-CR-BASELIN E	CR-E-030	core_definition/operational/op	Countable definable cover
CR-E-031	DOC-CR-BASELIN E	CR-E-031	core_theorem/conditional/thm	Countable definable-cover gluing
CR-E-032	DOC-CR-BASELIN E	CR-E-032	core_definition/operational/op	Global window budget
CR-E-033	DOC-CR-BASELIN E	CR-E-033	core_definition/operational/op	Global overlap budget
CR-E-034	DOC-CR-BASELIN E	CR-E-034	core_definition/operational/op	Total gluing budget
CR-E-035	DOC-CR-BASELIN E	CR-E-035	core_theorem/conditional/thm	Budget auditability under summability
CR-E-036	DOC-CR-BASELIN E	CR-E-036	core_definition/operational/op	Overlap Type IV cleanliness
CR-E-037	DOC-CR-BASELIN E	CR-E-037	core_theorem/conditional/thm	Overlap cleanliness is required for gluing
CR-E-038	DOC-CR-BASELIN E	CR-E-038	core_definition/operational/op	Object-level gluing claim

ID	Source	Locator	Type / status / use	Title
CR-E-039	DOC-CR-BASELIN E	CR-E-039	core_theorem/conditional /thm	Certificate gluing does not imply object gluing
CR-E-040	DOC-CR-BASELIN E	CR-E-040	core_theorem/conditional /thm	Appendix E conditional closure package
CR-E-041	DOC-CR-BASELIN E	CR-E-041	core_definition/operatio nal/op	v20 overlap comparison mode
CR-E-042	DOC-CR-BASELIN E	CR-E-042	core_definition/operatio nal/op	Exact overlap certificate
CR-E-043	DOC-CR-BASELIN E	CR-E-043	core_definition/operatio nal/op	v20 pairwise Overlap Gate record
CR-E-044	DOC-CR-BASELIN E	CR-E-044	core_definition/operatio nal/op	Simplex coherence mode
CR-E-045	DOC-CR-BASELIN E	CR-E-045	core_definition/operatio nal/op	Exact simplex cocycle record
CR-E-046	DOC-CR-BASELIN E	CR-E-046	core_definition/operatio nal/op	Metric-reference simplex record
CR-E-047	DOC-CR-BASELIN E	CR-E-047	core_definition/operatio nal/op	Metric-reference face compatibility
CR-E-048	DOC-CR-BASELIN E	CR-E-048	core_theorem/proved/thm	Pairwise bound through a metric simplex reference
CR-E-049	DOC-CR-BASELIN E	CR-E-049	core_definition/operatio nal/op	Global profile and local restriction interface
CR-E-050	DOC-CR-BASELIN E	CR-E-050	core_definition/operatio nal/op	Certified local detector atlas
CR-E-051	DOC-CR-BASELIN E	CR-E-051	core_definition/operatio nal/op	Global retained-bar coverage
CR-E-052	DOC-CR-BASELIN E	CR-E-052	core_theorem/proved/thm	Detector-atlas local-to-global zero theorem
CR-E-053	DOC-CR-BASELIN E	CR-E-053	core_definition/operatio nal/op	Detector-aware Restart handoff
CR-E-054	DOC-CR-BASELIN E	CR-E-054	core_definition/operatio nal/op	Boundary-bridge coverage
CR-E-055	DOC-CR-BASELIN E	CR-E-055	core_theorem/proved/thm	Detector-safe partition globalization
CR-E-056	DOC-CR-BASELIN E	CR-E-056	core_definition/operatio nal/op	Metric-reference simplex exposure
CR-E-057	DOC-CR-BASELIN E	CR-E-057	core_theorem/proved/thm	v20 countable record-atlas principle
CR-E-058	DOC-CR-BASELIN E	CR-E-058	core_definition/operatio nal/op	v20 detector-atlas manifest extension
CR-E-059	DOC-CR-BASELIN E	CR-E-059	core_definition/operatio nal/op	Terminal/transient participation policy
CR-E-060	DOC-CR-BASELIN E	CR-E-060	core_theorem/proved/thm	Transient-clean participation rule
CR-E-061	DOC-CR-BASELIN E	CR-E-061	core_theorem/conditional /thm	Appendix E v20 detector-atlas and gluing package

8.15 Foundation Appendix F (78)

ID	Source	Locator	Type / status / use	Title
CR-F-001	DOC-CR-BASELIN E	CR-F-001	core_definition/operatio nal/op	Typed obligation atom
CR-F-002	DOC-CR-BASELIN E	CR-F-002	core_definition/operatio nal/op	Obligation kinds
CR-F-003	DOC-CR-BASELIN E	CR-F-003	core_definition/operatio nal/op	Declared obligation registry
CR-F-004	DOC-CR-BASELIN E	CR-F-004	core_theorem/proved/thm	No scalar manufacture of non-scalar evidence
CR-F-005	DOC-CR-BASELIN E	CR-F-005	core_definition/operatio nal/op	Atomic audit status
CR-F-006	DOC-CR-BASELIN E	CR-F-006	core_definition/operatio nal/op	Evidence satisfaction predicate
CR-F-007	DOC-CR-BASELIN E	CR-F-007	core_definition/operatio nal/op	Scalarizable obligation
CR-F-008	DOC-CR-BASELIN E	CR-F-008	core_definition/operatio nal/op	Non-scalarizable obligation
CR-F-009	DOC-CR-BASELIN E	CR-F-009	core_definition/operatio nal/op	Justified scope exclusion
CR-F-010	DOC-CR-BASELIN E	CR-F-010	core_definition/operatio nal/op	Effective aggregation normalization
CR-F-011	DOC-CR-BASELIN E	CR-F-011	core_definition/operatio nal/op	Representative lifecycle embedding
CR-F-012	DOC-CR-BASELIN E	CR-F-012	core_definition/operatio nal/op	Ext-clause embedding
CR-F-013	DOC-CR-BASELIN E	CR-F-013	core_definition/operatio nal/op	Type IV embedding
CR-F-014	DOC-CR-BASELIN E	CR-F-014	core_definition/operatio nal/op	Restart transition embedding
CR-F-015	DOC-CR-BASELIN E	CR-F-015	core_definition/operatio nal/op	Complete Restart bundle
CR-F-016	DOC-CR-BASELIN E	CR-F-016	core_definition/operatio nal/op	Manifest status embedding
CR-F-017	DOC-CR-BASELIN E	CR-F-017	core_definition/operatio nal/op	Registered claim-use status
CR-F-018	DOC-CR-BASELIN E	CR-F-018	core_definition/operatio nal/op	Claim-use atom status
CR-F-019	DOC-CR-BASELIN E	CR-F-019	core_definition/operatio nal/op	Audit preflight bundle
CR-F-020	DOC-CR-BASELIN E	CR-F-020	core_theorem/proved/thm	Preflight failure blocks Core readiness
CR-F-021	DOC-CR-BASELIN E	CR-F-021	core_definition/operatio nal/op	Immediate dependency relation
CR-F-022	DOC-CR-BASELIN E	CR-F-022	core_definition/operatio nal/op	Well-founded dependency registry
CR-F-023	DOC-CR-BASELIN E	CR-F-023	core_definition/operatio nal/op	Dependency-complete pass
CR-F-024	DOC-CR-BASELIN E	CR-F-024	core_theorem/proved/thm	Pass is downward closed

ID	Source	Locator	Type / status / use	Title
CR-F-025	DOC-CR-BASELIN E	CR-F-025	core_definition/operatio nal/op	Blocked theorem-application atom
CR-F-026	DOC-CR-BASELIN E	CR-F-026	core_theorem/proved/thm	Dependency blocker propagation
CR-F-027	DOC-CR-BASELIN E	CR-F-027	core_definition/operatio nal/op	Effective precedence order
CR-F-028	DOC-CR-BASELIN E	CR-F-028	core_theorem/proved/thm	Status-algebra laws
CR-F-029	DOC-CR-BASELIN E	CR-F-029	core_definition/operatio nal/op	Aggregate audit verdict
CR-F-030	DOC-CR-BASELIN E	CR-F-030	core_theorem/proved/thm	Non-compensation
CR-F-031	DOC-CR-BASELIN E	CR-F-031	core_theorem/proved/thm	Partition invariance of hierarchical aggregation
CR-F-032	DOC-CR-BASELIN E	CR-F-032	core_definition/operatio nal/op	Failure-routing set
CR-F-033	DOC-CR-BASELIN E	CR-F-033	core_definition/operatio nal/op	Route assignment discipline
CR-F-034	DOC-CR-BASELIN E	CR-F-034	core_theorem/proved/thm	Atomic status and failure route are different types
CR-F-035	DOC-CR-BASELIN E	CR-F-035	core_definition/operatio nal/op	Bundle readiness
CR-F-036	DOC-CR-BASELIN E	CR-F-036	core_definition/operatio nal/op	Representative readiness bundle
CR-F-037	DOC-CR-BASELIN E	CR-F-037	core_definition/operatio nal/op	Eligible Ext readiness bundle
CR-F-038	DOC-CR-BASELIN E	CR-F-038	core_definition/operatio nal/op	Type IV readiness bundle
CR-F-039	DOC-CR-BASELIN E	CR-F-039	core_definition/operatio nal/op	Overlap and Restart readiness bundle
CR-F-040	DOC-CR-BASELIN E	CR-F-040	core_definition/operatio nal/op	Foundation readiness bundle
CR-F-041	DOC-CR-BASELIN E	CR-F-041	core_theorem/proved/thm	Certificate-readiness criterion
CR-F-042	DOC-CR-BASELIN E	CR-F-042	core_theorem/conditional /thm	Complete Restart verdict
CR-F-043	DOC-CR-BASELIN E	CR-F-043	core_theorem/proved/thm	Atlas composition rule
CR-F-044	DOC-CR-BASELIN E	CR-F-044	core_definition/operatio nal/op	Audit-readable countable registry
CR-F-045	DOC-CR-BASELIN E	CR-F-045	core_theorem/proved/thm	Finite-prefix checks do not certify countable readiness
CR-F-046	DOC-CR-BASELIN E	CR-F-046	core_theorem/proved/thm	Countable aggregate soundness
CR-F-047	DOC-CR-BASELIN E	CR-F-047	core_definition/operatio nal/op	Repair record
CR-F-048	DOC-CR-BASELIN E	CR-F-048	core_theorem/proved/thm	No retroactive verdict mutation
CR-F-049	DOC-CR-BASELIN E	CR-F-049	core_definition/operatio nal/op	Status-record serialization contract
CR-F-050	DOC-CR-BASELIN E	CR-F-050	core_theorem/proved/thm	Schema conformance preserves semantics
CR-F-051	DOC-CR-BASELIN E	CR-F-051	core_theorem/proved/thm	Appendix F typed-obligation and readiness package
CR-F-052	DOC-CR-BASELIN E	CR-F-052	core_definition/operatio nal/op	Canonical token-sort registry
CR-F-053	DOC-CR-BASELIN E	CR-F-053	core_theorem/proved/thm	No cross-sort token substitution
CR-F-054	DOC-CR-BASELIN E	CR-F-054	core_definition/operatio nal/op	v20 typed evidence record
CR-F-055	DOC-CR-BASELIN E	CR-F-055	core_definition/operatio nal/op	Two-axis detector status embedding
CR-F-056	DOC-CR-BASELIN E	CR-F-056	core_definition/operatio nal/op	Transient-defect status embedding
CR-F-057	DOC-CR-BASELIN E	CR-F-057	core_definition/operatio nal/op	v20 Overlap Gate status embedding
CR-F-058	DOC-CR-BASELIN E	CR-F-058	core_definition/operatio nal/op	Restart zero-route embedding
CR-F-059	DOC-CR-BASELIN E	CR-F-059	core_definition/operatio nal/op	Coverage-obligation taxonomy
CR-F-060	DOC-CR-BASELIN E	CR-F-060	core_definition/operatio nal/op	Five-layer obligation architecture
CR-F-061	DOC-CR-BASELIN E	CR-F-061	core_theorem/proved/thm	Layered non-compensation
CR-F-062	DOC-CR-BASELIN E	CR-F-062	core_definition/operatio nal/op	Detector readiness bundle
CR-F-063	DOC-CR-BASELIN E	CR-F-063	core_definition/operatio nal/op	Detector-atlas readiness bundle
CR-F-064	DOC-CR-BASELIN E	CR-F-064	core_definition/operatio nal/op	Global repaired-zero readiness bundle
CR-F-065	DOC-CR-BASELIN E	CR-F-065	core_definition/operatio nal/op	v20 complete Restart bundle
CR-F-066	DOC-CR-BASELIN E	CR-F-066	core_definition/operatio nal/op	Finite-to-infinite reduction readiness bundle
CR-F-067	DOC-CR-BASELIN E	CR-F-067	core_definition/operatio nal/op	Object-descent readiness bundle
CR-F-068	DOC-CR-BASELIN E	CR-F-068	core_definition/operatio nal/op	v20 Foundation readiness bundle
CR-F-069	DOC-CR-BASELIN E	CR-F-069	core_theorem/proved/thm	v20 certificate-readiness criterion
CR-F-070	DOC-CR-BASELIN E	CR-F-070	core_definition/operatio nal/op	Artifact closure
CR-F-071	DOC-CR-BASELIN E	CR-F-071	core_definition/operatio nal/op	Semantic schema-migration record
CR-F-072	DOC-CR-BASELIN E	CR-F-072	core_theorem/proved/thm	No lossy migration of theorem evidence
CR-F-073	DOC-CR-BASELIN E	CR-F-073	core_definition/operatio nal/op	Computational and semantic replayability
CR-F-074	DOC-CR-BASELIN E	CR-F-074	core_theorem/conditional /thm	Replay invariance under fixed inputs
CR-F-075	DOC-CR-BASELIN E	CR-F-075	core_definition/operatio nal/op	v20 extended failure routing
CR-F-076	DOC-CR-BASELIN E	CR-F-076	core_definition/operatio nal/op	Release-acceptance bundle

ID	Source	Locator	Type / status / use	Title
CR-F-077	DOC-CR-BASELINE	CR-F-077	core_definition/operational/op	Proposer-verifier re-entry protocol
CR-F-078	DOC-CR-BASELINE	CR-F-078	core_theorem/proved/thm	Appendix F v20 governance-kernel package

8.16 Other baseline records (52)

ID	Source	Locator	Type / status / use	Title
CR-GAPP-001	DOC-CR-BASELINE	CR-GAPP-001	core_definition/operational/op	Semantic-preserving serialization
CR-GAPP-002	DOC-CR-BASELINE	CR-GAPP-002	core_definition/operational/op	Immutable audit scope
CR-GAPP-003	DOC-CR-BASELINE	CR-GAPP-003	core_theorem/proved/thm	Identity collision is manifest inconsistency
CR-GAPP-004	DOC-CR-BASELINE	CR-GAPP-004	core_theorem/proved/thm	Appendix F semantics are authoritative
CR-GAPP-005	DOC-CR-BASELINE	CR-GAPP-005	core_definition/operational/op	Audit run identity
CR-GAPP-006	DOC-CR-BASELINE	CR-GAPP-006	core_definition/operational/op	Proof object
CR-GAPP-007	DOC-CR-BASELINE	CR-GAPP-007	core_definition/operational/op	Certified proof object
CR-GAPP-008	DOC-CR-BASELINE	CR-GAPP-008	core_definition/operational/op	Canonical manifest object
CR-GAPP-009	DOC-CR-BASELINE	CR-GAPP-009	operational_policy/operational/op	Minimal Manifest Axiom
CR-GAPP-010	DOC-CR-BASELINE	CR-GAPP-010	core_theorem/proved/thm	No silent default theorem
CR-GAPP-011	DOC-CR-BASELINE	CR-GAPP-011	core_definition/operational/op	Obligation atom record
CR-GAPP-012	DOC-CR-BASELINE	CR-GAPP-012	core_theorem/proved/thm	Finite prefix cannot certify a countable registry
CR-GAPP-013	DOC-CR-BASELINE	CR-GAPP-013	core_definition/operational/op	Canonical status field
CR-GAPP-014	DOC-CR-BASELINE	CR-GAPP-014	core_definition/operational/op	Manifest status field
CR-GAPP-015	DOC-CR-BASELINE	CR-GAPP-015	core_theorem/proved/thm	Status/classification separation
CR-GAPP-016	DOC-CR-BASELINE	CR-GAPP-016	core_theorem/conditional/thm	Pairwise records do not imply higher coherence
CR-GAPP-017	DOC-CR-BASELINE	CR-GAPP-017	core_theorem/proved/thm	Minimal Manifest implies audit readability
CR-GAPP-018	DOC-CR-BASELINE	CR-GAPP-018	core_theorem/proved/thm	No retroactive verdict mutation
CR-GAPP-019	DOC-CR-BASELINE	CR-GAPP-019	core_definition/operational/op	Abstract certificate schema
CR-GAPP-020	DOC-CR-BASELINE	CR-GAPP-020	core_theorem/proved/thm	Canonical manifest conformance
CR-GAPP-021	DOC-CR-BASELINE	CR-GAPP-021	core_theorem/proved/thm	Schema sufficiency for Core audit
CR-GAPP-022	DOC-CR-BASELINE	CR-GAPP-022	core_theorem/proved/thm	Appendix G manifest package
CR-GAPP-023	DOC-CR-BASELINE	CR-GAPP-023	core_definition/operational/op	Token-sort registry record
CR-GAPP-024	DOC-CR-BASELINE	CR-GAPP-024	core_definition/operational/op	Typed evidence record
CR-GAPP-025	DOC-CR-BASELINE	CR-GAPP-025	core_theorem/proved/thm	Cross-sort inconsistency is detectable
CR-GAPP-026	DOC-CR-BASELINE	CR-GAPP-026	core_definition/operational/op	Detector policy record
CR-GAPP-027	DOC-CR-BASELINE	CR-GAPP-027	core_definition/operational/op	Detector certificate record
CR-GAPP-028	DOC-CR-BASELINE	CR-GAPP-028	core_definition/operational/op	Transient-defect record
CR-GAPP-029	DOC-CR-BASELINE	CR-GAPP-029	core_definition/operational/op	Terminal/transient participation record
CR-GAPP-030	DOC-CR-BASELINE	CR-GAPP-030	core_definition/operational/op	v20 overlap comparison record
CR-GAPP-031	DOC-CR-BASELINE	CR-GAPP-031	core_definition/operational/op	v20 simplex-coherence record
CR-GAPP-032	DOC-CR-BASELINE	CR-GAPP-032	core_definition/operational/op	Coverage certificate record
CR-GAPP-033	DOC-CR-BASELINE	CR-GAPP-033	core_definition/operational/op	Global profile interface record
CR-GAPP-034	DOC-CR-BASELINE	CR-GAPP-034	core_definition/operational/op	Detector-atlas record
CR-GAPP-035	DOC-CR-BASELINE	CR-GAPP-035	core_definition/operational/op	Restart zero-route record
CR-GAPP-036	DOC-CR-BASELINE	CR-GAPP-036	core_definition/operational/op	Finite-to-infinite reduction record
CR-GAPP-037	DOC-CR-BASELINE	CR-GAPP-037	core_definition/operational/op	Object-descent record
CR-GAPP-038	DOC-CR-BASELINE	CR-GAPP-038	core_definition/operational/op	Artifact-closure record
CR-GAPP-039	DOC-CR-BASELINE	CR-GAPP-039	core_definition/operational/op	Semantic replay record
CR-GAPP-040	DOC-CR-BASELINE	CR-GAPP-040	core_theorem/proved/thm	Semantic replay is stronger than byte reproduction
CR-GAPP-041	DOC-CR-BASELINE	CR-GAPP-041	core_definition/operational/op	Replay discrepancy record
CR-GAPP-042	DOC-CR-BASELINE	CR-GAPP-042	core_definition/operational/op	Schema migration record
CR-GAPP-043	DOC-CR-BASELINE	CR-GAPP-043	core_theorem/proved/thm	Lossy migration is non-conformant
CR-GAPP-044	DOC-CR-BASELINE	CR-GAPP-044	core_definition/operational/op	Release manifest
CR-GAPP-045	DOC-CR-BASELINE	CR-GAPP-045	core_definition/operational/op	Mandatory release-document roles

ID	Source	Locator	Type / status / use	Title
CR-GAPP-046	DOC-CR-BASELINE	CR-GAPP-046	core_definition/operational/op	Release-acceptance record
CR-GAPP-047	DOC-CR-BASELINE	CR-GAPP-047	core_definition/operational/op	Supersession record
CR-GAPP-048	DOC-CR-BASELINE	CR-GAPP-048	core_theorem/proved/thm	Document completeness and theorem strength are independent
CR-GAPP-049	DOC-CR-BASELINE	CR-GAPP-049	core_definition/operational/op	v20 canonical manifest object
CR-GAPP-050	DOC-CR-BASELINE	CR-GAPP-050	core_definition/operational/op	v20 validation profiles
CR-GAPP-051	DOC-CR-BASELINE	CR-GAPP-051	core_theorem/proved/thm	v20 schema sufficiency for audit reconstruction
CR-GAPP-052	DOC-CR-BASELINE	CR-GAPP-052	core_theorem/proved/thm	Appendix G v20 manifest and replay package

9 CM-v20 and TB-v20 UID index

9.1 CM-v20

ID	Source	Locator	Type / status / use	Title
CM-v20-001	DOC-CM	1.1	operational_policy/operational/src	CM-v20-001: Core micro-theorem boundary and no external upgrade
CM-v20-002	DOC-CM	2.1	core_lemma/proved/src	CM-v20-002: Infinite-bar threshold invariance
CM-v20-003	DOC-CM	2.2	core_micro_theorem/proved/src	CM-v20-003: Hard threshold deletion idempotence
CM-v20-004	DOC-CM	2.3	core_micro_theorem/proved/src	CM-v20-004: Hard threshold composition
CM-v20-005	DOC-CM	2.4	core_micro_theorem/proved/src	CM-v20-005: Retained-profile threshold monotonicity
CM-v20-006	DOC-CM	2.5	core_micro_theorem/proved/src	CM-v20-006: Positive-threshold short bars are not Serre
CM-v20-007	DOC-CM	3.1	core_micro_theorem/proved/src	CM-v20-007: Nested window restriction identity
CM-v20-008	DOC-CM	3.2	operational_policy/operational/src	CM-v20-008: Fixed window-first repaired evaluation
CM-v20-009	DOC-CM	3.3	core_micro_theorem/proved/src	CM-v20-009: No unconditional crop-collapse commutation
CM-v20-010	DOC-CM	3.4	conditional_core_micro_theorem/conditional/src	CM-v20-010: Exact crop-collapse criterion
CM-v20-011	DOC-CM	4.1	metric_repair_theorem/proved/src	CM-v20-011: Global non-expansiveness of hard deletion fails
CM-v20-012	DOC-CM	4.2	metric_repair_theorem/proved/src	CM-v20-012: Sharp two-sided threshold-gap-safe stability
CM-v20-013	DOC-CM	4.3	conditional_core_micro_theorem/conditional/src	CM-v20-013: Scalarized-ledger-safe threshold classification
CM-v20-014	DOC-CM	4.4	core_micro_theorem/proved/src	CM-v20-014: Exact comparison is not a positive-radius robustness certificate
CM-v20-015	DOC-CM	4.5	operational_policy/operational/src	CM-v20-015: Runtime comparison-mode trichotomy
CM-v20-016	DOC-CM	4.6	conditional_core_micro_theorem/conditional/src	CM-v20-016: Overlap transfer under a scalarized threshold-gap certificate
CM-v20-017	DOC-CM	5.1	conditional_core_micro_theorem/conditional/src	CM-v20-017: Windowed representative idempotence
CM-v20-018	DOC-CM	5.2	conditional_core_micro_theorem/conditional/src	CM-v20-018: Windowed representative threshold composition
CM-v20-019	DOC-CM	5.3	core_micro_theorem/proved/src	CM-v20-019: Canonical two-term Ext1 -edge identification
CM-v20-020	DOC-CM	5.4	conditional_core_micro_theorem/conditional/src	CM-v20-020: Conditional one-way repaired PH1 -to-Ext1 bridge
CM-v20-021	DOC-CM	5.5	core_micro_theorem/proved/src	CM-v20-021: Reverse Ext1 -to-repaired-profile implication fails
CM-v20-022	DOC-CM	6.1	operational_policy/operational/src	CM-v20-022: Actual artifact and terminal tameness are prerequisites for Type IV
CM-v20-023	DOC-CM	6.2	core_micro_theorem/proved/src	CM-v20-023: Characterization of certified Type IV-free status
CM-v20-024	DOC-CM	6.3	conditional_core_micro_theorem/conditional/src	CM-v20-024: Zero diagnostics plus no interior defects imply isomorphism
CM-v20-025	DOC-CM	6.4	conditional_core_micro_theorem/conditional/src	CM-v20-025: Full-isomorphism band implies terminal-generic stable band
CM-v20-026	DOC-CM	7.1	core_micro_theorem/proved/src	CM-v20-026: Finite-horizon product-weighted Restart bound
CM-v20-027	DOC-CM	7.2	conditional_core_micro_theorem/conditional/src	CM-v20-027: Conditional countable Restart-summability principle
CM-v20-028	DOC-CM	7.3	core_micro_theorem/proved/src	CM-v20-028: No scalar manufacture of non-scalar evidence
CM-v20-029	DOC-CM	7.4	core_micro_theorem/proved/src	CM-v20-029: Non-compensation and dependency blocker propagation
CM-v20-030	DOC-CM	7.5	core_micro_theorem/proved/src	CM-v20-030: Finite prefixes do not certify countable readiness
CM-v20-031	DOC-CM	8.1	conditional_core_micro_theorem/conditional/src	CM-v20-031: Eventually constant repaired tower with apex agreement
CM-v20-032	DOC-CM	9.1	conditional_core_micro_theorem/conditional/src	CM-v20-032: Representative-invariance of eligible Ext1 discharge
CM-v20-033	DOC-CM	9.2	core_micro_theorem/proved/src	CM-v20-033: Exact-conjugacy invariance of Type IV diagnostics
CM-v20-034	DOC-CM	9.4	core_micro_theorem/proved/src	Balanced-tail consequence
CM-v20-035	DOC-CM	9.5	core_micro_theorem/proved/src	CM-v20-035: Direct-sum additivity of Type IV diagnostics
CM-v20-036	DOC-CM	9.7	core_micro_theorem/proved/src	No converse
CM-v20-037	DOC-CM	9.8	conditional_core_micro_theorem/conditional/src	CM-v20-037: Snake-lemma control over short exact comparison diagrams
CM-v20-038	DOC-CM	10.2	core_micro_theorem/proved/src	CM-v20-038: Single-morphism characterization of one-parameter interleaving
CM-v20-039	DOC-CM	10.3	conditional_core_micro_theorem/conditional/src	CM-v20-039: Finite-trivial defect implies terminal-generic cleanliness
CM-v20-040	DOC-CM	10.4	core_micro_theorem/proved/src	CM-v20-040: Terminal-generic cleanliness does not imply quantitative interleaving
CM-v20-041	DOC-CM	11.1	operational_policy/operational/src	CM-v20-041: Detector stage and completeness boundary
CM-v20-042	DOC-CM	11.2	core_micro_theorem/proved/src	CM-v20-042: Distance to zero of a finite repaired profile
CM-v20-043	DOC-CM	11.3	core_micro_theorem/proved/src	CM-v20-043: Sharp zero separation for $\diamond\diamond\diamond$ -reduced profiles
CM-v20-044	DOC-CM	11.4	conditional_core_micro_theorem/conditional/src	CM-v20-044: Metric-safe repaired-zero transport
CM-v20-045	DOC-CM	11.5	conditional_core_micro_theorem/conditional/src	CM-v20-045: Detector-certified metric zero transport
CM-v20-046	DOC-CM	11.6	core_micro_theorem/proved/src	CM-v20-046: Raw pointwise detector ranks are not bottleneck-stable
CM-v20-047	DOC-CM	12.1	core_micro_theorem/proved/src	CM-v20-047: Finite-stencil nonzero soundness
CM-v20-048	DOC-CM	12.2	core_micro_theorem/proved/src	CM-v20-048: Birth detector zero-reflection
CM-v20-049	DOC-CM	12.3	core_micro_theorem/proved/src	CM-v20-049: Decoration-invariant germ detector zero-reflection

ID	Source	Locator	Type / status / use	Title
CM-v20-050	DOC-CM	12.4	core_micro_theorem/prove d/src	CM-v20-050: Coverage-certified finite-stencil completeness
CM-v20-051	DOC-CM	12.5	core_micro_theorem/prove d/src	CM-v20-051: Family-mesh detector completeness
CM-v20-052	DOC-CM	12.6	core_micro_theorem/prove d/src	CM-v20-052: Exact augmented-mesh stencil count
CM-v20-053	DOC-CM	12.7	core_micro_theorem/prove d/src	CM-v20-053: Family-relative MinCert upper bounds
CM-v20-054	DOC-CM	12.8	core_micro_theorem/prove d/src	CM-v20-054: No uniform finite detector on an unbounded birth family
CM-v20-055	DOC-CM	12.9	conditional_core_micro_t heorem/conditional/src	CM-v20-055: Exact-stage detector invariance
CM-v20-056	DOC-CM	12.10	conditional_core_micro_t heorem/conditional/src	CM-v20-056: Metric zero-verdict composition
CM-v20-057	DOC-CM	13.1	core_micro_theorem/prove d/src	CM-v20-057: Canonical higher field-coefficient Ext edge
CM-v20-058	DOC-CM	13.2	conditional_core_micro_t heorem/conditional/src	CM-v20-058: Standard $\diamond$ -eligible higher Ext discharge
CM-v20-059	DOC-CM	13.3	conditional_core_micro_t heorem/conditional/src	CM-v20-059: Natural zero-reflection upgrades discharge to equivalence
CM-v20-060	DOC-CM	13.4	core_micro_theorem/prove d/src	CM-v20-060: Synthetic duality does not create a natural bridge
CM-v20-061	DOC-CM	13.5	conditional_core_micro_t heorem/conditional/src	CM-v20-061: Representative invariance of higher Ext discharge
CM-v20-062	DOC-CM	13.6	conditional_core_micro_t heorem/conditional/src	CM-v20-062: Complete detector higher Ext discharge
CM-v20-063	DOC-CM	14.1	core_micro_theorem/prove d/src	CM-v20-063: Terminal and interior defect separation
CM-v20-064	DOC-CM	14.2	conditional_core_micro_t heorem/conditional/src	CM-v20-064: Complete transient-defect detector characterization
CM-v20-065	DOC-CM	14.3	conditional_core_micro_t heorem/conditional/src	CM-v20-065: Joint terminal and long-transient classification
CM-v20-066	DOC-CM	14.3	conditional_core_micro_t heorem/conditional/src	CM-v20-065: Joint terminal and long-transient classification
CM-v20-067	DOC-CM	14.3	core_micro_theorem/prove d/src	CM-v20-065: Joint terminal and long-transient classification
CM-v20-068	DOC-CM	14.3	conditional_core_micro_t heorem/conditional/src	CM-v20-065: Joint terminal and long-transient classification
CM-v20-069	DOC-CM	15.2	core_micro_theorem/prove d/src	CM-v20-069: Detector-aware Restart handoff is nonautomatic
CM-v20-070	DOC-CM	15.3	conditional_core_micro_t heorem/conditional/src	CM-v20-070: Eventually constant exact finite-to-infinite reduction
CM-v20-071	DOC-CM	15.4	core_micro_theorem/prove d/src	CM-v20-071: Finite prefixes do not determine an infinite reduction
CM-v20-072	DOC-CM	15.5	core_micro_theorem/prove d/src	CM-v20-072: Layered non-compensation for v20 certificates
CM-v20-073	DOC-CM	16.1	operational_policy/operational/src	CM-v20-073: CM-v20 register closure and source-binding discipline

9.2 TB-v20

ID	Source	Locator	Type / status / use	Title
TB-v20-001	DOC-TB	1.1	operational_policy/operational/src	Toy bridge sovereignty
TB-v20-002	DOC-TB	2.1	operational_policy/operational/src	Canonical comparison modes and detector stages
TB-v20-003	DOC-TB	3.4	toy_bridge_theorem/prove d/src	Finite barcode readability
TB-v20-004	DOC-TB	4.2	conditional_toy_bridge_t heorem/conditional/src	Eventual-constancy toy bridge
TB-v20-005	DOC-TB	4.3	conditional_toy_bridge_t heorem/conditional/src	Finite barcode-profile stabilization
TB-v20-006	DOC-TB	4.4	toy_bridge_theorem/prove d/src	Exact-conjugacy invariance of toy diagnostics
TB-v20-007	DOC-TB	5.2	toy_source_theorem/prove d/src	Epimorphism stabilization in finite dimension
TB-v20-008	DOC-TB	5.3	conditional_toy_bridge_t heorem/conditional/src	Vector-space stabilization bridge
TB-v20-009	DOC-TB	6.2	toy_source_theorem/prove d/src	Epimorphism stabilization in finite length
TB-v20-010	DOC-TB	6.3	conditional_toy_bridge_t heorem/conditional/src	Finite-length module stabilization bridge
TB-v20-011	DOC-TB	7.1	conditional_toy_bridge_t heorem/conditional/src	One-way eligible toy PHI -to-Ext bridge
TB-v20-012	DOC-TB	7.2	conditional_toy_bridge_t heorem/conditional/src	Representative invariance of the eligible toy discharge
TB-v20-013	DOC-TB	8.1	toy_bridge_theorem/prove d/src	Terminal-generic index identity
TB-v20-014	DOC-TB	8.2	toy_bridge_theorem/prove d/src	Finite direct-sum additivity
TB-v20-015	DOC-TB	8.3	toy_bridge_theorem/prove d/src	Composition-controlled toy bridge
TB-v20-016	DOC-TB	8.5	conditional_toy_bridge_t heorem/conditional/src	Short-exact-diagram toy bridge
TB-v20-017	DOC-TB	9.2	toy_bridge_theorem/prove d/src	Single-morphism interleaving bridge
TB-v20-018	DOC-TB	9.3	conditional_toy_bridge_t heorem/conditional/src	Finite-shift defect implies terminal-generic cleanliness
TB-v20-019	DOC-TB	9.4	toy_separation_theorem/proved/src	Cleanliness does not imply quantitative interleaving
TB-v20-020	DOC-TB	10.2	toy_controlled_defect_theorem/proved/src	Bounded diagnostic defect is controlled, not clean
TB-v20-021	DOC-TB	10.3	conditional_toy_bridge_t heorem/conditional/src	Zero diagnostic budget implies cleanliness
TB-v20-022	DOC-TB	10.4	metric_repair_policy/operational/src	Rejection of the legacy mixed ledger
TB-v20-023	DOC-TB	11.1	metric_repair_toy_theorem/conditional/src	Sharp two-sided metric toy bridge

ID	Source	Locator	Type / status / use	Title
TB-v20-024	DOC-TB	11.2	conditional_metric_toy_bridge_theorem/conditional/src	Scalarized metric-ledger toy audit
TB-v20-025	DOC-TB	11.3	toy_separation_theorem/proved/src	Exact comparison and metric robustness are distinct
TB-v20-031	DOC-TB	12.1	toy_counterexample/proved/src	Detector-stage separation counterexample
TB-v20-032	DOC-TB	12.2	toy_detector_theorem/proved/src	Complete birth-stencil toy detector
TB-v20-033	DOC-TB	12.3	toy_detector_theorem/proved/src	Decoration-invariant germ toy detector
TB-v20-034	DOC-TB	12.4	conditional_toy_detector_theorem/conditional/src	Coverage-certified finite-stencil toy detector
TB-v20-035	DOC-TB	12.5	conditional_toy_detector_theorem/conditional/src	Uniform-excess family mesh certificate
TB-v20-036	DOC-TB	12.6	toy_mincert_theorem/proved/src	Family-relative MinCert in a coordinate toy class
TB-v20-037	DOC-TB	12.7	toy_no_go_theorem/proved/src	Right-unbounded finite-detector no-go toy family
TB-v20-038	DOC-TB	12.8	toy_counterexample/proved/src	Raw pointwise detector rank instability
TB-v20-039	DOC-TB	13.1	conditional_metric_toy_bridge_theorem/conditional/src	Metric-safe detector zero-verdict bridge
TB-v20-040	DOC-TB	14.1	toy_separation_theorem/proved/src	Synthetic higher Ext identity and nonpromotion boundary
TB-v20-041	DOC-TB	14.2	conditional_synthetic_toy_bridge_theorem/conditional/src	Synthetic natural zero-reflection on a finite detector category
TB-v20-042	DOC-TB	14.3	conditional_toy_bridge_theorem/conditional/src	Complete detector higher Ext toy discharge
TB-v20-043	DOC-TB	14.4	conditional_toy_bridge_theorem/conditional/src	Representative invariance of higher toy discharge
TB-v20-044	DOC-TB	15.1	toy_counterexample/proved/src	Terminal-zero transient-defect counterexample
TB-v20-045	DOC-TB	15.2	conditional_toy_detector_theorem/conditional/src	Complete transient-defect detector characterization
TB-v20-046	DOC-TB	15.3	conditional_toy_bridge_theorem/conditional/src	Terminal plus transient zero gives toy isomorphism
TB-v20-047	DOC-TB	15.4	toy_counterexample/proved/src	Object-distance control does not control defect profiles
TB-v20-048	DOC-TB	16.1	conditional_toy_bridge_theorem/conditional/src	Detector-safe atlas globalization
TB-v20-049	DOC-TB	16.2	toy_counterexample/proved/src	Local-zero and Restart handoff are nonautomatic
TB-v20-050	DOC-TB	16.3	conditional_toy_bridge_theorem/conditional/src	Exact finite-to-infinite detector reduction
TB-v20-051	DOC-TB	16.4	toy_no_go_theorem/proved/src	Finite prefixes do not determine the infinite reduction
TB-v20-052	DOC-TB	17.1	conditional_toy_composition_theorem/conditional/src	Complete toy problem-demonstration composition
TB-v20-026	DOC-TB	18.2	operational_theorem/proved/src	Layered non-compensating toy readiness
TB-v20-027	DOC-TB	19.2	operational_theorem/operational/src	Manifest necessity and sidecar register discipline
TB-v20-028	DOC-TB	21.1	non_claim_pattern/spec/src	Iwasawa-style pattern only
TB-v20-029	DOC-TB	21.2	non_claim_caution/proved/src	Bounded-control caution only
TB-v20-030	DOC-TB	21.3	conditional_toy_bridge_theorem/conditional/src	Toy dissipative instance
TB-v20-053	DOC-TB	23.1	operational_package_closure/operational/src	TB-v20 package closure and promotion boundary

10 Downstream theorem-bearing compact index

The entries below promote theorem-bearing or explicit operational/specification statements only. Their exact evidence and conformance classifications remain controlled by the frozen source-local status registers; `src` in the table means `source_controlled`.

10.1 Appendix H (34)

ID	Source	Locator	Type / status / use	Title
TE-H-1.2.2	DOC-TE-H	1.2.2	proposition/src/thm	Unknown or unlabeled advisory output is non-verdict
TE-H-1.3.4	DOC-TE-H	1.3.4	proposition/src/thm	The word invariant does not establish invariance
TE-H-1.4.6	DOC-TE-H	1.4.6	proposition/src/thm	Uncalibrated advisory values are not comparison evidence
TE-H-1.4.8	DOC-TE-H	1.4.8	proposition/src/thm	Sample stability is not band certification
TE-H-1.5.2	DOC-TE-H	1.5.2	theorem/src/thm	Exact spectral-tail identities
TE-H-1.5.3	DOC-TE-H	1.5.3	theorem/src/thm	Threshold action on spectral-tail data
TE-H-1.5.4	DOC-TE-H	1.5.4	theorem/src/thm	Information content and incompleteness of the length spectrum
TE-H-1.5.5	DOC-TE-H	1.5.5	corollary/src/thm	Exact threshold readout
TE-H-1.5.6	DOC-TE-H	1.5.6	theorem/src/thm	Threshold-gap transport of retained count and excess mass
TE-H-1.5.7	DOC-TE-H	1.5.7	corollary/src/thm	Metric-safe spectral zero predicate
TE-H-1.5.8	DOC-TE-H	1.5.8	proposition/src/thm	No gap-free stability of the tail count
TE-H-1.6.2	DOC-TE-H	1.6.2	theorem/src/thm	Advisory noninterference
TE-H-1.6.3	DOC-TE-H	1.6.3	corollary/src/thm	Attachment insertion and removal are verdict-neutral
TE-H-1.6.4	DOC-TE-H	1.6.4	theorem/src/thm	Advisory non-compensation
TE-H-1.7.3	DOC-TE-H	1.7.3	theorem/src/thm	No declaration-only re-entry
TE-H-1.7.4	DOC-TE-H	1.7.4	proposition/src/thm	Re-entry is immutable and non-mutating
TE-H-1.8.2	DOC-TE-H	1.8.2	theorem/src/thm	Advisory stencil to detector-certificate re-entry
TE-H-1.8.3	DOC-TE-H	1.8.3	proposition/src/thm	Translation-family no-go for finite advisory stencils
TE-H-1.8.4	DOC-TE-H	1.8.4	theorem/src/thm	Higher-Ext advisory proxy boundary
TE-H-1.8.5	DOC-TE-H	1.8.5	theorem/src/thm	Transient-defect proxy boundary
TE-H-1.8.6	DOC-TE-H	1.8.6	theorem/src/thm	Finite advisory trend is not finite-to-infinite reduction
TE-H-1.9.2	DOC-TE-H	1.9.2	theorem/src/thm	Soundness boundary for budget conversion
TE-H-1.9.3	DOC-TE-H	1.9.3	proposition/src/thm	Zero advisory score does not imply zero metric defect
TE-H-1.10.2	DOC-TE-H	1.10.2	proposition/src/thm	Gate-adjacent is not gate-equivalent
TE-H-1.10.4	DOC-TE-H	1.10.4	proposition/src/thm	Warning triggers inspection, not verdict
TE-H-1.11.3	DOC-TE-H	1.11.3	proposition/src/thm	Bounded-window cofinality caution
TE-H-1.11.4	DOC-TE-H	1.11.4	theorem/src/thm	Type IV proxy is not Type IV diagnosis
TE-H-1.11.5	DOC-TE-H	1.11.5	proposition/src/thm	Missing Type IV artifact cannot be repaired by a proxy
TE-H-1.11.7	DOC-TE-H	1.11.7	theorem/src/thm	Advisory stable band is not Core stable band
TE-H-1.12.2	DOC-TE-H	1.12.2	theorem/src/thm	AI confidence, ranking, and potential are non-verdict
TE-H-1.12.4	DOC-TE-H	1.12.4	proposition/src/thm	Stale advisory outputs are non-consumable
TE-H-1.13.3	DOC-TE-H	1.13.3	proposition/src/thm	Advisory attachments are non-verdict by default
TE-H-1.14.3	DOC-TE-H	1.14.3	theorem/src/thm	Collapse energy is not B-Gate+
TE-H-1.15.1	DOC-TE-H	1.15.1	theorem/src/thm	Appendix H v20 advisory and spectral-tail package

10.2 Appendix I (44)

ID	Source	Locator	Type / status / use	Title
TE-I-2.1.5	DOC-TE-I	2.1.5	proposition/src/thm	Missing target or witness blocks continuum interpretation
TE-I-2.2.7	DOC-TE-I	2.2.7	proposition/src/thm	Raw numerical output is not a Core object
TE-I-2.3.2	DOC-TE-I	2.3.2	theorem/src/thm	Uniform filtration perturbation gives an interleaving
TE-I-2.3.3	DOC-TE-I	2.3.3	corollary/src/thm	Certified filtration quantization
TE-I-2.4.6	DOC-TE-I	2.4.6	theorem/src/thm	Pathwise aggregation of certified profile errors
TE-I-2.4.7	DOC-TE-I	2.4.7	proposition/src/thm	Actual-profile binding is mandatory
TE-I-2.4.8	DOC-TE-I	2.4.8	proposition/src/thm	Estimator-only values do not enter the ledger
TE-I-2.4.11	DOC-TE-I	2.4.11	theorem/src/thm	False-transfer risk bound for randomized discretization
TE-I-2.5.1	DOC-TE-I	2.5.1	proposition/src/thm	No unconditional window non-amplification
TE-I-2.5.3	DOC-TE-I	2.5.3	proposition/src/thm	No global non-expansiveness of hard deletion
TE-I-2.5.4	DOC-TE-I	2.5.4	theorem/src/thm	Gap-certified discretization transfer
TE-I-2.5.5	DOC-TE-I	2.5.5	proposition/src/thm	Closed threshold band is mandatory at the certified radius
TE-I-2.5.6	DOC-TE-I	2.5.6	corollary/src/thm	Post-threshold metric transfer
TE-I-2.5.7	DOC-TE-I	2.5.7	proposition/src/thm	Exact discretization comparison
TE-I-2.6.2	DOC-TE-I	2.6.2	proposition/src/thm	Continuum verdict requires a transfer witness
TE-I-2.6.3	DOC-TE-I	2.6.3	theorem/src/thm	Sharp threshold-separated vanishing transfer
TE-I-2.6.4	DOC-TE-I	2.6.4	proposition/src/thm	Robust nonvanishing witness
TE-I-2.6.5	DOC-TE-I	2.6.5	corollary/src/thm	Zero/nonzero classification equivalence below half-threshold
TE-I-2.6.6	DOC-TE-I	2.6.6	proposition/src/thm	Budget pass alone does not transfer vanishing
TE-I-2.6.7	DOC-TE-I	2.6.7	theorem/src/thm	Conditional target-side B-Gate transfer
TE-I-2.6.8	DOC-TE-I	2.6.8	proposition/src/thm	Persistence proximity does not transfer Ext discharge
TE-I-2.7.1	DOC-TE-I	2.7.1	theorem/src/thm	Complete detector to continuum repaired-zero transfer
TE-I-2.7.2	DOC-TE-I	2.7.2	proposition/src/thm	Raw detector values are not discretization-stable
TE-I-2.7.3	DOC-TE-I	2.7.3	theorem/src/thm	Discretization-to-higher-Ext discharge
TE-I-2.7.4	DOC-TE-I	2.7.4	proposition/src/thm	Synthetic or surrogate duality is not a target bridge
TE-I-2.8.3	DOC-TE-I	2.8.3	proposition/src/thm	Discrete Cauchy evidence is not target convergence
TE-I-2.8.6	DOC-TE-I	2.8.6	theorem/src/thm	Eventual two-sided gap readiness from target clearance
TE-I-2.8.7	DOC-TE-I	2.8.7	proposition/src/thm	Refinement can eventually restore scalar budget admissibility
TE-I-2.8.8	DOC-TE-I	2.8.8	theorem/src/thm	Diagonal refinement for a countable monitored family
TE-I-2.8.9	DOC-TE-I	2.8.9	proposition/src/thm	Finite refinement prefixes do not certify countable readiness
TE-I-2.9.3	DOC-TE-I	2.9.3	proposition/src/thm	Aliasing warning is non-verdict
TE-I-2.9.7	DOC-TE-I	2.9.7	proposition/src/thm	Observed refinement plateau is advisory only
TE-I-2.10.1	DOC-TE-I	2.10.1	proposition/src/thm	Object proximity does not control morphism defects
TE-I-2.10.2	DOC-TE-I	2.10.2	theorem/src/thm	Exact conjugacy transfers full defect profiles
TE-I-2.10.3	DOC-TE-I	2.10.3	theorem/src/thm	Metric-safe thresholded defect-zero transfer
TE-I-2.10.4	DOC-TE-I	2.10.4	corollary/src/thm	Metric-safe long-transient transfer
TE-I-2.10.5	DOC-TE-I	2.10.5	proposition/src/thm	Bounded-window finite-shift triviality is not terminal cleanliness
TE-I-2.10.10	DOC-TE-I	2.10.10	proposition/src/thm	Discretized Type IV zero does not imply continuum zero
TE-I-2.10.11	DOC-TE-I	2.10.11	theorem/src/thm	Terminal-fiber diagnostic transfer
TE-I-2.10.12	DOC-TE-I	2.10.12	proposition/src/thm	Missing continuum tower artifact is undefined
TE-I-2.11.2	DOC-TE-I	2.11.2	theorem/src/thm	Eventually constant exact discretization reduction
TE-I-2.11.3	DOC-TE-I	2.11.3	proposition/src/thm	Finite agreement is not an infinite reduction
TE-I-2.12.3	DOC-TE-I	2.12.3	proposition/src/thm	Artifacts are necessary for audit-readable discretization evidence
TE-I-2.13.1	DOC-TE-I	2.13.1	theorem/src/thm	Appendix I discretization-stability package

10.3 Appendix J (55)

ID	Source	Locator	Type / status / use	Title
TE-J-3.1.5	DOC-TE-J	3.1.5	proposition/src/thm	Missing profile or witness blocks measurement interpretation
TE-J-3.2.3	DOC-TE-J	3.2.3	theorem/src/thm	Measurability and finite integrability of constructible Betti curves
TE-J-3.2.6	DOC-TE-J	3.2.6	theorem/src/thm	Barcode mass identity
TE-J-3.3.2	DOC-TE-J	3.3.2	theorem/src/thm	Exact threshold-mass identity
TE-J-3.3.3	DOC-TE-J	3.3.3	theorem/src/thm	Threshold-sweep structure and second moment
TE-J-3.3.4	DOC-TE-J	3.3.4	theorem/src/thm	Exact finite reduction of a threshold band
TE-J-3.4.2	DOC-TE-J	3.4.2	theorem/src/thm	Zero Betti integral in the faithful regime
TE-J-3.4.3	DOC-TE-J	3.4.3	proposition/src/thm	Lebesgue-invisible nonzero profiles obstruct an unconditional converse
TE-J-3.4.4	DOC-TE-J	3.4.4	theorem/src/thm	Canonical threshold mass gap
TE-J-3.4.5	DOC-TE-J	3.4.5	proposition/src/thm	The threshold floor is post-threshold only
TE-J-3.4.6	DOC-TE-J	3.4.6	corollary/src/thm	Normalized threshold floor and automatic collapse on a short window
TE-J-3.4.7	DOC-TE-J	3.4.7	theorem/src/thm	Measured repaired-zero witness in arbitrary degree
TE-J-3.4.8	DOC-TE-J	3.4.8	theorem/src/thm	Measured higher-Ext discharge
TE-J-3.4.9	DOC-TE-J	3.4.9	proposition/src/thm	Positive exact Betti integral witnesses nonzero profile
TE-J-3.5.2	DOC-TE-J	3.5.2	theorem/src/thm	Breakpoint-resolving quadrature is exact
TE-J-3.5.3	DOC-TE-J	3.5.3	theorem/src/thm	Bounded-variation quadrature error
TE-J-3.5.4	DOC-TE-J	3.5.4	theorem/src/thm	Cellwise enclosure integration
TE-J-3.5.5	DOC-TE-J	3.5.5	proposition/src/thm	Sampled values alone do not reconstruct a Betti curve
TE-J-3.5.7	DOC-TE-J	3.5.7	proposition/src/thm	Heuristic quadrature is non-verdict
TE-J-3.6.2	DOC-TE-J	3.6.2	theorem/src/thm	Exact classification from a nonnegative scalar enclosure
TE-J-3.6.3	DOC-TE-J	3.6.3	theorem/src/thm	Canonical repaired-profile enclosure test
TE-J-3.6.5	DOC-TE-J	3.6.5	proposition/src/thm	Finite endpoint grid supplies a mass floor
TE-J-3.6.6	DOC-TE-J	3.6.6	theorem/src/thm	Separated zero certification
TE-J-3.6.7	DOC-TE-J	3.6.7	proposition/src/thm	Positive tolerance alone cannot certify arbitrary-profile vanishing
TE-J-3.7.3	DOC-TE-J	3.7.3	theorem/src/thm	Local $\diamond \diamond 1$ -stability of Betti curves
TE-J-3.7.5	DOC-TE-J	3.7.5	corollary/src/thm	Matching-free safe Betti-mass bound
TE-J-3.7.6	DOC-TE-J	3.7.6	theorem/src/thm	Gap-certified retained-mass transport
TE-J-3.7.7	DOC-TE-J	3.7.7	proposition/src/thm	No cardinality-free stability modulus
TE-J-3.7.8	DOC-TE-J	3.7.8	proposition/src/thm	Repaired-profile transport prerequisite
TE-J-3.8.1	DOC-TE-J	3.8.1	proposition/src/thm	Betti curve and Betti integral are not complete invariants
TE-J-3.8.3	DOC-TE-J	3.8.3	proposition/src/thm	Scalar Betti error is not a metric budget
TE-J-3.8.5	DOC-TE-J	3.8.5	theorem/src/thm	Sound boundary for measurement-to-metric conversion
TE-J-3.8.7	DOC-TE-J	3.8.7	theorem/src/thm	Measurement-attachment noninterference
TE-J-3.8.8	DOC-TE-J	3.8.8	theorem/src/thm	Discretization-to-scalar error composition
TE-J-3.8.9	DOC-TE-J	3.8.9	theorem/src/thm	Event-qualified scalar certification
TE-J-3.8.10	DOC-TE-J	3.8.10	proposition/src/thm	Probability semantics and conditional-error boundary
TE-J-3.8.11	DOC-TE-J	3.8.11	proposition/src/thm	Mixed-codomain error addition is forbidden
TE-J-3.9.2	DOC-TE-J	3.9.2	theorem/src/thm	Sound measured repaired-zero discharge
TE-J-3.9.3	DOC-TE-J	3.9.3	corollary/src/thm	Measured higher-Ext chain
TE-J-3.9.4	DOC-TE-J	3.9.4	theorem/src/thm	Measured Betti discharge does not imply full B-Gate+
TE-J-3.9.5	DOC-TE-J	3.9.5	theorem/src/thm	Certified measured nonzero forces topological failure
TE-J-3.9.6	DOC-TE-J	3.9.6	proposition/src/thm	Scalar discharge does not transport detector data
TE-J-3.10.2	DOC-TE-J	3.10.2	theorem/src/thm	Measured long-transient zero discharge
TE-J-3.10.3	DOC-TE-J	3.10.3	theorem/src/thm	Right-unbounded terminal-average identity for Type IV diagnostics
TE-J-3.10.4	DOC-TE-J	3.10.4	proposition/src/thm	Terminal-average authority and scope boundary
TE-J-3.10.5	DOC-TE-J	3.10.5	theorem/src/thm	Terminal zero does not imply transient cleanliness
TE-J-3.10.7	DOC-TE-J	3.10.7	theorem/src/thm	Betti Type IV proxy is not a diagnosis
TE-J-3.11.2	DOC-TE-J	3.11.2	theorem/src/thm	Breakpoint-certified universal Betti-mass band
TE-J-3.11.3	DOC-TE-J	3.11.3	proposition/src/thm	Sampled measurement band is not a universal certificate
TE-J-3.11.4	DOC-TE-J	3.11.4	theorem/src/thm	Betti-stable band is not a Core Type IV stable band
TE-J-3.11.5	DOC-TE-J	3.11.5	theorem/src/thm	Exact eventual profile constancy gives measurement constancy
TE-J-3.11.6	DOC-TE-J	3.11.6	proposition/src/thm	Scalar eventual constancy is not profile reduction
TE-J-3.12.3	DOC-TE-J	3.12.3	proposition/src/thm	Stale measurement artifacts are non-consumable
TE-J-3.12.4	DOC-TE-J	3.12.4	proposition/src/thm	Betti artifacts are necessary for audit readability
TE-J-3.13.1	DOC-TE-J	3.13.1	theorem/src/thm	Appendix J v20 Betti-measurement package

10.4 Appendix K (40)

ID	Source	Locator	Type / status / use	Title
TE-K-4.2.7	DOC-TE-K	4.2.7	proposition/src/thm	Defect semantics are load-bearing
TE-K-4.2.8	DOC-TE-K	4.2.8	proposition/src/thm	Objectwise isomorphism is not natural commutation
TE-K-4.3.5	DOC-TE-K	4.3.5	theorem/src/thm	Pathwise metric accumulation
TE-K-4.3.6	DOC-TE-K	4.3.6	proposition/src/thm	Alternative paths are not sequential errors
TE-K-4.3.7	DOC-TE-K	4.3.7	proposition/src/thm	No double counting and no omission
TE-K-4.3.8	DOC-TE-K	4.3.8	theorem/src/thm	Advisory commutation noninterference
TE-K-4.3.9	DOC-TE-K	4.3.9	proposition/src/thm	Controlled does not mean harmless
TE-K-4.4.2	DOC-TE-K	4.4.2	theorem/src/thm	Metric replacement is not equality
TE-K-4.4.3	DOC-TE-K	4.4.3	theorem/src/thm	Gap-certified commutation through hard deletion
TE-K-4.4.4	DOC-TE-K	4.4.4	theorem/src/thm	Sharp post-threshold zero transport
TE-K-4.4.6	DOC-TE-K	4.4.6	proposition/src/thm	Sharpness of the half-threshold boundary
TE-K-4.4.7	DOC-TE-K	4.4.7	theorem/src/thm	Detector-certified zero transfer across a controlled commutation
TE-K-4.4.8	DOC-TE-K	4.4.8	proposition/src/thm	Budget pass alone is not predicate transport
TE-K-4.5.4	DOC-TE-K	4.5.4	theorem/src/thm	Canonical algebraic lifting operation
TE-K-4.5.5	DOC-TE-K	4.5.5	theorem/src/thm	Underlying weak factorization system
TE-K-4.5.8	DOC-TE-K	4.5.8	proposition/src/thm	Functorial factorization is not external commutation
TE-K-4.5.10	DOC-TE-K	4.5.10	theorem/src/thm	Transport of algebraic structures and lifts
TE-K-4.6.2	DOC-TE-K	4.6.2	theorem/src/thm	No representative-status upgrade
TE-K-4.6.3	DOC-TE-K	4.6.3	theorem/src/thm	Isomorphic representatives preserve higher Ext zero predicates
TE-K-4.6.4	DOC-TE-K	4.6.4	proposition/src/thm	Ext transport does not manufacture eligibility
TE-K-4.7.2	DOC-TE-K	4.7.2	theorem/src/thm	One-sided barcode inclusion
TE-K-4.7.3	DOC-TE-K	4.7.3	theorem/src/thm	Exact crop-collapse criterion
TE-K-4.7.4	DOC-TE-K	4.7.4	theorem/src/thm	Universal crop-collapse defect bound
TE-K-4.7.5	DOC-TE-K	4.7.5	proposition/src/thm	Sharpness of the universal crop-collapse bound
TE-K-4.7.7	DOC-TE-K	4.7.7	theorem/src/thm	No exact-collapse restoration
TE-K-4.8.2	DOC-TE-K	4.8.2	theorem/src/thm	Kernel and cokernel transport under exact conjugacy
TE-K-4.8.3	DOC-TE-K	4.8.3	corollary/src/thm	Exact Type IV diagnostic transport
TE-K-4.8.4	DOC-TE-K	4.8.4	proposition/src/thm	Object agreement does not control morphism defects
TE-K-4.8.5	DOC-TE-K	4.8.5	proposition/src/thm	Bounded-window cofinality is not terminal-tail commutation
TE-K-4.8.6	DOC-TE-K	4.8.6	corollary/src/thm	Long-transient defect-zero transport
TE-K-4.9.2	DOC-TE-K	4.9.2	proposition/src/thm	Invertible 2-cell versus strict equality
TE-K-4.9.3	DOC-TE-K	4.9.3	proposition/src/thm	Zero cost does not imply invertibility
TE-K-4.9.5	DOC-TE-K	4.9.5	theorem/src/thm	Controlled pasting
TE-K-4.10.3	DOC-TE-K	4.10.3	proposition/src/thm	Normalization is not harmless rescaling
TE-K-4.10.4	DOC-TE-K	4.10.4	proposition/src/thm	Direction matters
TE-K-4.11.2	DOC-TE-K	4.11.2	theorem/src/thm	Exact apex transport under eventual constancy
TE-K-4.11.3	DOC-TE-K	4.11.3	proposition/src/thm	Finite prefixes do not determine infinite commutation
TE-K-4.12.3	DOC-TE-K	4.12.3	proposition/src/thm	Uncontrolled commutation cannot support certification
TE-K-4.12.4	DOC-TE-K	4.12.4	proposition/src/thm	Failed replacement defeats only the dependent path

ID	Source	Locator	Type / status / use	Title
TE-K-4.13.1	DOC-TE-K	4.13.1	theorem/src/thm	Appendix K AWFS and controlled-commutation package

10.5 Appendix L (48)

ID	Source	Locator	Type / status / use	Title
TE-L-5.2.7	DOC-TE-L	5.2.7	proposition/src/thm	Raw Mirror/Transfer output is not Core-readable
TE-L-5.2.8	DOC-TE-L	5.2.8	proposition/src/thm	Surrogate-only mode blocks target reading
TE-L-5.3.5	DOC-TE-L	5.3.5	proposition/src/thm	Zero cost is not exactness by default
TE-L-5.3.8	DOC-TE-L	5.3.8	theorem/src/thm	Attachment noninterference
TE-L-5.4.2	DOC-TE-L	5.4.2	theorem/src/thm	Mate correspondence
TE-L-5.4.4	DOC-TE-L	5.4.4	proposition/src/thm	An invertible displayed cell need not have invertible mate
TE-L-5.4.5	DOC-TE-L	5.4.5	proposition/src/thm	Adjunction is not equivalence
TE-L-5.4.6	DOC-TE-L	5.4.6	proposition/src/thm	A correspondence is not a push-pull theorem
TE-L-5.5.2	DOC-TE-L	5.5.2	theorem/src/thm	Whiskering amplifies metric defects by the proved modulus
TE-L-5.5.3	DOC-TE-L	5.5.3	proposition/src/thm	Functoriality is not non-expansiveness
TE-L-5.5.6	DOC-TE-L	5.5.6	theorem/src/thm	Metric path accumulation
TE-L-5.5.7	DOC-TE-L	5.5.7	theorem/src/thm	Ledger-safe pasting of Mirror/Transfer 2-cells
TE-L-5.5.8	DOC-TE-L	5.5.8	proposition/src/thm	Taking mates does not preserve ledger cost by default
TE-L-5.5.9	DOC-TE-L	5.5.9	proposition/src/thm	Mixed-codomain aggregation is ill-typed
TE-L-5.6.2	DOC-TE-L	5.6.2	theorem/src/thm	Exact affine transport of windows, thresholds, and bottleneck distance
TE-L-5.6.3	DOC-TE-L	5.6.3	corollary/src/thm	Affine transport of repaired zero and metric reserve
TE-L-5.6.4	DOC-TE-L	5.6.4	proposition/src/thm	Nonlinear reparameterization has no default constant threshold transport
TE-L-5.6.5	DOC-TE-L	5.6.5	proposition/src/thm	Order reversal requires a separate dual persistence regime
TE-L-5.6.6	DOC-TE-L	5.6.6	proposition/src/thm	Endpoint decoration under reversal-dual transport
TE-L-5.6.7	DOC-TE-L	5.6.7	proposition/src/thm	Right-terminal tails become left-initial tails under affine reversal
TE-L-5.7.1	DOC-TE-L	5.7.1	proposition/src/thm	No automatic collapse or evaluation transfer
TE-L-5.7.2	DOC-TE-L	5.7.2	theorem/src/thm	Gap-certified pre-threshold Mirror/Transfer transport
TE-L-5.7.3	DOC-TE-L	5.7.3	theorem/src/thm	Sharp post-threshold zero transport
TE-L-5.7.4	DOC-TE-L	5.7.4	proposition/src/thm	Sharpness of the half-threshold boundary
TE-L-5.7.6	DOC-TE-L	5.7.6	theorem/src/thm	Detector-certified zero transfers only through profile control
TE-L-5.7.7	DOC-TE-L	5.7.7	proposition/src/thm	Budget pass alone does not transport predicates
TE-L-5.8.1	DOC-TE-L	5.8.1	theorem/src/thm	Ext transport under exact equivalence
TE-L-5.8.2	DOC-TE-L	5.8.2	theorem/src/thm	Argument reversal under exact anti-equivalence
TE-L-5.8.3	DOC-TE-L	5.8.3	proposition/src/thm	Exact functors without equivalence do not transport Ext vanishing
TE-L-5.8.4	DOC-TE-L	5.8.4	proposition/src/thm	Duality does not create the AK bridge
TE-L-5.8.5	DOC-TE-L	5.8.5	proposition/src/thm	Coefficient placement under anti-equivalence is load-bearing
TE-L-5.8.7	DOC-TE-L	5.8.7	proposition/src/thm	Representative support is not representative validity
TE-L-5.9.1	DOC-TE-L	5.9.1	theorem/src/thm	Kernel and cokernel transport under exact equivalence
TE-L-5.9.2	DOC-TE-L	5.9.2	theorem/src/thm	Kernel-cokernel swap under exact anti-equivalence
TE-L-5.9.4	DOC-TE-L	5.9.4	theorem/src/thm	Covariant Type IV transport
TE-L-5.9.5	DOC-TE-L	5.9.5	theorem/src/thm	Mirror swap of Type IV diagnostics
TE-L-5.9.6	DOC-TE-L	5.9.6	proposition/src/thm	Order-reversing duality does not preserve right-terminal Type IV by default
TE-L-5.9.7	DOC-TE-L	5.9.7	proposition/src/thm	Object agreement does not control morphism defects
TE-L-5.9.9	DOC-TE-L	5.9.9	theorem/src/thm	Metric-safe long-transient transport
TE-L-5.9.10	DOC-TE-L	5.9.10	proposition/src/thm	Long-transient zero is not full Type IV cleanliness
TE-L-5.10.1	DOC-TE-L	5.10.1	theorem/src/thm	Equivalences preserve existing tower colimits
TE-L-5.10.2	DOC-TE-L	5.10.2	proposition/src/thm	A left adjoint preserves colimits but not Type IV defects by itself
TE-L-5.10.3	DOC-TE-L	5.10.3	proposition/src/thm	Anti-equivalence converts colimits to limits
TE-L-5.10.4	DOC-TE-L	5.10.4	theorem/src/thm	Eventual constancy transport
TE-L-5.10.5	DOC-TE-L	5.10.5	proposition/src/thm	Finite-prefix Mirror agreement is not a Return theorem
TE-L-5.11.3	DOC-TE-L	5.11.3	proposition/src/thm	Stale Mirror/Transfer artifacts are non-consumable
TE-L-5.11.6	DOC-TE-L	5.11.6	theorem/src/thm	No external-domain upgrade
TE-L-5.12.1	DOC-TE-L	5.12.1	theorem/src/thm	Appendix L Mirror/Transfer package

10.6 Appendix M (35)

ID	Source	Locator	Type / status / use	Title
TE-M-6.1.5	DOC-TE-M	6.1.5	proposition/src/thm	Exact mode is not a fabricated zero-budget mode
TE-M-6.2.7	DOC-TE-M	6.2.7	proposition/src/thm	Zero scalar value is not automatically exactness
TE-M-6.2.10	DOC-TE-M	6.2.10	proposition/src/thm	Budget pass is scope-bound
TE-M-6.2.11	DOC-TE-M	6.2.11	proposition/src/thm	Budget pass is not B-Gate pass
TE-M-6.3.3	DOC-TE-M	6.3.3	theorem/src/thm	Finite path soundness
TE-M-6.3.4	DOC-TE-M	6.3.4	corollary/src/thm	Canonical additive path ledger
TE-M-6.3.5	DOC-TE-M	6.3.5	proposition/src/thm	Abstract aggregation without a path theorem is non-verdict
TE-M-6.3.7	DOC-TE-M	6.3.7	proposition/src/thm	Alternative routes are minimized, not accumulated
TE-M-6.4.4	DOC-TE-M	6.4.4	proposition/src/thm	No double counting, omission, or hidden inclusion
TE-M-6.4.6	DOC-TE-M	6.4.6	proposition/src/thm	No favorable-error cancellation
TE-M-6.4.8	DOC-TE-M	6.4.8	proposition/src/thm	A delta symbol is not a metric component
TE-M-6.5.3	DOC-TE-M	6.5.3	proposition/src/thm	Max aggregation is unsafe for generic sequential paths
TE-M-6.5.5	DOC-TE-M	6.5.5	proposition/src/thm	Coordinatewise product pass is not the scalar Core budget
TE-M-6.5.9	DOC-TE-M	6.5.9	proposition/src/thm	Weights are not free discounts
TE-M-6.5.10	DOC-TE-M	6.5.10	proposition/src/thm	Weights and priorities are predeclared
TE-M-6.6.3	DOC-TE-M	6.6.3	proposition/src/thm	Discrepancy conversion does not transport the gap automatically
TE-M-6.6.4	DOC-TE-M	6.6.4	proposition/src/thm	Lax monoidality alone does not preserve the metric bound
TE-M-6.6.6	DOC-TE-M	6.6.6	proposition/src/thm	A smaller refined number is not automatically safer
TE-M-6.6.9	DOC-TE-M	6.6.9	proposition/src/thm	No post-hoc pass engineering
TE-M-6.7.2	DOC-TE-M	6.7.2	theorem/src/thm	Summable Cauchy route bound
TE-M-6.7.3	DOC-TE-M	6.7.3	proposition/src/thm	Finite-prefix pass is not infinite closure
TE-M-6.7.5	DOC-TE-M	6.7.5	theorem/src/thm	Finite restart-chain soundness
TE-M-6.7.6	DOC-TE-M	6.7.6	proposition/src/thm	Windowwise pass is not global pass
TE-M-6.8.2	DOC-TE-M	6.8.2	theorem/src/thm	Ledgered post-threshold zero transfer
TE-M-6.8.3	DOC-TE-M	6.8.3	proposition/src/thm	Sharpness of the half-threshold boundary
TE-M-6.8.5	DOC-TE-M	6.8.5	proposition/src/thm	Budget pass alone does not transport predicates
TE-M-6.8.6	DOC-TE-M	6.8.6	corollary/src/thm	Long-transient zero transport
TE-M-6.9.2	DOC-TE-M	6.9.2	proposition/src/thm	Metric slack cannot repair missing objects
TE-M-6.9.3	DOC-TE-M	6.9.3	proposition/src/thm	Object distance does not control morphism defects
TE-M-6.9.5	DOC-TE-M	6.9.5	proposition/src/thm	Type IV ledger does not replace Type IV
TE-M-6.9.6	DOC-TE-M	6.9.6	proposition/src/thm	Measurement and advisory values remain outside until converted
TE-M-6.10.3	DOC-TE-M	6.10.3	proposition/src/thm	Manifest reconstruction is mandatory
TE-M-6.10.4	DOC-TE-M	6.10.4	proposition/src/thm	Stale ledger records are non-consumable
TE-M-6.10.5	DOC-TE-M	6.10.5	proposition/src/thm	Qualitative failure is not metric slack

ID	Source	Locator	Type / status / use	Title
TE-M-6.11.1	DOC-TE-M	6.11.1	theorem/src/thm	Appendix M quantale-ledger package

10.7 Appendix N (44)

ID	Source	Locator	Type / status / use	Title
TE-N-7.2.4	DOC-TE-N	7.2.4	theorem/src/thm	Enhancement noninterference
TE-N-7.2.5	DOC-TE-N	7.2.5	proposition/src/thm	Declaration-only re-entry is invalid
TE-N-7.2.6	DOC-TE-N	7.2.6	proposition/src/thm	Object extraction and morphism extraction are independent
TE-N-7.3.2	DOC-TE-N	7.3.2	theorem/src/thm	Field-coefficient synchronization
TE-N-7.3.3	DOC-TE-N	7.3.3	theorem/src/thm	Hyper-Ext spectral sequence with module coefficients
TE-N-7.3.4	DOC-TE-N	7.3.4	proposition/src/thm	Failure of the field edge in every positive degree over a general ring
TE-N-7.3.5	DOC-TE-N	7.3.5	theorem/src/thm	Ext-acyclic zero-reflecting coefficient criterion
TE-N-7.3.7	DOC-TE-N	7.3.7	proposition/src/thm	No synthetic bridge promotion
TE-N-7.4.3	DOC-TE-N	7.4.3	theorem/src/thm	Cofiber-to-heart kernel/cokernel calculation
TE-N-7.4.4	DOC-TE-N	7.4.4	proposition/src/thm	Stable fiber/cofiber is not automatically Type IV data
TE-N-7.4.5	DOC-TE-N	7.4.5	theorem/src/thm	◆◆-exact equivalence transport
TE-N-7.4.6	DOC-TE-N	7.4.6	proposition/src/thm	Derived equivalence is not heart transport by default
TE-N-7.4.7	DOC-TE-N	7.4.7	proposition/src/thm	Quasi-equivalence is not strict implementation identity
TE-N-7.4.8	DOC-TE-N	7.4.8	proposition/src/thm	Higher products are not invisible by default
TE-N-7.5.3	DOC-TE-N	7.5.3	theorem/src/thm	Conditional Core readability of sheaf extraction
TE-N-7.5.4	DOC-TE-N	7.5.4	proposition/src/thm	Derived sections are not exact by notation
TE-N-7.5.5	DOC-TE-N	7.5.5	proposition/src/thm	Sheaf equivalence does not fix extraction conventions
TE-N-7.6.3	DOC-TE-N	7.6.3	proposition/src/thm	A fixed slice is not conservative
TE-N-7.6.4	DOC-TE-N	7.6.4	proposition/src/thm	Finite slice observation is not complete without coverage
TE-N-7.6.6	DOC-TE-N	7.6.6	proposition/src/thm	No barcode import by dimension reduction
TE-N-7.7.3	DOC-TE-N	7.7.3	proposition/src/thm	Pairwise agreement does not imply descent
TE-N-7.7.4	DOC-TE-N	7.7.4	proposition/src/thm	Object descent and certificate descent are distinct
TE-N-7.7.6	DOC-TE-N	7.7.6	theorem/src/thm	Conditional certificate descent
TE-N-7.7.7	DOC-TE-N	7.7.7	proposition/src/thm	Local pass does not imply global pass
TE-N-7.8.2	DOC-TE-N	7.8.2	proposition/src/thm	Hyperdescent is not finite proof compression
TE-N-7.8.3	DOC-TE-N	7.8.3	proposition/src/thm	Truncation level is load-bearing
TE-N-7.8.5	DOC-TE-N	7.8.5	proposition/src/thm	Finite coherence display is not automatically complete
TE-N-7.9.4	DOC-TE-N	7.9.4	proposition/src/thm	Invertible cell is not strict equality
TE-N-7.9.5	DOC-TE-N	7.9.5	proposition/src/thm	Zero cost requires zero reflection
TE-N-7.9.6	DOC-TE-N	7.9.6	theorem/src/thm	Controlled higher-cell pasting
TE-N-7.9.7	DOC-TE-N	7.9.7	proposition/src/thm	Object equivalence does not determine morphism defects
TE-N-7.10.2	DOC-TE-N	7.10.2	proposition/src/thm	Higher functoriality does not strengthen admissibility
TE-N-7.10.4	DOC-TE-N	7.10.4	proposition/src/thm	Higher Type IV proxy is not diagnosis
TE-N-7.10.6	DOC-TE-N	7.10.6	proposition/src/thm	Terminal and transient conclusions remain separate
TE-N-7.11.1	DOC-TE-N	7.11.1	theorem/src/thm	Adjoint preservation boundary
TE-N-7.11.2	DOC-TE-N	7.11.2	theorem/src/thm	Equivalence preservation
TE-N-7.11.4	DOC-TE-N	7.11.4	proposition/src/thm	Finite prefix and categorical convergence are not Return
TE-N-7.11.5	DOC-TE-N	7.11.5	proposition/src/thm	Derived-limit obstructions must be recorded
TE-N-7.12.3	DOC-TE-N	7.12.3	proposition/src/thm	Higher-extension budget is path-bound
TE-N-7.12.6	DOC-TE-N	7.12.6	proposition/src/thm	Stale enhancement artifacts are non-consumable
TE-N-7.13.2	DOC-TE-N	7.13.2	theorem/src/thm	Enhanced Return non-composition boundary
TE-N-7.13.3	DOC-TE-N	7.13.3	proposition/src/thm	Problem-specific higher implications are not internal theorems
TE-N-7.14.1	DOC-TE-N	7.14.1	theorem/src/thm	Part III conservative closure
TE-N-7.14.2	DOC-TE-N	7.14.2	theorem/src/thm	Appendix N higher-extension package

10.8 Appendix MS-A (44)

ID	Source	Locator	Type / status / use	Title
PI-MS-A-1.6	DOC-PI-MS-A	1.6	proposition/src/thm	No arithmetic sovereignty override
PI-MS-A-1.13	DOC-PI-MS-A	1.13	proposition/src/thm	Object assignment is not functorial realization
PI-MS-A-1.15	DOC-PI-MS-A	1.15	proposition/src/thm	Coefficient reduction is not lossless by default
PI-MS-A-1.21	DOC-PI-MS-A	1.21	proposition/src/thm	No arithmetic interface without declared realization
PI-MS-A-1.25	DOC-PI-MS-A	1.25	proposition/src/thm	Declared purpose is not purpose-faithfulness
PI-MS-A-1.26	DOC-PI-MS-A	1.26	proposition/src/thm	Unproved purpose-faithfulness blocks transport
PI-MS-A-1.36	DOC-PI-MS-A	1.36	proposition/src/thm	No multiparameter shortcut
PI-MS-A-1.39	DOC-PI-MS-A	1.39	proposition/src/thm	Right-unbounded detector boundary
PI-MS-A-1.42	DOC-PI-MS-A	1.42	proposition/src/thm	Arithmetic pre-gates do not replace Core gates
PI-MS-A-1.46	DOC-PI-MS-A	1.46	proposition/src/thm	Finite arithmetic observation is not finite proof
PI-MS-A-1.47	DOC-PI-MS-A	1.47	proposition/src/thm	Soundness and completeness do not collapse
PI-MS-A-1.48	DOC-PI-MS-A	1.48	proposition/src/thm	Arithmetic detector value is not an external conclusion
PI-MS-A-1.51	DOC-PI-MS-A	1.51	proposition/src/thm	Higher one-way arithmetic discharge
PI-MS-A-1.52	DOC-PI-MS-A	1.52	proposition/src/thm	No higher Ext discharge without eligibility
PI-MS-A-1.54	DOC-PI-MS-A	1.54	proposition/src/thm	No converse from eligibility alone
PI-MS-A-1.60	DOC-PI-MS-A	1.60	proposition/src/thm	Arithmetic transport does not enlarge the Core
PI-MS-A-1.65	DOC-PI-MS-A	1.65	proposition/src/thm	Arithmetic equality is not Core exactness
PI-MS-A-1.66	DOC-PI-MS-A	1.66	proposition/src/thm	Arithmetic closeness is not metric-gap certification
PI-MS-A-1.67	DOC-PI-MS-A	1.67	proposition/src/thm	Object distance does not control defect profiles automatically
PI-MS-A-1.74	DOC-PI-MS-A	1.74	proposition/src/thm	Non-scalar obligations are non-compensating
PI-MS-A-1.75	DOC-PI-MS-A	1.75	proposition/src/thm	Arithmetic metric budget is path-bound
PI-MS-A-1.79	DOC-PI-MS-A	1.79	proposition/src/thm	Finite evidence is not an infinite arithmetic theorem
PI-MS-A-1.81	DOC-PI-MS-A	1.81	proposition/src/thm	Finite prefix and plateau are not reduction
PI-MS-A-1.82	DOC-PI-MS-A	1.82	proposition/src/thm	Unledged or untyped approximation is non-verdict
PI-MS-A-1.88	DOC-PI-MS-A	1.88	proposition/src/thm	Arithmetic Type IV proxy is not Type IV
PI-MS-A-1.89	DOC-PI-MS-A	1.89	proposition/src/thm	Terminal zero is not full comparison isomorphism
PI-MS-A-1.92	DOC-PI-MS-A	1.92	proposition/src/thm	Namespace collision is invalid
PI-MS-A-1.93	DOC-PI-MS-A	1.93	proposition/src/thm	Arithmetic invariants are not Core obstructions by default
PI-MS-A-1.97	DOC-PI-MS-A	1.97	proposition/src/thm	Terminal and transient zero do not collapse
PI-MS-A-1.98	DOC-PI-MS-A	1.98	proposition/src/thm	Arithmetic transient proxy is non-verdict
PI-MS-A-1.102	DOC-PI-MS-A	1.102	proposition/src/thm	Placeholders do not prove transport
PI-MS-A-1.106	DOC-PI-MS-A	1.106	proposition/src/thm	Canonical manifest is necessary but not sufficient
PI-MS-A-1.107	DOC-PI-MS-A	1.107	proposition/src/thm	Claim-use preflight is mandatory
PI-MS-A-1.112	DOC-PI-MS-A	1.112	proposition/src/thm	Core pass is not arithmetic conclusion
PI-MS-A-1.116	DOC-PI-MS-A	1.116	proposition/src/thm	No promotion by certification alone
PI-MS-A-1.117	DOC-PI-MS-A	1.117	proposition/src/thm	Missing arrow blocks external conclusion
PI-MS-A-1.118	DOC-PI-MS-A	1.118	proposition/src/thm	Transport hypotheses are non-scalar
PI-MS-A-1.123	DOC-PI-MS-A	1.123	proposition/src/thm	Encoding the answer is not recovery
PI-MS-A-1.129	DOC-PI-MS-A	1.129	proposition/src/thm	Recovery tracks do not compensate
PI-MS-A-1.130	DOC-PI-MS-A	1.130	proposition/src/thm	One recovery may satisfy an existential release gate
PI-MS-A-1.131	DOC-PI-MS-A	1.131	proposition/src/thm	Dual recovery is calibration, not theorem promotion

ID	Source	Locator	Type / status / use	Title
PI-MS-A-1.132	DOC-PI-MS-A	1.132	theorem/src/thm	Exact track composition
PI-MS-A-1.133	DOC-PI-MS-A	1.133	theorem/src/thm	Conditional portfolio composition
PI-MS-A-1.134	DOC-PI-MS-A	1.134	theorem/src/thm	Appendix MS-A v20 arithmetic interface package

10.9 Appendix MS-B (59)

ID	Source	Locator	Type / status / use	Title
PI-MS-B-2.7	DOC-PI-MS-B	2.7	proposition/src/thm	Named arithmetic structure does not strengthen Core status
PI-MS-B-2.13	DOC-PI-MS-B	2.13	proposition/src/thm	Field inclusions do not fix module variance
PI-MS-B-2.14	DOC-PI-MS-B	2.14	proposition/src/thm	Inverse systems require a conversion theorem
PI-MS-B-2.18	DOC-PI-MS-B	2.18	proposition/src/thm	Coefficient reduction is not information preservation
PI-MS-B-2.19	DOC-PI-MS-B	2.19	proposition/src/thm	Completion identity is non-scalar
PI-MS-B-2.25	DOC-PI-MS-B	2.25	proposition/src/thm	Tower index is not automatically a persistence parameter
PI-MS-B-2.26	DOC-PI-MS-B	2.26	proposition/src/thm	Cyclotomic data require realization before diagnostics
PI-MS-B-2.31	DOC-PI-MS-B	2.31	proposition/src/thm	Apex identity is non-scalar
PI-MS-B-2.32	DOC-PI-MS-B	2.32	proposition/src/thm	Formal apex is scope-bound
PI-MS-B-2.41	DOC-PI-MS-B	2.41	proposition/src/thm	Iwasawa module structure is not persistence structure
PI-MS-B-2.43	DOC-PI-MS-B	2.43	proposition/src/thm	Structure theorem is hypothesis-bound
PI-MS-B-2.44	DOC-PI-MS-B	2.44	proposition/src/thm	Characteristic ideal is not a Core defect profile
PI-MS-B-2.52	DOC-PI-MS-B	2.52	theorem/src/thm	Iwasawa $\diamond\diamond$ is not Collapse $\diamond\diamond$ by default
PI-MS-B-2.55	DOC-PI-MS-B	2.55	proposition/src/thm	Finite-layer growth is not Type IV diagnosis
PI-MS-B-2.58	DOC-PI-MS-B	2.58	theorem/src/thm	Natural lossless realization of finite $\diamond\diamond$ -primary size
PI-MS-B-2.59	DOC-PI-MS-B	2.59	proposition/src/thm	First graded rank is not size-faithful
PI-MS-B-2.62	DOC-PI-MS-B	2.62	proposition/src/thm	Purpose-faithful but not globally fully faithful
PI-MS-B-2.69	DOC-PI-MS-B	2.69	proposition/src/thm	Terminal status is not inferred from finite prefix
PI-MS-B-2.71	DOC-PI-MS-B	2.71	proposition/src/thm	Pseudo-isomorphism is not isomorphism
PI-MS-B-2.73	DOC-PI-MS-B	2.73	proposition/src/thm	Terminal Type IV zero is not transient zero
PI-MS-B-2.74	DOC-PI-MS-B	2.74	proposition/src/thm	Characteristic-ideal equality may miss transient defects
PI-MS-B-2.82	DOC-PI-MS-B	2.82	proposition/src/thm	Source congruence is not persistence equality
PI-MS-B-2.83	DOC-PI-MS-B	2.83	proposition/src/thm	Congruence defect is not Type IV defect
PI-MS-B-2.87	DOC-PI-MS-B	2.87	proposition/src/thm	Congruence failure is not Type IV diagnosis
PI-MS-B-2.89	DOC-PI-MS-B	2.89	proposition/src/thm	Finite congruence sampling is not proof compression
PI-MS-B-2.96	DOC-PI-MS-B	2.96	proposition/src/thm	Arithmetic control does not imply Core tower cleanliness by default
PI-MS-B-2.97	DOC-PI-MS-B	2.97	proposition/src/thm	Finite control defect is not zero defect
PI-MS-B-2.100	DOC-PI-MS-B	2.100	theorem/src/thm	Bounded-control transfer by the Snake Lemma
PI-MS-B-2.101	DOC-PI-MS-B	2.101	theorem/src/thm	Exact AK realization and Return for bounded control
PI-MS-B-2.110	DOC-PI-MS-B	2.110	proposition/src/thm	Finite-layer truncation does not define the apex by default
PI-MS-B-2.111	DOC-PI-MS-B	2.111	proposition/src/thm	Observed stabilization is not eventual stabilization
PI-MS-B-2.112	DOC-PI-MS-B	2.112	proposition/src/thm	Terminal diagnostics require terminal evidence
PI-MS-B-2.113	DOC-PI-MS-B	2.113	proposition/src/thm	Inverse limits expose derived-limit obligations
PI-MS-B-2.121	DOC-PI-MS-B	2.121	proposition/src/thm	$\diamond\diamond$ -adic $\diamond\diamond$ -profile compatibility is [Spec] by default
PI-MS-B-2.122	DOC-PI-MS-B	2.122	proposition/src/thm	Finite-precision $\diamond\diamond$ -adic evidence is not analytic identity
PI-MS-B-2.123	DOC-PI-MS-B	2.123	proposition/src/thm	Zero detection is not Type IV vanishing
PI-MS-B-2.127	DOC-PI-MS-B	2.127	proposition/src/thm	Two source theorems do not compose through AK automatically
PI-MS-B-2.133	DOC-PI-MS-B	2.133	proposition/src/thm	MS-B records must satisfy Appendix MS-A
PI-MS-B-2.134	DOC-PI-MS-B	2.134	proposition/src/thm	Undefined is not reject or not invoked
PI-MS-B-2.140	DOC-PI-MS-B	2.140	proposition/src/thm	Mixed interfaces require compatible realization targets
PI-MS-B-2.141	DOC-PI-MS-B	2.141	proposition/src/thm	Mixed components do not compensate
PI-MS-B-2.142	DOC-PI-MS-B	2.142	proposition/src/thm	Cross-component agreement requires a comparison record
PI-MS-B-2.148	DOC-PI-MS-B	2.148	proposition/src/thm	Arithmetic advisory stability is not Core stability
PI-MS-B-2.149	DOC-PI-MS-B	2.149	proposition/src/thm	Sampled stability is not certified stable band
PI-MS-B-2.150	DOC-PI-MS-B	2.150	proposition/src/thm	Stable band requires threshold-gap discipline when metric comparisons are used
PI-MS-B-2.154	DOC-PI-MS-B	2.154	proposition/src/thm	Non-scalar obligations do not admit compensation
PI-MS-B-2.155	DOC-PI-MS-B	2.155	proposition/src/thm	Countable tower aggregation requires extra structure
PI-MS-B-2.158	DOC-PI-MS-B	2.158	proposition/src/thm	Core pass is not an arithmetic theorem
PI-MS-B-2.159	DOC-PI-MS-B	2.159	proposition/src/thm	Reduction and Return are independent
PI-MS-B-2.164	DOC-PI-MS-B	2.164	proposition/src/thm	The two recoveries are logically independent
PI-MS-B-2.165	DOC-PI-MS-B	2.165	proposition/src/thm	Existential release gate versus dual portfolio
PI-MS-B-2.173	DOC-PI-MS-B	2.173	theorem/src/thm	Precursor structure implies bounded-window Core vanishing
PI-MS-B-2.174	DOC-PI-MS-B	2.174	theorem/src/thm	Finite-window-to-tail reduction
PI-MS-B-2.175	DOC-PI-MS-B	2.175	theorem/src/thm	Exact Growth Return Theorem
PI-MS-B-2.177	DOC-PI-MS-B	2.177	theorem/src/thm	Exact recovery of the Iwasawa growth benchmark
PI-MS-B-2.178	DOC-PI-MS-B	2.178	corollary/src/thm	Conditional class-number specialization
PI-MS-B-2.187	DOC-PI-MS-B	2.187	theorem/src/thm	Conditional exact recovery of a Mazur-type control benchmark
PI-MS-B-2.191	DOC-PI-MS-B	2.191	proposition/src/thm	Dual capabilities remain benchmark-local
PI-MS-B-2.193	DOC-PI-MS-B	2.193	theorem/src/thm	Appendix MS-B v20 interface and recovery package

10.10 Appendix MS-C (53)

ID	Source	Locator	Type / status / use	Title
PI-MS-C-3.6	DOC-PI-MS-C	3.6	proposition/src/thm	No reflection sovereignty override
PI-MS-C-3.12	DOC-PI-MS-C	3.12	proposition/src/thm	No terminology-to-theorem upgrade
PI-MS-C-3.20	DOC-PI-MS-C	3.20	proposition/src/thm	Mirror terminology does not imply involution
PI-MS-C-3.21	DOC-PI-MS-C	3.21	proposition/src/thm	Mirror-side identity is external until realized
PI-MS-C-3.27	DOC-PI-MS-C	3.27	proposition/src/thm	Adjunction is not equivalence or Type IV transport
PI-MS-C-3.28	DOC-PI-MS-C	3.28	proposition/src/thm	Anti-equivalence reverses the tower protocol
PI-MS-C-3.35	DOC-PI-MS-C	3.35	proposition/src/thm	Categorical equivalence is not profile equality
PI-MS-C-3.36	DOC-PI-MS-C	3.36	proposition/src/thm	Unproved realization-faithfulness blocks transport
PI-MS-C-3.40	DOC-PI-MS-C	3.40	proposition/src/thm	Purpose declaration is not purpose-faithfulness
PI-MS-C-3.44	DOC-PI-MS-C	3.44	proposition/src/thm	No Core use without Core-testable target
PI-MS-C-3.48	DOC-PI-MS-C	3.48	proposition/src/thm	Extension-readable does not imply Core-readable
PI-MS-C-3.49	DOC-PI-MS-C	3.49	proposition/src/thm	One-parameter reduction is not lossless by default
PI-MS-C-3.51	DOC-PI-MS-C	3.51	proposition/src/thm	Right-unbounded reflection detector boundary
PI-MS-C-3.56	DOC-PI-MS-C	3.56	proposition/src/thm	Only admissibly projected Mirror comparisons may support certification
PI-MS-C-3.60	DOC-PI-MS-C	3.60	proposition/src/thm	Strict source comparison is not Core exact mode
PI-MS-C-3.62	DOC-PI-MS-C	3.62	proposition/src/thm	Zero cost is not exactness without zero reflection
PI-MS-C-3.65	DOC-PI-MS-C	3.65	proposition/src/thm	Taking mates does not preserve metric cost by default
PI-MS-C-3.66	DOC-PI-MS-C	3.66	proposition/src/thm	Correspondence is not push-pull theorem
PI-MS-C-3.72	DOC-PI-MS-C	3.72	theorem/src/thm	Controlled pasting boundary
PI-MS-C-3.73	DOC-PI-MS-C	3.73	theorem/src/thm	Exact affine transport of repaired reflection profiles
PI-MS-C-3.74	DOC-PI-MS-C	3.74	proposition/src/thm	Nonlinear reparameterization has no default constant threshold
PI-MS-C-3.75	DOC-PI-MS-C	3.75	proposition/src/thm	Order reversal requires a dual persistence regime

ID	Source	Locator	Type / status / use	Title
PI-MS-C-3.79	DOC-PI-MS-C	3.79	proposition/src/thm	Evaluation reflection is not automatic
PI-MS-C-3.80	DOC-PI-MS-C	3.80	proposition/src/thm	Evaluation reflection defect uses its typed route
PI-MS-C-3.83	DOC-PI-MS-C	3.83	proposition/src/thm	Source-level closeness is not profile-level closeness
PI-MS-C-3.84	DOC-PI-MS-C	3.84	proposition/src/thm	Exact reflection comparison is not robustness
PI-MS-C-3.86	DOC-PI-MS-C	3.86	theorem/src/thm	Exact realized reflection transport
PI-MS-C-3.87	DOC-PI-MS-C	3.87	theorem/src/thm	Controlled repaired-zero reflection
PI-MS-C-3.91	DOC-PI-MS-C	3.91	proposition/src/thm	Collapse reflection is not automatic
PI-MS-C-3.92	DOC-PI-MS-C	3.92	proposition/src/thm	Collapse reflection defect uses its typed route
PI-MS-C-3.95	DOC-PI-MS-C	3.95	proposition/src/thm	Mirror/categorical comparison does not replace eligibility
PI-MS-C-3.97	DOC-PI-MS-C	3.97	proposition/src/thm	No higher converse from equivalence alone
PI-MS-C-3.102	DOC-PI-MS-C	3.102	proposition/src/thm	Mirror/categorical Type IV proxy is not Type IV diagnosis
PI-MS-C-3.105	DOC-PI-MS-C	3.105	proposition/src/thm	Terminal zero is not transient or full zero
PI-MS-C-3.107	DOC-PI-MS-C	3.107	proposition/src/thm	Changing reflection artifacts changes the diagnostic claim
PI-MS-C-3.109	DOC-PI-MS-C	3.109	theorem/src/thm	Exact equivalence transport of Type IV
PI-MS-C-3.110	DOC-PI-MS-C	3.110	proposition/src/thm	Object equivalence does not transport morphism defects
PI-MS-C-3.111	DOC-PI-MS-C	3.111	proposition/src/thm	Anti-equivalence requires dual Type IV Return
PI-MS-C-3.113	DOC-PI-MS-C	3.113	proposition/src/thm	Finite categorical observation is not finite proof
PI-MS-C-3.117	DOC-PI-MS-C	3.117	proposition/src/thm	Finite prefix or categorical convergence is not Return
PI-MS-C-3.122	DOC-PI-MS-C	3.122	proposition/src/thm	Mirror/categorical transport does not enlarge the Core
PI-MS-C-3.128	DOC-PI-MS-C	3.128	proposition/src/thm	No external theorem by successful reflection certification
PI-MS-C-3.129	DOC-PI-MS-C	3.129	proposition/src/thm	Transport hypotheses are non-scalar
PI-MS-C-3.130	DOC-PI-MS-C	3.130	proposition/src/thm	Missing arrow blocks reflection conclusion
PI-MS-C-3.134	DOC-PI-MS-C	3.134	proposition/src/thm	MS-C records must satisfy Minimal Manifest
PI-MS-C-3.136	DOC-PI-MS-C	3.136	proposition/src/thm	Stale reflection artifacts are non-consumable
PI-MS-C-3.140	DOC-PI-MS-C	3.140	proposition/src/thm	Core pass is not Mirror/categorical conclusion
PI-MS-C-3.144	DOC-PI-MS-C	3.144	proposition/src/thm	Fukaya-ready is not Fukaya-proved
PI-MS-C-3.148	DOC-PI-MS-C	3.148	proposition/src/thm	Reflection evidence must pass the adjusted scalarized budget
PI-MS-C-3.152	DOC-PI-MS-C	3.152	proposition/src/thm	No double counting of reflection defects
PI-MS-C-3.153	DOC-PI-MS-C	3.153	proposition/src/thm	Reflection defects do not compensate for missing artifacts
PI-MS-C-3.155	DOC-PI-MS-C	3.155	proposition/src/thm	Alternative reflection paths are not accumulated
PI-MS-C-3.156	DOC-PI-MS-C	3.156	theorem/src/thm	Appendix MS-C interface package

10.11 Appendix MS-F (40)

ID	Source	Locator	Type / status / use	Title
PI-MS-F-4.19	DOC-PI-MS-F	4.19	proposition/src/thm	Source-status transitions are not automatic
PI-MS-F-4.22	DOC-PI-MS-F	4.22	proposition/src/thm	Curved source data do not automatically define a chain complex
PI-MS-F-4.23	DOC-PI-MS-F	4.23	proposition/src/thm	Novikov coefficients are not field-valued Core coefficients by default
PI-MS-F-4.28	DOC-PI-MS-F	4.28	proposition/src/thm	No Core use without Core-readable Fukaya realization
PI-MS-F-4.32	DOC-PI-MS-F	4.32	proposition/src/thm	Action or energy is not a Core parameter by name
PI-MS-F-4.34	DOC-PI-MS-F	4.34	theorem/src/thm	Positive affine filtration transport
PI-MS-F-4.35	DOC-PI-MS-F	4.35	proposition/src/thm	Nonlinear or reversing reparameterization needs a new theorem
PI-MS-F-4.42	DOC-PI-MS-F	4.42	proposition/src/thm	Fukaya extraction defects must be ledgered
PI-MS-F-4.47	DOC-PI-MS-F	4.47	proposition/src/thm	Continuation map is not tower comparison artifact
PI-MS-F-4.48	DOC-PI-MS-F	4.48	proposition/src/thm	Model equivalence is not persistence-profile equality
PI-MS-F-4.49	DOC-PI-MS-F	4.49	theorem/src/thm	Filtered continuation interleaving criterion
PI-MS-F-4.50	DOC-PI-MS-F	4.50	proposition/src/thm	One continuation map is not an interleaving
PI-MS-F-4.53	DOC-PI-MS-F	4.53	proposition/src/thm	Finite Floer computation is not finite proof
PI-MS-F-4.54	DOC-PI-MS-F	4.54	proposition/src/thm	Detector stage is not transported by analogy
PI-MS-F-4.57	DOC-PI-MS-F	4.57	proposition/src/thm	Fukaya-side obstruction is not Core obstruction by default
PI-MS-F-4.60	DOC-PI-MS-F	4.60	proposition/src/thm	Unobstructedness is not Core vanishing
PI-MS-F-4.61	DOC-PI-MS-F	4.61	proposition/src/thm	Core obstruction is not Fukaya obstruction
PI-MS-F-4.67	DOC-PI-MS-F	4.67	proposition/src/thm	Floer degree is not the Core Ext $\diamond$ -edge
PI-MS-F-4.68	DOC-PI-MS-F	4.68	proposition/src/thm	Unproved amplitude blocks Fukaya Ext $\diamond$ -use
PI-MS-F-4.69	DOC-PI-MS-F	4.69	theorem/src/thm	One-way higher Fukaya discharge
PI-MS-F-4.74	DOC-PI-MS-F	4.74	proposition/src/thm	Fukaya/Mirror evidence must pass adjusted budget
PI-MS-F-4.78	DOC-PI-MS-F	4.78	proposition/src/thm	Source equivalence is not Core exactness
PI-MS-F-4.79	DOC-PI-MS-F	4.79	proposition/src/thm	Controlled comparison is not metric certification by name
PI-MS-F-4.81	DOC-PI-MS-F	4.81	proposition/src/thm	Anti-equivalence requires dual tower protocol
PI-MS-F-4.88	DOC-PI-MS-F	4.88	proposition/src/thm	Fukaya Type IV proxy is not Type IV diagnosis
PI-MS-F-4.93	DOC-PI-MS-F	4.93	proposition/src/thm	Changing Fukaya Type IV artifacts creates a new claim
PI-MS-F-4.94	DOC-PI-MS-F	4.94	proposition/src/thm	Terminal zero is not transient or full zero
PI-MS-F-4.99	DOC-PI-MS-F	4.99	proposition/src/thm	Sampled Fukaya stability is not a certified Core band
PI-MS-F-4.101	DOC-PI-MS-F	4.101	proposition/src/thm	Wrapped category is not automatically the AK apex
PI-MS-F-4.102	DOC-PI-MS-F	4.102	proposition/src/thm	Cofinal finite computation is not automatic reduction
PI-MS-F-4.104	DOC-PI-MS-F	4.104	proposition/src/thm	Pairwise sectorial agreement is not global certificate descent
PI-MS-F-4.115	DOC-PI-MS-F	4.115	proposition/src/thm	Fukaya transport does not enlarge the Core
PI-MS-F-4.116	DOC-PI-MS-F	4.116	proposition/src/thm	Missing arrow blocks external conclusion
PI-MS-F-4.119	DOC-PI-MS-F	4.119	proposition/src/thm	No HMS promotion by Core pass
PI-MS-F-4.120	DOC-PI-MS-F	4.120	proposition/src/thm	Fukaya transport hypotheses are non-scalar
PI-MS-F-4.123	DOC-PI-MS-F	4.123	proposition/src/thm	Non-invocation is not a missing bridge obligation
PI-MS-F-4.128	DOC-PI-MS-F	4.128	proposition/src/thm	Core pass is not Fukaya theorem
PI-MS-F-4.131	DOC-PI-MS-F	4.131	proposition/src/thm	MS-F closes but does not upgrade the MS layer
PI-MS-F-4.135	DOC-PI-MS-F	4.135	proposition/src/thm	Fukaya non-scalar obligations do not compensate
PI-MS-F-4.137	DOC-PI-MS-F	4.137	theorem/src/thm	Appendix MS-F v20 interface package

10.12 Appendix AGI-N (49)

ID	Source	Locator	Type / status / use	Title
PI-AGI-N-5.6	DOC-PI-AGI-N	5.6	proposition/src/thm	No normalization sovereignty override
PI-AGI-N-5.18	DOC-PI-AGI-N	5.18	proposition/src/thm	Normalization, resolution, and replacement are not interchangeable
PI-AGI-N-5.20	DOC-PI-AGI-N	5.20	proposition/src/thm	Exceptional information is not silently erased
PI-AGI-N-5.23	DOC-PI-AGI-N	5.23	proposition/src/thm	Functoriality is scope-relative
PI-AGI-N-5.24	DOC-PI-AGI-N	5.24	proposition/src/thm	Choice independence requires comparison artifacts
PI-AGI-N-5.27	DOC-PI-AGI-N	5.27	proposition/src/thm	Normalization status transitions are not automatic
PI-AGI-N-5.28	DOC-PI-AGI-N	5.28	proposition/src/thm	Defined normalization is not controlled normalization
PI-AGI-N-5.32	DOC-PI-AGI-N	5.32	proposition/src/thm	Normalization pre-gate does not replace Core gate
PI-AGI-N-5.33	DOC-PI-AGI-N	5.33	proposition/src/thm	Missing pre-gate evidence is undefined
PI-AGI-N-5.38	DOC-PI-AGI-N	5.38	proposition/src/thm	No Core use without Core-readable normalized object
PI-AGI-N-5.42	DOC-PI-AGI-N	5.42	proposition/src/thm	Scale or coordinate choice is not a Core parameter by name
PI-AGI-N-5.43	DOC-PI-AGI-N	5.43	proposition/src/thm	Smoothing or resolution does not imply constructibility
PI-AGI-N-5.46	DOC-PI-AGI-N	5.46	theorem/src/thm	Positive affine normalization transport
PI-AGI-N-5.47	DOC-PI-AGI-N	5.47	proposition/src/thm	Nonlinear reparameterization has no automatic scalar threshold rule
PI-AGI-N-5.48	DOC-PI-AGI-N	5.48	proposition/src/thm	Window and threshold reconciliation is non-scalar when missing

ID	Source	Locator	Type / status / use	Title
PI-AGI-N-5.50	DOC-PI-AGI-N	5.50	proposition/src/thm	Finite normalized observation is not finite proof
PI-AGI-N-5.51	DOC-PI-AGI-N	5.51	proposition/src/thm	Normalization does not change detector stage silently
PI-AGI-N-5.52	DOC-PI-AGI-N	5.52	proposition/src/thm	Right-unbounded normalized scopes retain the finite-detector no-go boundary
PI-AGI-N-5.65	DOC-PI-AGI-N	5.65	proposition/src/thm	Normalization defects affect Core only through typed records
PI-AGI-N-5.71	DOC-PI-AGI-N	5.71	proposition/src/thm	No double counting of normalization defects
PI-AGI-N-5.72	DOC-PI-AGI-N	5.72	proposition/src/thm	Undeclared defect relation blocks consumption
PI-AGI-N-5.73	DOC-PI-AGI-N	5.73	proposition/src/thm	Alternative normalization routes are not automatically aggregated
PI-AGI-N-5.77	DOC-PI-AGI-N	5.77	proposition/src/thm	Normalized evidence must pass adjusted budget
PI-AGI-N-5.82	DOC-PI-AGI-N	5.82	proposition/src/thm	Source exactness is not normalized Core exactness
PI-AGI-N-5.84	DOC-PI-AGI-N	5.84	proposition/src/thm	Object closeness does not control normalized defect morphisms
PI-AGI-N-5.87	DOC-PI-AGI-N	5.87	theorem/src/thm	Normalized higher obstruction discharge
PI-AGI-N-5.88	DOC-PI-AGI-N	5.88	proposition/src/thm	Normalization does not supply reverse higher-edge reflection
PI-AGI-N-5.93	DOC-PI-AGI-N	5.93	proposition/src/thm	Normalized Core pass does not imply source conclusion
PI-AGI-N-5.97	DOC-PI-AGI-N	5.97	proposition/src/thm	Normalization is not lossless by declaration
PI-AGI-N-5.98	DOC-PI-AGI-N	5.98	proposition/src/thm	Reverse-transport hypotheses are non-scalar
PI-AGI-N-5.102	DOC-PI-AGI-N	5.102	proposition/src/thm	No outcome-layer collapse
PI-AGI-N-5.106	DOC-PI-AGI-N	5.106	proposition/src/thm	Finite prefix is not normalized apex
PI-AGI-N-5.107	DOC-PI-AGI-N	5.107	proposition/src/thm	Resolution tower finite proof requires termination or reduction
PI-AGI-N-5.110	DOC-PI-AGI-N	5.110	proposition/src/thm	Resolution success is not Core success
PI-AGI-N-5.111	DOC-PI-AGI-N	5.111	proposition/src/thm	Resolution success is not problem-specific regularity
PI-AGI-N-5.116	DOC-PI-AGI-N	5.116	proposition/src/thm	Pairwise chart agreement is not global descent
PI-AGI-N-5.117	DOC-PI-AGI-N	5.117	proposition/src/thm	Local Core passes do not imply global Core pass
PI-AGI-N-5.124	DOC-PI-AGI-N	5.124	proposition/src/thm	Normalization Type IV proxy is not Type IV diagnosis
PI-AGI-N-5.130	DOC-PI-AGI-N	5.130	proposition/src/thm	Changing normalized artifacts creates a new claim
PI-AGI-N-5.131	DOC-PI-AGI-N	5.131	proposition/src/thm	Undefined normalized Type IV is non-verdict
PI-AGI-N-5.132	DOC-PI-AGI-N	5.132	proposition/src/thm	Terminal zero is not full defect zero
PI-AGI-N-5.136	DOC-PI-AGI-N	5.136	proposition/src/thm	Normalization certificate records must satisfy Minimal Manifest
PI-AGI-N-5.141	DOC-PI-AGI-N	5.141	proposition/src/thm	Core pass for normalized data is not problem conclusion
PI-AGI-N-5.146	DOC-PI-AGI-N	5.146	proposition/src/thm	PDE normalization pre-gate does not imply PDE regularity
PI-AGI-N-5.151	DOC-PI-AGI-N	5.151	proposition/src/thm	Numerical normalized profile is not regularity theorem
PI-AGI-N-5.152	DOC-PI-AGI-N	5.152	proposition/src/thm	Blow-up rescaling profile is not singularity exclusion
PI-AGI-N-5.153	DOC-PI-AGI-N	5.153	proposition/src/thm	Sampled stabilization is not certified regularity
PI-AGI-N-5.154	DOC-PI-AGI-N	5.154	proposition/src/thm	Weak-solution normalization does not create strong-solution semantics
PI-AGI-N-5.159	DOC-PI-AGI-N	5.159	theorem/src/thm	Appendix AGI-N interface package

10.13 Appendix NS-A (18)

ID	Source	Locator	Type / status / use	Title
PI-NS-A-6.19	DOC-PI-NS-A	6.19	proposition/src/thm	No Core use without PDE realization
PI-NS-A-6.30	DOC-PI-NS-A	6.30	proposition/src/thm	NS advisory indicators do not determine Core verdicts
PI-NS-A-6.34	DOC-PI-NS-A	6.34	proposition/src/thm	NS pre-gates do not replace Core gates
PI-NS-A-6.45	DOC-PI-NS-A	6.45	proposition/src/thm	Exploration output is not certificate
PI-NS-A-6.51	DOC-PI-NS-A	6.51	proposition/src/thm	NS Type IV proxy is not Type IV diagnosis
PI-NS-A-6.55	DOC-PI-NS-A	6.55	proposition/src/thm	Artifacts are required for re-entry audit
PI-NS-A-6.60	DOC-PI-NS-A	6.60	proposition/src/thm	Core pass is not NS conclusion
PI-NS-A-6.65	DOC-PI-NS-A	6.65	proposition/src/thm	Re-entry mode is not automatic
PI-NS-A-6.68	DOC-PI-NS-A	6.68	proposition/src/thm	PDE scale is not automatically a Core parameter
PI-NS-A-6.70	DOC-PI-NS-A	6.70	proposition/src/thm	Changing diagnostic artifacts creates a new NS claim
PI-NS-A-6.73	DOC-PI-NS-A	6.73	proposition/src/thm	Sampled NS stability is not certified band stability
PI-NS-A-6.81	DOC-PI-NS-A	6.81	proposition/src/thm	Adaptive choice does not inherit fixed-family completeness
PI-NS-A-6.83	DOC-PI-NS-A	6.83	proposition/src/thm	No NS higher discharge from synthetic shift
PI-NS-A-6.86	DOC-PI-NS-A	6.86	proposition/src/thm	Terminal cleanliness does not erase interior defects
PI-NS-A-6.88	DOC-PI-NS-A	6.88	proposition/src/thm	Finite NS plateau is not apex agreement
PI-NS-A-6.90	DOC-PI-NS-A	6.90	proposition/src/thm	Numerical PDE error is not automatically bottleneck error
PI-NS-A-6.93	DOC-PI-NS-A	6.93	theorem/src/thm	NS-A v20 completion package
PI-NS-A-6.94	DOC-PI-NS-A	6.94	theorem/src/thm	Appendix NS-A exploration package

10.14 Appendix NS-B (24)

ID	Source	Locator	Type / status / use	Title
PI-NS-B-7.12	DOC-PI-NS-B	7.12	proposition/src/thm	No PDE interpretation without purpose-faithfulness
PI-NS-B-7.19	DOC-PI-NS-B	7.19	proposition/src/thm	Discretized zero diagnostics do not imply continuum zero diagnostics
PI-NS-B-7.25	DOC-PI-NS-B	7.25	proposition/src/thm	Measured observable control is not PDE regularity by default
PI-NS-B-7.26	DOC-PI-NS-B	7.26	proposition/src/thm	Persistence control is not observable control by default
PI-NS-B-7.33	DOC-PI-NS-B	7.33	proposition/src/thm	Scale compatibility is not automatic
PI-NS-B-7.39	DOC-PI-NS-B	7.39	proposition/src/thm	No NS conclusion without soundness bridge
PI-NS-B-7.42	DOC-PI-NS-B	7.42	proposition/src/thm	NS Ext $\blacklozenge$ -use requires complete eligibility
PI-NS-B-7.46	DOC-PI-NS-B	7.46	proposition/src/thm	Normalization soundness does not imply PDE regularity
PI-NS-B-7.51	DOC-PI-NS-B	7.51	proposition/src/thm	Type IV cleanliness is not PDE regularity by default
PI-NS-B-7.54	DOC-PI-NS-B	7.54	proposition/src/thm	Soundness record is required for PDE interpretation
PI-NS-B-7.62	DOC-PI-NS-B	7.62	proposition/src/thm	No soundness sovereignty override
PI-NS-B-7.64	DOC-PI-NS-B	7.64	proposition/src/thm	Bridge names do not promote bridge status
PI-NS-B-7.66	DOC-PI-NS-B	7.66	proposition/src/thm	Sampled diagnostic agreement is not diagnostic convergence
PI-NS-B-7.68	DOC-PI-NS-B	7.68	proposition/src/thm	Compatibility is non-scalar
PI-NS-B-7.70	DOC-PI-NS-B	7.70	proposition/src/thm	Core pass plus incomplete soundness is non-theorem
PI-NS-B-7.74	DOC-PI-NS-B	7.74	theorem/src/thm	Conditional NS bridge-composition theorem
PI-NS-B-7.75	DOC-PI-NS-B	7.75	theorem/src/thm	Target-separation no-go
PI-NS-B-7.78	DOC-PI-NS-B	7.78	proposition/src/thm	Raw diagnostic numbers are not metric-stable
PI-NS-B-7.80	DOC-PI-NS-B	7.80	proposition/src/thm	Terminal Type IV zero is insufficient for full PDE limiting control
PI-NS-B-7.84	DOC-PI-NS-B	7.84	theorem/src/thm	Exact zero-reflection of the Serrin bound
PI-NS-B-7.85	DOC-PI-NS-B	7.85	theorem/src/thm	Finite rational witness for the Serrin hypothesis
PI-NS-B-7.86	DOC-PI-NS-B	7.86	theorem/src/thm	Exact known-theorem recovery of the fixed-exponent Serrin implication
PI-NS-B-7.91	DOC-PI-NS-B	7.91	theorem/src/thm	NS-B v20 soundness closure
PI-NS-B-7.92	DOC-PI-NS-B	7.92	theorem/src/thm	NS-B soundness package

10.15 Appendix NS-C (21)

ID	Source	Locator	Type / status / use	Title
PI-NS-C-8.6	DOC-PI-NS-C	8.6	proposition/src/thm	Exploration cannot replace proof-first obligations
PI-NS-C-8.20	DOC-PI-NS-C	8.20	proposition/src/thm	Core certificate sufficiency is [Spec] by default
PI-NS-C-8.36	DOC-PI-NS-C	8.36	proposition/src/thm	Analytic gaps prevent theorem-level pass
PI-NS-C-8.37	DOC-PI-NS-C	8.37	proposition/src/thm	Bridge gaps prevent theorem-level pass
PI-NS-C-8.43	DOC-PI-NS-C	8.43	proposition/src/thm	Discretized proof-support mode is not theorem mode
PI-NS-C-8.54	DOC-PI-NS-C	8.54	proposition/src/thm	Soundness failure blocks PDE conclusion
PI-NS-C-8.60	DOC-PI-NS-C	8.60	proposition/src/thm	Incomplete NS proof object is not theorem-level
PI-NS-C-8.66	DOC-PI-NS-C	8.66	proposition/src/thm	Minimal route should separate proof from support
PI-NS-C-8.70	DOC-PI-NS-C	8.70	proposition/src/thm	Core-certified is not theorem-level by default
PI-NS-C-8.72	DOC-PI-NS-C	8.72	proposition/src/thm	Clay-level target requires global bridge
PI-NS-C-8.76	DOC-PI-NS-C	8.76	proposition/src/thm	NS appendices close without unconditional Navier–Stokes regularity
PI-NS-C-8.79	DOC-PI-NS-C	8.79	proposition/src/thm	No proof-object sovereignty override
PI-NS-C-8.82	DOC-PI-NS-C	8.82	proposition/src/thm	Untyped route edges are non-verdict
PI-NS-C-8.84	DOC-PI-NS-C	8.84	proposition/src/thm	Evidence modes do not collapse
PI-NS-C-8.86	DOC-PI-NS-C	8.86	proposition/src/thm	Scalar margin does not repair bridge gaps
PI-NS-C-8.88	DOC-PI-NS-C	8.88	proposition/src/thm	Release-level closure is not theorem-completeness
PI-NS-C-8.95	DOC-PI-NS-C	8.95	theorem/src/thm	Residual-cut obstruction theorem
PI-NS-C-8.99	DOC-PI-NS-C	8.99	proposition/src/thm	Reduction and Return are noninterchangeable
PI-NS-C-8.102	DOC-PI-NS-C	8.102	proposition/src/thm	Small success does not close higher target levels
PI-NS-C-8.104	DOC-PI-NS-C	8.104	theorem/src/thm	NS-C v20 proof-first closure
PI-NS-C-8.105	DOC-PI-NS-C	8.105	theorem/src/thm	NS-C proof-first package

10.16 Appendix U (55)

ID	Source	Locator	Type / status / use	Title
SP-U-prop-U-no-agent-sovereignty-override	DOC-SP-U	prop:U-no-agent-sovereignty-override	proposition/src/thm	No agent sovereignty override
SP-U-prop-U-agent-success-noncompensating	DOC-SP-U	prop:U-agent-success-noncompensating	proposition/src/thm	Agent success is non-compensating
SP-U-prop-U-self-review-not-independent	DOC-SP-U	prop:U-self-review-not-independent	proposition/src/thm	Self-review is not independent verification
SP-U-thm-U-proposer-verifier-separation	DOC-SP-U	thm:U-proposer-verifier-separation	theorem/src/thm	Proposer–verifier separation
SP-U-prop-U-adjudication-not-verification	DOC-SP-U	prop:U-adjudication-not-verification	proposition/src/thm	Adjudication is not verification
SP-U-prop-U-promotion-without-preflight-invalid	DOC-SP-U	prop:U-promotion-without-preflight-invalid	proposition/src/thm	Promotion without preflight is invalid
SP-U-prop-U-ai-confidence-not-proof	DOC-SP-U	prop:U-ai-confidence-not-proof	proposition/src/thm	AI confidence is not proof
SP-U-prop-U-ranking-not-validity	DOC-SP-U	prop:U-ranking-not-validity	proposition/src/thm	Ranking does not imply validity
SP-U-prop-U-plausibility-not-verifiability	DOC-SP-U	prop:U-plausibility-not-verifiability	proposition/src/thm	Plausibility does not imply verifiability
SP-U-prop-U-retrieval-not-verification	DOC-SP-U	prop:U-retrieval-not-verification	proposition/src/thm	Retrieval is not verification
SP-U-prop-U-consensus-not-proof	DOC-SP-U	prop:U-consensus-not-proof	proposition/src/thm	Agent consensus is not proof
SP-U-prop-U-context-inclusion-not-adoption	DOC-SP-U	prop:U-context-inclusion-not-adoption	proposition/src/thm	Context inclusion is not claim adoption
SP-U-prop-U-status-axis-collapse-invalid	DOC-SP-U	prop:U-status-axis-collapse-invalid	proposition/src/thm	Status-axis collapse is invalid
SP-U-prop-U-unlabeled-nonverdict	DOC-SP-U	prop:U-unlabeled-nonverdict	proposition/src/thm	Unlabeled outputs are non-verdict by default
SP-U-prop-U-promotion-requires-evidence	DOC-SP-U	prop:U-promotion-requires-evidence	proposition/src/thm	Promotion requires evidence
SP-U-prop-U-actions-noninterchangeable	DOC-SP-U	prop:U-actions-noninterchangeable	proposition/src/thm	Action semantics are non-interchangeable
SP-U-prop-U-transformation-without-preservation-nonequivalent	DOC-SP-U	prop:U-transformation-without-preservation-nonequivalent	proposition/src/thm	Transformation without preservation is non-equivalent
SP-U-prop-U-formalization-not-promotion	DOC-SP-U	prop:U-formalization-not-promotion	proposition/src/thm	Formalization is a transformation, not theorem promotion
SP-U-prop-U-authority-scoped	DOC-SP-U	prop:U-authority-scoped	proposition/src/thm	Verification authority is scoped
SP-U-prop-U-tool-success-mode-scoped	DOC-SP-U	prop:U-tool-success-mode-scoped	proposition/src/thm	Tool success is mode-scoped
SP-U-prop-U-build-success-not-math-verification	DOC-SP-U	prop:U-build-success-not-math-verification	proposition/src/thm	Build success is not mathematical verification
SP-U-prop-U-human-approval-scoped	DOC-SP-U	prop:U-human-approval-scoped	proposition/src/thm	Human approval is scoped
SP-U-prop-U-provenance-not-proof	DOC-SP-U	prop:U-provenance-not-proof	proposition/src/thm	Provenance supports audit but does not prove validity
SP-U-prop-U-artifact-drift-blocks-reuse	DOC-SP-U	prop:U-artifact-drift-blocks-reuse	proposition/src/thm	Artifact drift blocks silent reuse
SP-U-prop-U-replay-not-semantic-identity	DOC-SP-U	prop:U-replay-not-semantic-identity	proposition/src/thm	Replay success is not semantic identity
SP-U-prop-U-contamination-noncompensating	DOC-SP-U	prop:U-contamination-noncompensating	proposition/src/thm	Agent contamination is non-compensating
SP-U-prop-U-failure-status-downgrade	DOC-SP-U	prop:U-failure-status-downgrade	proposition/src/thm	Agent failure modes require status downgrade

ID	Source	Locator	Type / status / use	Title
SP-U-prop-U-agent-assertion-not-core	DOC-SP-U	prop:U-agent-assertion-not-core	proposition/src/thm	Agent assertion does not establish Core claim
SP-U-prop-U-formal-fragment-scoped	DOC-SP-U	prop:U-formal-fragment-scoped	proposition/src/thm	Verified formal fragment is scoped to its formal statement
SP-U-prop-U-formal-interpretation-requires-bridge	DOC-SP-U	prop:U-formal-interpretation-requires-bridge	proposition/src/thm	Formal interpretation requires a bridge
SP-U-prop-U-agent-manifest-reproducibility	DOC-SP-U	prop:U-agent-manifest-reproducibility	proposition/src/thm	Agent manifest entries support reproducibility
SP-U-prop-U-bridge-draft-not-theorem	DOC-SP-U	prop:U-bridge-draft-not-theorem	proposition/src/thm	Agent-generated bridge draft is not bridge theorem
SP-U-prop-U-agent-proof-object-not-proof	DOC-SP-U	prop:U-agent-proof-object-not-proof	proposition/src/thm	Agent-generated proof object is not proof by default
SP-U-prop-U-agent-core-records-require-verification	DOC-SP-U	prop:U-agent-core-records-require-verification	proposition/src/thm	Agent-produced Core records require verification
SP-U-prop-U-agent-comparison-mode-not-self-certifying	DOC-SP-U	prop:U-agent-comparison-mode-not-self-certifying	proposition/src/thm	Agent comparison mode does not self-certify
SP-U-prop-U-exact-output-not-robustness	DOC-SP-U	prop:U-exact-output-not-robustness	proposition/src/thm	Exact output is not robustness
SP-U-prop-U-agent-typeIV-zero-require-artifact	DOC-SP-U	prop:U-agent-typeIV-zero-require-artifact	proposition/src/thm	Agent Type IV zero requires actual artifact
SP-U-prop-U-finite-output-not-finite-proof	DOC-SP-U	prop:U-finite-output-not-finite-proof	proposition/src/thm	Finite agent output is not finite proof
SP-U-prop-U-detector-stage-no-mutation	DOC-SP-U	prop:U-detector-stage-no-mutation	proposition/src/thm	Detector stage cannot be inherited or mutated
SP-U-prop-U-soundness-not-zero-completeness	DOC-SP-U	prop:U-soundness-not-zero-completeness	proposition/src/thm	Soundness does not supply zero completeness
SP-U-prop-U-higher-edge-not-self-promoting	DOC-SP-U	prop:U-higher-edge-not-self-promoting	proposition/src/thm	Agent-produced higher edge does not self-promote
SP-U-prop-U-higher-edge-reverse-requires-reflection	DOC-SP-U	prop:U-higher-edge-reverse-requires-reflection	proposition/src/thm	Reverse higher-edge inference requires separate reflection
SP-U-prop-U-terminal-zero-not-full-defect-zero	DOC-SP-U	prop:U-terminal-zero-not-full-defect-zero	proposition/src/thm	Terminal zero is not full-defect zero
SP-U-prop-U-finite-plateau-not-reduction	DOC-SP-U	prop:U-finite-plateau-not-reduction	proposition/src/thm	Finite plateau and replay do not imply reduction
SP-U-prop-U-generated-chain-not-return	DOC-SP-U	prop:U-generated-chain-not-return	proposition/src/thm	Agent-generated chain is not Return
SP-U-prop-U-benchmark-leakage-invalidates-recovery	DOC-SP-U	prop:U-benchmark-leakage-invalidates-recovery	proposition/src/thm	Benchmark leakage invalidates recovery evidence
SP-U-prop-U-recovery-infrastructure-not-mathematics	DOC-SP-U	prop:U-recovery-infrastructure-not-mathematics	proposition/src/thm	Recovery infrastructure is not recovered mathematics
SP-U-prop-U-majority-vote-proposer-side	DOC-SP-U	prop:U-majority-vote-proposer-side	proposition/src/thm	Majority vote and consensus are proposer-side
SP-U-prop-U-computational-not-semantic-replay	DOC-SP-U	prop:U-computational-not-semantic-replay	proposition/src/thm	Computational replay is not semantic replay
SP-U-prop-U-generated-structured-data-candidate	DOC-SP-U	prop:U-generated-structured-data-candidate	proposition/src/thm	Generated structured data are candidate records
SP-U-prop-U-agent-labels-not-metric-components	DOC-SP-U	prop:U-agent-labels-not-metric-components	proposition/src/thm	Agent labels do not create metric components
SP-U-prop-U-no-agent-double-counting	DOC-SP-U	prop:U-no-agent-double-counting	proposition/src/thm	No agent-side double counting
SP-U-prop-U-no-provisional-promotion	DOC-SP-U	prop:U-no-provisional-promotion	proposition/src/thm	Agent cannot fabricate provisional promotion
SP-U-thm-U-package	DOC-SP-U	thm:U-package	theorem/src/thm	Appendix U v20 agent-semantics package
SP-U-thm-U-v19-hardening-package	DOC-SP-U	thm:U-v19-hardening-package	theorem/src/thm	Appendix U v20.0 hardening and compatibility package

10.17 Appendix V (50)

ID	Source	Locator	Type / status / use	Title
SP-V-prop-V-no-search-sovereignty-override	DOC-SP-V	prop:V-no-search-sovereignty-override	proposition/src/thm	No search sovereignty override
SP-V-prop-V-conversion-not-by-label	DOC-SP-V	prop:V-conversion-not-by-label	proposition/src/thm	Conversion is not achieved by relabeling
SP-V-prop-V-search-no-axis-collapse	DOC-SP-V	prop:V-search-no-axis-collapse	proposition/src/thm	Search cannot collapse claim axes
SP-V-prop-V-weaker-safe-search-consumption	DOC-SP-V	prop:V-weaker-safe-search-consumption	proposition/src/thm	Weaker-safe search consumption
SP-V-prop-V-search-artifact-nonverdict	DOC-SP-V	prop:V-search-artifact-nonverdict	proposition/src/thm	Search artifacts are non-verdict by default
SP-V-prop-V-hunter-output-not-certificate	DOC-SP-V	prop:V-hunter-output-not-certificate	proposition/src/thm	Hunter output is not certificate

ID	Source	Locator	Type / status / use	Title
SP-V-prop-V-finite-observation-not-certificate	DOC-SP-V	prop:V-finite-observation-not-certificate	proposition/src/thm	Finite observation is not finite certificate
SP-V-prop-V-hunter-no-detector-stage-mutation	DOC-SP-V	prop:V-hunter-no-detector-stage-mutation	proposition/src/thm	Hunter may not mutate detector stage
SP-V-prop-V-no-hit-nonverdict	DOC-SP-V	prop:V-no-hit-nonverdict	proposition/src/thm	No-hit result is non-verdict
SP-V-prop-V-mapper-output-not-theorem	DOC-SP-V	prop:V-mapper-output-not-theorem	proposition/src/thm	Mapper output is navigation, not theorem
SP-V-prop-V-candidate-edge-not-implication	DOC-SP-V	prop:V-candidate-edge-not-implication	proposition/src/thm	Candidate implication edge is not implication
SP-V-prop-V-verified-edge-requires-evidence	DOC-SP-V	prop:V-verified-edge-requires-evidence	proposition/src/thm	Verified edge requires evidence
SP-V-prop-V-reachability-not-theorem	DOC-SP-V	prop:V-reachability-not-theorem	proposition/src/thm	Graph reachability is not theorem composition
SP-V-prop-V-pairwise-map-not-higher-coherence	DOC-SP-V	prop:V-pairwise-map-not-higher-coherence	proposition/src/thm	Pairwise map agreement is not higher coherence
SP-V-prop-V-lifted-not-verified	DOC-SP-V	prop:V-lifted-not-verified	proposition/src/thm	Lifted candidate is not verified by lifting
SP-V-prop-V-core-looking-not-core-verified	DOC-SP-V	prop:V-core-looking-not-core-verified	proposition/src/thm	Core-looking lift is not Core verified
SP-V-prop-V-lift-not-preservation	DOC-SP-V	prop:V-lift-not-preservation	proposition/src/thm	Lift is not preservation by default
SP-V-prop-V-lift-defects-typed-before-budget	DOC-SP-V	prop:V-lift-defects-typed-before-budget	proposition/src/thm	Lift defects must be typed before budget use
SP-V-prop-V-higher-edge-lift-not-proof	DOC-SP-V	prop:V-higher-edge-lift-not-proof	proposition/src/thm	Higher-edge lifting is not higher-edge proof
SP-V-prop-V-synthetic-shift-not-natural-bridge	DOC-SP-V	prop:V-synthetic-shift-not-natural-bridge	proposition/src/thm	Synthetic shift does not create natural bridge
SP-V-prop-V-lifted-return-not-theorem	DOC-SP-V	prop:V-lifted-return-not-theorem	proposition/src/thm	Lifted Return arrow is not Return theorem
SP-V-prop-V-lifecycle-not-validity	DOC-SP-V	prop:V-lifecycle-not-validity	proposition/src/thm	Lifecycle advancement is not validity monotonicity
SP-V-prop-V-missing-evidence-remains-undefined	DOC-SP-V	prop:V-missing-evidence-remains-undefined	proposition/src/thm	Missing evidence remains undefined
SP-V-prop-V-search-success-noncompensating	DOC-SP-V	prop:V-search-success-noncompensating	proposition/src/thm	Search success is noncompensating
SP-V-prop-V-contaminated-search-invalid-recovery	DOC-SP-V	prop:V-contaminated-search-invalid-recovery	proposition/src/thm	Contaminated search cannot validate recovery
SP-V-prop-V-search-score-not-proof	DOC-SP-V	prop:V-search-score-not-proof	proposition/src/thm	Search score is not proof
SP-V-prop-V-search-score-not-budget-without-conversion	DOC-SP-V	prop:V-search-score-not-budget-without-conversion	proposition/src/thm	Score is not budget without conversion
SP-V-prop-V-consensus-not-verification	DOC-SP-V	prop:V-consensus-not-verification	proposition/src/thm	Consensus is not verification
SP-V-prop-V-reentry-not-certificate	DOC-SP-V	prop:V-reentry-not-certificate	proposition/src/thm	Re-entry candidate is not Core certificate
SP-V-prop-V-search-budget-pass	DOC-SP-V	prop:V-search-budget-pass	proposition/src/thm	Search-adjusted evidence must pass scalarized budget
SP-V-prop-V-no-search-double-counting	DOC-SP-V	prop:V-no-search-double-counting	proposition/src/thm	No double counting of search effects
SP-V-prop-V-search-budget-no-non-scalar-repair	DOC-SP-V	prop:V-search-budget-no-non-scalar-repair	proposition/src/thm	Search budget cannot repair non-scalar obligations
SP-V-prop-V-finite-plateau-not-reduction	DOC-SP-V	prop:V-finite-plateau-not-reduction	proposition/src/thm	Finite plateau is not reduction
SP-V-prop-V-return-search-not-conclusion	DOC-SP-V	prop:V-return-search-not-conclusion	proposition/src/thm	Return-chain search does not license conclusion
SP-V-prop-V-benchmark-agreement-validation-only	DOC-SP-V	prop:V-benchmark-agreement-validation-only	proposition/src/thm	Benchmark agreement is validation only
SP-V-prop-V-search-failure-downgrade	DOC-SP-V	prop:V-search-failure-downgrade	proposition/src/thm	Search failure requires status downgrade
SP-V-prop-V-search-records-reproducibility	DOC-SP-V	prop:V-search-records-reproducibility	proposition/src/thm	Search records support reproducibility
SP-V-prop-V-hybrid-roles-distinct	DOC-SP-V	prop:V-hybrid-roles-distinct	proposition/src/thm	Hybrid protocol does not collapse role distinctions
SP-V-prop-V-stale-artifact-not-consumed	DOC-SP-V	prop:V-stale-artifact-not-consumed	proposition/src/thm	Stale artifact cannot be silently consumed
SP-V-prop-V-replay-success-not-proof	DOC-SP-V	prop:V-replay-success-not-proof	proposition/src/thm	Replay success is not proof
SP-V-prop-V-computational-not-semantic-replay	DOC-SP-V	prop:V-computational-not-semantic-replay	proposition/src/thm	Computational replay is not semantic replay
SP-V-prop-V-corpus-inclusion-not-authority	DOC-SP-V	prop:V-corpus-inclusion-not-authority	proposition/src/thm	Search corpus inclusion is not source authority
SP-V-prop-V-invariants-prevent-inflation	DOC-SP-V	prop:V-invariants-prevent-inflation	proposition/src/thm	Search protocol invariants prevent claim inflation

ID	Source	Locator	Type / status / use	Title
SP-V-prop-V-stabl e-band-candidate-n ot-core-band	DOC-SP-V	prop:V-stable-b and-candidate-n ot-core-band	proposition/src/thm	Stable-band candidate is not Core stable band
SP-V-prop-V-typeI V-proxy-not-diagn osis	DOC-SP-V	prop: V-typeIV-proxy -not-diagnosis	proposition/src/thm	Search Type IV proxy is not diagnosis
SP-V-prop-V-termi nal-search-zero-n ot-full-defect-zer o	DOC-SP-V	prop: V-terminal-searc h-zero-not-ful l-defect-zero	proposition/src/thm	Terminal search zero is not full defect zero
SP-V-prop-V-objec t-similarity-not-t ypeIV-morphism	DOC-SP-V	prop:V-object-s imilarity-not-t ypeIV-morphism	proposition/src/thm	Object similarity does not create Type IV morphism
SP-V-thm-V-package	DOC-SP-V	thm:V-package	theorem/src/thm	Appendix V search-protocol package
SP-V-thm-V-v19-har dening-package	DOC-SP-V	thm:V-v19-harde ning-package	theorem/src/thm	Appendix V v20 compatibility hardening package
SP-V-thm-V-v20-ext ension-package	DOC-SP-V	thm:V-v20-exten sion-package	theorem/src/thm	Appendix V v20 search extension package

10.18 Appendix W (45)

ID	Source	Locator	Type / status / use	Title
SP-W-prop-W-sover eignty-no-override	DOC-SP-W	prop:W-sovereign ty-no-override	proposition/src/thm	Bridge Program sovereignty cannot be overridden
SP-W-prop-W-progr am-no-axis-collaps e	DOC-SP-W	prop:W-program-n o-axis-collapse	proposition/src/thm	Program progress cannot collapse claim axes
SP-W-prop-W-no-loc al-final-cr-promo tion	DOC-SP-W	prop: W-no-local-fin al-cr-promotion	proposition/src/thm	No local final-CR promotion
SP-W-prop-W-candi date-not-theorem	DOC-SP-W	prop:W-candidate -not-theorem	proposition/src/thm	Bridge candidate is not bridge theorem
SP-W-prop-W-draft -not-candidate	DOC-SP-W	prop:W-draft-not -candidate	proposition/src/thm	Bridge draft is not bridge candidate unless specified
SP-W-prop-W-bridg e-direction-not-r eversible	DOC-SP-W	prop:W-bridge-d irection-not-rev ersible	proposition/src/thm	Bridge direction is not reversible by name
SP-W-prop-W-exter nal-theorem-not-c ore-by-name	DOC-SP-W	prop:W-externa l-theorem-not-c ore-by-name	proposition/src/thm	External theorem is not Core theorem by import name
SP-W-prop-W-named -nodes-not-composi tion	DOC-SP-W	prop: W-named-nodes-n ot-composition	proposition/src/thm	Named nodes do not compose themselves
SP-W-prop-W-core-c ertificate-not-ret urn	DOC-SP-W	prop: W-core-certifica te-not-return	proposition/src/thm	Core certification is not Return
SP-W-prop-W-succe ssor-priority-not -evidence	DOC-SP-W	prop:W-successor -priority-not-e vidence	proposition/src/thm	Successor priority is not current evidence
SP-W-prop-W-progr am-status-not-the orem	DOC-SP-W	prop: W-program-statu s-not-theorem	proposition/src/thm	Program status is not theorem status
SP-W-prop-W-workf low-not-claim-pro motion	DOC-SP-W	prop: W-workflow-not -claim-promotion	proposition/src/thm	Workflow progress does not imply claim promotion
SP-W-prop-W-promo tion-requires-pre flight	DOC-SP-W	prop: W-promotion-req uires-preflight	proposition/src/thm	Promotion readiness requires claim-use preflight
SP-W-prop-W-stage -name-not-detecto r-authorization	DOC-SP-W	prop:W-stage-nam e-not-detecto r-authorization	proposition/src/thm	Stage names do not authorize detectors
SP-W-prop-W-synth etic-edge-not-nat ural-bridge	DOC-SP-W	prop:W-synthetic -edge-not-natur al-bridge	proposition/src/thm	Synthetic higher edge is not natural bridge
SP-W-prop-W-lemma s-must-discharge	DOC-SP-W	prop:W-lemmas-m ust-discharge	proposition/src/thm	All necessary bridge lemmas must be discharged
SP-W-prop-W-graph -reachability-not-t heorem	DOC-SP-W	prop:W-graph-rea chability-not-t heorem	proposition/src/thm	Graph reachability is not theorem composition
SP-W-prop-W-pairw ise-not-higher-coh erence	DOC-SP-W	prop:W-pairwis e-not-higher-c oherence	proposition/src/thm	Pairwise arrows do not supply higher coherence
SP-W-prop-W-core-o bligations-not-sel f-verifying	DOC-SP-W	prop:W-core-obli gations-not-sel f-verifying	proposition/src/thm	Core-facing bridge obligations do not verify themselves
SP-W-prop-W-objec t-similarity-not-t ypeIV-morphism	DOC-SP-W	prop:W-object-s imilarity-not-t ypeIV-morphism	proposition/src/thm	Object similarity does not manufacture Type IV morphism
SP-W-prop-W-exact -not-robustness	DOC-SP-W	prop:W-exact-not -robustness	proposition/src/thm	Exact comparison is not robustness
SP-W-prop-W-bridg e-defects-through -ledger	DOC-SP-W	prop: W-bridge-defects -through-ledger	proposition/src/thm	Only supported metric discrepancies enter the ledger
SP-W-prop-W-bridg e-budget-pass	DOC-SP-W	prop:W-bridge-b udget-pass	proposition/src/thm	Selected-path bridge budget must pass
SP-W-prop-W-bridg e-slack-no-nonscal ar-repair	DOC-SP-W	prop:W-bridge-s lack-no-nonscal ar-repair	proposition/src/thm	Bridge numerical slack does not repair non-scalar obligations
SP-W-prop-W-bridg e-typeIV-candidate -not-zero	DOC-SP-W	prop:W-bridge-t ypeIV-candidate -not-zero	proposition/src/thm	Bridge Type IV candidate is not terminal or full-defect zero
SP-W-prop-W-no-bri dge-double-countin g	DOC-SP-W	prop: W-no-bridge-dou ble-counting	proposition/src/thm	No bridge double counting
SP-W-prop-W-alter native-routes-not -sequential	DOC-SP-W	prop:W-alternati ve-routes-not-s equential	proposition/src/thm	Alternative route costs are not sequential

ID	Source	Locator	Type / status / use	Title
SP-W-thm-W-bridge-programs-no-core-update	DOC-SP-W	thm:W-bridge-programs-no-core-update	theorem/src/thm	Bridge Programs do not update Core verdicts
SP-W-prop-W-failure-blocks-transport	DOC-SP-W	prop:W-failure-blocks-transport	proposition/src/thm	Bridge failure blocks theorem-level transport
SP-W-prop-W-missing-not-counterexample	DOC-SP-W	prop:W-missing-not-counterexample	proposition/src/thm	Missing bridge evidence is not a mathematical counterexample
SP-W-prop-W-program-success-noncompensating	DOC-SP-W	prop:W-program-success-noncompensating	proposition/src/thm	Program success is noncompensating
SP-W-prop-W-no-silent-promotion	DOC-SP-W	prop:W-no-silent-promotion	proposition/src/thm	No silent promotion
SP-W-prop-W-imported-theorem-scoped	DOC-SP-W	prop:W-imported-theorem-scoped	proposition/src/thm	Imported theorem is scoped to its imported statement
SP-W-prop-W-formal-proof-needs-interpretation	DOC-SP-W	prop:W-formal-proof-needs-interpretation	proposition/src/thm	Formal proof does not eliminate interpretation burden
SP-W-prop-W-benchmark-agreement-validation-only	DOC-SP-W	prop:W-benchmark-agreement-validation-only	proposition/src/thm	Benchmark agreement is validation, not derivation
SP-W-prop-W-source-import-no-realization-contamination	DOC-SP-W	prop:W-source-import-no-realization-contamination	proposition/src/thm	Source theorem import cannot contaminate realization
SP-W-prop-W-proof-first-prevents-inflation	DOC-SP-W	prop:W-proof-first-prevents-inflation	proposition/src/thm	Proof-first alignment prevents search inflation
SP-W-prop-W-bridge-manifest-audit	DOC-SP-W	prop:W-bridge-manifest-audit	proposition/src/thm	Bridge manifest supports audit
SP-W-prop-W-computational-not-semantic-replay	DOC-SP-W	prop:W-computational-not-semantic-replay	proposition/src/thm	Computational replay is not semantic identity
SP-W-prop-W-artifact-drift-blocks-use	DOC-SP-W	prop:W-artifact-drift-blocks-use	proposition/src/thm	Artifact drift blocks silent theorem use
SP-W-prop-W-invariants-prevent-inflation	DOC-SP-W	prop:W-invariants-prevent-inflation	proposition/src/thm	Bridge Program invariants prevent bridge inflation
SP-W-prop-W-v20-invariants-prevent-inflation	DOC-SP-W	prop:W-v20-invariants-prevent-inflation	proposition/src/thm	v20 invariants prevent cross-layer inflation
SP-W-thm-W-package	DOC-SP-W	thm:W-package	theorem/src/thm	Appendix W Bridge Program package
SP-W-thm-W-v19-hardening-package	DOC-SP-W	thm:W-v19-hardening-package	theorem/src/thm	Appendix W v20 compatibility hardening package
SP-W-thm-W-v20-extension-package	DOC-SP-W	thm:W-v20-extension-package	theorem/src/thm	Appendix W v20 Projection–Return extension

10.19 Appendix X (43)

ID	Source	Locator	Type / status / use	Title
SP-X-prop-X-map-placement-not-discharge	DOC-SP-X	prop:X-map-placement-not-discharge	proposition/src/thm	Map placement does not establish discharge
SP-X-prop-X-verifier-projection-controls-target	DOC-SP-X	prop:X-verifier-projection-controls-target	proposition/src/thm	Verifier-side projection controls target use
SP-X-prop-X-reachability-not-composition	DOC-SP-X	prop:X-reachability-not-composition	proposition/src/thm	Graph reachability is not theorem composition
SP-X-prop-X-edges-must-be-typed	DOC-SP-X	prop:X-edges-must-be-typed	proposition/src/thm	Validity Map edges must be typed
SP-X-prop-X-validity-status-not-claim-governance	DOC-SP-X	prop:X-validity-status-not-claim-governance	proposition/src/thm	Validity status does not replace claim governance
SP-X-prop-X-core-cert-not-external-conclusion	DOC-SP-X	prop:X-core-cert-not-external-conclusion	proposition/src/thm	Core certification is not external conclusion
SP-X-prop-X-status-transition-evidence	DOC-SP-X	prop:X-status-transition-evidence	proposition/src/thm	Status transitions require evidence
SP-X-prop-X-promotion-requires-preflight	DOC-SP-X	prop:X-promotion-requires-preflight	proposition/src/thm	Promotion requires preflight
SP-X-prop-X-demotion-nonretroactive	DOC-SP-X	prop:X-demotion-nonretroactive	proposition/src/thm	Demotion is non-retroactive
SP-X-prop-X-local-discharge-not-release-promotion	DOC-SP-X	prop:X-local-discharge-not-release-promotion	proposition/src/thm	Local discharge does not imply release promotion
SP-X-prop-X-dag-existence-not-proof	DOC-SP-X	prop:X-dag-existence-not-proof	proposition/src/thm	DAG existence is not proof
SP-X-prop-X-optional-cannot-discharge-necessary	DOC-SP-X	prop:X-optional-cannot-discharge-necessary	proposition/src/thm	Optional edges cannot discharge necessary edges
SP-X-prop-X-local-closure-not-global-closure	DOC-SP-X	prop:X-local-closure-not-global-closure	proposition/src/thm	Local closure is not global closure
SP-X-prop-X-cycles-block	DOC-SP-X	prop:X-cycles-block	proposition/src/thm	Dependency cycles block DAG certification
SP-X-prop-X-provenance-cycle-not-proof-cycle	DOC-SP-X	prop:X-provenance-cycle-not-proof-cycle	proposition/src/thm	Provenance cycles do not justify proof cycles
SP-X-prop-X-advisory-nonproof	DOC-SP-X	prop:X-advisory-nonproof	proposition/src/thm	Advisory edges are non-proof edges
SP-X-prop-X-misrouted-edges-block-discharge	DOC-SP-X	prop:X-misrouted-edges-block-discharge	proposition/src/thm	Misrouted edges block target discharge

ID	Source	Locator	Type / status / use	Title
SP-X-prop-X-proof-chain-edges-noninterchangeable	D0C-SP-X	prop:X-proof-chain-edges-noninterchangeable	proposition/src/thm	Proof-chain edge families are non-interchangeable
SP-X-prop-X-target-dependencies-discharged	D0C-SP-X	prop:X-target-dependencies-discharged	proposition/src/thm	Target node requires all necessary dependencies discharged
SP-X-prop-X-core-node-discharge-requires-core-data	D0C-SP-X	prop:X-core-node-discharge-requires-core-data	proposition/src/thm	Core node discharge requires Core verifier data
SP-X-prop-X-missing-specialized-discharge-undefined	D0C-SP-X	prop:X-missing-specialized-discharge-undefined	proposition/src/thm	Missing specialized discharge is undefined
SP-X-prop-X-assembly-manifest-complete	D0C-SP-X	prop:X-assembly-manifest-complete	proposition/src/thm	Global assembly requires manifest completeness
SP-X-prop-X-selected-path-not-all-path-accumulation	D0C-SP-X	prop:X-selected-path-not-all-path-accumulation	proposition/src/thm	Selected-path assembly is not all-path accumulation
SP-X-prop-X-assembly-budget-no-non-scalar-repair	D0C-SP-X	prop:X-assembly-budget-no-non-scalar-repair	proposition/src/thm	Assembly budget cannot repair non-scalar obligations
SP-X-prop-X-map-broader-than-dag	D0C-SP-X	prop:X-map-broader-than-dag	proposition/src/thm	Validity Map is broader than Certificate DAG
SP-X-prop-X-pairwise-closure-not-higher-coherence	D0C-SP-X	prop:X-pairwise-closure-not-higher-coherence	proposition/src/thm	Pairwise closure is not higher coherence
SP-X-prop-X-dag-failure-blocks	D0C-SP-X	prop:X-dag-failure-blocks	proposition/src/thm	DAG failure blocks target certification
SP-X-prop-X-missing-not-obstruction-value	D0C-SP-X	prop:X-missing-not-obstruction-value	proposition/src/thm	Missing evidence is not obstruction value
SP-X-prop-X-artifact-drift-review	D0C-SP-X	prop:X-artifact-drift-review	proposition/src/thm	Artifact drift requires review
SP-X-prop-X-replay-success-not-proof-of	D0C-SP-X	prop:X-replay-success-not-proof-of	proposition/src/thm	Replay success is not proof by itself
SP-X-prop-X-artifact-identity-failure-blocks	D0C-SP-X	prop:X-artifact-identity-failure-blocks	proposition/src/thm	Artifact identity failure blocks necessary dependencies
SP-X-prop-X-replay-modes-separated	D0C-SP-X	prop:X-replay-modes-separated	proposition/src/thm	Replay modes are strictly separated
SP-X-prop-X-bridge-program-node-not-discharge	D0C-SP-X	prop:X-bridge-program-node-not-discharge	proposition/src/thm	Bridge Program node does not discharge bridge dependency by existence
SP-X-prop-X-terminal-zero-not-transient-interior	D0C-SP-X	prop:X-terminal-zero-not-transient-interior	proposition/src/thm	Terminal zero does not discharge transient or interior nodes
SP-X-prop-X-bridge-program-path-not-theorem-path	D0C-SP-X	prop:X-bridge-program-path-not-theorem-path	proposition/src/thm	Bridge Program path is not bridge theorem path
SP-X-prop-X-typeIV-placement-not-zero	D0C-SP-X	prop:X-typeIV-placement-not-zero	proposition/src/thm	Type IV placement does not imply zero
SP-X-prop-X-finite-prefix-not-reduction	D0C-SP-X	prop:X-finite-prefix-not-reduction	proposition/src/thm	Finite prefix is not reduction
SP-X-prop-X-dag-not-regenerate-recovery	D0C-SP-X	prop:X-dag-not-regenerate-recovery	proposition/src/thm	DAG representation does not regenerate recovery proof
SP-X-prop-X-formal-node-needs-interpretation	D0C-SP-X	prop:X-formal-node-needs-interpretation	proposition/src/thm	Verified formal node does not imply intended claim without interpretation
SP-X-prop-X-manifests-support-audit	D0C-SP-X	prop:X-manifests-support-audit	proposition/src/thm	Map and DAG manifests support audit
SP-X-prop-X-invariants-prevent-inflation	D0C-SP-X	prop:X-invariants-prevent-inflation	proposition/src/thm	Map-DAG invariants prevent proof inflation
SP-X-thm-X-v19-hardening-package	D0C-SP-X	thm:X-v19-hardening-package	theorem/src/thm	Appendix X v20 compatibility map-DAG hardening package
SP-X-thm-X-package	D0C-SP-X	thm:X-package	theorem/src/thm	Appendix X v20 map-DAG package

10.20 Appendix Y (64)

ID	Source	Locator	Type / status / use	Title
SP-Y-prop-Y-platform-record-no-override	D0C-SP-Y	prop:Y-platform-record-no-override	proposition/src/thm	Platform record does not override verifier-side status
SP-Y-prop-Y-platform-use-requires-conversion	D0C-SP-Y	prop:Y-platform-use-requires-conversion	proposition/src/thm	Verifier-side use requires conversion
SP-Y-prop-Y-local-storage-not-release-promotion	D0C-SP-Y	prop:Y-local-storage-not-release-promotion	proposition/src/thm	Local storage is not release promotion
SP-Y-prop-Y-no-provisional-uid-authority	D0C-SP-Y	prop:Y-no-provisional-uid-authority	proposition/src/thm	No provisional Claim UID authority
SP-Y-prop-Y-platform-action-scoped	D0C-SP-Y	prop:Y-platform-action-scoped	proposition/src/thm	Platform action is scoped
SP-Y-prop-Y-combined-interface-not-combined-authority	D0C-SP-Y	prop:Y-combined-interface-not-combined-authority	proposition/src/thm	Combined interface does not combine authority
SP-Y-prop-Y-storage-not-certification	D0C-SP-Y	prop:Y-storage-not-certification	proposition/src/thm	Stored object is not certified by storage
SP-Y-prop-Y-stored-core-not-verified	D0C-SP-Y	prop:Y-stored-core-not-verified	proposition/src/thm	Stored Core-facing object is not verified by storage

ID	Source	Locator	Type / status / use	Title
SP-Y-prop-Y-colocation-not-composition	DOC-SP-Y	prop:Y-colocation-not-composition	proposition/src/thm	Store co-location is not proof composition
SP-Y-prop-Y-verifier-projection-controls-use	DOC-SP-Y	prop:Y-verifier-projection-controls-use	proposition/src/thm	Verifier projection controls theorem use
SP-Y-prop-Y-object-class-not-validity	DOC-SP-Y	prop:Y-object-class-not-validity	proposition/src/thm	Object class does not imply validity
SP-Y-prop-Y-platform-status-not-claim-status	DOC-SP-Y	prop:Y-platform-status-not-claim-status	proposition/src/thm	Platform status is not claim-governance status
SP-Y-prop-Y-missing-not-not-invoked	DOC-SP-Y	prop:Y-missing-not-not-invoked	proposition/src/thm	Missing is not not-invoked
SP-Y-prop-Y-registration-not-validation	DOC-SP-Y	prop:Y-registration-not-validation	proposition/src/thm	Registration is not validation
SP-Y-prop-Y-registry-entry-not-permitted-use	DOC-SP-Y	prop:Y-registry-entry-not-permitted-use	proposition/src/thm	Claim Registry entry is not permitted use
SP-Y-prop-Y-export-not-normative-by-serialization	DOC-SP-Y	prop:Y-export-not-normative-by-serialization	proposition/src/thm	Machine-readable export is not normative by serialization
SP-Y-prop-Y-availability-not-adequacy	DOC-SP-Y	prop:Y-availability-not-adequacy	proposition/src/thm	Artifact availability is not artifact adequacy
SP-Y-prop-Y-failed-adequacy-non-evidence	DOC-SP-Y	prop:Y-failed-adequacy-non-evidence	proposition/src/thm	Available artifact with failed adequacy is non-evidence
SP-Y-prop-Y-source-storage-not-recovery	DOC-SP-Y	prop:Y-source-storage-not-recovery	proposition/src/thm	Source storage does not recover theorem
SP-Y-prop-Y-benchmark-leakage-invalidates	DOC-SP-Y	prop:Y-benchmark-leakage-invalidates	proposition/src/thm	Benchmark leakage invalidates recovery use
SP-Y-prop-Y-version-change-reverify	DOC-SP-Y	prop:Y-version-change-reverify	proposition/src/thm	Version change may require re-verification
SP-Y-prop-Y-status-inheritance-requirements-justification	DOC-SP-Y	prop:Y-status-inheritance-requirements-justification	proposition/src/thm	Status inheritance requires justification
SP-Y-prop-Y-hash-identity-not-validity	DOC-SP-Y	prop:Y-hash-identity-not-validity	proposition/src/thm	Hash match proves identity, not validity
SP-Y-prop-Y-hash-mismatch-invalidates	DOC-SP-Y	prop:Y-hash-mismatch-invalidates	proposition/src/thm	Hash mismatch invalidates artifact binding until resolved
SP-Y-prop-Y-identity-not-semantic-preservation	DOC-SP-Y	prop:Y-identity-not-semantic-preservation	proposition/src/thm	Identity witness is not semantic preservation
SP-Y-prop-Y-identity-levels-not-collapse	DOC-SP-Y	prop:Y-identity-levels-not-collapse	proposition/src/thm	Identity levels do not collapse
SP-Y-prop-Y-lifecycle-not-validity	DOC-SP-Y	prop:Y-lifecycle-not-validity	proposition/src/thm	Lifecycle progress is not validity monotonicity
SP-Y-prop-Y-chain-skeleton-not-complete	DOC-SP-Y	prop:Y-chain-skeleton-not-complete	proposition/src/thm	Stored chain skeleton is not complete chain
SP-Y-prop-Y-finite-certificate-not-infinite-conclusion	DOC-SP-Y	prop:Y-finite-certificate-not-infinite-conclusion	proposition/src/thm	Stored finite certificate is not infinite conclusion
SP-Y-prop-Y-promotion-evidence	DOC-SP-Y	prop:Y-promotion-evidence	proposition/src/thm	Promotion requires recorded evidence
SP-Y-prop-Y-demotion-integrity	DOC-SP-Y	prop:Y-demotion-integrity	proposition/src/thm	Demotion preserves audit integrity
SP-Y-prop-Y-promotion-certificate-required	DOC-SP-Y	prop:Y-promotion-certificate-required	proposition/src/thm	Promotion certificate is required for theorem-facing promotion
SP-Y-prop-Y-repair-nonretroactive	DOC-SP-Y	prop:Y-repair-nonretroactive	proposition/src/thm	Repair does not rewrite prior verdicts
SP-Y-prop-Y-ai-output-status-labeled	DOC-SP-Y	prop:Y-ai-output-status-labeled	proposition/src/thm	AI output must be status-labeled
SP-Y-prop-Y-ai-storage-not-validation	DOC-SP-Y	prop:Y-ai-storage-not-validation	proposition/src/thm	AI storage does not validate AI output
SP-Y-prop-Y-ai-core-records-require-verification	DOC-SP-Y	prop:Y-ai-core-records-require-verification	proposition/src/thm	AI-generated Core-facing records require Core verification
SP-Y-prop-Y-context-inclusion-not-evidence	DOC-SP-Y	prop:Y-context-inclusion-not-evidence	proposition/src/thm	Retrieved context is not evidence by inclusion
SP-Y-prop-Y-ai-consensus-not-proof	DOC-SP-Y	prop:Y-ai-consensus-not-proof	proposition/src/thm	AI consensus is not proof
SP-Y-prop-Y-ai-provenance-not-proof	DOC-SP-Y	prop:Y-ai-provenance-not-proof	proposition/src/thm	AI provenance enables audit, not proof
SP-Y-prop-Y-injected-instructions-nonauthoritative	DOC-SP-Y	prop:Y-injected-instructions-nonauthoritative	proposition/src/thm	Injected instructions are non-authoritative
SP-Y-prop-Y-verification-result-scoped	DOC-SP-Y	prop:Y-verification-result-scoped	proposition/src/thm	Verification result is scoped to criteria
SP-Y-prop-Y-verification-scope-overrun-invalid	DOC-SP-Y	prop:Y-verification-scope-overrun-invalid	proposition/src/thm	Verification scope overrun invalidates the use
SP-Y-prop-Y-zero-looking-not-certified-zero	DOC-SP-Y	prop:Y-zero-looking-not-certified-zero	proposition/src/thm	Zero-looking stored output is not certified zero
SP-Y-prop-Y-terminal-zero-not-transient-apex	DOC-SP-Y	prop:Y-terminal-zero-not-transient-apex	proposition/src/thm	Terminal zero does not close transient or apex nodes
SP-Y-prop-Y-detector-stage-immutable	DOC-SP-Y	prop:Y-detector-stage-immutable	proposition/src/thm	Detector stage is immutable under storage operations

ID	Source	Locator	Type / status / use	Title
SP-Y-prop-Y-higher-edge-reverse-separate	D0C-SP-Y	prop:Y-higher-edge-reverse-separate	proposition/src/thm	Stored higher-edge reverse requires a separate theorem
SP-Y-prop-Y-object-similarity-not-typeIV-morphism	D0C-SP-Y	prop:Y-object-similarity-not-typeIV-morphism	proposition/src/thm	Object similarity does not create a Type IV morphism
SP-Y-prop-Y-audit-pass-not-proof	D0C-SP-Y	prop:Y-audit-pass-not-proof	proposition/src/thm	Audit pass is not mathematical proof by itself
SP-Y-prop-Y-audit-completeness-not-theorem-completeness	D0C-SP-Y	prop:Y-audit-completeness-not-theorem-completeness	proposition/src/thm	Audit completeness is not theorem completeness
SP-Y-prop-Y-replay-hierarchy-strict	D0C-SP-Y	prop:Y-replay-hierarchy-strict	proposition/src/thm	Replay hierarchy is strict
SP-Y-prop-Y-query-not-verification	D0C-SP-Y	prop:Y-query-not-verification	proposition/src/thm	Query result is retrieval, not verification
SP-Y-prop-Y-negative-query-not-non-existence	D0C-SP-Y	prop:Y-negative-query-not-non-existence	proposition/src/thm	Negative query does not prove nonexistence
SP-Y-prop-Y-write-not-promotion	D0C-SP-Y	prop:Y-write-not-promotion	proposition/src/thm	Write authority is not promotion authority
SP-Y-prop-Y-deletion-not-erase-history	D0C-SP-Y	prop:Y-deletion-not-erase-history	proposition/src/thm	Deletion does not erase dependency history
SP-Y-prop-Y-platform-manifest-reproducibility	D0C-SP-Y	prop:Y-platform-manifest-reproducibility	proposition/src/thm	Platform manifests support reproducibility
SP-Y-prop-Y-schema-validity-not-semantic-equivalence	D0C-SP-Y	prop:Y-schema-validity-not-semantic-equivalence	proposition/src/thm	Schema validity is not semantic equivalence
SP-Y-prop-Y-synchronization-failure-review	D0C-SP-Y	prop:Y-synchronization-failure-review	proposition/src/thm	Synchronization failure requires review
SP-Y-prop-Y-mirroring-not-multiple-evidence	D0C-SP-Y	prop:Y-mirroring-not-multiple-evidence	proposition/src/thm	Mirroring does not multiply evidence
SP-Y-prop-Y-only-profile-discrepancies-metric	D0C-SP-Y	prop:Y-only-profile-discrepancies-metric	proposition/src/thm	Only actual profile discrepancies enter the metric ledger
SP-Y-prop-Y-mirrors-aliases-counted-once	D0C-SP-Y	prop:Y-mirrors-aliases-counted-once	proposition/src/thm	Mirrors and aliases are counted once
SP-Y-prop-Y-pairwise-synchronization-not-higher-coherence	D0C-SP-Y	prop:Y-pairwise-synchronization-not-higher-coherence	proposition/src/thm	Pairwise synchronization is not higher coherence
SP-Y-thm-Y-package	D0C-SP-Y	thm:Y-package	theorem/src/thm	Appendix Y platform-store package
SP-Y-thm-Y-v19-hardening-package	D0C-SP-Y	thm:Y-v19-hardening-package	theorem/src/thm	Appendix Y v20.0 platform compatibility and hardening package
SP-Y-thm-Y-v20-extension-package	D0C-SP-Y	thm:Y-v20-extension-package	theorem/src/thm	Appendix Y v20 Proof Store extension package

10.21 Appendix Z (62)

ID	Source	Locator	Type / status / use	Title
SP-Z-prop-Z-run-scope-limits	D0C-SP-Z	prop:Z-run-scope-limits	proposition/src/thm	Run scope limits interpretation
SP-Z-prop-Z-schema-required-replay	D0C-SP-Z	prop:Z-schema-required-replay	proposition/src/thm	Execution schema is required for replayability
SP-Z-prop-Z-manifest-not-adequacy	D0C-SP-Z	prop:Z-manifest-not-adequacy	proposition/src/thm	Artifact manifest supports audit but does not prove adequacy
SP-Z-prop-Z-environment-required	D0C-SP-Z	prop:Z-environment-required	proposition/src/thm	Environment capture is required for computational replay
SP-Z-prop-Z-random-seed-required	D0C-SP-Z	prop:Z-random-seed-required	proposition/src/thm	Randomized runs require seed or distribution records
SP-Z-prop-Z-evaluation-replay-required	D0C-SP-Z	prop:Z-evaluation-replay-required	proposition/src/thm	Repaired evaluation replay requires evaluation records
SP-Z-prop-Z-ledger-replay-required	D0C-SP-Z	prop:Z-ledger-replay-required	proposition/src/thm	Ledger replay requires ledger execution records
SP-Z-prop-Z-diagnostic-replay-required	D0C-SP-Z	prop:Z-diagnostic-replay-required	proposition/src/thm	Diagnostic replay requires diagnostic execution records
SP-Z-prop-Z-gate-clause-support	D0C-SP-Z	prop:Z-gate-clause-support	proposition/src/thm	Gate verdict requires clause-level support
SP-Z-prop-Z-replay-pass-not-proof	D0C-SP-Z	prop:Z-replay-pass-not-proof	proposition/src/thm	Replay pass is not theorem proof by itself
SP-Z-prop-Z-reproducibility-level-not-validity	D0C-SP-Z	prop:Z-reproducibility-level-not-validity	proposition/src/thm	Higher reproducibility level does not imply theorem validity
SP-Z-prop-Z-formal-replay-scoped	D0C-SP-Z	prop:Z-formal-replay-scoped	proposition/src/thm	Formal replay is scoped to formal statements
SP-Z-prop-Z-numerical-repro-not-validity	D0C-SP-Z	prop:Z-numerical-repro-not-validity	proposition/src/thm	Numerical reproducibility is not numerical validity
SP-Z-prop-Z-reproducibility-manifest-audit	D0C-SP-Z	prop:Z-reproducibility-manifest-audit	proposition/src/thm	Reproducibility manifest supports audit
SP-Z-prop-Z-reproducibility-failure-review	D0C-SP-Z	prop:Z-reproducibility-failure-review	proposition/src/thm	Reproducibility failure requires status review
SP-Z-prop-Z-execution-success-not-certificate	D0C-SP-Z	prop:Z-execution-success-not-certificate	proposition/src/thm	Execution success does not imply certificate success
SP-Z-prop-Z-certificate-needs-execution-support	D0C-SP-Z	prop:Z-certificate-needs-execution-support	proposition/src/thm	Certificate success requires execution support when computation is used
SP-Z-prop-Z-execution-record-no-override	D0C-SP-Z	prop:Z-execution-record-no-override	proposition/src/thm	Execution records do not override verifier conditions
SP-Z-prop-Z-verifier-use-requires-conversion	D0C-SP-Z	prop:Z-verifier-use-requires-conversion	proposition/src/thm	Verifier-side use requires conversion

ID	Source	Locator	Type / status / use	Title
SP-Z-prop-Z-execution-status-not-claim-status	DOC-SP-Z	prop:Z-execution-status-not-claim-status	proposition/src/thm	Execution status is not claim status
SP-Z-prop-Z-identity-not-semantic-preservation	DOC-SP-Z	prop:Z-identity-not-semantic-preservation	proposition/src/thm	Run identity is not semantic preservation
SP-Z-prop-Z-replay-pass-scoped	DOC-SP-Z	prop:Z-replay-pass-scoped	proposition/src/thm	Replay pass remains scoped
SP-Z-prop-Z-replay-not-applicable-scope	DOC-SP-Z	prop:Z-replay-not-applicable-scope	proposition/src/thm	Replay-not-applicable requires scope exclusion
SP-Z-prop-Z-scope-overflow-invalid	DOC-SP-Z	prop:Z-scope-overflow-invalid	proposition/src/thm	Execution scope overrun invalidates use
SP-Z-prop-Z-defects-not-automatically-metric	DOC-SP-Z	prop:Z-defects-not-automatically-metric	proposition/src/thm	Execution defects are not automatically metric defects
SP-Z-prop-Z-typeIV-summary-insufficient	DOC-SP-Z	prop:Z-typeIV-summary-insufficient	proposition/src/thm	Type IV replay summary is insufficient
SP-Z-thm-Z-v19-hardening-package	DOC-SP-Z	thm:Z-v19-hardening-package	theorem/src/thm	Appendix Z v20.0.0 execution hardening and compatibility package
SP-Z-prop-Z-local-replay-not-release-promotion	DOC-SP-Z	prop:Z-local-replay-not-release-promotion	proposition/src/thm	Local replay does not promote a release claim
SP-Z-prop-Z-run-name-not-identity	DOC-SP-Z	prop:Z-run-name-not-identity	proposition/src/thm	Run name is not run identity
SP-Z-prop-Z-authority-not-compositional	DOC-SP-Z	prop:Z-authority-not-compositional	proposition/src/thm	Execution authority is not compositional by interface
SP-Z-prop-Z-missing-evidence-undefined	DOC-SP-Z	prop:Z-missing-evidence-undefined	proposition/src/thm	Missing execution evidence is undefined
SP-Z-prop-Z-status-axis-noncollapse	DOC-SP-Z	prop:Z-status-axis-noncollapse	proposition/src/thm	Execution status axes do not collapse
SP-Z-prop-Z-rendered-derivative-not-source	DOC-SP-Z	prop:Z-rendered-derivative-not-source	proposition/src/thm	Rendered derivatives are not source authority
SP-Z-prop-Z-hash-not-preservation	DOC-SP-Z	prop:Z-hash-not-preservation	proposition/src/thm	Hash equality is not transformation preservation
SP-Z-prop-Z-seed-not-full-determinism	DOC-SP-Z	prop:Z-seed-not-full-determinism	proposition/src/thm	A seed is not a complete determinism witness
SP-Z-prop-Z-statistical-replay-not-instance-proof	DOC-SP-Z	prop:Z-statistical-replay-not-instance-proof	proposition/src/thm	Statistical replay is not instance proof
SP-Z-prop-Z-detector-stage-immutable	DOC-SP-Z	prop:Z-detector-stage-immutable	proposition/src/thm	Detector stage is immutable during replay
SP-Z-prop-Z-zero-looking-not-certified-zero	DOC-SP-Z	prop:Z-zero-looking-not-certified-zero	proposition/src/thm	Zero-looking output is not certified zero
SP-Z-prop-Z-higher-edge-default-one-way	DOC-SP-Z	prop:Z-higher-edge-default-one-way	proposition/src/thm	The default higher edge is one-way
SP-Z-prop-Z-synthetic-shift-not-principal-edge	DOC-SP-Z	prop:Z-synthetic-shift-not-principal-edge	proposition/src/thm	Synthetic shifts are not principal higher edges
SP-Z-prop-Z-no-double-counting	DOC-SP-Z	prop:Z-no-double-counting	proposition/src/thm	Primitive discrepancies are counted once
SP-Z-prop-Z-alternative-route-not-added	DOC-SP-Z	prop:Z-alternative-route-not-added	proposition/src/thm	Unused alternative routes are not summed
SP-Z-prop-Z-nonscalar-not-budgeted	DOC-SP-Z	prop:Z-nonscalar-not-budgeted	proposition/src/thm	Non-scalar obligations are not execution budget
SP-Z-prop-Z-terminal-zero-not-full-zero	DOC-SP-Z	prop:Z-terminal-zero-not-full-zero	proposition/src/thm	Terminal zero is not full defect zero
SP-Z-prop-Z-missing-typeIV-not-zero	DOC-SP-Z	prop:Z-missing-typeIV-not-zero	proposition/src/thm	Missing Type IV data are not zero
SP-Z-prop-Z-replay-hierarchy-strict	DOC-SP-Z	prop:Z-replay-hierarchy-strict	proposition/src/thm	The replay hierarchy is strict
SP-Z-prop-Z-build-pass-not-semantic-pass	DOC-SP-Z	prop:Z-build-pass-not-semantic-pass	proposition/src/thm	Build pass is not semantic pass
SP-Z-prop-Z-R5-not-semantic-completeness	DOC-SP-Z	prop:Z-R5-not-semantic-completeness	proposition/src/thm	R5 is not semantic or theorem completeness
SP-Z-prop-Z-tolerance-not-metric-certificate	DOC-SP-Z	prop:Z-tolerance-not-metric-certificate	proposition/src/thm	Numerical tolerance is not a metric certificate
SP-Z-prop-Z-reserve-and-zero-transport-distinct	DOC-SP-Z	prop:Z-reserve-and-zero-transport-distinct	proposition/src/thm	Zero transport and reserve are distinct
SP-Z-prop-Z-finite-prefix-not-reduction	DOC-SP-Z	prop:Z-finite-prefix-not-reduction	proposition/src/thm	Finite prefixes are not reductions
SP-Z-prop-Z-realization-not-return	DOC-SP-Z	prop:Z-realization-not-return	proposition/src/thm	Realization is not Return
SP-Z-prop-Z-return-required-external	DOC-SP-Z	prop:Z-return-required-external	proposition/src/thm	External conclusions require Return
SP-Z-prop-Z-benchmark-leakage-invalidates	DOC-SP-Z	prop:Z-benchmark-leakage-invalidates	proposition/src/thm	Benchmark leakage invalidates independent recovery
SP-Z-prop-Z-repair-nonretroactive	DOC-SP-Z	prop:Z-repair-nonretroactive	proposition/src/thm	Execution repair is non-retroactive
SP-Z-prop-Z-stale-run-not-current-evidence	DOC-SP-Z	prop:Z-stale-run-not-current-evidence	proposition/src/thm	Stale runs are not current evidence
SP-Z-prop-Z-local-closure-not-final-promotion	DOC-SP-Z	prop:Z-local-closure-not-final-promotion	proposition/src/thm	Local closure is not final promotion

ID	Source	Locator	Type / status / use	Title
SP-Z-prop-Z-generated-sidecar-not-normative-register	DOC-SP-Z	prop:Z-generated-sidecar-not-normative-register	proposition/src/thm	Generated sidecars are not normative registries
SP-Z-thm-Z-v20-final-closure-package	DOC-SP-Z	thm:Z-v20-final-closure-package	theorem/src/thm	v20.0.0 final execution-closure package
SP-Z-thm-Z-partV-closure	DOC-SP-Z	thm:Z-partV-closure	theorem/src/thm	Part V closure principle
SP-Z-thm-Z-final-nonconfusion	DOC-SP-Z	thm:Z-final-nonconfusion	theorem/src/thm	Final non-confusion principle
SP-Z-thm-Z-package	DOC-SP-Z	thm:Z-package	theorem/src/thm	Appendix Z execution-reproducibility package

10.22 Companion (25)

ID	Source	Locator	Type / status / use	Title
COMP-C-prop-C1-checked-calibration-nonverdict	DOC-COMP	prop:C1-checked-calibration-nonverdict	proposition/src/thm	Checked calibration is non-verdict
COMP-C-prop-C1-companion-no-nonscalar-discharge	DOC-COMP	prop:C1-companion-no-nonscalar-discharge	proposition/src/thm	Companion examples cannot discharge non-scalar obligations
COMP-C-prop-C1-companion-completion-nonpromotional	DOC-COMP	prop:C1-companion-completion-nonpromotional	proposition/src/thm	Companion completion is non-promotional
COMP-C-prop-C1-benchmark-quarantine-noncompensating	DOC-COMP	prop:C1-benchmark-quarantine-noncompensating	proposition/src/thm	Benchmark quarantine is non-compensating
COMP-C-prop-C1-higher-edge-reverse-reflection-v20	DOC-COMP	prop:C1-higher-edge-reverse-reflection-v20	proposition/src/thm	Reverse higher-edge use requires reflection
COMP-C-prop-C1-synthetic-not-natural-bridge-v20	DOC-COMP	prop:C1-synthetic-not-natural-bridge-v20	proposition/src/thm	Synthetic realization is not a natural bridge
COMP-C-prop-C1-no-ledger-double-counting-v20	DOC-COMP	prop:C1-no-ledger-double-counting-v20	proposition/src/thm	No companion double counting
COMP-C-prop-C1-ledger-no-nonscalar-repair-v20	DOC-COMP	prop:C1-ledger-no-nonscalar-repair-v20	proposition/src/thm	Metric reserve does not repair non-scalar obligations
COMP-C-prop-C1-terminal-zero-not-full-v20	DOC-COMP	prop:C1-terminal-zero-not-full-v20	proposition/src/thm	Terminal zero does not imply full preservation
COMP-C-prop-C1-complete-chain-required-v20	DOC-COMP	prop:C1-complete-chain-required-v20	proposition/src/thm	Every invoked bridge arrow is required
COMP-C-prop-C1-handoff-preserves-nonclaim-v20	DOC-COMP	prop:C1-handoff-preserves-nonclaim-v20	proposition/src/thm	Handoff preserves non-claim status
COMP-C-prop-C1-package	DOC-COMP	prop:C1-package	proposition/src/thm	Companion 1 calibration package
COMP-C-prop-C2-replay-audit-support-not-theorem	DOC-COMP	prop:C2-replay-audit-support-not-theorem	proposition/src/thm	Replay and audit are support checks, not theorem checks by default
COMP-C-prop-C2-execution-completion-nonpromotional-v20	DOC-COMP	prop:C2-execution-completion-nonpromotional-v20	proposition/src/thm	Execution completion is non-promotional
COMP-C-prop-C2-run-config-not-theorem-v20	DOC-COMP	prop:C2-run-config-not-theorem-v20	proposition/src/thm	Run configuration does not authorize a theorem
COMP-C-prop-C2-zero-looking-not-certified-v20	DOC-COMP	prop:C2-zero-looking-not-certified-v20	proposition/src/thm	Zero-looking output is not certified zero
COMP-C-prop-C2-no-ledger-double-counting-v20	DOC-COMP	prop:C2-no-ledger-double-counting-v20	proposition/src/thm	Execution records do not multiply discrepancy
COMP-C-prop-C2-execution-failure-non-scalar-v20	DOC-COMP	prop:C2-execution-failure-non-scalar-v20	proposition/src/thm	Qualitative execution failure is non-scalar
COMP-C-prop-C2-terminal-not-full-closure-v20	DOC-COMP	prop:C2-terminal-not-full-closure-v20	proposition/src/thm	Terminal diagnostics do not close stronger fields
COMP-C-prop-C2-storage-authority-no-compose-v20	DOC-COMP	prop:C2-storage-authority-no-compose-v20	proposition/src/thm	Storage and authority do not self-compose
COMP-C-prop-C2-replay-not-cure-circularity-v20	DOC-COMP	prop:C2-replay-not-cure-circularity-v20	proposition/src/thm	Replay cannot cure circular recovery
COMP-C-prop-C2-R5-not-semantic-complete-v20	DOC-COMP	prop:C2-R5-not-semantic-complete-v20	proposition/src/thm	R5 does not imply semantic or mathematical completeness
COMP-C-prop-C2-package	DOC-COMP	prop:C2-package	proposition/src/thm	Companion 2 execution-reproducibility package
COMP-C-prop-C2-companion-closure	DOC-COMP	prop:C2-companion-closure	proposition/src/thm	Companion closure principle
COMP-C-prop-C2-companion-not-release-closure-v20	DOC-COMP	prop:C2-companion-not-release-closure-v20	proposition/src/thm	Companion closure is not global release closure

11 Final non-confusion and closure statement

Canonical final reading

The final compact register governs identity and admissible use; it does not restate or strengthen the mathematics. The source statement and proof remain authoritative. Every ambiguity is resolved by the weaker safe reading. Exact Known-Theorem Recovery is registered only at the two displayed strengths. All major conjectural, successor-release, synthetic, toy, Search, and Companion overreadings remain excluded.

The final-CR status is registered. The v20 document set is dependency-closed under source-controlled claim use. Publication, DOI release, and package publication are separate release operations and are not asserted by this register alone.