

AK High-Dimensional Projection Structural Theory

Appendix CR-v19

Canonical Claim Register, Invocation Governance, and Repair Ancestry

Version 19.0.0 – Register Revision CR-v19.0.0-r3

Atsushi Kobayashi

June 2026

Release status

Document role: claim-governance appendix. Evidence status: operational. Invocation role: operational rule. Conformance status: conformant. This r3 revision promotes CM-v19.0.0-r2 and TB-v19.0.0-r1 closure p1 at their exact local strengths, adds content-addressed promotion receipts, enforces human/machine register equivalence, and preserves immutable r2 repair ancestry. No promoted item silently enlarges the Core or an external-domain claim.

Contents

1	Scope and Normative Status	3
2	Immutable Dependency Baseline	3
2.1	Source artifact registry	3
2.2	Artifact lineage and identity rules	4
2.3	Normative dependency order	4
3	Claim Typing and Identity Axes	4
3.1	Document role	4
3.2	Evidence status	4
3.3	Invocation role	4
3.4	Conformance status	4
4	Canonical Register Schema	5
4.1	Claim-use preflight	5
5	Two-Level Comparison Mode System	5
5.1	Claim-level policy	5
5.2	Runtime selected mode	5
6	Typed Failure-Route Calculus	5
7	Global Governing Register	5
8	Main-Body Chapter Register	10
8.1	Chapter 1	10
8.2	Chapter 2	17
8.3	Chapter 3	22
8.4	Chapter 4	27
8.5	Chapter 5	30
8.6	Chapter 6	35
8.7	Chapter 7	41
8.8	Chapter 8	51
9	Foundation Appendix Register	59
9.1	Appendix A	59
9.2	Appendix B	64
9.3	Appendix C	68
9.4	Appendix D	73
9.5	Appendix E	78
9.6	Appendix F	82
9.7	Appendix G	88
10	Promoted Downstream Registers and Remaining Candidates	98
10.1	Immutable promotion receipts	98
10.2	Promoted CM-v19.0.0-r2 register	99
10.3	Promoted TB-v19.0.0-r1 closure p1 register	115
10.4	Remaining downstream and candidate documents	128

11 CR-r2 to CR-r3 Revision Migration	130
12 Deprecated and Rejected Claim Migration	130
13 Explicit Non-Claim Register	133
14 Promotion, Demotion, and Repair Rules	140
14.1 Promotion	140
14.2 Demotion	140
14.3 Repair as a new record	140
15 Cross-Document Conformance Matrix	140
16 Register Closure Proposition	140
17 Provenance, Hashes, and Status	141
18 Machine-Readable Register Summary	141

1 Scope and Normative Status

This appendix is the canonical v19.0.0 claim-governance register for AK-HPDST. It controls how statements are identified, classified, invoked, repaired, superseded, and audited. It neither enlarges the mathematical Core nor creates an external-domain theorem.

Central rule

A claim may be consumed only at the strength jointly supported by its immutable source binding, proof or policy evidence, document role, evidence status, invocation role, conformance status, discharged hypotheses, dependency closure, comparison policy, failure routing, and permitted-use field. The weaker safe interpretation governs every ambiguity.

The exact source wording is incorporated by immutable artifact-and-locator binding. A digest is navigational only and never substitutes for the source statement.

2 Immutable Dependency Baseline

2.1 Source artifact registry

Artifact ID	Document	Status / role	SHA-256
SRC-MAIN-PDF	AK-HPDST v19.0.0 Main, Chapters 1–8	conformant; canonical_source	7d926a21a6dc65b1765df096c5e38db313097b2a9ac1a7ca97cda63adce5e750
SRC-MAIN-TEX	AK-HPDST v19.0.0 Main AssemblyCanonical v2 XeLaTeX	conformant; canonical_assembly_source	874738e13b1432dcf78a6f8ba1c2ffcbb95f8086d22f4f899507e5591346a782
SRC-MAIN-CANONICAL-PDF	AK-HPDST v19.0.0 Main AssemblyCanonical v2 PDF	conformant; canonical_build_output	4d6136d74ef2d1971fc60b7ea41bb66e0a3b810e5dc613d43c5fc9ed89137a79
SRC-FOUNDATION-PDF	AK-HPDST v19.0.0 Foundation Appendices A–G	conformant; canonical_source	12489aafc9961ba71f386cc8377e669e13a9f920cc16ae8e34f60dece296c982
SRC-CR-R2-PDF	CR-v19.0.0-r2 predecessor register	superseded; immutable_repair_ancestry	bf9895a7690cd2071984ab125370a38a50bbf4e4ea4fac621154162f80977800e5
SRC-CR-R2-TEX	Submitted CR-v19.0.0-r2 assembly source	superseded; repair_input	bf34cd5e60a2fa581671f47a9e0393aea16e2e9ef952a4b72e59dbfebb24cf3a
SRC-OLD-CR-PDF	Legacy Appendix CR-A: AK v18 Claim Register	legacy_v18_only; repair_ancestry	711013881239af801b6e4e2f4d715667d6358699819c96aa5abd77e837cbd40f
SRC-CM-R2-PDF	Appendix CM-v19.0.0-r2 Core Micro-Theorem Pack	conformant; promoted_downstream_source	a6c33c8e9b20208a6b3f838b7eb9234eb67fb38c7bd71c83220873ddce45b65f
SRC-TB-R1-PDF	Appendix TB-v19.0.0-r1 closure p1	conformant; promoted_downstream_source	629a0d771f9855257a78f25c4bc82dea71a21ef398baa993a14d5b3f8a09ffc2
SRC-TB-R1-REGISTER	TB-v19.0.0-r1 machine-readable local register	conformant; promotion_evidence	bd82dfe1ef95f870304ec80da10628b663b8f6a98711159ad2970449347c2c94
SRC-TB-R1-MANIFEST	TB-v19.0.0-r1 package manifest	conformant; artifact_closure_evidence	b3f50f2b5b338366fac9a82507477967876a0d3b91f9799ac733a847694359e7
SRC-TECH-PDF	Current Technical Extension Appendices	pending_v19_repair; downstream_pending	75224036164a7bd668f24520ef0ddce6515dd39cb9cff5de0005b376bc89d29a
SRC-INTERFACE-PDF	Current Problem Interface Appendices	pending_v19_repair; downstream_pending	6ad53db3113a3e77c84f5945f60a45e63dfb18ff18d6d74d8b12186ce2876b9d
SRC-SEARCH-PDF	Current Search / Platform Appendices	pending_v19_repair; downstream_pending	a2b1602a25e5e43b0b0b07dfdb9d8f8032935cd7ba96e4312069bbd2ae2f878d

Artifact ID	Document	Status / role	SHA-256
SRC-COMPANION -PDF	Current Companion	pending_v19_re pair; downstream _pending	8218bb5501d7da6d8959be487ce1cd40e36 b48573a1f2a0cf98ac68cb6ead57a

2.2 Artifact lineage and identity rules

- SRC-CR-R2-PDF is immutable repair ancestry. CR-r3 does not overwrite, relabel, or retroactively change any r2 record.
- SRC-CM-R2-PDF and SRC-TB-R1-PDF are promoted by content hash and local UID. A basename, path, or display title never establishes artifact identity by itself.
- The TB local JSON register and package manifest are bound as promotion and artifact-closure evidence. Their presence supports reconstructibility but does not manufacture mathematical proof.
- Self-hashes of the final r3 PDF, TeX, JSON, CSV, schema, and audit files are carried in the external package manifest and SHA-256 sidecar, avoiding circular self-hash claims inside the PDF.
- Unavailable source identities are never fabricated. The r2 Main assembly identities are carried only at the exact status registered by r2.

2.3 Normative dependency order

1. Main Chapters 1–8.
2. Foundation Appendices A–G.
3. This CR-v19.0.0-r3 register and its machine-readable projection.
4. CM-v19.0.0-r2 and TB-v19.0.0-r1 closure p1, promoted only at the exact strengths registered below.
5. Technical Extension, Problem Interface, Search / Platform, and Companion material at registered non-Core strengths pending separate conformance repair.
6. v19.1 candidates, which cannot discharge v19.0.0 obligations.

3 Claim Typing and Identity Axes

Every canonical entry has a globally unique *Claim UID*; the short ClaimID is a display identifier only. Legacy v18 identifiers are namespaced as `ak-hpdst:18.2:cr-a:<ClaimID>` and cannot collide with v19 UIDs.

3.1 Document role

The document-role field records the mathematical or architectural type of an item. Registration does not alter that type.

3.2 Evidence status

The canonical evidence statuses are `proved`, `conditional`, `operational`, `spec`, `deprecated`, `rejected`, and `unknown`.

3.3 Invocation role

Every use records exactly one of `theorem_evidence`, `operational_rule`, `specification_target`, or `provenance_only`.

3.4 Conformance status

The canonical conformance statuses are `conformant`, `conformant_with_hypotheses`, `pending_v19_repair`, `legacy_v18_only`, `deprecated`, and `rejected`.

4 Canonical Register Schema

Every entry contains Claim UID, source binding, typing axes, scope, hypotheses, dependencies, claim-level comparison policy, allowed runtime modes, artifact requirements, permitted use, forbidden reading, typed failure routes, repair ancestry, and review status.

4.1 Claim-use preflight

Before an item is consumed, the verifier checks identity, source binding, typing, hypotheses, dependencies, permitted use, non-claim boundary, comparison policy, runtime mode when invoked, failure-route compatibility, and repair ancestry. Any missing required datum yields undefined; it is never silently converted into pass or a numbered obstruction.

5 Two-Level Comparison Mode System

5.1 Claim-level policy

The register field `comparison_mode_policy` takes one of `not_applicable`, `runtime_resolved`, `fixed_exact`, `fixed_metric_gap_certified`, or `fixed_not_compared`. These values describe applicability and are not runtime comparison modes.

5.2 Runtime selected mode

Only a consumed comparison carries `resolved_comparison_mode`, with exactly one value: `exact`, `metric_gap_certified`, or `not_compared`. The mode `not_compared` cannot discharge an invoked comparison obligation.

6 Typed Failure-Route Calculus

- FR-MISSING: missing required evidence maps to undefined.
- FR-T1: valid repaired topological nonvanishing maps to reject / Type I.
- FR-T2: valid eligible categorical nonvanishing maps to reject / Type II.
- FR-T3: failed invoked metric, comparison, representative, overlap, Restart, or coherence obligation maps to reject / Type III.
- FR-T4: valid nonzero terminal-generic Type IV diagnostic maps to reject / Type IV.
- FR-T5: governance, identity, status, provenance, or repair-ancestry failure maps to reject / Type V.
- FR-NONVERDICT: use of a non-claim, rejected item, spec, companion, or v19.1 candidate as theorem evidence maps to reject / Type V.

A numbered failure type is assigned only after the corresponding typed object and evidence exist. Missing evidence remains undefined.

7 Global Governing Register

CR-G-001: Core pass and external theorem separation

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-001`.

Source. `CR-v19-R3-SELF`, local record `CR-G-001`.

Source binding. `immutable_self_record`; `b7f4d1d0f7a4a8e97f154b90d52785c9f3ff01a8941469282e458692d08895de`.

Typing. `operational_policy`; `operational`; `operational_rule`; `conformant`.

Digest. A Core pass is not an external-domain theorem; a proved transport theorem is required.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-G-001; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-001.

Review status. baseline_registered.

CR-G-002: Registration is not proof

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-002.

Source. CR-v19-R3-SELF, local record CR-G-002.

Source binding. immutable_self_record; 89d9b4462393e302395423ff8879c9577120c9d72ad6a2eaaab30eb5a8c5f5f7.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. A ClaimID records governance metadata and never manufactures proof.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-002.

Review status. baseline_registered.

CR-G-003: Search and AI output are non-verdict

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-003.

Source. CR-v19-R3-SELF, local record CR-G-003.

Source binding. immutable_self_record; bcdf811aeb81065c4beeb7b4a8bb8f96bdcfdf86e97ba045910193f2385c49f.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. Search scores, AI outputs, rankings, and proposals cannot update a Core verdict.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-G-002; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-003.

Review status. baseline_registered.

CR-G-004: Bridge Program is not Bridge Theorem

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-004.

Source. CR-v19-R3-SELF, local record CR-G-004.

Source binding. immutable_self_record; 5720f7ab56db35cd86413cd746728682e865712bdd980bbcf50a1fa2c42d806f.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. A program or candidate cannot be invoked as theorem evidence.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-G-003; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-004.

Review status. baseline_registered.

CR-G-005: Spec is not theorem

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-005.

Source. CR-v19-R3-SELF, local record CR-G-005.

Source binding. immutable_self_record; 07bb3dff17a081d5fcd91ed955ce9f5428af280ac2238479959d7ae48dcb00b.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. A specification target cannot discharge a theorem-level obligation.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-G-004; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-005.

Review status. baseline_registered.

CR-G-006: Companion template is not certification

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-006.

Source. CR-v19-R3-SELF, local record CR-G-006.

Source binding. immutable_self_record; 8ffefc4073781f9f6b09552df75db96b24c9b56765f58d7413909ad6db20c3bf.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. Templates and examples remain operational or illustrative.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-G-005; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-006.

Review status. baseline_registered.

CR-G-007: Weaker-safe interpretation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-007.

Source. CR-v19-R3-SELF, local record CR-G-007.

Source binding. immutable_self_record; 7fe790f56da971a968b2150c1690b052ba94f51746bf942d5a2f5ab980928e58.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. Ambiguity is resolved to the weaker document role, status, invocation role, or use permission.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-007.

Review status. baseline_registered.

CR-G-008: Immutable repair

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-008.

Source. CR-v19-R3-SELF, local record CR-G-008.

Source binding. immutable_self_record; 7a759c552abb74f15b50dce8d3dea290021c36a1a2cba1b5b44d2ab123cc192c.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. Repair creates a new revision and never mutates a prior verdict or source artifact.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-008.

Review status. baseline_registered.

CR-G-009: Conformance is independent of proof status

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-009.

Source. CR-v19-R3-SELF, local record CR-G-009.

Source binding. immutable_self_record; 15e59d3c95fe4ff1a472b68f592b660658b3fd5d431a2199aa82a8e08fe2eff0.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. A mathematically proved statement may remain unusable when its source document is not v19-conformant.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-009.

Review status. baseline_registered.

CR-G-010: Claim-use preflight is mandatory

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-010.

Source. CR-v19-R3-SELF, local record CR-G-010.

Source binding. immutable_self_record; 1d47fee2edd15a37467a206d485d175ba89d99dae13fa517f9d1aa5df8e23daf.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. Every consumed claim must pass identity, version, status, invocation, hypothesis, dependency, and permitted-use checks.

Scope. All v19.0.0 claim consumption and certification workflows.

Hypotheses. The claim is consumed inside the v19.0.0 governance regime.

Dependencies. Chapter 1 claim discipline and Chapter 7 typed audit semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot identity and source artifact registry.

Permitted use. May govern admissible claim use and block status inflation.

Forbidden stronger reading. Does not prove the mathematical truth of a referenced claim.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. reconstructed from legacy CR-A and v19 Main Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-G-010.

Review status. baseline_registered.

CR-G-011: Content-addressed artifact identity

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-011.

Source. CR-v19-R3-SELF, local record CR-G-011.

Source binding. immutable_self_record; df8cdec1d63a1b2b9473eb90544ce4b510994a6a4cf7adaa9ab374d224438a14.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. An artifact identity is established by the registered content digest and declared artifact role; basename, path, title, or storage location alone is non-authoritative.

Scope. All CR-v19.0.0-r3 claim consumption, promotion, packaging, and audit workflows.

Hypotheses. The record is consumed inside the r3 governance regime with the registered source and package identities.

Dependencies. CR-G-002, CR-G-007, CR-G-008, CR-G-010, and Appendix G manifest discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. The r3 canonical JSON register, package manifest, and relevant immutable source artifacts.

Permitted use. May govern identity, promotion, package closure, and admissible downstream claim use.

Forbidden stronger reading. Does not prove any referenced mathematical statement or external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new r3 governing record; no r2 predecessor.

Review status. r3_governance_registered.

CR-G-012: Human-readable and machine-readable register equivalence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-012.

Source. CR-v19-R3-SELF, local record CR-G-012.

Source binding. immutable_self_record; b658387fc83f6507bea7929e8fcca5ed44129d207d6f433c2b8b5bb9978bc944.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The PDF projection and canonical JSON register must contain the same canonical Claim UID set and the same governing typing fields. A mismatch blocks register closure.

Scope. All CR-v19.0.0-r3 claim consumption, promotion, packaging, and audit workflows.

Hypotheses. The record is consumed inside the r3 governance regime with the registered source and package identities.

Dependencies. CR-G-002, CR-G-007, CR-G-008, CR-G-010, and Appendix G manifest discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. The r3 canonical JSON register, package manifest, and relevant immutable source artifacts.

Permitted use. May govern identity, promotion, package closure, and admissible downstream claim use.

Forbidden stronger reading. Does not prove any referenced mathematical statement or external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new r3 governing record; no r2 predecessor.

Review status. r3_governance_registered.

CR-G-013: Promotion receipt is mandatory

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-013.

Source. CR-v19-R3-SELF, local record CR-G-013.

Source binding. immutable_self_record; 30ef24e9b255bd420157432e899dc21ca18728ed22868bdf6e5249c03472ace5.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. A downstream item becomes consumable under CR governance only through a new immutable promotion receipt binding the exact source artifact, local UID, role, status, hypotheses, dependencies, comparison policy, failure routes, and review state.

Scope. All CR-v19.0.0-r3 claim consumption, promotion, packaging, and audit workflows.

Hypotheses. The record is consumed inside the r3 governance regime with the registered source and package identities.

Dependencies. CR-G-002, CR-G-007, CR-G-008, CR-G-010, and Appendix G manifest discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. The r3 canonical JSON register, package manifest, and relevant immutable source artifacts.

Permitted use. May govern identity, promotion, package closure, and admissible downstream claim use.

Forbidden stronger reading. Does not prove any referenced mathematical statement or external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new r3 governing record; no r2 predecessor.

Review status. r3_governance_registered.

CR-G-014: Downstream promotion does not enlarge the Core

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-014.

Source. CR-v19-R3-SELF, local record CR-G-014.

Source binding. immutable_self_record; 427801600f2500251c34500337c54e9ccba3838d6f9d753b7da7515c6e0328e4.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. Promotion of CM or TB authorizes use only at the promoted local strength. It does not convert a micro-theorem into a new Core axiom, a toy bridge into a problem-specific bridge, or any item into an external-domain theorem.

Scope. All CR-v19.0.0-r3 claim consumption, promotion, packaging, and audit workflows.

Hypotheses. The record is consumed inside the r3 governance regime with the registered source and package identities.

Dependencies. CR-G-002, CR-G-007, CR-G-008, CR-G-010, and Appendix G manifest discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. The r3 canonical JSON register, package manifest, and relevant immutable source artifacts.

Permitted use. May govern identity, promotion, package closure, and admissible downstream claim use.

Forbidden stronger reading. Does not prove any referenced mathematical statement or external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new r3 governing record; no r2 predecessor.

Review status. r3_governance_registered.

CR-G-015: Package closure is not mathematical truth

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-015.

Source. CR-v19-R3-SELF, local record CR-G-015.

Source binding. immutable_self_record; 7d90890c0f0c1f1a9a42706a71d6c2c1176128a3e6f001aef9e30b4b1417190d.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. Successful build, complete packaging, hash closure, replayability, or manifest validity establishes artifact and governance readiness only; mathematical truth remains controlled by the registered proof evidence and hypotheses.

Scope. All CR-v19.0.0-r3 claim consumption, promotion, packaging, and audit workflows.

Hypotheses. The record is consumed inside the r3 governance regime with the registered source and package identities.

Dependencies. CR-G-002, CR-G-007, CR-G-008, CR-G-010, and Appendix G manifest discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. The r3 canonical JSON register, package manifest, and relevant immutable source artifacts.

Permitted use. May govern identity, promotion, package closure, and admissible downstream claim use.

Forbidden stronger reading. Does not prove any referenced mathematical statement or external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new r3 governing record; no r2 predecessor.

Review status. r3_governance_registered.

8 Main-Body Chapter Register

8.1 Chapter 1

CR-CH1-001: Claim Taxonomy

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-001.

Source. SRC-MAIN-PDF, Definition 1.1, label def:claim-taxonomy, PDF page 4.

Source binding. immutable_artifact_locator; 8943234f61cacb2356a2703d7e27ee8d88413258d64ad2a10848495e903cfb84.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Claim Taxonomy" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.1, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-001`.

Review status. `baseline_registered`.

CR-CH1-002: Three-axis claim typing

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-002`.

Source. SRC-MAIN-PDF, Definition 1.2, label `def:two-axis-claim-typing`, PDF page 5.

Source binding. `immutable_artifact_locator`; `784da6fd4893d56312c6c897f412d50da1c8a2163fe48001139aae976acf171a`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Three-axis claim typing" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.2, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-002`.

Review status. `baseline_registered`.

CR-CH1-003: Threshold-gap-safe stability under the standard bottleneck metric

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-003`.

Source. SRC-MAIN-PDF, Theorem 1.10, label `thm:threshold-gap-safe-stability`, PDF page 6.

Source binding. `immutable_artifact_locator`; `02c6907c490ff2d948c504badbbd4569561904760921aa8b502414342ccc0e56`.

Typing. `metric_repair_theorem`; `conditional`; `theorem_evidence`; `conformant`.

Digest. The source statement "Threshold-gap-safe stability under the standard bottleneck metric" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Theorem 1.10, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. `fixed_metric_gap_certified`.

Allowed runtime modes. `metric_gap_certified`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-003`.

Review status. `baseline_registered`.

CR-CH1-004: v19 Metric-Repaired Unified Collapse Contract: mathematical data

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-004.

Source. SRC-MAIN-PDF, Definition 1.12, label def:UCC-math-contract, PDF page 6.

Source binding. immutable_artifact_locator; 5610d44f815a89271f1a8262bbff7aa036eefded24660db7ddac213fce634030.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "v19 Metric-Repaired Unified Collapse Contract: mathematical data" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.12, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-004.

Review status. baseline_registered.

CR-CH1-005: v19 Metric-Repaired Unified Collapse Contract: audit policy

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-005.

Source. SRC-MAIN-PDF, Policy 1, PDF page 7.

Source binding. immutable_artifact_locator; b989ab48ac990f778dbf0f3f4f50428e6c9c9e74b76ac133f71fb3e64f309c2c.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The source statement "v19 Metric-Repaired Unified Collapse Contract: audit policy" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Policy 1, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-005.

Review status. baseline_registered.

CR-CH1-006: Canonical comparison mode

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-006.

Source. SRC-MAIN-PDF, Definition 1.18, label def:ch8-comparison-mode, PDF page 9.

Source binding. immutable_artifact_locator; dbc4d8a0b9474c4fcc4710ac57210fa0a186f229e79f97e7606f8adf9a81c2c2.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Canonical comparison mode" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.18, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-006.

Review status. baseline_registered.

CR-CH1-007: Exact comparison record

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-007.

Source. SRC-MAIN-PDF, Definition 1.19, label def:ch1-exact-comparison-record, PDF page 9.

Source binding. immutable_artifact_locator; 8452501c817715be435a8edb950533cdfa141121436ee3a75b47c185af5a3cae.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Exact comparison record" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.19, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-007.

Review status. baseline_registered.

CR-CH1-008: Metric threshold-gap record

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-008.

Source. SRC-MAIN-PDF, Definition 1.23, label def:threshold-gap-record, PDF page 10.

Source binding. immutable_artifact_locator; 0ead4633dec1456c9ccbd91ad6ed13e2a5fd32e6f86b5f42b45f971e4319740e.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Metric threshold-gap record" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.23, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-008.

Review status. baseline_registered.

CR-CH1-009: Overlap Gate

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-009.

Source. SRC-MAIN-PDF, Definition 1.30, label def:overlap-gate, PDF page 12.

Source binding. `immutable_artifact_locator`; 4cde9a559a55426e1b5668975ac6521e223d1c5c81105f411b886a5f2da09b28.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Overlap Gate" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-009`.

Review status. `baseline_registered`.

CR-CH1-010: B-Gate+ (v19 threshold-gap repaired gate)

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-010`.

Source. SRC-MAIN-PDF, Definition 1.32, label `def:bgate-plus`, PDF page 13.

Source binding. `immutable_artifact_locator`; f607a6f9bd303af822782a5f0234259026ed6a91bf82ce8473b5fc527a6d929c.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "B-Gate+ (v19 threshold-gap repaired gate)" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.32, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T1` $\mapsto$ `reject / TypeI`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-010`.

Review status. `baseline_registered`.

CR-CH1-011: Failure landscape

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-011`.

Source. SRC-MAIN-PDF, Definition 1.36, label `def:failure-landscape`, PDF page 14.

Source binding. `immutable_artifact_locator`; 1aa2336bec76293df3e9de9e01f50a9116df133670d46e73f652f09df05d6a0e.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Failure landscape" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.36, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-011.

Review status. baseline_registered.

CR-CH1-012: Type IV scope status at the Chapter 1 contract level

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-012.

Source. SRC-MAIN-PDF, Definition 1.37, label def:ch1-typeiv-scope-status, PDF page 14.

Source binding. immutable_artifact_locator; 8586631a4982f1f7d097d202e644fb57156ea95a2cc90a9b08f5c6c63e7d2ec6.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Type IV scope status at the Chapter 1 contract level" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.37, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-012.

Review status. baseline_registered.

CR-CH1-013: Tower comparison artifact

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-013.

Source. SRC-MAIN-PDF, Definition 1.38, label def:ch5-tower-comparison-artifact, PDF page 14.

Source binding. immutable_artifact_locator; b0a143178346e7507bd61db936f1583f0ee340d4627b381c4a3668b62c44198c.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Tower comparison artifact" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.38, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-013.

Review status. baseline_registered.

CR-CH1-014: Terminal-generic Type IV diagnostics at contract level

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-014.

Source. SRC-MAIN-PDF, Definition 1.39, label def:ch1-typeiv-diagnostics, PDF page 14.

Source binding. immutable_artifact_locator; 883a8edf3ff94f5a92cb8a1048cf2b56f3daabf291fb9442e8c450d60cd4b924.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Terminal-generic Type IV diagnostics at contract level" is incorporated by immutable reference to

the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.39, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst : 19.0.0:cr-v19.0.0-r2:CR-CH1-014.

Review status. baseline_registered.

CR-CH1-015: Minimal Manifest Axiom

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-015.

Source. SRC-MAIN-PDF, Axiom 1.1, label ax:minimal-manifest, PDF page 15.

Source binding. immutable_artifact_locator; c7811d4b18f0113f96b4f74b0ccdd78da7484b60fced060f70168d8e37b8d013.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The source statement "Minimal Manifest Axiom" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Axiom 1.1, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst : 19.0.0:cr-v19.0.0-r2:CR-CH1-015.

Review status. baseline_registered.

CR-CH1-016: Certified proof object

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-016.

Source. SRC-MAIN-PDF, Definition 1.49, label def:certified-proof-object, PDF page 17.

Source binding. immutable_artifact_locator; 330cfd14f030f4b98575dbe4ebce2719c2f86c2bc8044f2b6bc7c4f91244cd9.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Certified proof object" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Definition 1.49, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-016`.

Review status. `baseline_registered`.

CR-CH1-017: Countable atlas forward contract

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH1-017`.

Source. SRC-MAIN-PDF, Policy 2, PDF page 17.

Source binding. `immutable_artifact_locator`; `cf3db9c2f1d7e78c86a00066094287f68544392019edc44e8922d762578d0ae8`.

Typing. `operational_policy`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Countable atlas forward contract" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 1, at Policy 2, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. None beyond the declared v19 standing regime.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH1-017`.

Review status. `baseline_registered`.

8.2 Chapter 2

CR-CH2-001: Constructible interval decomposition

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-001`.

Source. SRC-MAIN-PDF, Theorem 2.9, label `thm:ch2-interval-decomposition`, PDF page 22.

Source binding. `immutable_artifact_locator`; `eed9c6759880fb62fd7b5a5e77f8895a2704f44345d1c7d1be9a75a916f4c570`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Constructible interval decomposition" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Theorem 2.9, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: `ak-hpdst:18.2:cr-a:CR-CH2-001`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-001`.

Review status. `baseline_registered`.

CR-CH2-002: Infinite-bar threshold invariance

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-002`.

Source. SRC-MAIN-PDF, Lemma 2.13, label `lem:ch2-infinite-bars-threshold`, PDF page 23.

Source binding. `immutable_artifact_locator`; `bb4080fdb753afea6525a2d336280fed704ff5fc9349350b45c756c792a1c948`.

Typing. `core_lemma`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Infinite-bar threshold invariance" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Lemma 2.13, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-002.

Review status. baseline_registered.

CR-CH2-003: Positive-threshold short-bar objects are not Serre in general

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-003.

Source. SRC-MAIN-PDF, Proposition 2.15, label prop:ch2-short-bars-not-serre, PDF page 23.

Source binding. immutable_artifact_locator; ad129021524d24f06942e305e6bc537c790984f3bf5ae4c72a981a7cfc1f3fef.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Positive-threshold short-bar objects are not Serre in general" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Proposition 2.15, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-003.

Review status. baseline_registered.

CR-CH2-004: No global exact reflector claim

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-004.

Source. SRC-MAIN-PDF, Corollary 2.16, label cor:ch2-no-global-exact-reflector, PDF page 24.

Source binding. immutable_artifact_locator; c52ec0a4074f6cf43f6968dddc19aebdbfc1d3c2f8985f89afdf953fe38320f5.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No global exact reflector claim" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Corollary 2.16, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-004.

Review status. baseline_registered.

CR-CH2-005: Basic properties of hard threshold deletion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-005.

Source. SRC-MAIN-PDF, Proposition 2.20, label prop:ch2-Tbar-basic, PDF page 24.

Source binding. immutable_artifact_locator; df86f172820aaf75e654a947f5bdfd59a581dacde39a326e9a7caced082ce3c2.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Basic properties of hard threshold deletion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Proposition 2.20, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-005.

Review status. baseline_registered.

CR-CH2-006: Threshold composition

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-006.

Source. SRC-MAIN-PDF, Proposition 2.21, label prop:ch2-threshold-composition, PDF page 24.

Source binding. immutable_artifact_locator; 039ade2e244424ff0329386ef23cdb5b30e15e5cf6182c08d13713df6bae3470.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Threshold composition" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Proposition 2.21, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-006.

Review status. baseline_registered.

CR-CH2-007: Deprecated v18 metric claim

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-007.

Source. SRC-MAIN-PDF, Corollary 2.24, label cor:ch2-global-nonexpansiveness-deprecated, PDF page 25.

Source binding. immutable_artifact_locator; 7a6700f4b641148fb20493ba5e7d84a8adc8579469a55220ee29a923b22067e3.

Typing. deprecated_or_rejected_claim; rejected; provenance_only; conformant.

Digest. The source statement "Deprecated v18 metric claim" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Corollary 2.24, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-007.

Review status. baseline_registered.

CR-CH2-008: Metric-repair theorem: sharp threshold-gap-safe stability

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-008.

Source. SRC-MAIN-PDF, Theorem 2.33, label thm:ch2-threshold-gap-safe-stability, PDF page 28.

Source binding. immutable_artifact_locator; 2cae1793254657a40d0c305e719fe1fd797ba6872e459d8dbe2a79b8bc802fe8.

Typing. metric_repair_theorem; proved; theorem_evidence; conformant.

Digest. The source statement “Metric-repair theorem: sharp threshold-gap-safe stability” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Theorem 2.33, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-008.

Review status. baseline_registered.

CR-CH2-009: Scalarized-ledger-safe threshold classification

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-009.

Source. SRC-MAIN-PDF, Corollary 2.36, label cor:ch2-ledger-safe-threshold-classification, PDF page 30.

Source binding. immutable_artifact_locator; d0d05f857c749a619746ce0a3533490c3335342de2d8664d6f9d777e97f9ead8.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement “Scalarized-ledger-safe threshold classification” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Corollary 2.36, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-009.

Review status. baseline_registered.

CR-CH2-010: No unconditional crop-collapse commutation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-010.

Source. SRC-MAIN-PDF, Proposition 2.40, label prop:ch2-window-collapse-noncommute, PDF page 31.

Source binding. immutable_artifact_locator; fa98dad92e87a1286d2f86a6100cb1bd9a3a42398649598f882b5a20e0473087.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement “No unconditional crop-collapse commutation” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Proposition 2.40, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-010.

Review status. baseline_registered.

CR-CH2-011: Exact crop-collapse commutation criterion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-011.

Source. SRC-MAIN-PDF, Proposition 2.46, label prop:ch2-conditional-window-commutation, PDF page 32.

Source binding. immutable_artifact_locator; 7b6ec6fe71e2ec9381f20cc72681a9e0d56b6d84bc400f6c83d3791ad2a1a588.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Exact crop-collapse commutation criterion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Proposition 2.46, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-011.

Review status. baseline_registered.

CR-CH2-012: Overlap transfer under a scalarized threshold-gap certificate

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-012.

Source. SRC-MAIN-PDF, Proposition 2.55, label prop:ch2-overlap-transfer, PDF page 34.

Source binding. immutable_artifact_locator; 8752db905a6d6a33b5fe0abf78e8941a10a64354d26b4aa7701ed41d83f03686.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Overlap transfer under a scalarized threshold-gap certificate" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Proposition 2.55, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-012.

Review status. baseline_registered.

CR-CH2-013: Functorial deletion in a τ -split regime

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-013.

Source. SRC-MAIN-PDF, Proposition 2.59, label prop:ch2-tau-split-functorial, PDF page 35.

Source binding. immutable_artifact_locator; d5e0289adc0a51336190612518525b12d319d9ada5628e51a023302cda713314.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Functorial deletion in a τ -split regime" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 2, at Proposition 2.59, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. CR-CH1-003, CR-CH1-004, and the standard constructible persistence regime.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH2-013.

Review status. baseline_registered.

8.3 Chapter 3

CR-CH3-001: Pre-threshold windowed profile

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-001.

Source. SRC-MAIN-PDF, Definition 3.2, label def:ch3-prethreshold-profile, PDF page 44.

Source binding. immutable_artifact_locator; 3ce04ddd70b5bfccebe1e0b7f048e7d621bd85716cb4870aad72228be833213b0.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Pre-threshold windowed profile" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.2, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-001.

Review status. baseline_registered.

CR-CH3-002: Repaired windowed evaluation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-002.

Source. SRC-MAIN-PDF, Definition 3.3, label def:ch3-repaired-eval, PDF page 44.

Source binding. immutable_artifact_locator; 8c3e24823a2790ab414868bdd38314d7001f04c711ec40a5e7614416aa57d430.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Repaired windowed evaluation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.3, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T1 $\mapsto$ reject / TypeI; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-CH2-003; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-002.

Review status. baseline_registered.

CR-CH3-003: Comparison record and two-sided metric certificate

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-003.

Source. SRC-MAIN-PDF, Definition 3.16, label def:ch3-two-sided-comparison-certificate, PDF page 47.

Source binding. immutable_artifact_locator; 56367e20b44206f36b4ae0d2be43a6393430c5131276bf7b8d525d3a543a0a37.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Comparison record and two-sided metric certificate" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.16, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-003.

Review status. baseline_registered.

CR-CH3-004: Scalarized gap-certified stability transfer

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-004.

Source. SRC-MAIN-PDF, Proposition 3.17, label prop:ch3-gap-certified-transfer, PDF page 48.

Source binding. immutable_artifact_locator; df8059424be64ba3ea0e6c17bf4a30973166f63028e81a0a954fbc550206d276.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Scalarized gap-certified stability transfer" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Proposition 3.17, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-004.

Review status. baseline_registered.

CR-CH3-005: Admissible filtered representative

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-005.

Source. SRC-MAIN-PDF, Definition 3.25, label def:ch3-admissible-representative, PDF page 50.

Source binding. immutable_artifact_locator; c994bb40fae0a72ad2127bac1acd23e14161ac6993ef8c9f9c427085f3b6ecef.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Admissible filtered representative" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.25, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-005.

Review status. baseline_registered.

CR-CH3-006: Representative record

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-006.

Source. SRC-MAIN-PDF, Definition 3.26, label def:ch3-representative-record, PDF page 50.

Source binding. immutable_artifact_locator; fc21dacfdbbe902e350302894cb87b96475bfba8159a816d430a5f007c726a25.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Representative record" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.26, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-006.

Review status. baseline_registered.

CR-CH3-007: Realization-compatible representative

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-007.

Source. SRC-MAIN-PDF, Definition 3.28, label def:ch3-realization-compatible-representative, PDF page 51.

Source binding. immutable_artifact_locator; c0e7e7686c1c38112f36dc57787169c006f7e5466b8ac9e4f683b56cb032ddb1.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Realization-compatible representative" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.28, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-007.

Review status. baseline_registered.

CR-CH3-008: Profile-level representative invariance

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-008.

Source. SRC-MAIN-PDF, Proposition 3.30, label prop:ch3-profile-representative-invariance, PDF page 51.

Source binding. immutable_artifact_locator; fc6bebbfd7ce62edd528b755b56085f7a10e656c3b040da6ba7b9ebc353937d6.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Profile-level representative invariance" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Proposition 3.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-008.

Review status. baseline_registered.

CR-CH3-009: Overlap pre-threshold profile

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-009.

Source. SRC-MAIN-PDF, Definition 3.36, label def:ch3-overlap-prethreshold-profile, PDF page 52.

Source binding. immutable_artifact_locator; 16c510450fc6befe1447e3f288622c6e013d91aa393febe53f9418b96c822771.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Overlap pre-threshold profile" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.36, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-009.

Review status. baseline_registered.

CR-CH3-010: Scalarized overlap threshold safety

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-010.

Source. SRC-MAIN-PDF, Proposition 3.39, label prop:ch3-overlap-threshold-safety, PDF page 53.

Source binding. immutable_artifact_locator; a7e6d8ccc829ad730cf6081811f8c8f4229b39b5457d861685da9612860f1b6e.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement “Scalarized overlap threshold safety” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Proposition 3.39, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. `fixed_metric_gap_certified`.

Allowed runtime modes. `metric_gap_certified`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-010`.

Review status. `baseline_registered`.

CR-CH3-011: Sound E_1 -vanishing detector

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-011`.

Source. SRC-MAIN-PDF, Proposition 3.41, label `prop:ch3-E1-vanishing-detector`, PDF page 53.

Source binding. `immutable_artifact_locator`; `df37fe1441af8414668738752a485199ae3faa6900e7cdc725d2e70e866b283e`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement “Sound E_1 -vanishing detector” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Proposition 3.41, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-E1-NONZERO` $\mapsto$ `undefined`; `FR-T1` $\mapsto$ `reject / TypeI`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-011`.

Review status. `baseline_registered`.

CR-CH3-012: Chapter 3 evaluation and representative manifest extension

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-012`.

Source. SRC-MAIN-PDF, Definition 3.43, label `def:ch3-manifest-extension`, PDF page 54.

Source binding. `immutable_artifact_locator`; `9ba152fa12b6954e04d01a15df021c85aa03394b2a2f78e9366482793a981009`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement “Chapter 3 evaluation and representative manifest extension” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 3, at Definition 3.43, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 comparison discipline; Chapter 2 metric repair; Appendix A and Appendix B where invoked.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T1` $\mapsto$ `reject / TypeI`; `FR-T2` $\mapsto$ `reject / TypeII`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH3-012`.
Review status. `baseline_registered`.

8.4 Chapter 4

CR-CH4-001: Eligible realization record

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-001`.
Source. SRC-MAIN-PDF, Definition 4.9, label `def:ch4-eligible-realization-record`, PDF page 59.
Source binding. `immutable_artifact_locator`; `ec3c24a37660c14f463d13fcff6a06f8976fb149d604a09359f19a9366683da3`.
Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.
Digest. The source statement “Eligible realization record” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 4, at Definition 4.9, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.
Claim comparison policy. `not_applicable`.
Allowed runtime modes. `none`.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T2` $\mapsto$ `reject / TypeII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-001`.
Review status. `baseline_registered`.

CR-CH4-002: Formality over a field; noncanonical splitting

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-002`.
Source. SRC-MAIN-PDF, Lemma 4.12, label `lem:ch4-field-splitting`, PDF page 60.
Source binding. `immutable_artifact_locator`; `1f88cc410c8195e24d9adb646e4e3ba46767ad8f65b6ef6e110bbb4d96618862`.
Typing. `core_lemma`; `proved`; `theorem_evidence`; `conformant`.
Digest. The source statement “Formality over a field; noncanonical splitting” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 4, at Lemma 4.12, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.
Claim comparison policy. `not_applicable`.
Allowed runtime modes. `none`.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T2` $\mapsto$ `reject / TypeII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-002`.
Review status. `baseline_registered`.

CR-CH4-003: Canonical two-term Ext^1 -edge identification

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-003`.
Source. SRC-MAIN-PDF, Theorem 4.13, label `thm:ch4-ext-edge-identification`, PDF page 61.
Source binding. `immutable_artifact_locator`; `c1eafa6ceba98ab5ee1b0ff7acb9f5da1da70fa04b319d3f308003b28dd2b42c`.
Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.
Digest. The source statement “Canonical two-term Ext^1 -edge identification” is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 4, at Theorem 4.13, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T2} \mapsto \text{reject} / \text{TypeII}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-003`.

Review status. `baseline_registered`.

CR-CH4-004: Edge vanishing criterion

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-004`.

Source. SRC-MAIN-PDF, Corollary 4.15, label `cor:ch4-edge-vanishing`, PDF page 61.

Source binding. `immutable_artifact_locator`; 597ef8192677e120271ec7151f438b0942b43dcdfb8f0286f07d86e126dcd113.

Typing. `core_theorem`; `conditional`; `theorem_evidence`; `conformant`.

Digest. The source statement "Edge vanishing criterion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 4, at Corollary 4.15, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T2} \mapsto \text{reject} / \text{TypeII}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-004`.

Review status. `baseline_registered`.

CR-CH4-005: Conditional one-way repaired bridge

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-005`.

Source. SRC-MAIN-PDF, Theorem 4.18, label `thm:ch4-PH1-to-Ext1`, PDF page 62.

Source binding. `immutable_artifact_locator`; 27efc738a7a274a44228cb99096737fe462a5db1c359ad0c8fcfa810d35efa3f.

Typing. `core_theorem`; `conditional`; `theorem_evidence`; `conformant`.

Digest. The source statement "Conditional one-way repaired bridge" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 4, at Theorem 4.18, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T2} \mapsto \text{reject} / \text{TypeII}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: `ak-hpdst:18.2:cr-a:CR-CH3-001`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-005`.

Review status. `baseline_registered`.

CR-CH4-006: B-Gate+ categorical discharge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-006.

Source. SRC-MAIN-PDF, Proposition 4.23, label prop:ch4-bg-categorical-discharge, PDF page 63.

Source binding. immutable_artifact_locator; 4b2fba2d30c4d9cf223f9e31bf1234ce6fac79624760cc6005775962b1ae28f.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "B-Gate+ categorical discharge" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 4, at Proposition 4.23, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T1 $\mapsto$ reject / TypeI; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-006.

Review status. baseline_registered.

CR-CH4-007: Representative invariance of Ext discharge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-007.

Source. SRC-MAIN-PDF, Proposition 4.26, label prop:ch4-representative-invariance, PDF page 64.

Source binding. immutable_artifact_locator; cb9e2148b7129ee378222565e7a21b7439689940d3b77fa5e1ca7aaf08690af1.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Representative invariance of Ext discharge" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 4, at Proposition 4.26, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-007.

Review status. baseline_registered.

CR-CH4-008: Failure of the reverse bridge for a natural nonfaithful edge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-008.

Source. SRC-MAIN-PDF, Proposition 4.30, label prop:ch4-no-reverse-bridge, PDF page 65.

Source binding. immutable_artifact_locator; 3bfc94b2956dda56b5c49dfdb3444a16ab31e30ddae1d1652b73578f75b36d27.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Failure of the reverse bridge for a natural nonfaithful edge" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 4, at Proposition 4.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-008.

Review status. baseline_registered.

CR-CH4-009: Eligible Ext-edge bridge package

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-009.

Source. SRC-MAIN-PDF, Theorem 4.34, label thm:ch4-bridge-package, PDF page 67.

Source binding. immutable_artifact_locator; cb4292c58f2096eaa99399799cc95c7d9b6153f57bfac64e4fed2c84fdf18da9.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Eligible Ext-edge bridge package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 4, at Theorem 4.34, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3 repaired evaluation and representative records; Appendix C eligible realization.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH4-009.

Review status. baseline_registered.

8.5 Chapter 5

CR-CH5-001: v19 failure types

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-001.

Source. SRC-MAIN-PDF, Definition 5.3, label def:ch5-failure-types, PDF page 70.

Source binding. immutable_artifact_locator; 258f6f85479d772adf4ac9394abefd7c1cbcd31df36b98b8b5292fa719b5194.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "v19 failure types" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.3, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-001.

Review status. baseline_registered.

CR-CH5-002: Windowed repaired tower objects

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-002.

Source. SRC-MAIN-PDF, Definition 5.12, label def:ch5-windowed-tower-objects, PDF page 73.

Source binding. immutable_artifact_locator; 2d69f856f2ce9393fb90f8e85d78f7a3e8ba6b719bdd890c5166a70064e0a0b0.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Windowed repaired tower objects" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.12, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-002`.

Review status. `baseline_registered`.

CR-CH5-003: Tower comparison artifact

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-003`.

Source. SRC-MAIN-PDF, Definition 5.17, label `def:ch5-tower-comparison-artifact`, PDF page 74.

Source binding. `immutable_artifact_locator`; `75804912a45a8d7b4fb8dcea56de31fb303989392b261acf5e79ea0bc1bd357d`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Tower comparison artifact" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.17, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UIDs: `ak-hpdst:18.2:cr-a:CR-CH4-001`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-003`.

Review status. `baseline_registered`.

CR-CH5-004: Terminal-tame profile

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-004`.

Source. SRC-MAIN-PDF, Definition 5.21, label `def:ch5-terminal-tame`, PDF page 75.

Source binding. `immutable_artifact_locator`; `21d4530171d8cad46cf3516a98499e5c5318d65bb36627ddc671b21be00165c8`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Terminal-tame profile" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.21, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-004.

Review status. baseline_registered.

CR-CH5-005: Terminal-generic dimension

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-005.

Source. SRC-MAIN-PDF, Definition 5.22, label def:ch5-terminal-generic-dimension, PDF page 75.

Source binding. immutable_artifact_locator; cc1401fbc154de71cc0c508d9994c1e5e28de5f65b27423efe2c01339cbea9c2.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Terminal-generic dimension" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.22, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-005.

Review status. baseline_registered.

CR-CH5-006: Well-definedness of terminal-generic dimension

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-006.

Source. SRC-MAIN-PDF, Proposition 5.23, label prop:ch5-tgdim-well-defined, PDF page 75.

Source binding. immutable_artifact_locator; b0f8e15c951a8e28a877cd8abeb43c34d0fa0790c1bd2fd34b10c112aa57696d.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Well-definedness of terminal-generic dimension" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Proposition 5.23, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-006.

Review status. baseline_registered.

CR-CH5-007: Degreewise Type IV diagnostics

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-007.

Source. SRC-MAIN-PDF, Definition 5.30, label def:ch5-degreewise-diagnostics, PDF page 76.

Source binding. immutable_artifact_locator; b6220168665f1804198ae00fd59ffec75fddb1931e4ce4ee904c2a46e2c02b0c.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Degreewise Type IV diagnostics" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T4} \mapsto \text{reject} / \text{TypeIV}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-007`.

Review status. `baseline_registered`.

CR-CH5-008: Total collapse diagnostics

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-008`.

Source. SRC-MAIN-PDF, Definition 5.31, label `def:ch5-total-diagnostics`, PDF page 76.

Source binding. `immutable_artifact_locator`; `921d4feb71963a15da434fcc14d9ee0fbb487bc7e27c2775851842b8eff4e3dd`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Total collapse diagnostics" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.31, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T4} \mapsto \text{reject} / \text{TypeIV}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-008`.

Review status. `baseline_registered`.

CR-CH5-009: Characterization of certified Type IV-free status

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-009`.

Source. SRC-MAIN-PDF, Proposition 5.34, label `prop:ch5-typeiv-zero-characterization`, PDF page 77.

Source binding. `immutable_artifact_locator`; `a861c572364014c763346a338d26cb5143c876d5361acb78099d16f9e1bad648`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Characterization of certified Type IV-free status" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Proposition 5.34, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T4} \mapsto \text{reject} / \text{TypeIV}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: `ak-hpdst:18.2:cr-a:CR-CH4-002`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-009`.

Review status. `baseline_registered`.

CR-CH5-010: No terminal-generic Type IV obstruction on a stable band

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-010.

Source. SRC-MAIN-PDF, Proposition 5.41, label prop:ch5-stable-band-zero, PDF page 79.

Source binding. immutable_artifact_locator; 87652355277d30edf4526458abc6f91d24d1be61304d7d35ca17a855a4788d6e.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No terminal-generic Type IV obstruction on a stable band" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Proposition 5.41, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-010.

Review status. baseline_registered.

CR-CH5-011: Audited admissibility implies the structural and safety clauses of B-Gate+

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-011.

Source. SRC-MAIN-PDF, Proposition 5.44, label prop:ch5-admissibility-bg, PDF page 79.

Source binding. immutable_artifact_locator; 4ddd2f7507cc318d01ab427c6f60ab20a1c461b08109f7cfcbdb4393494d447c.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Audited admissibility implies the structural and safety clauses of B-Gate+" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Proposition 5.44, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T1 $\mapsto$ reject / TypeI; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-011.

Review status. baseline_registered.

CR-CH5-012: v19 failure-and-diagnostics contract

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-012.

Source. SRC-MAIN-PDF, Definition 5.46, label def:ch5-failure-diagnostics-contract, PDF page 80.

Source binding. immutable_artifact_locator; fb56663deeed289b7925c9e08f7d5b814167b0523a6af6306a90f2e4e261d1b.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "v19 failure-and-diagnostics contract" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 5, at Definition 5.46, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 1 Type IV contract; Chapter 3 repaired profiles; Appendix D tower diagnostics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical

theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH5-012.

Review status. baseline_registered.

8.6 Chapter 6

CR-CH6-001: Overlap-admitting cover

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-001.

Source. SRC-MAIN-PDF, Definition 6.5, label def:ch6-overlap-cover, PDF page 84.

Source binding. immutable_artifact_locator; d463382f6d7c1a8f9a77cbeb6fd685d072fd39a710b4bcbd65a77c1736287a57.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Overlap-admitting cover" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Definition 6.5, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-001.

Review status. baseline_registered.

CR-CH6-002: Overlap comparison mode

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-002.

Source. SRC-MAIN-PDF, Definition 6.17, label def:ch6-overlap-comparison-mode, PDF page 86.

Source binding. immutable_artifact_locator; 4e7d19fd37490a72b88d49211e1e7d9cb8aa43adcbfe1fa5142d9ce6ff1c3243.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Overlap comparison mode" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Definition 6.17, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-002.

Review status. baseline_registered.

CR-CH6-003: Exact overlap certificate

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-003.

Source. SRC-MAIN-PDF, Definition 6.18, label def:ch6-exact-overlap-certificate, PDF page 87.

Source binding. immutable_artifact_locator; 665d1ff074fdc023c7e66ca0ec126726f63d16f16c5b0adcf180d26ef1ecb3b.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Exact overlap certificate" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Definition 6.18, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-003.

Review status. baseline_registered.

CR-CH6-004: Two-sided overlap metric certificate

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-004.

Source. SRC-MAIN-PDF, Definition 6.19, label def:ch6-two-sided-overlap-certificate, PDF page 87.

Source binding. immutable_artifact_locator; 3a48838695a38fd0cbc3f9ca725816383490c10f4b7be1683a424b4c5ce4264b.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Two-sided overlap metric certificate" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Definition 6.19, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-004.

Review status. baseline_registered.

CR-CH6-005: Sharp overlap transfer

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-005.

Source. SRC-MAIN-PDF, Proposition 6.20, label prop:ch6-sharp-overlap-transfer, PDF page 87.

Source binding. immutable_artifact_locator; fc7a46e1fbc4c941e44008527522bb894318aaf85e3b707169e07907b56cf615.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Sharp overlap transfer" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Proposition 6.20, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-005.

Review status. baseline_registered.

CR-CH6-006: Pairwise Overlap Gate

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-006.

Source. SRC-MAIN-PDF, Definition 6.21, label def:ch6-pairwise-overlap-gate, PDF page 88.

Source binding. immutable_artifact_locator; 4d7f2298765b3c2af5730ad99aded95b2182bf033ac3a166f54ea4ede2438af2.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Pairwise Overlap Gate" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Definition 6.21, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-006.

Review status. baseline_registered.

CR-CH6-007: Finite-cover record-level gluing

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-007.

Source. SRC-MAIN-PDF, Theorem 6.28, label thm:ch6-finite-record-gluing, PDF page 89.

Source binding. immutable_artifact_locator; 542f523d2b83bb0407ef61ca0a1773f10cdbf339e0039130f409d4831e1f749d.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Finite-cover record-level gluing" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Theorem 6.28, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-007.

Review status. baseline_registered.

CR-CH6-008: Continuation artifact

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-008.

Source. SRC-MAIN-PDF, Definition 6.30, label def:ch6-continuation-artifact, PDF page 90.

Source binding. immutable_artifact_locator; d1af0cf7867d3754a18bcb4923dc082ef22852b6344d6c2ee2a6cd20f5e4ed2.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Continuation artifact" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Definition 6.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-008.

Review status. baseline_registered.

CR-CH6-009: Finite-horizon Restart bound

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-009.

Source. SRC-MAIN-PDF, Theorem 6.35, label thm:ch6-finite-restart-bound, PDF page 91.

Source binding. immutable_artifact_locator; 3e3210d775467ebf5c61e051923d12afdaace14f92dd6143f8a66e3030f2f0c1.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Finite-horizon Restart bound" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Theorem 6.35, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-009.

Review status. baseline_registered.

CR-CH6-010: Normalized reserve criterion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-010.

Source. SRC-MAIN-PDF, Corollary 6.38, label cor:ch6-normalized-reserve, PDF page 92.

Source binding. immutable_artifact_locator; e603064f0e7526ca087d1d53d9c4b3e23867259f216bf34cb2b4b0a64e83d767.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Normalized reserve criterion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Corollary 6.38, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:

19.0.0:cr-v19.0.0-r2:CR-CH6-010.
Review status. baseline_registered.

CR-CH6-011: Conditional countable Restart principle

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-011.
Source. SRC-MAIN-PDF, Theorem 6.41, label thm:ch6-countable-restart, PDF page 92.
Source binding. immutable_artifact_locator; 25f8ab488bde7b52eb90bee0b1198b8b86877cf8340deacdd90d881c52cb1e86.
Typing. core_theorem; conditional; theorem_evidence; conformant.
Digest. The source statement "Conditional countable Restart principle" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 6, at Theorem 6.41, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.
Claim comparison policy. runtime_resolved.
Allowed runtime modes. exact, metric_gap_certified, not_compared.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-011.
Review status. baseline_registered.

CR-CH6-012: Pointwise reserve and uniform reserve are distinct

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-012.
Source. SRC-MAIN-PDF, Corollary 6.42, label cor:ch6-pointwise-uniform-reserve, PDF page 93.
Source binding. immutable_artifact_locator; 7f88569f6d0110d2010e969b37ae88c1e7faf93a3a06315a434ddf8a044b19ca.
Typing. core_theorem; proved; theorem_evidence; conformant.
Digest. The source statement "Pointwise reserve and uniform reserve are distinct" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 6, at Corollary 6.42, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.
Claim comparison policy. not_applicable.
Allowed runtime modes. none.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-012.
Review status. baseline_registered.

CR-CH6-013: Countable record-atlas principle

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-013.
Source. SRC-MAIN-PDF, Theorem 6.46, label thm:ch6-countable-atlas, PDF page 94.
Source binding. immutable_artifact_locator; c650bd7b934100386540a99c28b6f95b8b2a8ef752481b55c7e15f3e9505e440.
Typing. core_theorem; proved; theorem_evidence; conformant.
Digest. The source statement "Countable record-atlas principle" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 6, at Theorem 6.46, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.
Claim comparison policy. not_applicable.
Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-013.

Review status. baseline_registered.

CR-CH6-014: Compatibility does not repair a local failure

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-014.

Source. SRC-MAIN-PDF, Proposition 6.51, label prop:ch6-overlap-no-repair, PDF page 95.

Source binding. immutable_artifact_locator; da547eefaad60d7443c385cd0ff1ad183f02c2f6945ef82468f284580f56d4b9.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Compatibility does not repair a local failure" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Proposition 6.51, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-014.

Review status. baseline_registered.

CR-CH6-015: Typed Type IV participation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-015.

Source. SRC-MAIN-PDF, Proposition 6.52, label prop:ch6-typeiv-participation, PDF page 95.

Source binding. immutable_artifact_locator; 13a7897359f4e9311da23a3e734eefdf0b72694c5790c6b5573c51d7c952e4b4.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Typed Type IV participation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Proposition 6.52, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-015.

Review status. baseline_registered.

CR-CH6-016: Conditional window/overlap/Restart closure package

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH6-016.

Source. SRC-MAIN-PDF, Theorem 6.57, label thm:ch6-window-restart-package, PDF page 97.

Source binding. immutable_artifact_locator; 82caa11a5a4faabc0774ea074fef277b2e74295017eb3a47796a778fcc548f52.

Typing. `core_theorem`; `conditional`; `theorem_evidence`; `conformant`.

Digest. The source statement "Conditional window/overlap/Restart closure package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 6, at Theorem 6.57, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 metric repair; Chapter 5 Type IV typing; Appendix E overlap and Restart semantics.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH6-016`.

Review status. `baseline_registered`.

8.7 Chapter 7

CR-CH7-001: Audit run identity

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-001`.

Source. SRC-MAIN-PDF, Definition 7.3, label `def:ch7-run-identity`, PDF page 100.

Source binding. `immutable_artifact_locator`; `6a674a1f0d7bae4442b6ca8fc5501ea961606711bc48f49e405adfc2b05a7414`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Audit run identity" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.3, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-001`.

Review status. `baseline_registered`.

CR-CH7-002: Immutable audit scope

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-002`.

Source. SRC-MAIN-PDF, Definition 7.4, label `def:ch7-immutable-scope`, PDF page 100.

Source binding. `immutable_artifact_locator`; `60ae35817f3708a7c42b5311a4255758b31480032af059f1a990a832067b1319`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Immutable audit scope" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.4, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-002.

Review status. baseline_registered.

CR-CH7-003: Declared ledger algebra

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-003.

Source. SRC-MAIN-PDF, Definition 7.6, label def:ch7-ledger-quantale, PDF page 100.

Source binding. immutable_artifact_locator; 7e434b429d8ed6edfab3fa2b253e3c0aea5505d104f3da52dbf719097b50be3a.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Declared ledger algebra" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.6, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-003.

Review status. baseline_registered.

CR-CH7-004: Non-scalarizable proof obligations

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-004.

Source. SRC-MAIN-PDF, Definition 7.10, label def:ch7-nonscalarizable-obligations, PDF page 101.

Source binding. immutable_artifact_locator; 021f8d3c8102df3788ce101ac28d2dfc7511bb6f787af43bbf61c1a5938eb0ca.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Non-scalarizable proof obligations" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.10, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-004.

Review status. baseline_registered.

CR-CH7-005: No scalar repair of missing evidence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-005.

Source. SRC-MAIN-PDF, Proposition 7.11, label prop:ch7-no-scalar-repair, PDF page 101.

Source binding. immutable_artifact_locator; f7fc339e881424b6031e83f9925703c128475305a70babaf61b1c86aa58a7ab3.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No scalar repair of missing evidence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.11, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-005`.

Review status. `baseline_registered`.

CR-CH7-006: Claim-use status

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-006`.

Source. SRC-MAIN-PDF, Definition 7.15, label `def:ch7-claim-use-status`, PDF page 102.

Source binding. `immutable_artifact_locator`; `e7a4cad2ddfe5ec3f21c440217c9a626b3d9ae4773c111833a33d660c2d65d33`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Claim-use status" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.15, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-006`.

Review status. `baseline_registered`.

CR-CH7-007: Claim invocation role

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-007`.

Source. SRC-MAIN-PDF, Definition 7.16, label `def:ch8-invocation-role`, PDF page 102.

Source binding. `immutable_artifact_locator`; `0d3adf701d8dd0da808c6942ef4160a58d445a5c5b28069b4bde758cb90d0c20`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Claim invocation role" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.16, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-007`.
Review status. `baseline_registered`.

CR-CH7-008: Audit preflight

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-008`.
Source. SRC-MAIN-PDF, Definition 7.17, label `def:ch7-audit-preflight`, PDF page 103.
Source binding. `immutable_artifact_locator; 5cf37807d84d0546125f7226803316667627b6f024d5e94a99d70b9eef9a7c2f`.
Typing. `core_definition; operational; operational_rule; conformant`.
Digest. The source statement "Audit preflight" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 7, at Definition 7.17, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.
Claim comparison policy. `not_applicable`.
Allowed runtime modes. none.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-008`.
Review status. `baseline_registered`.

CR-CH7-009: Preflight failure blocks pass

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-009`.
Source. SRC-MAIN-PDF, Proposition 7.20, label `prop:ch7-preflight-blocks-pass`, PDF page 103.
Source binding. `immutable_artifact_locator; c6efc343258e21052cbd4e1bb733b0e90e02246665b74c9a2e1bdd39da9e5d70`.
Typing. `core_theorem; proved; theorem_evidence; conformant`.
Digest. The source statement "Preflight failure blocks pass" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 7, at Proposition 7.20, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.
Claim comparison policy. `not_applicable`.
Allowed runtime modes. none.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-009`.
Review status. `baseline_registered`.

CR-CH7-010: Atomic audit status

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-010`.
Source. SRC-MAIN-PDF, Definition 7.21, label `def:ch7-atomic-status`, PDF page 103.
Source binding. `immutable_artifact_locator; 3a5ddda20dcab7434d53b6ccbf3623e14f3ce5056a0a747c7b46d4caf111d53`.
Typing. `core_definition; operational; operational_rule; conformant`.
Digest. The source statement "Atomic audit status" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 7, at Definition 7.21, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-010`.

Review status. `baseline_registered`.

CR-CH7-011: Determinacy of complete records

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-011`.

Source. SRC-MAIN-PDF, Proposition 7.25, label `prop:ch7-complete-determinacy`, PDF page 104.

Source binding. `immutable_artifact_locator`; `dd17698b760739f439741c50d6fc3f7d77f2c17047397c510600fe0f82cefd20`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Determinacy of complete records" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.25, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-011`.

Review status. `baseline_registered`.

CR-CH7-012: Undefined is neither success nor counterexample

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-012`.

Source. SRC-MAIN-PDF, Proposition 7.26, label `prop:ch7-undefined-neither`, PDF page 104.

Source binding. `immutable_artifact_locator`; `3ceb5df0cc17e5587cba1efed5076badd296223a1cc1fa339031c8170fb2de`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Undefined is neither success nor counterexample" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.26, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-012`.

Review status. `baseline_registered`.

CR-CH7-013: Comparison-mode audit record

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-013.

Source. SRC-MAIN-PDF, Definition 7.27, label def:ch7-comparison-mode, PDF page 105.

Source binding. immutable_artifact_locator; 22657546b21c3ade14549463a2b12fb346235331ba0f1e9bdc23f0d176265aeb.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Comparison-mode audit record" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.27, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-013.

Review status. baseline_registered.

CR-CH7-014: Soundness of the pass reading

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-014.

Source. SRC-MAIN-PDF, Proposition 7.33, label prop:ch7-pass-unpacks, PDF page 106.

Source binding. immutable_artifact_locator; 4897e7ff3fdf1438e95488426ecf1159af7ce32593a36be897edebf86e02a92e.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Soundness of the pass reading" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.33, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-014.

Review status. baseline_registered.

CR-CH7-015: No pass by cancellation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-015.

Source. SRC-MAIN-PDF, Proposition 7.34, label prop:ch7-no-cancellation, PDF page 106.

Source binding. immutable_artifact_locator; 5b99d45026fa46759b2354b387c1bb05d1377b21969e9dde755604378395494e.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No pass by cancellation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.34, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-015.

Review status. baseline_registered.

CR-CH7-016: Atlas composition rule

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-016.

Source. SRC-MAIN-PDF, Proposition 7.38, label prop:ch7-atlas-composition, PDF page 107.

Source binding. immutable_artifact_locator; f7a45adc4e82cc0c0fab46b79df2a4cb17de6eb65b003f5f9ca94fa368913698.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Atlas composition rule" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.38, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-016.

Review status. baseline_registered.

CR-CH7-017: Canonical minimal v19 audit manifest

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-017.

Source. SRC-MAIN-PDF, Definition 7.43, label def:ch7-minimal-manifest, PDF page 108.

Source binding. immutable_artifact_locator; c97d56f8e5212cce04be232679bd9ac0db3b2ab92388c4d4b07d4c2e9940dd02.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Canonical minimal v19 audit manifest" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.43, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-017.

Review status. baseline_registered.

CR-CH7-018: Artifact closure

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-018.

Source. SRC-MAIN-PDF, Definition 7.44, label def:ch7-artifact-closure, PDF page 108.

Source binding. immutable_artifact_locator; 83e99c90ed9e6c66973763f6dedfd9528c48f0061ef86d9e20a28e9e53cf7eac.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Artifact closure" is incorporated by immutable reference to the registered source artifact and printed

locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.44, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-018`.

Review status. `baseline_registered`.

CR-CH7-019: Canonical manifest conformance

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-019`.

Source. SRC-MAIN-PDF, Proposition 7.45, label `prop:ch7-manifest-conformance`, PDF page 109.

Source binding. `immutable_artifact_locator`; `2c4fea24063a2f3ae507e5532a2864dfab2d22559d3a46f2bbce273acaf9f58d`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Canonical manifest conformance" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.45, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-019`.

Review status. `baseline_registered`.

CR-CH7-020: Replayability

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-020`.

Source. SRC-MAIN-PDF, Definition 7.46, label `def:ch7-replayability`, PDF page 109.

Source binding. `immutable_artifact_locator`; `c0be919cd7a651ae3e33b07176fb0f49ed8879ef687a815c8fa80f1e20c77d5f`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Replayability" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Definition 7.46, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:`

19.0.0:cr-v19.0.0-r2:CR-CH7-020.
Review status. baseline_registered.

CR-CH7-021: Repair creates a new verdict record

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-021.
Source. SRC-MAIN-PDF, Proposition 7.51, label prop:ch7-repair-new-record, PDF page 110.
Source binding. immutable_artifact_locator; 813beca81ce1fcb73d24ab90a5060656dc30af5b626ea8c99e00dbf55838b52f.
Typing. core_theorem; proved; theorem_evidence; conformant.
Digest. The source statement "Repair creates a new verdict record" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 7, at Proposition 7.51, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.
Claim comparison policy. not_applicable.
Allowed runtime modes. none.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-021.
Review status. baseline_registered.

CR-CH7-022: Core sovereignty

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-022.
Source. SRC-MAIN-PDF, Definition 7.52, label def:ch7-core-sovereignty, PDF page 110.
Source binding. immutable_artifact_locator; 87a86adf9659d97f56d335a3646104f9060a444e3c3e48ddd12e58fc262ba7e0.
Typing. core_definition; operational; operational_rule; conformant.
Digest. The source statement "Core sovereignty" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 7, at Definition 7.52, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.
Claim comparison policy. not_applicable.
Allowed runtime modes. none.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-022.
Review status. baseline_registered.

CR-CH7-023: Search and AI outputs do not update verdicts

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-023.
Source. SRC-MAIN-PDF, Proposition 7.55, label prop:ch7-search-no-update, PDF page 110.
Source binding. immutable_artifact_locator; 01939449eb6a03ec38029441ebd4cedb1ec1efa1ad6a99437c26ea35881a2cdd.
Typing. core_theorem; proved; theorem_evidence; conformant.
Digest. The source statement "Search and AI outputs do not update verdicts" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Chapter 7, at Proposition 7.55, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.
Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-023.

Review status. baseline_registered.

CR-CH7-024: Verifier independence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-024.

Source. SRC-MAIN-PDF, Proposition 7.56, label prop:ch7-verifier-independence, PDF page 110.

Source binding. immutable_artifact_locator; 474703e18f00a2ee3fb6fbd3aba309e2ff7611cff78ac6278ed4d732cb8efe0d.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Verifier independence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.56, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-024.

Review status. baseline_registered.

CR-CH7-025: Typed audit-and-sovereignty contract consequences

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH7-025.

Source. SRC-MAIN-PDF, Proposition 7.57, label prop:ch7-audit-package, PDF page 111.

Source binding. immutable_artifact_locator; e83c695cc976dcd414f2099bc20f108a562be90f2fe3ffb5df4a2370de721b3.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Typed audit-and-sovereignty contract consequences" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 7, at Proposition 7.57, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-6; Appendix F obligation semantics; Appendix G manifest schema.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH7-025.

Review status. baseline_registered.

8.8 Chapter 8

CR-CH8-001: Release-level claim classes

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-001.

Source. SRC-MAIN-PDF, Definition 8.4, label def:ch8-claim-classes, PDF page 113.

Source binding. immutable_artifact_locator; e9903e8c259c356b18dd53f5013b80c7810425b20617ddc6fccbc11e23236412.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Release-level claim classes" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.4, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-001.

Review status. baseline_registered.

CR-CH8-002: Claim invocation role

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-002.

Source. SRC-MAIN-PDF, Definition 8.5, label def:ch8-invocation-role, PDF page 114.

Source binding. immutable_artifact_locator; 004cabe61076d0432b43938cd27499338f22c1db818cc6a792cbde2e8c198fca.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Claim invocation role" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.5, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-002.

Review status. baseline_registered.

CR-CH8-003: Status cannot be promoted by prose

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-003.

Source. SRC-MAIN-PDF, Proposition 8.7, label prop:ch8-no-prose-promotion, PDF page 114.

Source binding. immutable_artifact_locator; 1e77fe67a45e9d6aaa57c7c0e3c8d9c4b030b2e2a4cd60f3db7134389c3fb1b5.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Status cannot be promoted by prose" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.7, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-003.

Review status. baseline_registered.

CR-CH8-004: Contents of the proved Core nucleus

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-004.

Source. SRC-MAIN-PDF, Proposition 8.9, label prop:ch8-proved-core-contents, PDF page 114.

Source binding. immutable_artifact_locator; d3bf9847906b496192227b83dfe3a742cf341bad0efe80d20b4f90661b1c70db.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Contents of the proved Core nucleus" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.9, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-004.

Review status. baseline_registered.

CR-CH8-005: Conditional and operational layers do not self-promote

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-005.

Source. SRC-MAIN-PDF, Proposition 8.14, label prop:ch8-no-self-promotion, PDF page 117.

Source binding. immutable_artifact_locator; 3111415ccc9ef2b021ec3056cc854475714136e93409bd2a5572fc26ee84aa69.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Conditional and operational layers do not self-promote" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.14, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-005.

Review status. baseline_registered.

CR-CH8-006: Metric-repair and architecture rejection set

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-006.

Source. SRC-MAIN-PDF, Definition 8.16, label def:ch8-rejection-set, PDF page 117.

Source binding. immutable_artifact_locator; fac3f5916b4fbd13206daae6ba647f9c9a3eefac96e096230f01f5561ef6d8f4.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Metric-repair and architecture rejection set" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.16, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-006`.

Review status. `baseline_registered`.

CR-CH8-007: Rejected claims cannot be repaired locally by a ledger

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-007`.

Source. SRC-MAIN-PDF, Proposition 8.17, label `prop:ch8-rejected-not-budgeted`, PDF page 118.

Source binding. `immutable_artifact_locator`; `91185f7c3ecaa2128c28340db05c016f8df49df406d56ca8acca30eb8c33b311`.

Typing. `deprecated_or_rejected_claim`; `rejected`; `provenance_only`; `conformant`.

Digest. The source statement "Rejected claims cannot be repaired locally by a ledger" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.17, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-NONVERDICT` $\mapsto$ `reject / TypeV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-007`.

Review status. `baseline_registered`.

CR-CH8-008: Main-body Core closure

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-008`.

Source. SRC-MAIN-PDF, Proposition 8.19, label `prop:ch8-main-body-core-closure`, PDF page 119.

Source binding. `immutable_artifact_locator`; `89fc6dc2e53a58a9d4d9af063a135cc7c38d378e4ff462d49824689761890a32`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Main-body Core closure" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.19, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the

machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-008.

Review status. baseline_registered.

CR-CH8-009: Final-audit closure criterion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-009.

Source. SRC-MAIN-PDF, Proposition 8.20, label prop:ch8-final-audit-closure, PDF page 119.

Source binding. immutable_artifact_locator; 183966d1a95678f08c2fe81c7056d008548f4f8758d3a2f12052e030208faa6e.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Final-audit closure criterion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.20, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-009.

Review status. baseline_registered.

CR-CH8-010: AK projection datum

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-010.

Source. SRC-MAIN-PDF, Definition 8.23, label def:ch8-projection-datum, PDF page 119.

Source binding. immutable_artifact_locator; 0f3d28c37cee2a5aaacdcf3aae3d11fce45a694b1edd06d8bc76d79b275bbf84.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "AK projection datum" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.23, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-010.

Review status. baseline_registered.

CR-CH8-011: Core-readable projected object

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-011.

Source. SRC-MAIN-PDF, Definition 8.24, label def:ch8-core-readable-object, PDF page 120.

Source binding. immutable_artifact_locator; bc6995c12d09bfe64410a95c5ff2782be690980d6e21aeb6a15b959105859570.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Core-readable projected object" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.24, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-011`.

Review status. `baseline_registered`.

CR-CH8-012: Projection supplies input, not verdict

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-012`.

Source. SRC-MAIN-PDF, Proposition 8.25, label `prop:ch8-projection-not-verdict`, PDF page 120.

Source binding. `immutable_artifact_locator`; `f16d27aacf42afaaffcb8845ac5c5b6ee9d243f573b0664627b5804ae54658a9`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Projection supplies input, not verdict" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.25, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: `ak-hpdst:18.2:cr-a:CR-CH8-001`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-012`.

Review status. `baseline_registered`.

CR-CH8-013: Interface entry record

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-013`.

Source. SRC-MAIN-PDF, Definition 8.28, label `def:ch8-interface-entry-record`, PDF page 121.

Source binding. `immutable_artifact_locator`; `f5ca940b249c89b1641b9a3caf5f85a9189121040bbb5b69193d50927b5fd28`.

Typing. `core_definition`; `operational`; `operational_rule`; `conformant`.

Digest. The source statement "Interface entry record" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.28, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-013`.

Review status. `baseline_registered`.

CR-CH8-014: No admissible Interface without typed entry

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-014.

Source. SRC-MAIN-PDF, Proposition 8.29, label prop:ch8-no-interface-without-entry, PDF page 121.

Source binding. immutable_artifact_locator; dd5aa664c9c22676ff62ac5cd75815c5a4a532aa2bcef98e870cce12dbff44ea.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No admissible Interface without typed entry" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.29, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-014.

Review status. baseline_registered.

CR-CH8-015: External origin does not relax Core hypotheses

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-015.

Source. SRC-MAIN-PDF, Proposition 8.32, label prop:ch8-no-hypothesis-relaxation, PDF page 122.

Source binding. immutable_artifact_locator; 9c68fbef7a7a7918d41a6170c001ebd037b213694409c34ace060e25d7eb20.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "External origin does not relax Core hypotheses" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.32, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-015.

Review status. baseline_registered.

CR-CH8-016: No outcome-layer collapse

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-016.

Source. SRC-MAIN-PDF, Proposition 8.38, label prop:ch8-no-outcome-collapse, PDF page 122.

Source binding. immutable_artifact_locator; ca9550d64f172323dcf2872c6160371f1f812db0a4c0e0ea8f518165807e69f81.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No outcome-layer collapse" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.38, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-016.

Review status. baseline_registered.

CR-CH8-017: Transport theorem

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-017.

Source. SRC-MAIN-PDF, Definition 8.41, label def:ch8-transport-theorem, PDF page 122.

Source binding. immutable_artifact_locator; 996e32d1e4966a010bbc48fdaeefa355fc0294b668c09d14e83cb3f745eaf778.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Transport theorem" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.41, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes or refines legacy CR-A entry Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-017.

Review status. baseline_registered.

CR-CH8-018: Default status of transport statements

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-018.

Source. SRC-MAIN-PDF, Definition 8.42, label def:ch8-default-transport-status, PDF page 123.

Source binding. immutable_artifact_locator; 5266e31bea07419dbf1a64791067f2beb30e4928f3476f3f784bb77d540693b1.

Typing. core_definition; operational; operational_rule; conformant.

Digest. The source statement "Default status of transport statements" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Definition 8.42, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-018.

Review status. baseline_registered.

CR-CH8-019: No silent Bridge promotion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-019.

Source. SRC-MAIN-PDF, Proposition 8.43, label prop:ch8-no-silent-bridge-promotion, PDF page 123.

Source binding. immutable_artifact_locator; 03e96b5e6d10c1f619352a77a46b6871e23ba2f046d1ba908d53f03eef96614.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No silent Bridge promotion" is incorporated by immutable reference to the registered source artifact

and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.43, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-019.

Review status. baseline_registered.

CR-CH8-020: Adjacent material does not enlarge the Core silently

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-020.

Source. SRC-MAIN-PDF, Proposition 8.46, label prop:ch8-no-hidden-extension, PDF page 123.

Source binding. immutable_artifact_locator; 11ec0f8a50684689364b737efa1fe70c6d84813f36641657ef61a61b0d64472b.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Adjacent material does not enlarge the Core silently" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.46, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-020.

Review status. baseline_registered.

CR-CH8-021: Final architecture of the v19 main body

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-021.

Source. SRC-MAIN-PDF, Proposition 8.49, label prop:ch8-final-architecture, PDF page 125.

Source binding. immutable_artifact_locator; ed6fb95b0f0d504d5fefed8422bccf64013bf75882e4fdd9f282b55be05078d5.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Final architecture of the v19 main body" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Chapter 8, at Proposition 8.49, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapters 1-7 and the complete v19 claim-status discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. new or split canonical v19 registration Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CH8-021.

Review status. baseline_registered.

9 Foundation Appendix Register

9.1 Appendix A

CR-A-001: Interval decomposition

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-001.

Source. SRC-FOUNDATION-PDF, Theorem 1.9, PDF page 3.

Source binding. immutable_artifact_locator; 01f640d929e529eb78ef2e154f6a3d440db3f584d2a05d588f0bca80500145d0.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Interval decomposition" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Theorem 1.9, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-001.

Review status. baseline_registered.

CR-A-002: Infinite-bar threshold invariance

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-002.

Source. SRC-FOUNDATION-PDF, Lemma 1.13, PDF page 4.

Source binding. immutable_artifact_locator; db01372bbfc79080bd62e3d924c6d4c11867a851572658fbf89fb6b7df685951.

Typing. core_lemma; proved; theorem_evidence; conformant.

Digest. The source statement "Infinite-bar threshold invariance" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Lemma 1.13, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-002.

Review status. baseline_registered.

CR-A-003: Positive-threshold short-bar objects are not Serre in general

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-003.

Source. SRC-FOUNDATION-PDF, Proposition 1.15, PDF page 4.

Source binding. immutable_artifact_locator; 40d7afa9f3fb0fef29680e8b64e1e156d5e01dd9a32bf8b3144ccd3b6f8a4ddf.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Positive-threshold short-bar objects are not Serre in general" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Proposition 1.15, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: ak-hpdst:18.2:cr-a:CR-A-001; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-003.

Review status. baseline_registered.

CR-A-004: No global exact reflector claim

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-004.

Source. SRC-FOUNDATION-PDF, Corollary 1.16, PDF page 4.

Source binding. immutable_artifact_locator; a6ecc8ac17a4acf29d214aada57114eb4796031fc5aa4c59aea567f834fc1fd2.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No global exact reflector claim" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Corollary 1.16, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-004.

Review status. baseline_registered.

CR-A-005: Basic properties of hard threshold deletion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-005.

Source. SRC-FOUNDATION-PDF, Proposition 1.20, PDF page 5.

Source binding. immutable_artifact_locator; 9f29ad22c42e96d6cf7cfa102440644056811bf501d927ab2e909aba1f7e9aca.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Basic properties of hard threshold deletion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Proposition 1.20, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-005.

Review status. baseline_registered.

CR-A-006: Threshold composition

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-006.

Source. SRC-FOUNDATION-PDF, Proposition 1.21, PDF page 5.

Source binding. immutable_artifact_locator; 50bd127d799d7b4069dbc8c22d238973fa056c01e7e31ecf43f2b1ced1571baa.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Threshold composition" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Proposition 1.21, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-006`.

Review status. `baseline_registered`.

CR-A-007: Rejected global non-expansiveness claim

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-007`.

Source. SRC-FOUNDATION-PDF, Corollary 1.24, PDF page 5.

Source binding. `immutable_artifact_locator`; `1b8430f0a5632bbe63dfcdd298666f498243abc0fb4dac129fc4007f6b79b3a6`.

Typing. `deprecated_or_rejected_claim`; `rejected`; `provenance_only`; `conformant`.

Digest. The source statement "Rejected global non-expansiveness claim" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Corollary 1.24, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-NONVERDICT` $\mapsto$ `reject / TypeV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-007`.

Review status. `baseline_registered`.

CR-A-008: Metric-repair theorem: sharp threshold-gap-safe stability

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-008`.

Source. SRC-FOUNDATION-PDF, Theorem 1.33, PDF page 8.

Source binding. `immutable_artifact_locator`; `2949b7d4bc4cf64a08d6642a58c4f9ca213c04ec585bfdef8744f3b6660546a7`.

Typing. `metric_repair_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Metric-repair theorem: sharp threshold-gap-safe stability" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Theorem 1.33, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. `fixed_metric_gap_certified`.

Allowed runtime modes. `metric_gap_certified`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-008.
Review status. baseline_registered.

CR-A-009: Scalarized-ledger-safe threshold classification

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-009.
Source. SRC-FOUNDATION-PDF, Corollary 1.36, PDF page 9.
Source binding. immutable_artifact_locator; 0528eadd39ea807274805ec0622ec6b3d20991a4e9b66dd2f676d4c5e81bff7.
Typing. core_theorem; proved; theorem_evidence; conformant.
Digest. The source statement "Scalarized-ledger-safe threshold classification" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Appendix A, at Corollary 1.36, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.
Claim comparison policy. not_applicable.
Allowed runtime modes. none.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-009.
Review status. baseline_registered.

CR-A-010: No unconditional crop-collapse commutation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-010.
Source. SRC-FOUNDATION-PDF, Proposition 1.40, PDF page 9.
Source binding. immutable_artifact_locator; 4cca05b101eaa980cbabb50326e9e8131c8cc65d6c3bcfd1fd3124dc563be3ac.
Typing. core_theorem; conditional; theorem_evidence; conformant.
Digest. The source statement "No unconditional crop-collapse commutation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Appendix A, at Proposition 1.40, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.
Claim comparison policy. runtime_resolved.
Allowed runtime modes. exact, metric_gap_certified, not_compared.
Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.
Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.
Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-010.
Review status. baseline_registered.

CR-A-011: Exact crop-collapse commutation criterion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-011.
Source. SRC-FOUNDATION-PDF, Proposition 1.46, PDF page 10.
Source binding. immutable_artifact_locator; 213a3299b97374332007a6ee5e1d4685d9e24c02a91e00572f4d3430a6e89958.
Typing. core_theorem; conditional; theorem_evidence; conformant.
Digest. The source statement "Exact crop-collapse commutation criterion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.
Scope. Appendix A, at Proposition 1.46, within the declared v19.0.0 standing regime.
Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.
Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.
Claim comparison policy. runtime_resolved.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-011`.

Review status. `baseline_registered`.

CR-A-012: Overlap transfer under a scalarized threshold-gap certificate

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-012`.

Source. SRC-FOUNDATION-PDF, Proposition 1.55, PDF page 11.

Source binding. `immutable_artifact_locator`; `d49d9f23f091a4cd7195f8274bb9e7c0d4daec1d42876bbbd56a038b4fc810a5`.

Typing. `core_theorem`; `conditional`; `theorem_evidence`; `conformant`.

Digest. The source statement "Overlap transfer under a scalarized threshold-gap certificate" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Proposition 1.55, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-012`.

Review status. `baseline_registered`.

CR-A-013: Functorial deletion in a τ -split regime

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-013`.

Source. SRC-FOUNDATION-PDF, Proposition 1.59, PDF page 12.

Source binding. `immutable_artifact_locator`; `3c29f4c5f0e7beba77baba7b4ef6a90b0398839224e1884afb4382e724816302`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Functorial deletion in a τ -split regime" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix A, at Proposition 1.59, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 2 and the Chapter 1 metric-repair contract.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-A-013`.

Review status. `baseline_registered`.

9.2 Appendix B

CR-B-001: Finite barcode family realization

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-001.

Source. SRC-FOUNDATION-PDF, Proposition 2.21, PDF page 22.

Source binding. immutable_artifact_locator; 9d5d31d41a588a743081b8120b0862fea018e128fda1916626873db44592df79.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Finite barcode family realization" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.21, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-001.

Review status. baseline_registered.

CR-B-002: Compatibility is exactly the representative condition

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-002.

Source. SRC-FOUNDATION-PDF, Proposition 2.25, PDF page 23.

Source binding. immutable_artifact_locator; 5a35fc03d9fa7fbd14f090c2f24ce3c7443c6593deaac64ab6d47ac03976679c.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Compatibility is exactly the representative condition" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.25, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-002.

Review status. baseline_registered.

CR-B-003: Structure-compatible representative availability

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-003.

Source. SRC-FOUNDATION-PDF, Axiom 2.1, PDF page 24.

Source binding. immutable_artifact_locator; 0688440d789914c03955af9d20669c080747d7740bbb1facf3dea86acaf68a47.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The source statement "Structure-compatible representative availability" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Axiom 2.1, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-003.

Review status. baseline_registered.

CR-B-004: Non-uniqueness of filtered representatives

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-004.

Source. SRC-FOUNDATION-PDF, Proposition 2.32, PDF page 24.

Source binding. immutable_artifact_locator; 385abb97dab87ff3da53f6052ece6f78b7201b27534aa0075cc0abd39bf8b5bf.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Non-uniqueness of filtered representatives" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.32, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-004.

Review status. baseline_registered.

CR-B-005: Representative invariance of persistence-level clauses

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-005.

Source. SRC-FOUNDATION-PDF, Proposition 2.34, PDF page 25.

Source binding. immutable_artifact_locator; 244ca2a49036690a763723efdf6f05afc30aaeead2eddf852630965e0408e2d6.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Representative invariance of persistence-level clauses" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.34, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-005.

Review status. baseline_registered.

CR-B-006: Restriction under window compatibility

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-006.

Source. SRC-FOUNDATION-PDF, Proposition 2.39, PDF page 25.

Source binding. immutable_artifact_locator; 7d86af8b42b595b49e79e70b1967219c94cabafbad42ecb6961c315f0ec6e.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Restriction under window compatibility" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.39, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-006.

Review status. baseline_registered.

CR-B-007: Windowed representative idempotence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-007.

Source. SRC-FOUNDATION-PDF, Proposition 2.42, PDF page 26.

Source binding. immutable_artifact_locator; 23a633af46afa8a867a473c646c5372fc17d314010dde55e30b76a9cefad9948.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Windowed representative idempotence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.42, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-007.

Review status. baseline_registered.

CR-B-008: Windowed threshold composition

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-008.

Source. SRC-FOUNDATION-PDF, Proposition 2.44, PDF page 26.

Source binding. immutable_artifact_locator; c55a7bea91a60513316b9898cfc908d1dc62e158d0531159f663f7adbc608930.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Windowed threshold composition" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.44, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-008.

Review status. baseline_registered.

CR-B-009: Weak functoriality is conditional

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-009.

Source. SRC-FOUNDATION-PDF, Proposition 2.49, PDF page 27.

Source binding. immutable_artifact_locator; 94a4db7e2965a5f42da1fba2f1341a8630e973a98bd461e1f9fbd4dd663ff562.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Weak functoriality is conditional" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.49, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-009.

Review status. baseline_registered.

CR-B-010: Realization invariance under stronger equivalence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-010.

Source. SRC-FOUNDATION-PDF, Proposition 2.52, PDF page 27.

Source binding. immutable_artifact_locator; d038cb2b8e9bb28524987a69f49c4e55182bf93d743b370b113c3db76eaac016.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Realization invariance under stronger equivalence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Proposition 2.52, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-010.

Review status. baseline_registered.

CR-B-011: Appendix B filtered-representative package

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-B-011.

Source. SRC-FOUNDATION-PDF, Theorem 2.64, PDF page 30.

Source binding. immutable_artifact_locator; da6210ab1a61f245cc56fc37652049a51a2b3c64cb6deece5ed6b40cc0247c1d.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Appendix B filtered-representative package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix B, at Theorem 2.64, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 3; Appendix A repaired barcode semantics.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or

manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-B-011.

Review status. baseline_registered.

9.3 Appendix C

CR-C-001: Semisimplicity over a field

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-001.

Source. SRC-FOUNDATION-PDF, Lemma 3.24, PDF page 37.

Source binding. immutable_artifact_locator; 58230dd1c075efb2a59ff9c5d9b47f5f5893679eee2af847df795eca297d0264.

Typing. core_lemma; proved; theorem_evidence; conformant.

Digest. The source statement "Semisimplicity over a field" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Lemma 3.24, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-001.

Review status. baseline_registered.

CR-C-002: Derived splitting over a field

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-002.

Source. SRC-FOUNDATION-PDF, Lemma 3.25, PDF page 37.

Source binding. immutable_artifact_locator; 9e1a4d76fb9a77514250fb3553ae1cd2e577103102f000339009f0bbdeecf28e.

Typing. core_lemma; proved; theorem_evidence; conformant.

Digest. The source statement "Derived splitting over a field" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Lemma 3.25, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-002.

Review status. baseline_registered.

CR-C-003: Two-term splitting

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-003.

Source. SRC-FOUNDATION-PDF, Corollary 3.26, PDF page 37.

Source binding. immutable_artifact_locator; 440b61a1dd03472e2ecaa32bedc0a5e84131186f07fa2094ee3d02f91fe9e319.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Two-term splitting" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Corollary 3.26, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-003.

Review status. baseline_registered.

CR-C-004: Canonical two-term Ext¹-edge identification

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-004.

Source. SRC-FOUNDATION-PDF, Theorem 3.28, PDF page 37.

Source binding. immutable_artifact_locator; dd9fc53a536eec56c97de29daa6417bf25c4218469cdf1b78b12d0e14d065e4c.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Canonical two-term Ext¹-edge identification" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Theorem 3.28, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-004.

Review status. baseline_registered.

CR-C-005: Naturality square

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-005.

Source. SRC-FOUNDATION-PDF, Corollary 3.29, PDF page 38.

Source binding. immutable_artifact_locator; cfb13fee5e6499db47f632196738d0129612dde632a3bdfbf42793d5d398d87a.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Naturality square" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Corollary 3.29, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-005.

Review status. baseline_registered.

CR-C-006: Edge vanishing criterion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-006.

Source. SRC-FOUNDATION-PDF, Corollary 3.30, PDF page 38.

Source binding. immutable_artifact_locator; 43686ab2a3c7a17b3da98ebe94321d3d4293d8f85630f668b563f247b5d6bbb3.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Edge vanishing criterion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Corollary 3.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-006.

Review status. baseline_registered.

CR-C-007: Repaired degree-one vanishing implies edge vanishing

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-007.

Source. SRC-FOUNDATION-PDF, Proposition 3.34, PDF page 39.

Source binding. immutable_artifact_locator; 354f4fc5492f94dddc386b5c497e2b329e8d3ff7e4a4b78c3f41773df4a2a5c4.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Repaired degree-one vanishing implies edge vanishing" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Proposition 3.34, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-007.

Review status. baseline_registered.

CR-C-008: One-way repaired bridge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-008.

Source. SRC-FOUNDATION-PDF, Theorem 3.36, PDF page 39.

Source binding. immutable_artifact_locator; d03694e3025482920cbdacc08fc6e35b5458750422733f1b01477a5762d4061ad.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "One-way repaired bridge" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Theorem 3.36, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T2} \mapsto \text{reject} / \text{TypeII}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-008`.

Review status. `baseline_registered`.

CR-C-009: Discharge of the Ext^1 -clause of B-Gate+

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-009`.

Source. SRC-FOUNDATION-PDF, Proposition 3.41, PDF page 40.

Source binding. `immutable_artifact_locator`; `b3d214f87e6880b2894fbbd3165537548f3a71251497be298d1c4c848ba6b248`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Discharge of the Ext^1 -clause of B-Gate+" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Proposition 3.41, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T1} \mapsto \text{reject} / \text{TypeI}$; $\text{FR-T2} \mapsto \text{reject} / \text{TypeII}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-009`.

Review status. `baseline_registered`.

CR-C-010: Eligibility is invariant under admissible representative equivalence

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-010`.

Source. SRC-FOUNDATION-PDF, Proposition 3.44, PDF page 41.

Source binding. `immutable_artifact_locator`; `e1f1ad0a19c807bee1a24e7968db1dcfd14af428cde84d0935f10120295db281`.

Typing. `core_theorem`; `conditional`; `theorem_evidence`; `conformant`.

Digest. The source statement "Eligibility is invariant under admissible representative equivalence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Proposition 3.44, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T2} \mapsto \text{reject} / \text{TypeII}$; $\text{FR-T3} \mapsto \text{reject} / \text{TypeIII}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-010`.

Review status. `baseline_registered`.

CR-C-011: One-way bridge is representative-independent

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-011.

Source. SRC-FOUNDATION-PDF, Proposition 3.45, PDF page 41.

Source binding. immutable_artifact_locator; 3238ac253cbda7e881aa4603bdb0e7ec730c77a297db3f382d913a83af9fbfc.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "One-way bridge is representative-independent" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Proposition 3.45, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-011.

Review status. baseline_registered.

CR-C-012: Reverse implication fails under the stated eligibility axioms

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-012.

Source. SRC-FOUNDATION-PDF, Proposition 3.51, PDF page 42.

Source binding. immutable_artifact_locator; aec49b6aea45500b2ea2e016ea53f7f7016029df3ca3a5d098905ca9ee090896.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Reverse implication fails under the stated eligibility axioms" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Proposition 3.51, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-012.

Review status. baseline_registered.

CR-C-013: Appendix C eligible-realization package

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-C-013.

Source. SRC-FOUNDATION-PDF, Theorem 3.57, PDF page 44.

Source binding. immutable_artifact_locator; d31cf75f41ab86d894e027e241313feb82094ce04c6aa8988fbb5840fa1519fd.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Appendix C eligible-realization package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix C, at Theorem 3.57, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 4; Appendix B representative discipline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-C-013.

Review status. baseline_registered.

9.4 Appendix D

CR-D-001: Well-definedness of terminal-generic dimension

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-001.

Source. SRC-FOUNDATION-PDF, Proposition 4.21, PDF page 50.

Source binding. immutable_artifact_locator; c268f86c0afdeaec10e831c76dc12a74fb53e94b888d149eb656c0aacdae8a01.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Well-definedness of terminal-generic dimension" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.21, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-001.

Review status. baseline_registered.

CR-D-002: Terminal dimension counts cofinal bars

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-002.

Source. SRC-FOUNDATION-PDF, Proposition 4.23, PDF page 50.

Source binding. immutable_artifact_locator; 272ef683e53069b8c797791deeb6056979fa9e756c143405cf0148bd9ac1ed34.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Terminal dimension counts cofinal bars" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.23, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-002.

Review status. baseline_registered.

CR-D-003: Terminal tameness passes to defects

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-003.

Source. SRC-FOUNDATION-PDF, Proposition 4.25, PDF page 50.

Source binding. immutable_artifact_locator; d3768780c72d8557e23e0c2d76c2d61f79db2a9b376b920d47ebd6d1f71d993f.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Terminal tameness passes to defects" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.25, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-003`.

Review status. `baseline_registered`.

CR-D-004: Diagnostics count terminal-cofinal defects

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-004`.

Source. SRC-FOUNDATION-PDF, Proposition 4.34, PDF page 51.

Source binding. `immutable_artifact_locator`; `16c52e68611799ced488c56e48bf89fa2fe5dea079cf9663dd982e71037c7edd`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Diagnostics count terminal-cofinal defects" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.34, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-004`.

Review status. `baseline_registered`.

CR-D-005: Characterization of certified Type IV-free status

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-005`.

Source. SRC-FOUNDATION-PDF, Theorem 4.38, PDF page 52.

Source binding. `immutable_artifact_locator`; `ebe0a9ccdf3dcecc7564a4574efbfbd67930382919fe6bec1de4918c6273bfe8`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Characterization of certified Type IV-free status" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Theorem 4.38, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-005`.

Review status. baseline_registered.

CR-D-006: Zero diagnostics plus no interior defects imply isomorphism

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-006.

Source. SRC-FOUNDATION-PDF, Proposition 4.44, PDF page 52.

Source binding. immutable_artifact_locator; f20ea8387719d0f64b69313b34c6731b9d7b90c327e021c8e3d251af36eaea41.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Zero diagnostics plus no interior defects imply isomorphism" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.44, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-006.

Review status. baseline_registered.

CR-D-007: Finite admissibility does not imply monitored tower admissibility

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-007.

Source. SRC-FOUNDATION-PDF, Proposition 4.52, PDF page 53.

Source binding. immutable_artifact_locator; e16b0e23759664226bfbf0b1a234840736f896d380da1c64b43870a72d8e201c.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Finite admissibility does not imply monitored tower admissibility" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.52, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-007.

Review status. baseline_registered.

CR-D-008: Degreewise stable bands exclude degreewise Type IV

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-008.

Source. SRC-FOUNDATION-PDF, Proposition 4.56, PDF page 54.

Source binding. immutable_artifact_locator; 49d9822f2ecf02b0d2d36626dc119b6845abb0d4421b2cd28ec514a2afa668ec.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Degreewise stable bands exclude degreewise Type IV" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.56, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or

manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T4} \mapsto \text{reject / TypeIV}$; $\text{FR-T5} \mapsto \text{reject / TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-008`.

Review status. `baseline_registered`.

CR-D-009: Global stable bands exclude monitored Type IV

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-009`.

Source. SRC-FOUNDATION-PDF, Proposition 4.57, PDF page 54.

Source binding. `immutable_artifact_locator`; `65535fb5ab70690891ea9918f697602835955459c7eb3b72c5e64ad92a85c2e4`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Global stable bands exclude monitored Type IV" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.57, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T4} \mapsto \text{reject / TypeIV}$; $\text{FR-T5} \mapsto \text{reject / TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-009`.

Review status. `baseline_registered`.

CR-D-010: Full-isomorphism band implies stable band

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-010`.

Source. SRC-FOUNDATION-PDF, Proposition 4.61, PDF page 55.

Source binding. `immutable_artifact_locator`; `63a639aaba6277de3bdf10055940f89f960c8abae17b4749827f395e50c4763`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Full-isomorphism band implies stable band" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.61, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T4} \mapsto \text{reject / TypeIV}$; $\text{FR-T5} \mapsto \text{reject / TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-010`.

Review status. `baseline_registered`.

CR-D-011: Eligible reduction of tower-clean admissibility

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-011`.

Source. SRC-FOUNDATION-PDF, Proposition 4.64, PDF page 55.

Source binding. `immutable_artifact_locator`; `d71e85f00012f6fa0d5ed16a6bdc8ca9dc5fd517fa1f03ccf00c85c129d07d2b`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Eligible reduction of tower-clean admissibility" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.64, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T2` $\mapsto$ `reject / TypeII`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-011`.

Review status. `baseline_registered`.

CR-D-012: Invariance of diagnostics

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-012`.

Source. SRC-FOUNDATION-PDF, Proposition 4.67, PDF page 56.

Source binding. `immutable_artifact_locator`; `39a7f238a94735d2d7d4e082ddeb99238340bc1c1ae34899e30ae7fc4a4a2d9`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Invariance of diagnostics" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Proposition 4.67, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-012`.

Review status. `baseline_registered`.

CR-D-013: Appendix D terminal-generic Type IV package

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-D-013`.

Source. SRC-FOUNDATION-PDF, Theorem 4.71, PDF page 57.

Source binding. `immutable_artifact_locator`; `e1ce2d54eaf46078dd9a512e70409f16506a599423460730b754318f9ad5a53e`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Appendix D terminal-generic Type IV package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix D, at Theorem 4.71, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 5; repaired tower profiles and actual comparison morphisms.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T4` $\mapsto$ `reject / TypeIV`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-D-013`.

Review status. baseline_registered.

9.5 Appendix E

CR-E-001: Sharp overlap transfer

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-001.

Source. SRC-FOUNDATION-PDF, Proposition 5.28, PDF page 62.

Source binding. immutable_artifact_locator; 1e15d1197f12007eaacbd57ec96ec2325ab741ab0cc43e10e5da9f36b08f3a66.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Sharp overlap transfer" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Proposition 5.28, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-001.

Review status. baseline_registered.

CR-E-002: Overlap Gate preserves pairwise audit readability

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-002.

Source. SRC-FOUNDATION-PDF, Proposition 5.31, PDF page 63.

Source binding. immutable_artifact_locator; e3423418938b1ae33ccb541176629fc9c2971867ee0ec964277c01fe4a16e909.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Overlap Gate preserves pairwise audit readability" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Proposition 5.31, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-002.

Review status. baseline_registered.

CR-E-003: Finite overlap reduction

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-003.

Source. SRC-FOUNDATION-PDF, Proposition 5.35, PDF page 63.

Source binding. immutable_artifact_locator; b75647246046f0c2d382758e098fd88a52e8e13a9a0cb110ad847e34cb01f610.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Finite overlap reduction" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Proposition 5.35, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-003.

Review status. baseline_registered.

CR-E-004: Finite-cover record-level local-to-global principle

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-004.

Source. SRC-FOUNDATION-PDF, Theorem 5.39, PDF page 63.

Source binding. immutable_artifact_locator; 7d6b9243d61a654214092cd840371e627eb659e78b681ac357c364b6f98e86ab.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Finite-cover record-level local-to-global principle" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Theorem 5.39, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-004.

Review status. baseline_registered.

CR-E-005: Finite-horizon Restart bound

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-005.

Source. SRC-FOUNDATION-PDF, Lemma 5.47, PDF page 65.

Source binding. immutable_artifact_locator; 51785480991e9cbf8fd4c539e610c9bbeb55f491904bf11176c3bf42ad11d5d6.

Typing. core_lemma; proved; theorem_evidence; conformant.

Digest. The source statement "Finite-horizon Restart bound" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Lemma 5.47, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-005.

Review status. baseline_registered.

CR-E-006: Conditional countable Restart–Summability principle

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-006.

Source. SRC-FOUNDATION-PDF, Theorem 5.52, PDF page 66.

Source binding. immutable_artifact_locator; cfe5d6a64723b6541a0152f001924f7bbe50709a0f7c1c111e5803b76f447520.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Conditional countable Restart–Summability principle" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Theorem 5.52, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-006.

Review status. baseline_registered.

CR-E-007: Countable definable-cover gluing

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-007.

Source. SRC-FOUNDATION-PDF, Theorem 5.58, PDF page 66.

Source binding. immutable_artifact_locator; 7be9f5963018c4826fd84b3059d0145b226dc2b00f59e238c77f4105e57673bf.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Countable definable-cover gluing" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Theorem 5.58, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-007.

Review status. baseline_registered.

CR-E-008: Budget auditability under summability

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-008.

Source. SRC-FOUNDATION-PDF, Proposition 5.63, PDF page 67.

Source binding. immutable_artifact_locator; 47ba16858f488ca40759a049aebf471f0573f91a3a0f4a492b6a6a62480ff5e.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Budget auditability under summability" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Proposition 5.63, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-008.

Review status. baseline_registered.

CR-E-009: Overlap cleanliness is required for gluing

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-009.

Source. SRC-FOUNDATION-PDF, Proposition 5.66, PDF page 68.

Source binding. immutable_artifact_locator; 6444de727d2d3affd99674fe9315b125ebcdd13ccdfc5f39456091be5053ad9a.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Overlap cleanliness is required for gluing" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Proposition 5.66, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-009.

Review status. baseline_registered.

CR-E-010: Certificate gluing does not imply object gluing

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-010.

Source. SRC-FOUNDATION-PDF, Proposition 5.69, PDF page 68.

Source binding. immutable_artifact_locator; 2c8e895664a93ae9d05bb5195b5a76359f834794884d1afb67b9b1aca6863d3d.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Certificate gluing does not imply object gluing" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Proposition 5.69, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-010.

Review status. baseline_registered.

CR-E-011: Appendix E conditional closure package

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-E-011.

Source. SRC-FOUNDATION-PDF, Theorem 5.71, PDF page 68.

Source binding. immutable_artifact_locator; 57fdc11f423db86e7a3a3a452637e0e894e9b4697ab74f1e02ace0fa0b4657fc.

Typing. core_theorem; conditional; theorem_evidence; conformant.

Digest. The source statement "Appendix E conditional closure package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix E, at Theorem 5.71, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 6; Appendices A and D.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-E-011`.

Review status. `baseline_registered`.

9.6 Appendix F

CR-F-001: No scalar manufacture of non-scalar evidence

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-001`.

Source. SRC-FOUNDATION-PDF, Proposition 6.10, PDF page 72.

Source binding. `immutable_artifact_locator`; `e0d097407b7d2b66f5b325ac389eca78575765db327e5d2d408ece25e93a5c00`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "No scalar manufacture of non-scalar evidence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.10, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-001`.

Review status. `baseline_registered`.

CR-F-002: Preflight failure blocks Core readiness

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-002`.

Source. SRC-FOUNDATION-PDF, Proposition 6.26, PDF page 75.

Source binding. `immutable_artifact_locator`; `f8aae336daead156190731d705da0d9daa696fd5ea27f9691f71124d82cb5f`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Preflight failure blocks Core readiness" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.26, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-002`.

Review status. baseline_registered.

CR-F-003: Pass is downward closed

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-003.

Source. SRC-FOUNDATION-PDF, Proposition 6.30, PDF page 76.

Source binding. immutable_artifact_locator; fdc19c7907e49c9d079288748875a38d5655940b8e2957b877b48b04ba4d98df.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Pass is downward closed" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-003.

Review status. baseline_registered.

CR-F-004: Dependency blocker propagation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-004.

Source. SRC-FOUNDATION-PDF, Proposition 6.33, PDF page 76.

Source binding. immutable_artifact_locator; f7e594c41f7b6f3766c9b4b18bedac99b22d6ab09656b1ac8a1bd80d1f869b4b.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Dependency blocker propagation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.33, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-004.

Review status. baseline_registered.

CR-F-005: Status-algebra laws

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-005.

Source. SRC-FOUNDATION-PDF, Proposition 6.35, PDF page 76.

Source binding. immutable_artifact_locator; c0014d48ed8fde28fd335e8be11363b87293e28de513618d098ef6aad7575940.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Status-algebra laws" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.35, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or

manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-005.

Review status. baseline_registered.

CR-F-006: Non-compensation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-006.

Source. SRC-FOUNDATION-PDF, Theorem 6.37, PDF page 77.

Source binding. immutable_artifact_locator; 7c8b2b3b051ebb2ed728ff2a5fcbeff71837042c9b798441b44295328bd0bfb1.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Non-compensation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Theorem 6.37, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-006.

Review status. baseline_registered.

CR-F-007: Partition invariance of hierarchical aggregation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-007.

Source. SRC-FOUNDATION-PDF, Proposition 6.38, PDF page 77.

Source binding. immutable_artifact_locator; f01dcd101eaa76e959324c8dff352619bcfb6e877bc862196c413a9eebfd756.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Partition invariance of hierarchical aggregation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.38, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-007.

Review status. baseline_registered.

CR-F-008: Atomic status and failure route are different types

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-008.

Source. SRC-FOUNDATION-PDF, Proposition 6.42, PDF page 78.

Source binding. immutable_artifact_locator; aaa296f0bcebf7d6ea27fe592da5acddc0bb6630ec7853c4eebc731228cf18d.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Atomic status and failure route are different types" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.42, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-008`.

Review status. `baseline_registered`.

CR-F-009: Certificate-readiness criterion

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-009`.

Source. SRC-FOUNDATION-PDF, Theorem 6.49, PDF page 79.

Source binding. `immutable_artifact_locator`; `c44c8f40261e87a92129e027d9dbb39687f7f0870460f6c3f719e2ba540c2134`.

Typing. `core_theorem`; `conditional`; `theorem_evidence`; `conformant`.

Digest. The source statement "Certificate-readiness criterion" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Theorem 6.49, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-009`.

Review status. `baseline_registered`.

CR-F-010: Complete Restart verdict

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-010`.

Source. SRC-FOUNDATION-PDF, Proposition 6.51, PDF page 79.

Source binding. `immutable_artifact_locator`; `4c9d8ba8be62a847b9cb80cbf5fd9106546618040aab6d375b64cd9e272a5969`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Complete Restart verdict" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.51, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-010`.

Review status. baseline_registered.

CR-F-011: Atlas composition rule

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-011.

Source. SRC-FOUNDATION-PDF, Proposition 6.52, PDF page 79.

Source binding. immutable_artifact_locator; c646a68ce21b3e127d4d5cfd4ce794465839790a7bab11636af28789e32238a4.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Atlas composition rule" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.52, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-011.

Review status. baseline_registered.

CR-F-012: Finite-prefix checks do not certify countable readiness

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-012.

Source. SRC-FOUNDATION-PDF, Proposition 6.55, PDF page 80.

Source binding. immutable_artifact_locator; 3a29d45d139834795262ffcf8bcd50f676396f7e94a1c9970795d9d855942940.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Finite-prefix checks do not certify countable readiness" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.55, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-012.

Review status. baseline_registered.

CR-F-013: Countable aggregate soundness

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-013.

Source. SRC-FOUNDATION-PDF, Theorem 6.56, PDF page 80.

Source binding. immutable_artifact_locator; 45e30907b020a183334cf5f33734d7cc1d6b524929aaedcbb28a71cb5b290d1.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Countable aggregate soundness" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Theorem 6.56, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or

manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-013.

Review status. baseline_registered.

CR-F-014: No retroactive verdict mutation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-014.

Source. SRC-FOUNDATION-PDF, Proposition 6.58, PDF page 81.

Source binding. immutable_artifact_locator; efd797764b5957f2b126b91c28f1f831786aa89a72c87a119af88fbcf8812171.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No retroactive verdict mutation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.58, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-014.

Review status. baseline_registered.

CR-F-015: Schema conformance preserves semantics

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-015.

Source. SRC-FOUNDATION-PDF, Proposition 6.61, PDF page 81.

Source binding. immutable_artifact_locator; ba8e4d35f4a1ec02cc3ec357451ba4591339b0178f246d27564a7e733fa5f484.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Schema conformance preserves semantics" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Proposition 6.61, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-015.

Review status. baseline_registered.

CR-F-016: Appendix F typed-obligation and readiness package

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-F-016.

Source. SRC-FOUNDATION-PDF, Theorem 6.69, PDF page 82.

Source binding. immutable_artifact_locator; 4fa04662d5b1cf5fc6dfa8f3a5f92d3a619d682348914c63ea860621c6a5610f.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Appendix F typed-obligation and readiness package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix F, at Theorem 6.69, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and the mathematical obligations generated by Appendices A-E.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-F-016`.

Review status. `baseline_registered`.

9.7 Appendix G

CR-GAPP-001: Appendix F semantics are authoritative

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-001`.

Source. `SRC-FOUNDATION-PDF`, Proposition 7.7, PDF page 85.

Source binding. `immutable_artifact_locator`; `33c86c929f16a0b3670d061e0e00b9a636c1acb405b00efa5806a8bf9b624dfe`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Appendix F semantics are authoritative" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.7, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UUIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-001`.

Review status. `baseline_registered`.

CR-GAPP-002: Identity collision is manifest inconsistency

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-002`.

Source. `SRC-FOUNDATION-PDF`, Proposition 7.12, PDF page 86.

Source binding. `immutable_artifact_locator`; `ba8926c06ce50a7a099d9648e167c691c316b6bdfbf42a09d21e0e0bde700a60`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Identity collision is manifest inconsistency" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.12, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the

machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-002.

Review status. baseline_registered.

CR-GAPP-003: No silent default theorem

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-003.

Source. SRC-FOUNDATION-PDF, Proposition 7.23, PDF page 87.

Source binding. immutable_artifact_locator; 320ffb4159f0215fb782dcf8a9ce16fdbcbb78857599d19b480113baf286af2a.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No silent default theorem" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.23, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-003.

Review status. baseline_registered.

CR-GAPP-004: Minimal Manifest Axiom

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-004.

Source. SRC-FOUNDATION-PDF, Axiom 7.1, PDF page 87.

Source binding. immutable_artifact_locator; 319c80c0b1f622b90d6e982c23c9555815d39f17ff93bd2e941607dee05edf9a.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The source statement "Minimal Manifest Axiom" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Axiom 7.1, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May be used only to type, govern, or serialize an admissible record; it does not by itself discharge a mathematical theorem obligation.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-004.

Review status. baseline_registered.

CR-GAPP-005: Necessity of manifest data

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-005.

Source. SRC-FOUNDATION-PDF, Proposition 7.25, PDF page 88.

Source binding. immutable_artifact_locator; f9ebfb77067b6a858c2ac751014311b096eab754b24a327e4ae5b89dbc188054.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Necessity of manifest data" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.25, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-005`.

Review status. `baseline_registered`.

CR-GAPP-006: Finite prefix cannot certify a countable registry

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-006`.

Source. SRC-FOUNDATION-PDF, Proposition 7.30, PDF page 89.

Source binding. `immutable_artifact_locator`; `1c3ba6b036f2e1cc705ff2ce969bd9f54e94362bedc338343863ebbe0f50175c`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Finite prefix cannot certify a countable registry" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.30, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-006`.

Review status. `baseline_registered`.

CR-GAPP-007: Status/classification separation

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-007`.

Source. SRC-FOUNDATION-PDF, Proposition 7.35, PDF page 89.

Source binding. `immutable_artifact_locator`; `e00184c06bd35d9b0477b5b53127c6f769a8e9a7dfc19c79ffcf92cbb7718f6d`.

Typing. `core_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The source statement "Status/classification separation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.35, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: `none`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-007`.

Review status. `baseline_registered`.

CR-GAPP-008: Window data are audit-critical

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-008.

Source. SRC-FOUNDATION-PDF, Proposition 7.40, PDF page 90.

Source binding. immutable_artifact_locator; e81c4351de63ee12ab554c198329904f5badbbc8bd92239a31e26d29b419b5ce.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Window data are audit-critical" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.40, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-008.

Review status. baseline_registered.

CR-GAPP-009: Threshold and collapse data are audit-critical

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-009.

Source. SRC-FOUNDATION-PDF, Proposition 7.46, PDF page 90.

Source binding. immutable_artifact_locator; 257676452f1eb0578900bd19d592ad91dbdaf541caddb5bf81bd850d5b4297c1.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Threshold and collapse data are audit-critical" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.46, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-009.

Review status. baseline_registered.

CR-GAPP-010: Evaluation records are audit-critical

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-010.

Source. SRC-FOUNDATION-PDF, Proposition 7.51, PDF page 91.

Source binding. immutable_artifact_locator; f4fba1dadebb24954d2631d9f9d5c5ccea048c1e3d15ec075220296d714d14e6.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Evaluation records are audit-critical" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.51, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T1 $\mapsto$ reject / TypeI; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-010.

Review status. baseline_registered.

CR-GAPP-011: Representative and eligibility records are audit-critical when invoked

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-011.

Source. SRC-FOUNDATION-PDF, Proposition 7.56, PDF page 91.

Source binding. immutable_artifact_locator; bb4402eb8e9e78454c2221c33543195a8f3d7e62a5c66d66370c4ee90ec8b289.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Representative and eligibility records are audit-critical when invoked" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.56, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-011.

Review status. baseline_registered.

CR-GAPP-012: Ledger data are audit-critical

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-012.

Source. SRC-FOUNDATION-PDF, Proposition 7.63, PDF page 92.

Source binding. immutable_artifact_locator; 13db04479fe46b923c96400b8c891503618b1afe383aa29ec05d8ceb4ac9941f.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Ledger data are audit-critical" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.63, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-012.

Review status. baseline_registered.

CR-GAPP-013: Diagnostic and comparison-artifact data are audit-critical

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-013.

Source. SRC-FOUNDATION-PDF, Proposition 7.70, PDF page 93.

Source binding. immutable_artifact_locator; af9ea50bc09bfcf1b23d8251250a1e08362b502b0cf5297be52cf28dfde00139.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Diagnostic and comparison-artifact data are audit-critical" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.70, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact, metric_gap_certified, not_compared`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T3` $\mapsto$ `reject / TypeIII`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-013`.

Review status. `baseline_registered`.

CR-GAPP-014: Pairwise records do not imply higher coherence

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-014`.

Source. SRC-FOUNDATION-PDF, Proposition 7.75, PDF page 93.

Source binding. `immutable_artifact_locator; 2ed4fc3b9fa4d97d9409228f60c60d6534de6fea890484e999afabc010e0ca03`.

Typing. `core_theorem; proved; theorem_evidence; conformant`.

Digest. The source statement "Pairwise records do not imply higher coherence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.75, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-014`.

Review status. `baseline_registered`.

CR-GAPP-015: Gate verdicts are audit-critical

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-015`.

Source. SRC-FOUNDATION-PDF, Proposition 7.81, PDF page 94.

Source binding. `immutable_artifact_locator; c5251890ce3734fc9ad1c3188597158097d905e98230eb4a0abe41ca088a13e9`.

Typing. `core_theorem; proved; theorem_evidence; conformant`.

Digest. The source statement "Gate verdicts are audit-critical" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.81, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. `FR-MISSING` $\mapsto$ `undefined`; `FR-T5` $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-015`.

Review status. `baseline_registered`.

CR-GAPP-016: Reference data are audit-critical when invoked

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-016.

Source. SRC-FOUNDATION-PDF, Proposition 7.86, PDF page 94.

Source binding. immutable_artifact_locator; b999e991a44f2f450e6d7b1e420f643feecd6b24fa43c6a71731b8f2449fc8e7.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Reference data are audit-critical when invoked" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.86, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-016.

Review status. baseline_registered.

CR-GAPP-017: Artifact references are audit-critical

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-017.

Source. SRC-FOUNDATION-PDF, Proposition 7.93, PDF page 95.

Source binding. immutable_artifact_locator; 3cbfd8291e61424270ddb65ac93e00f6e63135f7ed668ab0980fec773242b879.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Artifact references are audit-critical" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.93, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-017.

Review status. baseline_registered.

CR-GAPP-018: No retroactive verdict mutation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-018.

Source. SRC-FOUNDATION-PDF, Proposition 7.96, PDF page 95.

Source binding. immutable_artifact_locator; b90640b9eb9adf66f285d21a45cf76fb64fe0f51d33cd6cf5444633ebce1dd3f.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "No retroactive verdict mutation" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.96, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-018.

Review status. baseline_registered.

CR-GAPP-019: Minimal Manifest implies audit readability

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-019.

Source. SRC-FOUNDATION-PDF, Proposition 7.102, PDF page 96.

Source binding. immutable_artifact_locator; d53d8ff6131eebd5bd2f2510e6a2b3e255147c5ede017b280fcb35ced62b9c7c.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Minimal Manifest implies audit readability" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.102, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-019.

Review status. baseline_registered.

CR-GAPP-020: Audit readability implies verifier independence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-020.

Source. SRC-FOUNDATION-PDF, Proposition 7.103, PDF page 96.

Source binding. immutable_artifact_locator; c4d351e1cc1c934a32323f6b215bbe075ca8d57d526bc48a2c27ddd0b502db3.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Audit readability implies verifier independence" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.103, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-020.

Review status. baseline_registered.

CR-GAPP-021: Only verifier-side data determine Core verdicts

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-021.

Source. SRC-FOUNDATION-PDF, Proposition 7.107, PDF page 96.

Source binding. immutable_artifact_locator; cf3ee819e18ded786050a3117621d048651e51c3331019d5197472339a30d90e.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Only verifier-side data determine Core verdicts" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.107, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-021.

Review status. baseline_registered.

CR-GAPP-022: Concrete execution schemas must refine the abstract schema

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-022.

Source. SRC-FOUNDATION-PDF, Proposition 7.113, PDF page 97.

Source binding. immutable_artifact_locator; f646676fa4d9f36fbe73062868914452515a43d0037cc676693ceb314958b910.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Concrete execution schemas must refine the abstract schema" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.113, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-022.

Review status. baseline_registered.

CR-GAPP-023: Canonical manifest conformance

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-023.

Source. SRC-FOUNDATION-PDF, Proposition 7.116, PDF page 97.

Source binding. immutable_artifact_locator; 06b77ddaebac07ca67221668542a59f9d2c212eaf33b58dd9fe51b4242105035.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Canonical manifest conformance" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.116, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-023.

Review status. baseline_registered.

CR-GAPP-024: Schema sufficiency for Core audit

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-024.

Source. SRC-FOUNDATION-PDF, Proposition 7.118, PDF page 98.

Source binding. immutable_artifact_locator; a53b212f6c51ed64ff64f20f70b741bba60b416d086d40c6e59a067fef831d5e.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Schema sufficiency for Core audit" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.118, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-024.

Review status. baseline_registered.

CR-GAPP-025: Failure is preferable to incompleteness

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-025.

Source. SRC-FOUNDATION-PDF, Proposition 7.123, PDF page 98.

Source binding. immutable_artifact_locator; a245086939a121fa87526cb29af52b99b481a7040a081979f547bd8af98bead0.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Failure is preferable to incompleteness" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Proposition 7.123, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent comparison-mode promotion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-025.

Review status. baseline_registered.

CR-GAPP-026: Appendix G manifest package

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-GAPP-026.

Source. SRC-FOUNDATION-PDF, Theorem 7.124, PDF page 98.

Source binding. immutable_artifact_locator; 7d43ec85ec289e52ea13e5a4b56785cecaba523a3bb5f6e96c366c6e8186dee8.

Typing. core_theorem; proved; theorem_evidence; conformant.

Digest. The source statement "Appendix G manifest package" is incorporated by immutable reference to the registered source artifact and printed locator. This digest is navigational and does not replace the source text.

Scope. Appendix G, at Theorem 7.124, within the declared v19.0.0 standing regime.

Hypotheses. All hypotheses, scope restrictions, typing conditions, and artifact requirements stated at the source locator.

Dependencies. Chapter 7 and Appendix F; Chapter 1 Minimal Manifest baseline.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Immutable source artifact identity, printed locator, and any proof, computation, morphism, ledger, or manifest evidence required by the source statement.

Permitted use. May discharge theorem-level obligations only at the exact source strength and only after all hypotheses pass.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no silent

comparison-mode promotion, and no status inflation.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes, refines, or splits the corresponding legacy foundation claim where present Superseded legacy UIDs: none; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-GAPP-026`.

Review status. `baseline_registered`.

10 Promoted Downstream Registers and Remaining Candidates

10.1 Immutable promotion receipts

CR-PROMO-CM-001: CM-v19.0.0-r2 promotion receipt

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-PROMO-CM-001`.

Source. `SRC-CM-R2-PDF`, document-level promotion record.

Source binding. `content_addressed_promotion_receipt; 2dfa7c818dbb606f9bc03dbfa809c410d9b2c2462ce28f61b8acd9aef5ebb0c5`.

Typing. `operational_policy; operational; operational_rule; conformant`.

Digest. Promotes exactly 41 local records, `CM-v19-001–CM-v19-041`, from the immutable source artifact without changing their local mathematical strength.

Scope. The complete promoted local UID set `CM-v19-001–CM-v19-041`.

Hypotheses. Source artifact hash matches; every local UID is present exactly once; typing, dependencies, comparison policy, failure routes, and local proof status have been transcribed and validated.

Dependencies. Main Chapters 1–8, Foundation A–G, `CR-G-011–CR-G-015`, and the exact source artifact.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. `SRC-CM-R2-PDF`, canonical r3 JSON register, promotion validation report, and package manifest.

Permitted use. Authorizes r3 consumption of the promoted local records at exactly their individually registered strengths.

Forbidden stronger reading. Does not alter a theorem statement, discharge a conditional hypothesis, enlarge the Core, or prove an external-domain theorem.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$; $\text{FR-NONVERDICT} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes the r2 document-level pending placeholder for this downstream source; source-local UIDs remain immutable.

Review status. `promotion_validated`.

CR-PROMO-TB-001: TB-v19.0.0-r1 closure p1 promotion receipt

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-PROMO-TB-001`.

Source. `SRC-TB-R1-PDF`, document-level promotion record.

Source binding. `content_addressed_promotion_receipt; 10df8f5219cedf9edb4c1d4e929b8b681984b4a820150af082b235c7d8d890b`.

Typing. `operational_policy; operational; operational_rule; conformant`.

Digest. Promotes exactly 31 local records, `TB-v19-001–TB-v19-031`, from the immutable source artifact without changing their local mathematical strength.

Scope. The complete promoted local UID set `TB-v19-001–TB-v19-031`.

Hypotheses. Source artifact hash matches; every local UID is present exactly once; typing, dependencies, comparison policy, failure routes, and local proof status have been transcribed and validated.

Dependencies. Main Chapters 1–8, Foundation A–G, `CR-G-011–CR-G-015`, and the exact source artifact.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. `SRC-TB-R1-PDF`, canonical r3 JSON register, promotion validation report, and package manifest.

Permitted use. Authorizes r3 consumption of the promoted local records at exactly their individually registered strengths.

Forbidden stronger reading. Does not alter a theorem statement, discharge a conditional hypothesis, enlarge the Core, or prove an external-domain theorem.

Failure routing. $\text{FR-MISSING} \mapsto \text{undefined}$; $\text{FR-T5} \mapsto \text{reject} / \text{TypeV}$; $\text{FR-NONVERDICT} \mapsto \text{reject} / \text{TypeV}$. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. supersedes the r2 document-level pending placeholder for this downstream source; source-local UIDs remain immutable.

Review status. `promotion_validated`.

10.2 Promoted CM-v19.0.0-r2 register

CR-CM-001: Core micro-theorem boundary and no external upgrade

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-001.

Source. SRC-CM-R2-PDF, CM-v19-001, PDF page 3.

Source binding. immutable_artifact_locator; 8f591b67a502a7409afde0224a44a18b561881f5a72de5322efb7f1a5907f548.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The CM-r2 source statement "Core micro-theorem boundary and no external upgrade" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-001, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-G-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked only as the operational rule stated in CM-r2.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-001; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-002: Infinite-bar threshold invariance

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-002.

Source. SRC-CM-R2-PDF, CM-v19-002, PDF page 3.

Source binding. immutable_artifact_locator; 4d15e8adfc952dcda9df837d17b8f9fa54e5656b42b2cb8b84ae006b58845d81.

Typing. core_lemma; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Infinite-bar threshold invariance" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-002, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-002.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-002; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-003: Hard threshold deletion idempotence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-003.

Source. SRC-CM-R2-PDF, CM-v19-003, PDF page 3.

Source binding. immutable_artifact_locator; 5f9b2e23a8bc14f3130abc34e6d2abe35f07182b595f81ccbda2f72af8215623.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Hard threshold deletion idempotence" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-003, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-005.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ `undefined`; FR-T5 $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-003`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-004: Hard threshold composition

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-004`.

Source. SRC-CM-R2-PDF, CM-v19-004, PDF page 4.

Source binding. `immutable_artifact_locator`; `65d370df3c11c3b3a1b53a1fb70310678346ae72761cd5ccbce6ac903735e69e`.

Typing. `core_micro_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The CM-r2 source statement "Hard threshold composition" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-004, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-006.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ `undefined`; FR-T5 $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-004`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-005: Retained-profile threshold monotonicity

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-005`.

Source. SRC-CM-R2-PDF, CM-v19-005, PDF page 4.

Source binding. `immutable_artifact_locator`; `460503d921123c79e70b39ed32904538f41d73d137059f1ae853a1edc2c0d241`.

Typing. `core_micro_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The CM-r2 source statement "Retained-profile threshold monotonicity" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-005, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-005.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ `undefined`; FR-T5 $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-005`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. promoted_registered.

CR-CM-006: Positive-threshold short bars are not Serre

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-006.

Source. SRC-CM-R2-PDF, CM-v19-006, PDF page 4.

Source binding. immutable_artifact_locator; 30e2c48f46e0004a6cfffdf81869070e18961cc49f9cf2dea71b535cb6ba4456.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Positive-threshold short bars are not Serre" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-006, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-003, CR-NC-008.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-006; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-007: Nested window restriction identity

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-007.

Source. SRC-CM-R2-PDF, CM-v19-007, PDF page 4.

Source binding. immutable_artifact_locator; 0b34ab94a2a6fd47cce19500f829bdd6aeb03bdfc0c457e2c80d602571e56a49.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Nested window restriction identity" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-007, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. Local proof in CM-r2; CR-PROMO-CM-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. noneAppendixCM-v195.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-007; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-008: Fixed window-first repaired evaluation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-008.

Source. SRC-CM-R2-PDF, CM-v19-008, PDF page 5.

Source binding. immutable_artifact_locator; d07231967df5dd829b729e2993a63bee55c93fbaf30c9f1cc3b9010de349e747.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The CM-r2 source statement "Fixed window-first repaired evaluation" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-008, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope con-

ditions displayed in the source item, where applicable.

Dependencies. CR-CH2-005,CR-A-013.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked only as the operational rule stated in CM-r2.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-008; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-009: No unconditional crop-collapse commutation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-009.

Source. SRC-CM-R2-PDF, CM-v19-009, PDF page 5.

Source binding. immutable_artifact_locator; b82da411378c79775ef39d66187d37ab92d33fbc006cb943293424440437304e.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "No unconditional crop-collapse commutation" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-009, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-010,CR-NC-010.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-009; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-010: Exact crop-collapse criterion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-010.

Source. SRC-CM-R2-PDF, CM-v19-010, PDF page 5.

Source binding. immutable_artifact_locator; 4572d0cf946c502cf0be9528c089ca654c96858f39674672d74671f899e4a4aa.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Exact crop-collapse criterion" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-010, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-011.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-010; document-level r2

predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.
Review status. promoted_registered.

CR-CM-011: Global non-expansiveness of hard deletion fails

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-011.
Source. SRC-CM-R2-PDF, CM-v19-011, PDF page 5.
Source binding. immutable_artifact_locator; 311da2db87d3c4f3c4143d0674d6e24846a47504fd348d6bb340828c04925bb0.
Typing. metric_repair_theorem; proved; theorem_evidence; conformant.
Digest. The CM-r2 source statement "Global non-expansiveness of hard deletion fails" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.
Scope. CM-v19.0.0-r2 at local UID CM-v19-011, within its standing repaired Core regime.
Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.
Dependencies. CR-A-004, CR-NC-007.
Claim comparison policy. not_applicable.
Allowed runtime modes. none.
Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.
Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.
Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-011; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.
Review status. promoted_registered.

CR-CM-012: Sharp two-sided threshold-gap-safe stability

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-012.
Source. SRC-CM-R2-PDF, CM-v19-012, PDF page 6.
Source binding. immutable_artifact_locator; bf40f5e2c8089e1196b6b0253d211d501f247244d9ab5bd288fab5e060834753.
Typing. metric_repair_theorem; proved; theorem_evidence; conformant.
Digest. The CM-r2 source statement "Sharp two-sided threshold-gap-safe stability" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.
Scope. CM-v19.0.0-r2 at local UID CM-v19-012, within its standing repaired Core regime.
Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.
Dependencies. CR-A-008.
Claim comparison policy. fixed_metric_gap_certified.
Allowed runtime modes. metric_gap_certified.
Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.
Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.
Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.
Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.
Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-012; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.
Review status. promoted_registered.

CR-CM-013: Scalarized-ledger-safe threshold classification

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-013.
Source. SRC-CM-R2-PDF, CM-v19-013, PDF page 6.
Source binding. immutable_artifact_locator; 07a521a3b3c4c975191e42d2813a6dab23202a25a63816f72da588ad159ea0f6.
Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.
Digest. The CM-r2 source statement "Scalarized-ledger-safe threshold classification" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.
Scope. CM-v19.0.0-r2 at local UID CM-v19-013, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-009.

Claim comparison policy. `fixed_metric_gap_certified`.

Allowed runtime modes. `metric_gap_certified`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-013`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-014: Exact comparison is not a positive-radius robustness certificate

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-014`.

Source. SRC-CM-R2-PDF, CM-v19-014, PDF page 6.

Source binding. `immutable_artifact_locator`; `4189ec16153461ec3004079d4792e3c15d9587dc42143ba6a4eadd8e0ef4824c`.

Typing. `core_micro_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The CM-r2 source statement "Exact comparison is not a positive-radius robustness certificate" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID `CM-v19-014`, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-CH2-006.

Claim comparison policy. `fixed_exact`.

Allowed runtime modes. `exactAppendixCM-v197`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-014`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-015: Runtime comparison-mode trichotomy

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-015`.

Source. SRC-CM-R2-PDF, CM-v19-015, PDF page 7.

Source binding. `immutable_artifact_locator`; `ef226cf50fdcfb8ea359baec546cc16dac12292efe72e78a5645cd5b1239f88b`.

Typing. `operational_policy`; `operational`; `operational_rule`; `conformant`.

Digest. The CM-r2 source statement "Runtime comparison-mode trichotomy" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID `CM-v19-015`, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-CH1-002.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked only as the operational rule stated in CM-r2.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-015`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. promoted_registered.

CR-CM-016: Overlap transfer under a scalarized threshold-gap certificate

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-016`.

Source. SRC-CM-R2-PDF, CM-v19-016, PDF page 7.

Source binding. `immutable_artifact_locator`; `934950bda79430ae89158d6c5248f3de9f5234770e9824460f83d044f28cbe59`.

Typing. `conditional_core_micro_theorem`; `conditional`; `theorem_evidence`; `conformant_with_hypotheses`.

Digest. The CM-r2 source statement "Overlap transfer under a scalarized threshold-gap certificate" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-016, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-A-012, CR-E-001.

Claim comparison policy. `fixed_metric_gap_certified`.

Allowed runtime modes. `metric_gap_certified`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-016`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. promoted_registered.

CR-CM-017: Windowed representative idempotence

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-017`.

Source. SRC-CM-R2-PDF, CM-v19-017, PDF page 7.

Source binding. `immutable_artifact_locator`; `008fc55021105adc48f2506ab869fc6ed35de82553be94f0b533d1ecfc7aec8d`.

Typing. `conditional_core_micro_theorem`; `conditional`; `theorem_evidence`; `conformant_with_hypotheses`.

Digest. The CM-r2 source statement "Windowed representative idempotence" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-017, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-B-007.

Claim comparison policy. `fixed_exact`.

Allowed runtime modes. `exact`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-017`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. promoted_registered.

CR-CM-018: Windowed representative threshold composition

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-018`.

Source. SRC-CM-R2-PDF, CM-v19-018, PDF page 8.

Source binding. `immutable_artifact_locator`; `ac8ea346fd6625bc77630336ccd4867229807dee4b4906dac615281ec6041cbb`.

Typing. `conditional_core_micro_theorem`; `conditional`; `theorem_evidence`; `conformant_with_hypotheses`.

Digest. The CM-r2 source statement "Windowed representative threshold composition" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-018, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-B-008.

Claim comparison policy. `fixed_exact`.

Allowed runtime modes. `exact`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-018`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-019: Canonical two-term Ext1 -edge identification

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-019`.

Source. SRC-CM-R2-PDF, CM-v19-019, PDF page 8.

Source binding. `immutable_artifact_locator`; `e443675eee4d2879b08863c2cef4543f9a1d1f1ff78100cf0416ce87985a4e25`.

Typing. `core_micro_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The CM-r2 source statement "Canonical two-term Ext1 -edge identification" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-019, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-C-004.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-019`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-020: Conditional one-way repaired PH1 -to-Ext1 bridge

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-020`.

Source. SRC-CM-R2-PDF, CM-v19-020, PDF page 8.

Source binding. `immutable_artifact_locator`; `51ff76b911a9f1dcdd81da8d833218948ea21c05203ad0650891893e3032d8d1`.

Typing. `conditional_core_micro_theorem`; `conditional`; `theorem_evidence`; `conformant_with_hypotheses`.

Digest. The CM-r2 source statement "Conditional one-way repaired PH1 -to-Ext1 bridge" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-020, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-C-008.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-020; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-021: Reverse Ext1 -to-repaired-profile implication fails

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-021.

Source. SRC-CM-R2-PDF, CM-v19-021, PDF page 8.

Source binding. immutable_artifact_locator; 7315141498d038817ddf0337b378caff0c81d15c28f8bf8352a2ce5c5beb6671.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Reverse Ext1 -to-repaired-profile implication fails" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-021, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-C-012, CR-NC-006.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-021; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-022: Actual artifact and terminal tameness are prerequisites for Type IV

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-022.

Source. SRC-CM-R2-PDF, CM-v19-022, PDF page 9.

Source binding. immutable_artifact_locator; 20447a35257cd75950aeb85e2cc78254c50f6ee407104f893af88ae7a9d59258.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The CM-r2 source statement "Actual artifact and terminal tameness are prerequisites for Type IV" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-022, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-CH5-003, CR-D-005, CR-NC-011.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked only as the operational rule stated in CM-r2.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-022; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-023: Characterization of certified Type IV-free status

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-023.

Source. SRC-CM-R2-PDF, CM-v19-023, PDF page 9.

Source binding. immutable_artifact_locator; a59c6890d693bbf9b2e674cd27721a977de328db2717235e3d7750ffe9c5d71e.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Characterization of certified Type IV-free status" is promoted by immutable local-UID and

artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-023, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-D-005.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-023; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-024: Zero diagnostics plus no interior defects imply isomorphism

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-024.

Source. SRC-CM-R2-PDF, CM-v19-024, PDF page 9.

Source binding. immutable_artifact_locator; e968dfaab295670f62b96761e6ed47c88a045467abe3088a2abc56e184436933.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Zero diagnostics plus no interior defects imply isomorphism" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-024, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-D-006.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-024; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-025: Full-isomorphism band implies terminal-generic stable band

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-025.

Source. SRC-CM-R2-PDF, CM-v19-025, PDF page 10.

Source binding. immutable_artifact_locator; 7a910c4f1a2edc7446348ed6714343b242d69609dcfd662feafd33dbff9b1c75.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Full-isomorphism band implies terminal-generic stable band" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-025, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-D-010.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no

external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-025; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-026: Finite-horizon product-weighted Restart bound

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-026.

Source. SRC-CM-R2-PDF, CM-v19-026, PDF page 10.

Source binding. immutable_artifact_locator; 1f90c0b719b1b519bbeb8753c0988e17434e578bac5e185c2f0bbcccb8bcb7a9.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Finite-horizon product-weighted Restart bound" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-026, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-E-005, CR-CH6-009.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-026; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-027: Conditional countable Restart-summability principle

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-027.

Source. SRC-CM-R2-PDF, CM-v19-027, PDF page 10.

Source binding. immutable_artifact_locator; 231cccc5d433e248ac59ba40104c30f6a39d8c67001ed9ba39cb8289140a8f7.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Conditional countable Restart-summability principle" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-027, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-E-006, CR-CH6-011.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-027; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-028: No scalar manufacture of non-scalar evidence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-028.

Source. SRC-CM-R2-PDF, CM-v19-028, PDF page 11.

Source binding. immutable_artifact_locator; acc5ad681e7d815d94685673b41cd23e51c68d6323ae509dad898dd865a2e94f.

Typing. `core_micro_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The CM-r2 source statement "No scalar manufacture of non-scalar evidence" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-028, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-F-001.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ `undefined`; FR-T5 $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-028`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-029: Non-compensation and dependency blocker propagation

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-029`.

Source. SRC-CM-R2-PDF, CM-v19-029, PDF page 11.

Source binding. `immutable_artifact_locator`; `f9937d20856db80ca8cc7e554b966a546509db8a80c75f630900f809fe83dfee`.

Typing. `core_micro_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The CM-r2 source statement "Non-compensation and dependency blocker propagation" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-029, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-F-004, CR-F-006.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ `undefined`; FR-T5 $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID `ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-029`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001`.

Review status. `promoted_registered`.

CR-CM-030: Finite prefixes do not certify countable readiness

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-030`.

Source. SRC-CM-R2-PDF, CM-v19-030, PDF page 11.

Source binding. `immutable_artifact_locator`; `e3be3c8a9d9fee176a4701fb98e815e2c0da12a86bef9aa29ecb318f3320b150`.

Typing. `core_micro_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The CM-r2 source statement "Finite prefixes do not certify countable readiness" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-030, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-F-012, CR-GAPP-006.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

dency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-030; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-031: Eventually constant repaired tower with apex agreement

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-031.

Source. SRC-CM-R2-PDF, CM-v19-031, PDF page 11.

Source binding. immutable_artifact_locator; 250cc81f542f4e6e24c228587aa012fec8bfc7c284feafd9c833255325b9d347.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Eventually constant repaired tower with apex agreement" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-031, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. Local proof in CM-r2; CR-PROMO-CM-001.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-031; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-032: Representative-invariance of eligible Ext1 discharge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-032.

Source. SRC-CM-R2-PDF, CM-v19-032, PDF page 12.

Source binding. immutable_artifact_locator; 0bf73c7d003a2401e104dcceb67d6b191677f1757e67395a2bcbbc399c2b11fa.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Representative-invariance of eligible Ext1 discharge" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-032, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-CH4-007.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-032; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-033: Exact-conjugacy invariance of Type IV diagnostics

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-033.

Source. SRC-CM-R2-PDF, CM-v19-033, PDF page 12.

Source binding. immutable_artifact_locator; 3f3c7101bfcf080fe0df324d2e5d1a7ddd62cec7e3c740dd69f4de7c12b9f9bc.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Exact-conjugacy invariance of Type IV diagnostics" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-033, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-D-012.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-033; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-034: Terminal-generic index identity

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-034.

Source. SRC-CM-R2-PDF, CM-v19-034, PDF page 13.

Source binding. immutable_artifact_locator; 4f62d30c513f28ce8b2343c1fe2d156d140f611dd28ac585eea567eff4fc78e7.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Terminal-generic index identity" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-034, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. Local proof in CM-r2; CR-PROMO-CM-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-034; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-035: Direct-sum additivity of Type IV diagnostics

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-035.

Source. SRC-CM-R2-PDF, CM-v19-035, PDF page 13.

Source binding. immutable_artifact_locator; d9da5e1affdb919a3070014d1c55a2ba06cf104c29ce368b0fb7909dffcfca99.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Direct-sum additivity of Type IV diagnostics" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-035, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. Local proof in CM-r2; CR-PROMO-CM-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-035; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-036: Composition subadditivity of Type IV diagnostics

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-036.

Source. SRC-CM-R2-PDF, CM-v19-036, PDF page 13.

Source binding. immutable_artifact_locator; 74f1749889551d3165362a5e7af71a09448ea9977cb0b3562c24dfc387277a60.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Composition subadditivity of Type IV diagnostics" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-036, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. Local proof in CM-r2; CR-PROMO-CM-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-036; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-037: Snake-lemma control over short exact comparison diagrams

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-037.

Source. SRC-CM-R2-PDF, CM-v19-037, PDF page 14.

Source binding. immutable_artifact_locator; 1327dd5dcd31490886aff1cf6aaf3d2bbd5f4009666393b390df43ccd3e895f9.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Snake-lemma control over short exact comparison diagrams" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-037, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. Local proof in CM-r2; CR-PROMO-CM-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-037; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-038: Single-morphism characterization of one-parameter interleaving

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-038.

Source. SRC-CM-R2-PDF, CM-v19-038, PDF page 14.

Source binding. immutable_artifact_locator; 151498274438b3c95287a5b6ed2206f25a85a22767790434084e86285d103239.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Single-morphism characterization of one-parameter interleaving" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-038, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. Bauer–Lesnick 2015, Corollary 6.6; CR-PROMO-CM-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-038; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-039: Finite-trivial defect implies terminal-generic cleanliness

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-039.

Source. SRC-CM-R2-PDF, CM-v19-039, PDF page 15.

Source binding. immutable_artifact_locator; 70e21c3803c07ebd9314e11290e27dd98f9be1975125b27def5d0e78dfacf616.

Typing. conditional_core_micro_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The CM-r2 source statement "Finite-trivial defect implies terminal-generic cleanliness" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-039, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-D-004, CR-D-005; Bauer–Lesnick2015.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-039; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-040: Terminal-generic cleanliness does not imply quantitative interleaving

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-040.

Source. SRC-CM-R2-PDF, CM-v19-040, PDF page 15.

Source binding. immutable_artifact_locator; 6e4449ddb342e3e0bd0b39dacb3e326b7f031440f56e867390d0a2d72fa6da7b.

Typing. core_micro_theorem; proved; theorem_evidence; conformant.

Digest. The CM-r2 source statement "Terminal-generic cleanliness does not imply quantitative interleaving" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-040, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CM local counterexample; CR-PROMO-CM-001.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked as theorem evidence only at the exact source strength after every displayed hypothesis and dependency passes.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-040; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

CR-CM-041: CM register closure and source-binding discipline

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CM-041.

Source. SRC-CM-R2-PDF, CM-v19-041, PDF page 15.

Source binding. immutable_artifact_locator; 370d9eda248198a5365cc33b80f2aae37e8dd33b46ed145fcea9c92440e1f06c.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The CM-r2 source statement "CM register closure and source-binding discipline" is promoted by immutable local-UID and artifact binding; this digest is navigational and does not replace the source text.

Scope. CM-v19.0.0-r2 at local UID CM-v19-041, within its standing repaired Core regime.

Hypotheses. All hypotheses, terminal-tameness, eligibility, comparison-mode, constructibility, artifact, and monitored-scope conditions displayed in the source item, where applicable.

Dependencies. CR-GAPP-002, CR-GAPP-003, CR-GAPP-018.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-CM-R2-PDF, the displayed source proof or policy record, and every artifact required by that source item.

Permitted use. May be invoked only as the operational rule stated in CM-r2.

Forbidden stronger reading. No omitted hypotheses, no reverse implication, no stronger equivalence, no automatic artifact, no external-domain conclusion, and no status inflation.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. promoted from immutable local UID ak-hpdst:19.0.0:CM-v19.0.0-r2:CM-v19-041; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-CM-PENDING-001.

Review status. promoted_registered.

10.3 Promoted TB-v19.0.0-r1 closure p1 register

CR-TB-001: Toy bridge sovereignty and external-domain boundary

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-001.

Source. SRC-TB-R1-PDF, TB-v19-001, PDF page 3.

Source binding. immutable_artifact_locator; cdb9195cbd8b4b973f505b316795a197b273ad895a71cb4eb3fb319784672e78.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The TB-r1 closure-p1 source statement "Toy bridge sovereignty and external-domain boundary" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-001, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CR-G-001, CR-G-002, CR-G-004, CR-G-007.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV; FR-NONVERDICT $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING

-001.

Review status. promoted_registered.

CR-TB-002: Canonical comparison-mode trichotomy for toy bridges

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-002.

Source. SRC-TB-R1-PDF, TB-v19-002, PDF page 4.

Source binding. immutable_artifact_locator; 9c0cd8a8d18fab02ad8cdeae22eac348a9dc5ec7b702dc1f6afdf152feedd147.

Typing. operational_policy; operational; operational_rule; conformant.

Digest. The TB-r1 closure-pl source statement "Canonical comparison-mode trichotomy for toy bridges" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure pl at local UID TB-v19-002, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CR-CH1-004, CM-v19-015.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING -001.

Review status. promoted_registered.

CR-TB-003: Finite barcode readability with actual-morphism guard

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-003.

Source. SRC-TB-R1-PDF, TB-v19-003, PDF page 6.

Source binding. immutable_artifact_locator; e39e99ed753ee32de210c0bbe3b6a9cb0489b274a18884a2767450cc277fbabb.

Typing. toy_bridge_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-pl source statement "Finite barcode readability with actual-morphism guard" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure pl at local UID TB-v19-003, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-008, CM-v19-009, CM-v19-022.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-1; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING -001.

Review status. promoted_registered.

CR-TB-004: Eventual-constancy toy bridge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-004.

Source. SRC-TB-R1-PDF, TB-v19-004, PDF page 7.

Source binding. immutable_artifact_locator; bb8c5a9c6a7c9eca34c6e2c7119fa1abc0b6ccef45e2021083ccd07013435c57.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-pl source statement "Eventual-constancy toy bridge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure pl at local UID TB-v19-004, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-031.

Claim comparison policy. `fixed_exact`.

Allowed runtime modes. `exact`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-2; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001`.

Review status. `promoted_registered`.

CR-TB-005: Finite barcode-profile stabilization

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-005`.

Source. SRC-TB-R1-PDF, TB-v19-005, PDF page 7.

Source binding. `immutable_artifact_locator`; `ea692b5bdcdfa1188fcb4f5dc7650bdd0ee120f90999b261e593aba1b0c6956`.

Typing. `conditional_toy_bridge_theorem`; `conditional`; `theorem_evidence`; `conformant_with_hypotheses`.

Digest. The TB-r1 closure-p1 source statement "Finite barcode-profile stabilization" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-005, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. TB-v19-003, TB-v19-004.

Claim comparison policy. `fixed_exact`.

Allowed runtime modes. `exact`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-3; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001`.

Review status. `promoted_registered`.

CR-TB-006: Exact-conjugacy invariance of toy diagnostics

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-006`.

Source. SRC-TB-R1-PDF, TB-v19-006, PDF page 7.

Source binding. `immutable_artifact_locator`; `cc2cdedc6387013345cde9da8097ef571f5d53bfd0fad0a10b39b50ee9261c65`.

Typing. `toy_bridge_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The TB-r1 closure-p1 source statement "Exact-conjugacy invariance of toy diagnostics" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-006, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-033.

Claim comparison policy. `fixed_exact`.

Allowed runtime modes. `exact`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger

semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-007: Finite-dimensional monotone stabilization

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-007.

Source. SRC-TB-R1-PDF, TB-v19-007, PDF page 8.

Source binding. immutable_artifact_locator; 8dfe2ac41429d973350e021f085a7e9b1a160b8d6264c14a1d1d2607c2438590.

Typing. toy_source_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "Finite-dimensional monotone stabilization" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-007, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. finite-dimensional rank-nullity.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-4; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-008: Vector-space stabilization bridge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-008.

Source. SRC-TB-R1-PDF, TB-v19-008, PDF page 8.

Source binding. immutable_artifact_locator; e1a476fe8be2b39bd17d5b6d4e8ea75990c22c11f5b3a6497729daabfeb446cf.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Vector-space stabilization bridge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-008, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. TB-v19-004, TB-v19-007.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-4; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-009: Finite-length monotone stabilization

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-009.

Source. SRC-TB-R1-PDF, TB-v19-009, PDF page 9.

Source binding. immutable_artifact_locator; af3d51d8870dbc981cd18e7661d83ff5913ee2c919ff0904a234fad1fe590e65.

Typing. toy_source_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "Finite-length monotone stabilization" is promoted by immutable local-UID, PDF,

and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-009, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. Jordan-Hoelder length additivity.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-5; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-010: Finite-length module stabilization bridge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-010.

Source. SRC-TB-R1-PDF, TB-v19-010, PDF page 9.

Source binding. immutable_artifact_locator; 06f97f9bcbf4499e7268b964b8d5704fe65585d370397bde164ac1675855238f.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Finite-length module stabilization bridge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-010, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. TB-v19-004, TB-v19-009.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-5; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-011: Eligible one-way PH1-to-Ext1 toy edge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-011.

Source. SRC-TB-R1-PDF, TB-v19-011, PDF page 10.

Source binding. immutable_artifact_locator; 8332005835ea25b78a6e36d9595c881d1d871fd8b7f1b09b2458d7bac62c34a3.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Eligible one-way PH1-to-Ext1 toy edge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-011, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-019, CM-v19-020.

Claim comparison policy. fixed_not_compared.

Allowed runtime modes. not_compared.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic

artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T2 $\mapsto$ reject / TypeII; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-012: Representative invariance of eligible toy Ext discharge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-012.

Source. SRC-TB-R1-PDF, TB-v19-012, PDF page 10.

Source binding. immutable_artifact_locator; 142c2405b6ad95170b0fa879ab8832e0a7a9c14a17d9b19facbe22c6135c323d.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Representative invariance of eligible toy Ext discharge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-012, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-032.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-013: Terminal-generic index identity

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-013.

Source. SRC-TB-R1-PDF, TB-v19-013, PDF page 10.

Source binding. immutable_artifact_locator; a9bde74622cfcf737e76142bb8e4f2e57072f2aacac1739c7ea424321d07df57.

Typing. toy_bridge_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "Terminal-generic index identity" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-013, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-034.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-014: Finite direct-sum additivity

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-014.

Source. SRC-TB-R1-PDF, TB-v19-014, PDF page 11.

Source binding. immutable_artifact_locator; c9061937961cdf26757e1485041fdf0899e481df213439917a6c4df6ca33c627.

Typing. `toy_bridge_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The TB-r1 closure-p1 source statement "Finite direct-sum additivity" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-014, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-035.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ `undefined`; FR-T4 $\mapsto$ `reject / TypeIV`; FR-T5 $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: `none`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001`.

Review status. `promoted_registered`.

CR-TB-015: Composition-controlled toy bridge

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-015`.

Source. SRC-TB-R1-PDF, TB-v19-015, PDF page 11.

Source binding. `immutable_artifact_locator`; 6008156786f4a3474f77c57c373ab66656e9a8839e83f686e37656cbfeb0e62f.

Typing. `toy_bridge_theorem`; `proved`; `theorem_evidence`; `conformant`.

Digest. The TB-r1 closure-p1 source statement "Composition-controlled toy bridge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-015, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-036.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ `undefined`; FR-T4 $\mapsto$ `reject / TypeIV`; FR-T5 $\mapsto$ `reject / TypeV`. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: `none`; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001`.

Review status. `promoted_registered`.

CR-TB-016: Short-exact-diagram toy bridge

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-016`.

Source. SRC-TB-R1-PDF, TB-v19-016, PDF page 12.

Source binding. `immutable_artifact_locator`; 53e322da579e66fda11a42ab5a76ba49ab0961701d5d8d0ecfa7fcabcb1390a0.

Typing. `conditional_toy_bridge_theorem`; `conditional`; `theorem_evidence`; `conformant_with_hypotheses`.

Digest. The TB-r1 closure-p1 source statement "Short-exact-diagram toy bridge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-016, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-037.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

dencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-017: Single-morphism interleaving bridge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-017.

Source. SRC-TB-R1-PDF, TB-v19-017, PDF page 12.

Source binding. immutable_artifact_locator; 05b490137e78c895b4732278f7d55b420921970d003ab2ea7c0d02f35c2f4085.

Typing. toy_bridge_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "Single-morphism interleaving bridge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-017, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-038, Bauer-Lesnick-2015-Cor-6.6.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-018: Finite-shift defect implies terminal-generic cleanliness

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-018.

Source. SRC-TB-R1-PDF, TB-v19-018, PDF page 12.

Source binding. immutable_artifact_locator; e2139a93cbcb26e9d820c6c4142436d2d76e96fccbcf3ea6bd49997ecb2bc25c.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Finite-shift defect implies terminal-generic cleanliness" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-018, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-039.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-019: Terminal-generic cleanliness does not imply quantitative interleaving

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-019.

Source. SRC-TB-R1-PDF, TB-v19-019, PDF page 13.

Source binding. immutable_artifact_locator; 8725388664a34fce1daf413a2a2e2a0500ec7f0f7e14cc5a6c8d550521334a3.

Typing. toy_separation_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "Terminal-generic cleanliness does not imply quantitative interleaving" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-019, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-040.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-020: Bounded diagnostic defect is controlled, not clean

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-020.

Source. SRC-TB-R1-PDF, TB-v19-020, PDF page 13.

Source binding. immutable_artifact_locator; d5eef5d9425475475cccf22596f488d5f899e59815c92714ed6b8adc06d85846.

Typing. toy_controlled_defect_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "Bounded diagnostic defect is controlled, not clean" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-020, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-034, CM-v19-035, CM-v19-036, CM-v19-037.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-7; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-021: Zero diagnostic budget implies cleanliness

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-021.

Source. SRC-TB-R1-PDF, TB-v19-021, PDF page 14.

Source binding. immutable_artifact_locator; bcc33f37e71ce8613fa8707cf443efbf5e0aa5108acf5baa0e3245679ceda03e.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Zero diagnostic budget implies cleanliness" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-021, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-023.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-6, TB-9; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-022: Rejection of legacy mixed diagnostic/metric ledger

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-022.

Source. SRC-TB-R1-PDF, TB-v19-022, PDF page 14.

Source binding. immutable_artifact_locator; cb9a3bc716d747f076a69456b425b552807f1f90109a78d7c9115d52d79d843d.

Typing. metric_repair_policy; operational; operational_rule; conformant.

Digest. The TB-r1 closure-p1 source statement "Rejection of legacy mixed diagnostic/metric ledger" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-022, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-013, CM-v19-028.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified, not_compared.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-8; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-023: Sharp two-sided metric toy bridge

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-023.

Source. SRC-TB-R1-PDF, TB-v19-023, PDF page 14.

Source binding. immutable_artifact_locator; f8510ec869b25f12ea9af0a9c24423bfae576ecbef7539859fee572e0af969e1.

Typing. metric_repair_toy_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Sharp two-sided metric toy bridge" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-023, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-012.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-024: Scalarized metric-ledger toy audit

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-024.

Source. SRC-TB-R1-PDF, TB-v19-024, PDF page 15.

Source binding. immutable_artifact_locator; fe05d1ddb87ce7a4df11acd39101cc47960263c4ccd3e43afe192666c6829b69.

Typing. conditional_metric_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Scalarized metric-ledger toy audit" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-024, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-013, CM-v19-028.

Claim comparison policy. fixed_metric_gap_certified.

Allowed runtime modes. metric_gap_certified.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-8, TB-9; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-025: Exact comparison and metric robustness are distinct

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-025.

Source. SRC-TB-R1-PDF, TB-v19-025, PDF page 15.

Source binding. immutable_artifact_locator; 6f62d48b20b70c957ccc5ff83dc7668fbd026192bbbe322a3da753e7211f7348.

Typing. toy_separation_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "Exact comparison and metric robustness are distinct" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-025, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-014, CM-v19-015.

Claim comparison policy. runtime_resolved.

Allowed runtime modes. exact, metric_gap_certified.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001.

Review status. promoted_registered.

CR-TB-026: Non-compensating toy readiness

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-026.

Source. SRC-TB-R1-PDF, TB-v19-026, PDF page 16.

Source binding. immutable_artifact_locator; 6316577127036daea238e48d42a2505689beb4a06eeb0ed3118bc741d055fec5.

Typing. operational_theorem; proved; operational_rule; conformant.

Digest. The TB-r1 closure-p1 source statement "Non-compensating toy readiness" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-026, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. CM-v19-028, CM-v19-029, Foundation-F.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact, metric_gap_certified, not_compared`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T1 $\mapsto$ reject / TypeI; FR-T2 $\mapsto$ reject / TypeII; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-8; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001`.

Review status. `promoted_registered`.

CR-TB-027: Manifest necessity for reusable toy bridges

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-027`.

Source. SRC-TB-R1-PDF, TB-v19-027, PDF page 17.

Source binding. `immutable_artifact_locator; 15d48dea6b7a6616748fe932491ff13525da7fdbcb03bb0acfa69aff016a7797e`.

Typing. `operational_theorem; operational; operational_rule; conformant`.

Digest. The TB-r1 closure-p1 source statement "Manifest necessity for reusable toy bridges" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-027, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. Foundation-G, CR-G-002, CR-G-010, CM-v19-041.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-10; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001`.

Review status. `promoted_registered`.

CR-TB-028: Iwasawa-style pattern only

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-028`.

Source. SRC-TB-R1-PDF, TB-v19-028, PDF page 18.

Source binding. `immutable_artifact_locator; c6e789742e81240e36b3b072a4a7f2fcaff4e255ee4e8f766500184f8dbf66d4`.

Typing. `non_claim_pattern; spec; specification_target; conformant`.

Digest. The TB-r1 closure-p1 source statement "Iwasawa-style pattern only" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-028, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. TB-v19-004, CR-G-001, CR-G-004, CR-G-005.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-11; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING`

-001.

Review status. promoted_registered.

CR-TB-029: Bounded-control caution only

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-029.

Source. SRC-TB-R1-PDF, TB-v19-029, PDF page 18.

Source binding. immutable_artifact_locator; b031fba1652b9195442039fe052f896d22aec211db6e4e740b3f74de28e99c7e.

Typing. non_claim_caution; proved; provenance_only; conformant.

Digest. The TB-r1 closure-p1 source statement "Bounded-control caution only" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-029, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. TB-v19-018, TB-v19-020.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-12; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING -001.

Review status. promoted_registered.

CR-TB-030: Toy dissipative instance

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-030.

Source. SRC-TB-R1-PDF, TB-v19-030, PDF page 18.

Source binding. immutable_artifact_locator; 444e60ee9759aa11d93eac9653c057f85229c158f750cf58a393740fcfc7995.

Typing. conditional_toy_bridge_theorem; conditional; theorem_evidence; conformant_with_hypotheses.

Digest. The TB-r1 closure-p1 source statement "Toy dissipative instance" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-030, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. TB-v19-004.

Claim comparison policy. fixed_exact.

Allowed runtime modes. exact.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: TB-13; document-level r2 predecessor ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING -001.

Review status. promoted_registered.

CR-TB-031: TB-v19 package closure

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-031.

Source. SRC-TB-R1-PDF, TB-v19-031, PDF page 17.

Source binding. immutable_artifact_locator; 3b47ee33eb386822f2856ce88befb039d9422a07fc57360363d50f29205124fe.

Typing. toy_bridge_package_theorem; proved; theorem_evidence; conformant.

Digest. The TB-r1 closure-p1 source statement "TB-v19 package closure" is promoted by immutable local-UID, PDF, and local-register binding; this digest is navigational and does not replace the source text.

Scope. TB-v19.0.0-r1 closure p1 at local UID TB-v19-031, restricted to the declared toy source category and monitored scope.

Hypotheses. All hypotheses, typing conditions, monitored-scope conditions, and artifact requirements stated in the Assembly source theorem or policy.

Dependencies. TB-v19-001-030, CM-v19-031-041, Foundation-F, Foundation-G.

Claim comparison policy. `runtime_resolved`.

Allowed runtime modes. `exact`, `metric_gap_certified`, `not_compared`.

Artifact requirements. SRC-TB-R1-PDF, SRC-TB-R1-REGISTER, and every actual morphism, representative, eligibility, terminal-tameness, metric, or provenance artifact required by the source item.

Permitted use. Only at the exact strength and scope of the Assembly source statement after all registered hypotheses and dependencies are discharged.

Forbidden stronger reading. No omitted hypotheses, no external-domain conclusion, no stronger equivalence, no automatic artifact, no status inflation, and no conversion between metric and diagnostic quantities without a typed theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T1 $\mapsto$ reject / TypeI; FR-T2 $\mapsto$ reject / TypeII; FR-T3 $\mapsto$ reject / TypeIII; FR-T4 $\mapsto$ reject / TypeIV; FR-T5 $\mapsto$ reject / TypeV; FR-NONVERDICT $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. local ancestry: none; document-level r2 predecessor `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TB-PENDING-001`.

Review status. `promoted_registered`.

10.4 Remaining downstream and candidate documents

CR-TECH-PENDING-001: Technical Extension material is operational/specification support until v19 conformance repair

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001`.

Source. SRC-TECH-PDF, Document-level status.

Source binding. `immutable_artifact_locator`; `07c4a7be50ad8cbac5cc1323fb0180707dd883342beea26e4d0e1b05bd720971`.

Typing. `spec`; `spec`; `specification_target`; `pending_v19_repair`.

Digest. Technical Extension material is operational/specification support until v19 conformance repair.

Scope. The entire current downstream document snapshot.

Hypotheses. Promotion requires a separate v19 repair, immutable source identity, exact claim registration, and independent review.

Dependencies. Main Chapters 1-8 and Appendices A-G.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Current snapshot hash and future repaired artifact.

Permitted use. May guide repair planning or supply provenance only; cannot discharge a theorem-level Core obligation.

Forbidden stronger reading. No theorem evidence, no Core enlargement, and no external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T2 $\mapsto$ reject / TypeII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. legacy/current snapshot isolated pending repair Superseded legacy UIDs: `ak-hpdst:18.2:cr-a:CR-H-001`, `ak-hpdst:18.2:cr-a:CR-I-001`, `ak-hpdst:18.2:cr-a:CR-J-001`, `ak-hpdst:18.2:cr-a:CR-K-001`, `ak-hpdst:18.2:cr-a:CR-L-001`, `ak-hpdst:18.2:cr-a:CR-M-001`, `ak-hpdst:18.2:cr-a:CR-N-001`; immutable r2 predecessor: `ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-TECH-PENDING-001`.

Review status. `pending`.

CR-INTERFACE-PENDING-001: Problem Interface material is specification-level by default; transport remains unproved unless

Claim UID. `ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001`.

Source. SRC-INTERFACE-PDF, Document-level status.

Source binding. `immutable_artifact_locator`; `8592f587c431f926ff2c7868fbd73d14aaf24b0975f7350ba679886012669303`.

Typing. `interface_definition`; `spec`; `specification_target`; `pending_v19_repair`.

Digest. Problem Interface material is specification-level by default; transport remains unproved unless separately registered.

Scope. The entire current downstream document snapshot.

Hypotheses. Promotion requires a separate v19 repair, immutable source identity, exact claim registration, and independent review.

Dependencies. Main Chapters 1-8 and Appendices A-G.

Claim comparison policy. `not_applicable`.

Allowed runtime modes. `none`.

Artifact requirements. Current snapshot hash and future repaired artifact.

Permitted use. May guide repair planning or supply provenance only; cannot discharge a theorem-level Core obligation.

Forbidden stronger reading. No theorem evidence, no Core enlargement, and no external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. legacy/current snapshot isolated pending repair Superseded legacy UIDs: `ak-hpdst:18.2:cr-a:CR-MS-A-001`, `ak-hpdst:18.2:cr-a:CR-MS-B-001`, `ak-hpdst:18.2:cr-a:CR-MS-C-001`, `ak-hpdst:18.2:cr-a:CR-MS-F-001`, `ak-hpdst:18.2:cr-a:CR-AGI-N-001`, `ak-hpdst:18.2:cr-a:CR-NS-A-001`, `ak-hpdst:18.2:cr-a:CR-NS-B-001`,

ak-hpdst:18.2:cr-a:CR-NS-C-001; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-INTERFACE-PENDING-001.

Review status. pending.

CR-SEARCH-PENDING-001: Search / Platform material is operational and non-verdict pending v19 repair

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-SEARCH-PENDING-001.

Source. SRC-SEARCH-PDF, Document-level status.

Source binding. immutable_artifact_locator; 7c1b8906f9354887ba3468ef6c0940f01feed9801701f740c2d06768b6ed8689.

Typing. operational_policy; operational; provenance_only; pending_v19_repair.

Digest. Search / Platform material is operational and non-verdict pending v19 repair.

Scope. The entire current downstream document snapshot.

Hypotheses. Promotion requires a separate v19 repair, immutable source identity, exact claim registration, and independent review.

Dependencies. Main Chapters 1-8 and Appendices A-G.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Current snapshot hash and future repaired artifact.

Permitted use. May guide repair planning or supply provenance only; cannot discharge a theorem-level Core obligation.

Forbidden stronger reading. No theorem evidence, no Core enlargement, and no external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. legacy/current snapshot isolated pending repair Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-U-001, ak-hpdst:18.2:cr-a:CR-V-001, ak-hpdst:18.2:cr-a:CR-W-001, ak-hpdst:18.2:cr-a:CR-X-001, ak-hpdst:18.2:cr-a:CR-Y-001, ak-hpdst:18.2:cr-a:CR-Z-001; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-SEARCH-PENDING-001.

Review status. pending.

CR-COMPANION-PENDING-001: Companion material is template-level and cannot replace certification

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-COMPANION-PENDING-001.

Source. SRC-COMPANION-PDF, Document-level status.

Source binding. immutable_artifact_locator; 4d903776e43b8adde37856593470a116aae94f1f1026d828de2966bbc3a645ba.

Typing. companion_template; operational; provenance_only; pending_v19_repair.

Digest. Companion material is template-level and cannot replace certification.

Scope. The entire current downstream document snapshot.

Hypotheses. Promotion requires a separate v19 repair, immutable source identity, exact claim registration, and independent review.

Dependencies. Main Chapters 1-8 and Appendices A-G.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Current snapshot hash and future repaired artifact.

Permitted use. May guide repair planning or supply provenance only; cannot discharge a theorem-level Core obligation.

Forbidden stronger reading. No theorem evidence, no Core enlargement, and no external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. legacy/current snapshot isolated pending repair Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-COMP-001, ak-hpdst:18.2:cr-a:CR-COMP-002; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-COMPANION-PENDING-001.

Review status. pending.

CR-NBT-0191-001: NBT remains a v19.1 candidate and cannot discharge v19.0.0 obligations

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NBT-0191-001.

Source. CR-v19-R3-SELF, local record CR-NBT-0191-001.

Source binding. immutable_self_record; db71546044c567157c524b582d4527085acd8c6de02d1ed3cf7c9a4de9731df1.

Typing. v19_1_candidate; spec; specification_target; pending_v19_repair.

Digest. NBT remains a v19.1 candidate and cannot discharge v19.0.0 obligations.

Scope. The entire current downstream document snapshot.

Hypotheses. Promotion requires a separate v19 repair, immutable source identity, exact claim registration, and independent review.

Dependencies. Main Chapters 1-8 and Appendices A-G.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Current snapshot hash and future repaired artifact.

Permitted use. May guide repair planning or supply provenance only; cannot discharge a theorem-level Core obligation.

Forbidden stronger reading. No theorem evidence, no Core enlargement, and no external-domain conclusion.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. legacy/current snapshot isolated pending repair Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NBT-0191-001.

Review status. pending.

11 CR-r2 to CR-r3 Revision Migration

CR-r3 is an immutable successor, not a mutation of r2. The complete one-to-one and split migration is supplied in the machine-readable revision-migration CSV. The normative summary is:

r2 source set	r3 target set	migration status
263 retained r2 canonical records	same short IDs in the r3 namespace	immutable_successor
CR-CM-PENDING-001	CR-CM-001--041 plus CR-PROMO-CM-001	superseded_by_promotion
CR-TB-PENDING-001	CR-TB-001--031 plus CR-PROMO-TB-001	superseded_by_promotion
No r2 predecessor	CR-G-011--015	new_r3_governance

A split migration does not transfer theorem status from the r2 placeholder. Each promoted local item receives its own r3 typing and source binding.

12 Deprecated and Rejected Claim Migration

The short legacy identifier is not globally unique. Every legacy record is therefore bound to the namespace ak-hpdst:18.2:cr-a and may be used only as provenance.

Legacy Claim UID	Legacy title	Current target UID	Status
ak-hpdst:18.2:cr-a:CR-G-001	Core pass and external theorem separation	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-001	superseded
ak-hpdst:18.2:cr-a:CR-G-002	Search output is not proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-003	superseded
ak-hpdst:18.2:cr-a:CR-G-003	Bridge Program is not Bridge Theorem	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-004	superseded
ak-hpdst:18.2:cr-a:CR-G-004	Spec is not theorem	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-005	superseded
ak-hpdst:18.2:cr-a:CR-G-005	Companion template is not certification	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-G-006	superseded
ak-hpdst:18.2:cr-a:CR-CH1-001	Claim Taxonomy	none	superseded
ak-hpdst:18.2:cr-a:CR-CH1-002	Repaired Unified Collapse Contract	none	superseded
ak-hpdst:18.2:cr-a:CR-CH1-003	Minimal Manifest Axiom	none	superseded
ak-hpdst:18.2:cr-a:CR-CH1-004	No global PH-Ext equivalence	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-006	superseded
ak-hpdst:18.2:cr-a:CR-CH2-001	Constructible persistence regime	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH2-001	superseded
ak-hpdst:18.2:cr-a:CR-CH2-002	Barcode-level threshold deletion	none	superseded
ak-hpdst:18.2:cr-a:CR-CH2-003	Fixed windowed evaluation	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH3-002	superseded

Legacy Claim UID	Legacy title	Current target UID	Status
ak-hpdst:18.2:cr-a:CR-CH3-001	One-way PH-to-Ext bridge	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH4-005	superseded
ak-hpdst:18.2:cr-a:CR-CH4-001	Tower comparison artifact	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-003	superseded
ak-hpdst:18.2:cr-a:CR-CH4-002	Meaning of Type IV clean status	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH5-009	superseded
ak-hpdst:18.2:cr-a:CR-CH5-001	Local-to-global certificate gluing	none	superseded
ak-hpdst:18.2:cr-a:CR-CH6-001	Ledger strict comparison	none	superseded
ak-hpdst:18.2:cr-a:CR-CH6-002	Verifier-side sovereignty	none	superseded
ak-hpdst:18.2:cr-a:CR-CH7-001	Core closure	none	superseded
ak-hpdst:18.2:cr-a:CR-CH8-001	Projection is interface, not automatic proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-CH8-012	superseded
ak-hpdst:18.2:cr-a:CR-CH8-002	Transport theorem requirement	none	superseded
ak-hpdst:18.2:cr-a:CR-A-001	Positive-threshold short bars are not Serre	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-A-003	superseded
ak-hpdst:18.2:cr-a:CR-A-002	Barcode-level properties of threshold deletion	none	superseded
ak-hpdst:18.2:cr-a:CR-A-003	No unconditional crop-collapse commutation	none	superseded
ak-hpdst:18.2:cr-a:CR-B-001	Admissible representative discipline	none	superseded
ak-hpdst:18.2:cr-a:CR-C-001	Eligible realization discipline	none	superseded
ak-hpdst:18.2:cr-a:CR-D-001	Collapse diagnostics	none	superseded
ak-hpdst:18.2:cr-a:CR-E-001	Overlap and local certificate logic	none	superseded
ak-hpdst:18.2:cr-a:CR-GAPP-001	Manifest schema	none	superseded
ak-hpdst:18.2:cr-a:CR-H-001	Advisory invariants are non-verdict	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-I-001	Discretization evidence requires ledgering	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-J-001	Measurement evidence requires realization	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-K-001	Controlled commutation	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-L-001	Mirror/Transfer comparison cells	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-M-001	Ledger semantics must be declared	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001	pending_v19_repair

Legacy Claim UID	Legacy title	Current target UID	Status
ak-hpdst:18.2:cr-a:CR-N-001	Higher-categorical extensions do not silently enlarge Core	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TECH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-MS-A-001	Arithmetic interface is not arithmetic theorem	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-MS-B-001	Iwasawa mu is not Collapse mu	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-MS-C-001	Mirror interface is not mirror theorem	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-MS-F-001	Fukaya interface boundary	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-AGI-N-001	Normalization interface boundary	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-MS-A-001	Navier–Stokes exploration is not proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-MS-B-001	PDE soundness bridge requirement	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-MS-C-001	NS proof-first architecture is a program	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-INTERFACE-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-U-001	Agent output is not proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-SEARCH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-V-001	Hunter / Mapper / Lifter boundary	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-SEARCH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-W-001	Bridge Program boundary	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-SEARCH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-X-001	Validity map and DAG boundary	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-SEARCH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-Y-001	Proof-store boundary	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-SEARCH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-Z-001	Reproducibility boundary	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-SEARCH-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-COMP-001	Arithmetic Calibration Companion	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-COMPANION-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-COMP-002	Execution / Reproducibility Companion	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-COMPANION-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-BRIDGE-001	Eventually constant toy tower	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-BRIDGE-002	Bounded-defect toy tower	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-PENDING-001	pending_v19_repair

Legacy Claim UID	Legacy title	Current target UID	Status
ak-hpdst:18.2:cr-a:CR-BRIDGE-003	Iwasawa control-like bridge candidate	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-BRIDGE-004	Toy PDE dissipative bridge	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-TB-PENDING-001	pending_v19_repair
ak-hpdst:18.2:cr-a:CR-NC-001	No BSD proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-001	superseded
ak-hpdst:18.2:cr-a:CR-NC-002	No ABC proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-002	superseded
ak-hpdst:18.2:cr-a:CR-NC-003	No RH proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-003	superseded
ak-hpdst:18.2:cr-a:CR-NC-004	No Navier–Stokes proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-004	superseded
ak-hpdst:18.2:cr-a:CR-NC-005	No Iwasawa main conjecture proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-005	superseded
ak-hpdst:18.2:cr-a:CR-NC-006	No global exactness of threshold collapse	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-008	superseded
ak-hpdst:18.2:cr-a:CR-NC-007	No global strict filtered lift	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-009	superseded
ak-hpdst:18.2:cr-a:CR-NC-008	AI output is not proof	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-015	superseded
ak-hpdst:18.2:cr-a:CR-NC-009	Reproducibility is not theorem validity	ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-016	superseded

13 Explicit Non-Claim Register

CR-NC-001: No BSD proof

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-001.

Source. CR-v19-R3-SELF, local record CR-NC-001.

Source binding. immutable_self_record; 18a3e61f5bffd66630e4a656fd5127fc71757e46812e55f4bd505604db3a0608.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No BSD proof.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-NC-001; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-001.

Review status. baseline_registered.

CR-NC-002: No ABC proof

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-002.

Source. CR-v19-R3-SELF, local record CR-NC-002.

Source binding. immutable_self_record; eb0ca210460a19159dc4ed5d024e4ad249a3ec4b9de21056c1b9499c2c7e755f.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No ABC proof.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UUIDs: ak-hpdst:18.2:cr-a:CR-NC-002; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-002.

Review status. baseline_registered.

CR-NC-003: No Riemann Hypothesis proof

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-003.

Source. CR-v19-R3-SELF, local record CR-NC-003.

Source binding. immutable_self_record; dab1ce0150e14929cea1ae04019d0d69a8998734b764ffa73db9f144843d6a84.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No Riemann Hypothesis proof.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UUIDs: ak-hpdst:18.2:cr-a:CR-NC-003; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-003.

Review status. baseline_registered.

CR-NC-004: No Navier-Stokes regularity proof

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-004.

Source. CR-v19-R3-SELF, local record CR-NC-004.

Source binding. immutable_self_record; 70187796d68cf580cb40143a0041fb3c55b3111815baba0337c6d25175593eac.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No Navier-Stokes regularity proof.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UUIDs: ak-hpdst:18.2:cr-a:CR-NC-004; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-004.

Review status. baseline_registered.

CR-NC-005: No Iwasawa Main Conjecture proof

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-005.

Source. CR-v19-R3-SELF, local record CR-NC-005.

Source binding. immutable_self_record; 8fc8f8bc0c757b7431f5f7d87077fced561e1dacb69f68d278b1822fc18c7591.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No Iwasawa Main Conjecture proof.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-NC-005; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-005.

Review status. baseline_registered.

CR-NC-006: No global PH₁-Ext¹ equivalence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-006.

Source. CR-v19-R3-SELF, local record CR-NC-006.

Source binding. immutable_self_record; 7a2ccc034a78a842564907d3f95b75804e28aa35a51eb30b2f35ce91c10587d2.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No global PH₁-Ext¹ equivalence.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-CH1-004; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-006.

Review status. baseline_registered.

CR-NC-007: No global non-expansiveness of hard threshold deletion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-007.

Source. CR-v19-R3-SELF, local record CR-NC-007.

Source binding. immutable_self_record; ed468703bcd2712f0a18b4264564a885543e02bfec3695744415d8bf746ac56.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No global non-expansiveness of hard threshold deletion.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-007.

Review status. baseline_registered.

CR-NC-008: No global exactness or Serre localization of positive-threshold deletion

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-008.

Source. CR-v19-R3-SELF, local record CR-NC-008.

Source binding. immutable_self_record; 522aff050a1dad75cacde6508a94134377ad9cdc98179fe6c1beeb477298473f.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No global exactness or Serre localization of positive-threshold deletion.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-NC-006; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-008.

Review status. baseline_registered.

CR-NC-009: No global strict filtered collapse functor

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-009.

Source. CR-v19-R3-SELF, local record CR-NC-009.

Source binding. immutable_self_record; 0d0e2276187e3e866539c68206e563bb7430a76b97b14d43e5f67eadffd3e751.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No global strict filtered collapse functor.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-NC-007; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-009.

Review status. baseline_registered.

CR-NC-010: No automatic crop-collapse commutation

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-010.

Source. CR-v19-R3-SELF, local record CR-NC-010.

Source binding. immutable_self_record; 30de064a03fe115177ba008ea938b1f1597adaf6e7740141b7dcce6ec5c166d4.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No automatic crop-collapse commutation.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-010.

Review status. baseline_registered.

CR-NC-011: No zero Type IV diagnostic without an actual artifact

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-011.

Source. CR-v19-R3-SELF, local record CR-NC-011.

Source binding. immutable_self_record; 6d60220698ebb13df382a9bbda5d533da8c6a88750245eda7441a42f098cdfce3.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No zero Type IV diagnostic without an actual artifact.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst : 19.0.0:cr-v19.0.0-r2:CR-NC-011.

Review status. baseline_registered.

CR-NC-012: No Type IV zero implying full object isomorphism without interior-defect hypotheses

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-012.

Source. CR-v19-R3-SELF, local record CR-NC-012.

Source binding. immutable_self_record; a7a99bcbd59d5e2d322a087bb44d5559503514abd8cecfaa14bc333b1ef6fe74.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No Type IV zero implying full object isomorphism without interior-defect hypotheses.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst : 19.0.0:cr-v19.0.0-r2:CR-NC-012.

Review status. baseline_registered.

CR-NC-013: No pairwise overlap implying higher coherence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-013.

Source. CR-v19-R3-SELF, local record CR-NC-013.

Source binding. immutable_self_record; 23bcef0eda519c24ab1cfcc68b9ff4ab347f948106cfa08b38f9b3ee406c983b.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No pairwise overlap implying higher coherence.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst : 19.0.0:cr-v19.0.0-r2:CR-NC-013.

Review status. baseline_registered.

CR-NC-014: No certificate atlas implying global object descent

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-014.

Source. CR-v19-R3-SELF, local record CR-NC-014.

Source binding. immutable_self_record; 0ac95949aa99f061b0873888a7fe6c05f28d879d4c2c52ea423db4c6e698d0e1.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No certificate atlas implying global object descent.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T3 $\mapsto$ reject / TypeIII; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-014.

Review status. baseline_registered.

CR-NC-015: No Search, AI, confidence, or ranking output as proof

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-015.

Source. CR-v19-R3-SELF, local record CR-NC-015.

Source binding. immutable_self_record; 8fd7985ecb1832ad153ad06c31cfa7e15d3a87fc86562561ab8dcdbd1d59d80cd.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No Search, AI, confidence, or ranking output as proof.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-NC-008; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-015.

Review status. baseline_registered.

CR-NC-016: No reproducibility alone as theorem validity

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-016.

Source. CR-v19-R3-SELF, local record CR-NC-016.

Source binding. immutable_self_record; a614fdc9f2327f0fe913630001c874c61bea3c286e64d8f827179df606d4ac53.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No reproducibility alone as theorem validity.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: ak-hpdst:18.2:cr-a:CR-NC-009; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-016.

Review status. baseline_registered.

CR-NC-017: No companion template as certification

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-017.

Source. CR-v19-R3-SELF, local record CR-NC-017.

Source binding. immutable_self_record; 0793a9aa0ff1d08589be6068b03ef4844caad7c2c32fa50ff1d3c091e30fd336.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No companion template as certification.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-017.

Review status. baseline_registered.

CR-NC-018: No interface pass or Core pass as external theorem without transport

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-018.

Source. CR-v19-R3-SELF, local record CR-NC-018.

Source binding. immutable_self_record; 9745524a332b6f14a801a81960529999fe147ebd786f1c7a76cd69cee44c8b2d.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No interface pass or Core pass as external theorem without transport.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-018.

Review status. baseline_registered.

CR-NC-019: No NBT use as v19.0.0 theorem evidence

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-019.

Source. CR-v19-R3-SELF, local record CR-NC-019.

Source binding. immutable_self_record; e8876d1de20465c59915dc5e8396c54232e1b2452f9078bcda3f81637f41d6d9.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No NBT use as v19.0.0 theorem evidence.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-019.

Review status. baseline_registered.

CR-NC-020: No normative Latin u for the Type IV cokernel diagnostic

Claim UID. ak-hpdst:19.0.0:cr-v19.0.0-r3:CR-NC-020.

Source. CR-v19-R3-SELF, local record CR-NC-020.

Source binding. immutable_self_record; 0a7735f6b5aff051118e532e8ded21b0c09b915baf2129335851d8f5daaff076.

Typing. non_claim; rejected; provenance_only; conformant.

Digest. No normative Latin u for the Type IV cokernel diagnostic.

Scope. All v19.0.0 documents and uses.

Hypotheses. None.

Dependencies. Relevant v19 rejection, exclusion, or boundary statements.

Claim comparison policy. not_applicable.

Allowed runtime modes. none.

Artifact requirements. Register snapshot.

Permitted use. May block an inadmissible inference or document an explicit exclusion.

Forbidden stronger reading. May not be inverted into a positive theorem.

Failure routing. FR-MISSING $\mapsto$ undefined; FR-NONVERDICT $\mapsto$ reject / TypeV; FR-T5 $\mapsto$ reject / TypeV. Detailed trigger semantics are normative in the machine-readable register.

Repair ancestry. consolidated v19 explicit exclusion Superseded legacy UUIDs: none; immutable r2 predecessor: ak-hpdst:19.0.0:cr-v19.0.0-r2:CR-NC-020.

Review status. baseline_registered.

14 Promotion, Demotion, and Repair Rules

14.1 Promotion

Promotion requires a fixed statement, source binding, proof or policy artifact, discharged hypotheses, dependency closure, admissible invocation role, conformance pass, permitted use, independent review, and a new register revision.

14.2 Demotion

Demotion is mandatory when a source changes, identity fails, hypotheses or dependencies are missing, a comparison policy is ill-typed, runtime mode is absent or inadmissible, failure routing is misreported, a weaker item is promoted to theorem evidence, or repair ancestry is incomplete.

14.3 Repair as a new record

No verdict-bearing record is overwritten. Repair creates a new immutable record linked by ancestry.

15 Cross-Document Conformance Matrix

Layer	Conformance	Permitted invocation	Restriction
Main Chapters 1–8	conformant	theorem evidence at registered strength	complete hypotheses required
Foundation A–G	conformant	theorem evidence at registered strength	complete hypotheses required
CM-v19.0.0-r2	conformant / conformant_wit_h_hypotheses	theorem evidence or operational rule per CR-CM-001--041	no external upgrade; conditional hypotheses must pass
TB-v19.0.0-r1 closure p1	conformant / conformant_wit_h_hypotheses	toy theorem evidence, operational rule, specification, or provenance per CR-TB-001--031	toy source scope only; no problem-specific bridge substitution
Technical / Interface / Search / Companion NBT	pending_v19_repair v19_1_candidate	operational, specification, or provenance only specification target or provenance	no silent Core enlargement cannot discharge v19.0.0 obligations

16 Register Closure Proposition

Register Closure Proposition

A CR-v19 snapshot is register-closed when every consumed claim has a unique immutable Claim UID, a verified source binding, an admissible role/status/invocation/conformance combination, closed dependencies, discharged hypotheses, an admissible claim-level comparison policy and runtime mode when invoked, typed failure routing, permitted use, and complete repair ancestry; and when no non-verdict item is used as theorem evidence. Register closure is governance closure, not mathematical truth.

17 Provenance, Hashes, and Status

- Theory version: 19.0.0.
- Register version: CR-v19.0.0-r3.
- Immutable predecessor: CR-v19.0.0-r2, SHA-256 `bf9895a7690cd2071984ab125370a38a50b4e4ea4fac621154162f80977800e5`.
- Canonical runtime comparison modes: `exact`, `metric_gap_certified`, `not_compared`.
- Canonical Claim UID namespace: `ak-hpdst:19.0.0:cr-v19.0.0-r3`.
- Promoted local namespaces remain immutable: `ak-hpdst:19.0.0:CM-v19.0.0-r2` and `ak-hpdst:19.0.0:TB-v19.0.0-r1`.
- Legacy namespace: `ak-hpdst:18.2:cr-a`.
- The Type IV cokernel diagnostic is canonically v ; Latin u has no normative diagnostic meaning.
- Final r3 file hashes and package identities are externalized in the package manifest and SHA-256 sidecar.

18 Machine-Readable Register Summary

The release package contains the canonical JSON register, CSV projection, r2-to-r3 migration table, legacy migration projection, schema declaration, promotion validation, build audit, PDF preflight, semantic diff, package manifest, and SHA-256 manifest. The JSON register is the machine-readable source of truth for r3; the PDF contains the complete canonical Claim UID set.

Audit item	r3 result
Canonical entries	342
Inherited one-to-one r2 records	263
New r3 governing records	5
Promotion receipts	2
Promoted CM local records	41 / 41
Promoted TB local records	31 / 31
Globally unique canonical Claim UIDs	342 / 342
Human-readable / machine-readable UID-set agreement	required exact equality
Canonical–legacy UID collisions	0
Structured failure routes	present on every entry
Content-addressed source bindings	present on every promoted CM/TB entry
Normative Latin u as Type IV cokernel diagnostic	0