ETIHAD EWA TRADING W.L.L.

إتحاد إيوا للتجارة ذ.م.م.

Bldg. No. 23, Flat No. 3, 2nd floor, Ibn Al Basher Street No. 75, Aziziya Zone 55, Doha, Qatar
Email Address: Ms.Lyne, info@etihadewa.com Mobile No. +974 6681 9199

Contents
目录

Company Profile 公司简介 03

Manufacturing Capabilities 生产实力 06

Service Advantages 服务优势 09

Market Coverage 市场覆盖 11

Structure 篷布&铝合金 13

Anchoring System 固定方式 17

Class & Performance 等级与性能 18

Our Products 产品介绍 19

- A-Frame Tent 人字顶篷房 19
- Pagoda Tents 尖顶篷房 27
- Polygon Tents 弧形篷房 35
- Curved Tent 桃型篷房 43
- Arch Tent 拱型篷房 49
- Atrium Tent 中庭篷房 55
- Polygon Tent 多边形篷房 61
- Capsule-Shaped Tent 异形胶囊篷房 67
- Double-Decker Tent 双层篷房 73
- Mixed Marquee Tent 组合式篷房 79
- Event Marquee Case Studies 活动篷房案例参考 83

Optional accessories 可选配件 87

Company Profile

About Us

Etihad Ewaa Trading Company is a trusted supplier of integrated products and solutions for residential, commercial, and industrial projects. We deliver a carefully selected range of high-quality products, backed by reliability, efficient execution, and dedicated after-sales support.

Our Products & Services

We provide modular cabin units, hospital equipment and furnishings, office and home furniture, aluminum solutions for doors and windows, concrete and interlock products, as well as a wide range of bathroom accessories.

Our Vision

We are committed to building long-term partnerships through superior product quality, precise supply management, and on-time delivery—ensuring we consistently meet the diverse needs of our clients across all project sectors.

·Factory Entrance·
工厂入口

·Office Area·
办公区

·Steel Structure Workshop·
钢结构间

·Aluminum alloy workshop·
铝合金车间

·Tarpaulin Workshop·
篷布车间

·Tarpaulin Workshop·
篷布车间

·Warehouse·
仓库

·Warehouse·
仓库

·Prototype Assembly Area·
试搭车间

·Prototype Assembly Area·
试搭车间

Precision Engineering
Crafted with Intelligence

精工智造 匠心臻艺

We establish a superior standard of craftsmanship for every tent with our advanced digital smart-manufacturing matrix.

我们以先进的数字化智造矩阵，为每一顶帐篷奠定超越期待的精工标准。

Laser cutting CNC
数控激光切割机

Automatic drilling pipe CNC
CNC激光下料机

Automatic cutting machine
自动剪裁机

High frequency welding machine
高频热合机

Aluminum alloy CNC
铝合金数控

United Team
Driving Process & Tech

聚力同心，众行致远

From the seasoned hands of our workshop masters to the precise digital solutions in our offices, we operate as one cohesive unit, ensuring every project is perfected from blueprint to reality.

从老师傅布满老茧的双手，到办公室精准的数字方案，我们是一个协同无间的整体，确保每个项目从蓝图到现实都尽善尽美。

Data-Driven
Aerodynamics

精准驭风：以数据重塑形态

Advanced Shape Configuration

Based on the latest domestic experimental data, we analyzed the differences in wind load distribution on various parts of the tent structure under different wind directions and derived the shape coefficients relative to wind speed ratios. Utilizing these coefficients and the structural load characteristics of the tent, we calculated an optimal angle and structural layout.

先进的篷房形态优化：依据国内最新实验数据，我们分析了不同风向下篷房各部位的受力差异，得出基于风速比值的体型系数。基于该系数与篷房受力特性，我们进一步推演出更合理的角度设计与结构布局方案。

Overall Structural Analysis and Optimization

Considering the lightweight nature of the tent and the adaptability of the fabric, our structural engineers conducted detailed calculations and analysis of the overall structure—particularly focusing on the strength, stiffness, and stability of the aluminum alloy frame—and carried out corresponding optimizations.

整体结构分析与增强：针对篷房自重轻、布料适应性强的特点，我们的结构工程师对整体结构——尤其是铝合金框架的强度、刚度与稳定性——展开了全面计算与深入分析，并在此基础上实现了结构优化。

Testing and Analysis of Wind and Snow Resistance Performance of Tents

Our expert team rigorously tests the tent's wind and snow resistance, ensuring it can endure your region's strongest storms—backed by scientific data for safety.



Built on Expertise
Driven by Strength

专业立身，匠心笃行

Fifteen years of export expertise is the foundation of our integrated advantages: Professional Production with smart technology, Robust Structures using aerospace-grade materials, and Worry-Free Delivery with 30% more efficient smart loading and continuous technical support for global clients.

我们集十五年出口结构专家经验，构建了覆盖生产、设计与服务的核心优势：从融合成熟工艺与智能设备的专业生产，到航天级选材、军工级紧固的极致结构，再到智能装柜省空间30%并全程技术护航的无忧交付，为全球客户提供坚实可靠的解决方案。

Professional Structural Design | Aerospace-Grade Materials | Military-Spec Fastening

专业结构设计 | 航天级选材标准 | 军工级紧固系统

Professional Production Assurance: Proven Processes | Elite Team | Smart Machinery

专业生产保障 | 成熟工艺+精锐团队+智能设备

15-Year Export Structure Experts 30% More Space with Smart Loading | End-to-End Technical Support

15年出口结构专家 | 智能装柜省空间30% | 全程安装技术护航

24/7 Support
From Quote to Installation

从图纸到现场 全程精准护航

Your vision begins with a sketch; our mission is to bring it to life. We meticulously manage every step from engineering to on-site construction, honoring our commitment to precision.

您的愿景始于一张草图，而我们的使命是让它完美成真。我们严谨管控从工程设计到现场搭建的每一环节，恪守对您承诺的精准。

Our engineer will evaluate your draw-ing, base on actual offer professional advice, make sure all are in reasonable sizes.

图纸评估

我们的工程师将根据实际报价和专业建议评估您的图纸，确保所有图纸尺寸合理。



We will provide a series of options with pricing for your reference, based on the final drawing.

参考报价

根据最终图纸，我们将提供匹配系列和价格供您参考。

Finalize the product illustration and fabrication drawing with the client for approval.

图纸设计

与客户确认细节(效果图和施工图)。

Start the fabrication.

工厂生产

确认需求后，即可进入生产流程。

Expertly packed and loaded post-production, your goods are set for a secure and timely journey.

产品打包、装柜

生产完成后，我们会立即对其进行专业打包并规范装柜，全面做好发货前的各项准备工作，确保货物能够按时、安全发出。

We Send our technician at site to do installation guide.

指导安装

我们将通过远程视频指导，或派遣专业技术人员到场协助两种方式，确保精准搭建、稳固成型，顺利投入使用。

Lighting Up the World

Global Reach, Local Roots.

辐射全球 深耕本土

With a global vision, we have charted our market blueprint: building upon a solid foundation of comprehensive coverage across all 31 provincial-level regions in China, our business has successfully expanded into over 100 countries and territories worldwide.

我们以全球视野构建市场蓝图：在夯实中国所有31个省级行政区全覆盖的基础上，业务已成功拓展至全球100多个国家和地区。

The Foundation of Shelter:
Premium PVC Tarpaulin

核心防护，始于面料 — 精选PVC篷布

Dual-Side Waterproof | Completely Leakproof

The fabric undergoes full PVC penetration treatment, creating a true "bulk waterproof" structure. It effectively blocks external rainwater and internal condensation, ensuring a permanently dry interior environment.

双面防水 | 滴水不漏

基布采用PVC全渗透工艺，形成真正的"体防水"结构。无论外部雨水或内部冷凝水，均无法渗透，确保内部持久干燥。

Premium Sun Protection | Dual-Layer Defense

Combining a high-density physical structure with built-in UV inhibitors in the PVC coating, it offers strong UV resistance. This protects the fabric from aging while keeping printed graphics vibrant and fade-resistant.

顶级防晒 | 双重防护

高密度物理结构结合PVC涂层内抗UV添加剂，高效抵御紫外线。保护布料强韧耐用，同时长久维持喷绘画面色彩鲜艳。

Naturally Mold-Resistant | Easy to Clean

The non-organic, smooth PVC surface provides no breeding ground for mold. Even in humid conditions, it remains free of mildew and odor, requiring only simple wiping with water for cleaning.

天生防霉 | 一擦即净

PVC无机材质表面致密光滑，杜绝霉菌滋生。潮湿环境下不长霉斑无异味，日常清洁仅需清水擦拭。

Active Flame Retardancy | Safety & Compliance

Enhanced with flame-retardant additives, it meets stringent standards such as GB B1 and EU M2/B1. It effectively resists ignition, self-extinguishes, and produces low smoke, ensuring enhanced safety for both people and property.

主动阻燃 | 安全合规

添加高效阻燃剂，符合国标B1级、欧标M2/B1等标准。遇火阻燃、离火自熄、低烟低毒，为人员与财产安全提供可靠保障。



Surface Knife-Coated Layer
Waterproof, stain-resistant, flame-retardant – all-round protection.
表面刀刮涂层 - 防水耐污阻燃，全面防护

Fiber Dyeing Process
High color fastness, long-lasting vibrancy.
纤维着色工艺 - 色牢度高，持久不褪色

Tightly Woven Base Fabric
Dense weave, durable and tear-resistant.
紧密基布层 - 编织严谨，耐用抗撕裂"

Technical Report
物 性 检 验 报 告 单

拉力强度 (N/5CM) Tensile Strength	经向(MD)	3640	3000	EN ISO 1421
	纬向(CD)	3359	2800	
撕裂强度 (N/梯形) Tear Strength (Trapezoid)	经向(MD)	398	350	DIN 53363
	纬向(CD)	364	300	
剥离强度 (N/5CM) Adhesion Strength	面 Face	109	100	EN ISO 2411
	底 Back	110	100	
防火性能 Flame Retardncy		B1		DIN4102/GB8624
适用温度 Suitable Temperature		-30～+70 ℃		DIN EN 1876-1
色牢度 Fastness		7～8级		EN ISO 105 B02
抗紫外线 UV radiation		4-5级		
表面处理 Surface Treatment		亚克力 Acrylic		
检验结果 Result		合格 Qualified		

This is a shelter armor born to tackle all-weather challenges — waterproof from both sides, UV-resistant inside and out, naturally mold-proof, and proactively fire-resistant, providing 360° comprehensive protection for your space.

这是一块为应对全天候挑战而生的篷房铠甲——双面隔绝雨水、内外抵御暴晒、天生杜绝霉变、主动防范火灾，为您的空间提供360°的全维防护。

Our Framework

Born from Aviation Standards

我们的框架，源自航空标准



Exceptional Pressure Resistance, Fearless Against Wind and Snow

The frame is constructed from 6061-T6 aviation-grade aluminum with a yield strength exceeding 240MPa. It offers wind and snow load resistance that far exceeds national standards, providing reliable stability in severe weather and ensuring the safety of both events and assets.

篷房骨架采用6061-T6航空铝材，屈服强度超240MPa。抗风抗雪能力远超国标，恶劣天气下稳固可靠，确保活动与资产安全。

Durable and Corrosion-Resistant, Enduring Through Time

The frame features anodized aviation-grade aluminum with excellent corrosion and oxidation resistance. It withstands long-term exposure to sunlight, rain, and salt spray. Even after repeated use, the structure remains robust, significantly extending its service life.

采用阳极氧化表面处理的航空铝材，具备优异抗腐蚀与抗氧化性能，可长期抵御日晒、雨淋及盐雾侵蚀。框架在重复使用后依然坚固，显著延长整体使用寿命。

Lightweight Yet Strong, Efficient Assembly

Lightweight yet strong, the structure is approximately 60% lighter than traditional steel. Its easy-to-transport components allow for quick on-site assembly, significantly reducing setup time and enabling faster deployment.

骨架轻量坚固，比传统钢材减重约60%。构件运输便捷，现场拼装高效，可显著缩短搭建时间，助您快速投入使用。

Safe, Eco-Friendly, and a Sustainable Investment

A 100% recyclable, eco-friendly solution. Outstanding durability ensures a longer lifecycle and higher residual value, delivering a more cost-effective long-term investment.

提供100%可回收的绿色方案。卓越耐久性带来更长生命周期与更高资产残值，助您实现更具性价比的长期投资。

化 学 成 分

元素	AL	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti
标准要求(%)	余量	0.40-0.8	≤0.7	0.15-0.40	≤0.15	0.8-1.2	0.04-0.35	≤0.25	≤0.15
检验结果(%)	98.197	0.493	0.082	0.191	0.009	0.849	0.054	0.013	0.019

力 学 性 能

检测项目	韦氏硬度(HW)	抗拉强度 R_m(MPa)	规定非比例延伸强度 $R_{p0.2}$(MPa)	延伸率 A_{50mm} (%)
标准要求	≥14.5	≥260	≥240	≥7
检验结果	15	291	264	9

Deformation Resistance Assurance
Hardness HW 15
硬度值HW 15

High Load-Bearing Assurance
Tensile Strength Rm 291MPa
抗拉强度Rm 291MPa

High Safety Warning Assurance
Proof Strength Rp0.2 246MPa
规定非比例延伸强度Rp0.2 246MPa

Failure Tolerance Assurance
Elongation A50mm 9%
断后伸长率A50mm 9%

Profile List

型材清单



本清单信息仅供参考，最终规格以双方确认的图纸及订单为准。

Secure Foundation
Assured Safety

稳固根基，安全随行

Mounting:Use ground pegs, bearing plates, or chemical anchors depending on the soil to ensure a secure and stable installation.

固定方式：根据不同地质可采用地钉、承重盘或化学锚栓，确保稳固安全



Concrete Ground

For concrete surfaces with a thickness of 15 cm or more, expansion bolts are recommended for fixation to ensure safety.

混泥土地面：

常见 15cm 厚度以上混泥土地面推荐膨胀螺丝固定，保证的安金性。



Non-Destructible Ground

Common in temporary events on squares or commercial premises where the ground cannot be damaged, weighted fixation methods are used.

不可破坏地面：

常见于广场、商场的临时活动，不可破坏地面。会选用压重固定方式。



Grassland/Muddy Ground

In cases where ecological preservation is required, steel stakes of P25×800mm or 25×500mm can be used for fixation.

草地/泥地：

不能破坏生态的状况下，可采用p25x800mm/25x500mm 的钢针固定。

Soft Ground/Sandy Ground

To ensure the wind resistance of the tent structure on backfilled or sandy ground, concrete ground beams are poured with embedded connecting components.

软土地/沙地：

回填土地和沙地为保证帐篷的抗风系数，采用混泥土浇灌地梁，同时预埋连接部件。

Marquee Types and Wind Load Ratings

篷房分类与性能等级

Structural Design

The Invisible "Safety Redundancy" Is Key

结构设计：看不见的"安全冗余"才是关键

Wind Resistance

Relies Not Only on Materials, but More on Structure

抗风性能：不只靠材料，更靠结构

We classify wind resistance into three tiers

我们将抗风能力划分为三个梯级

BASIC　　STANDARD　　ENHANCED

Based on usage, they are categorized into:

根据使用用途，可分为：临时活动篷房与半永久固定式篷房。

01 Event Tents
活动篷房

Designed for rapid installation, disassembly, transport, and lightweight use, with wind resistance up to 80 km/h and snow load capacity of 15 kg/m². No additional calculation report is required.

For Events of Excellence

Weddings · Music Festivals · Auto Shows · Short-term Exhibitions

专为快速安装、拆卸、转运和轻便使用而设计，抗风能力满足80km/h，雪荷载标准为15kg/m²，无需额外计算报告。

用途：婚礼、音乐节、车展、短期展销会等

02 Semi-Permanent Fixed Tents
半永久性固定篷房

1、A feasibility plan that meets safety and stability requirements for the tent structure must be developed based on site conditions and local climate factors (maximum wind speed and snow load).

2、The selection of tent fabric properties (mold resistance/flame retardancy/UV resistance/yellowing resistance) and the materials for structural components (strength and corrosion resistance levels) must be tailored to the local environmental acidity/alkalinity conditions.

For Industrial Expertise

Warehouse & Storage · Sports Halls · Aircraft Hangars · Factory Extensions

1、需要根据场地情况、当地气候条件（最大风速和雪荷载）来制定能满足安全和稳定的建筑篷房的可行性方案

2、当地所处环境酸碱性，来决定采购怎样特性的篷布（防霉/阻燃/抗UV/黄变）、结构和配件（材料强度和防腐性等级）的材质。

用途：工业仓储、体育馆、机库、厂房扩建等

A-Frame Tent

人字顶篷房

Classic and practical with efficient drainage. The most common tent structure features a simple and elegant design with a dual-slope roof that allows rainwater to quickly run off, making it suitable for various events, storage, and commercial spaces.

经典实用，排水高效。最常见的篷房结构，造型简洁大气，顶部双面斜坡设计利于雨水快速流散，适用于各类活动、仓储和商业空间。

A-frame Tents

人字顶篷房

A-frame Tents

人字顶篷房

Rendering

效果图





Technical Specifications for A-Frame Tents

人字顶篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AF-03	3/9.84	3/9.84	2.6/8.53	3.1/10.17	84*48*3
AF-04	4/13.12	3/9.84	2.6/8.53	3.3/10.83	84*48*3
AF-05	5/16.40	3/9.84	2.6/8.53	3.5/11.48	84*48*3
AF-06	6/19.69	3/9.84	2.6/8.53	3.6/11.81	84*48*3
AF-08	8/26.25	3/9.84	2.6/8.53	3.9/12.80	84*48*3

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Rendering
效果图



Technical Specifications for A-Frame Tents
人字顶篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AF-10	10/32.81	3/9.84	2.6/8.53	4.2/13.78	150*120*4
AFS-12	12/39.37	3/9.84	3/9.84	5/16.40	150*120*4
AFM-15	15/49.21	5/16.40	4/13.12	6.4/21	150*120*4
AFM-20	20/65.62	5/16.40	4/13.12	7.2/23.62	200*120*4
AFM-25	25/82.02	5/16.40	4/13.12	8.1/26.57	200*120*4

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Rendering
效果图





Technical Specifications for A-Frame Tents
人字顶篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AFM-30	30/98.43	5/16.40	4/13.12	8.9/29.20	250*120*4
AFM-40	40/131.23	5/16.40	4/13.12	10.5/34.45	350*120*6
AFM-40	40/131.23	5/16.40	5/16.40	11.5/37.73	350*120*6
AFM-40	40/131.23	5/16.40	6/19.69	12.5/41.01	350*120*6

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Rendering
效果图





Structural Drawing
结构图



1 Roof beams 斜梁	4 Central Column 中柱	7 Steel cable cross brace 十字撑	10 Eaves support 屋檐支撑
2 Eave Beam Left and Right 左右悬挂管	5 Eave Ridgepole beam 屋檐、屋脊方管	8 Roof cable 屋面钢绞	
3 Pillar 承重柱	6 purlin 屋面方管	9 Ridge support 屋脊支撑	

Technical Specifications for A-Frame Tents
人字顶篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AFM-50	50/164.04	5/16.40	4/13.12	12.5/41.01	350*120*6
AFM-50	50/164.04	5/16.40	5/16.40	13.5/44.29	350*120*6
AFM-50	50/164.04	5/16.40	6/19.69	14.5/47.57	350*120*6
AFM-60	60/196.85	5/16.40	4/13.12	13.75/45.11	450*126*13
AFM-60	60/196.85	5/16.40	5/16.40	14.75/48.39	450*126*13
AFM-60	60/196.85	5/16.40	6/19.69	15.75/51.67	450*126*13

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Pagoda Tents

尖顶篷房

Tall, elegant, and visually striking. With a high ridge line and a design resembling traditional tents, it offers enhanced decorative appeal and visual impact, often used for celebrations, weddings, and high-end markets.

高耸典雅，视觉醒目。屋脊线高耸，造型类似传统帐篷，更具装饰性和视觉冲击力，常用于庆典、婚礼、高端市集等场合。

Pagoda Tents

尖顶篷房

Rendering
效果图



Front View
正视图

Technical Specifications for Pagoda Tents
尖顶篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
PAM-03	3/9.84	3/9.84	2.5/8.20	4.2/13.78	84*48*3
PAM-04	4/13.12	4/13.12	2.5/8.20	4.8/15.75	84*48*3
PAM-05	5/16.40	5/16.40	2.5/8.20	5.2/17.06	84*48*3
PAM-06	6/19.69	6/19.69	2.5/8.20	5.8/19.03	84*48*3

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Structural Drawing
结构图



Rendering
效果图



Front View
正视图

Technical Specifications for Pagoda Tents
尖顶篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
PAM-08	8/26.25	4/13.12	2.6/8.53	6.4/21.00	84*48*3
PAM-10	10/32.81	5/16.40	2.6/8.53	6.9/22.64	150*120*4

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Structural Drawing
结构图



Arcum Tent

弧形篷房

Sleek, rounded, and modernly minimalist. The smooth arched roof features elegant flowing lines and a low wind resistance coefficient, giving it a modern and professional appearance, making it an ideal choice for exhibitions and sports venues.

流线圆润，现代简约。顶部呈平滑的弧形，线条流畅优美，风阻系数小，整体观感现代且专业，是展览展示、体育场馆的理想选择。

Arcum Tent

弧形篷房

Arcum Tent

弧形篷房



Rendering
效果图





Technical Specifications for Polygon Tents
弧形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AC-10	10/32.81	5/16.40	3/9.84	4.2/13.78	150*120*4
AC-15	15/49.21	5/16.40	4/13.12	5.85/19.19	150*120*4

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Rendering
效果图





Technical Specifications for Polygon Tents
弧形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AC-20	20/65.62	5/16.40	4/13.12	6.5/21.33	200*120*4
AC-25	25/82.02	5/16.40	4/13.12	7.2/23.62	250*120*4
AC-30	30/98.43	5/16.40	4/13.12	7.85/25.75	250*120*5
AC-40	40/131.23	5/16.40	4/13.12	9.5/31.17	350*120*6

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Rendering
效果图





Structural Drawing
结构图

1 Roof beams 斜梁	4 Central Column 中柱
2 Eave Beam Left and Right 左右悬挂管	5 Eave Ridgepole beam 屋檐、屋脊方管
3 Pillar 承重柱	6 purlin 屋面方管
7 Steel cable cross brace 十字撑	10 Eaves support 屋檐支撑
8 Roof cable 屋面钢缆	
9 Ridge support 屋脊支撑	

Technical Specifications for Polygon Tents
弧形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AC-50	50/164.04	5/16.40	4/13.12	10.88/35.69	350*120*6
AC-50	50/164.04	5/16.40	5/16.40	11.88/38.97	350*120*6
AC-50	50/164.04	5/16.40	6/19.69	12.88/42.25	350*120*6
AC-60	60/196.85	5/16.40	4/13.12	12.25/40.19	450*126*13
AC-60	60/196.85	5/16.40	5/16.40	13.25/43.47	450*126*13
AC-60	60/196.85	5/16.40	6/19.69	14.25/46.75	450*126*13

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Curved Tent

桃形篷房

Elegant, pillar-free, and spatially complete. The gracefully curved side pillars and arched roof create a unique peach-shaped silhouette, offering a completely unobstructed interior space that combines aesthetics with high spatial efficiency, making it a premium choice for high-end banquets and brand events.

优雅无柱，空间完整。两侧立柱优美内弯，与弧形顶构成独特的桃形轮廓，内部实现完全无立柱的完整空间，兼具美观性与超高空间利用率，是高端宴会、品牌活动的优选。

Curved Tent

桃形篷房

Rendering
效果图

Technical Specifications for Curved Tents
桃形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
CR-10	10/32.81	5/16.40	4/13.12	5.6 /18.37	150*120*4
CR-15	15/49.21	5/16.40	4/13.12	6.7/21.98	150*120*4
CR-20	20/65.62	5/16.40	4/13.12	7.6 /24.93	200*120*4

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Rendering
效果图



Technical Specifications for Curved Tents
桃形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
CR-25	25/82.02	5/16.40	4/13.12	8.55/28.05	250*120*4
CR-30	30/98.43	5/16.40	4/13.12	9.5/31.17	250*120*5

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Rendering
效果图





Technical Specifications for Curved Tents
桃形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
CR-40	40/131.23	5/16.40	4/13.12	11.3/37.07	350*120*6
CR-40	40/131.23	5/16.40	5/16.40	12.3/40.35	350*120*6
CR-40	40/131.23	5/16.40	6/19.69	13.3/43.64	350*120*6
CR-50	50/164.04	5/16.40	4/13.12	16.6/54.46	350*120*6
CR-50	50/164.04	5/16.40	5/16.40	16.6/54.46	350*120*6
CR-50	50/164.04	5/16.40	6/19.69	16.6/54.46	350*120*6

Structural Drawing
结构图



1 Roof beams 弯柱梁
2 Eave Beam Left and Right 左右悬挂管
3 Pillar 承重柱
4 Central Column 中柱
5 Eave beam 屋檐方管
6 purlin 屋面方管
7 Roof cable 屋面钢缆
8 ridge beam support bracing 屋脊加固撑

Arch Tent

拱形篷房

Structurally robust and majestically spacious. The semi-circular arched design offers excellent mechanical performance and strong resistance to wind and snow, with a tall and open interior, commonly used for hangars, large storage facilities, and logistics centers.

结构稳固，大气开阔。整体呈半圆形拱状，结构力学性能优异，抗风雪能力强，内部空间高阔，常用于机库、大型仓储、物流中心。

Arch Tent

拱形篷房

Rendering
效果图



Front View
正视图

Side View
侧视图

Structural Drawing
结构图

① Roof beams 斜梁	④ Central Column 中柱	⑦ Steel cable cross brace 十字撑	⑩ Eaves support 屋檐支撑
② Eave Beam Left and Right 左右悬挂管	⑤ Eave Ridgepole beam 屋檐、屋脊方管	⑧ Roof cable 屋面钢缆	
③ Pillar 承重柱	⑥ purlin 屋面方管	⑨ Ridge support 屋脊支撑	

Specifications
技术参数

Technical Specifications for Arch Tents
拱形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AR-10	10/32.81	5/16.40	4/13.12	7.16/23.49	150*120*4
AR-15	15/49.21	5/16.40	4/13.12	8.75/28.71	150*120*4
AR-20	20/65.62	5/16.40	4/13.12	9.42/30.90	200*120*4
AR-30	30/98.43	5/16.40	4/13.12	13.2/43.31	250*120*5
AR-40	40/131.23	5/16.40	4/13.12	18/59.06	350*120*6
AR-40	40/131.23	5/16.40	5/16.40	19/62.34	350*120*6
AR-40	40/131.23	5/16.40	6/19.69	20/65.62	350*120*6
AR-50	50/164.04	5/16.40	4/13.12	21.5/70.54	350*120*6
AR-50	50/164.04	5/16.40	5/16.40	22.5/73.82	350*120*6
AR-50	50/164.04	5/16.40	6/19.69	23.5/77.10	350*120*6
AR-60	60/196.85	5/16.40	4/13.12	25/82.02	450*126*13
AR-60	60/196.85	5/16.40	5/16.40	26/85.30	450*126*13
AR-60	60/196.85	5/16.40	6/19.69	27/88.58	450*126*13

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Atrium Tent

中庭篷房

Panoramic transparency, high-end, and grand. Featuring a fully transparent design and a central atrium structure that floods the interior with natural light, the space is bright and open like a crystal palace, making it a premier venue for dream weddings, high-end receptions, and fashion events.

全景通透，高端大气。采用全透明设计，顶部中庭结构引入充足自然光。内部通透明亮，宛如水晶宫殿，是举办梦幻婚礼、高端酒会与时尚活动的顶级场所。

Atrium Tent

中庭篷房

Rendering
效果图



Front View
正视图

Side View
侧视图

Specifications
技术参数

Technical Specifications for Atrium Tents
中庭篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
AFS-15	15/49.21	5/16.40	2.7/8.86	6.4/21	150*120*4
AFS-20	20/65.62	5/16.40	4/13.12	8.6/28.22	200*120*4
AFS-30	30/98.43	5/16.40	3/9.84	9.4/30.84	250*120*4
AFS-35	35/114.83	5/16.40	3/9.84	10.2/33.46	300*120*5
AFS-40	40/131.23	5/16.40	3/9.84	11/36.09	350*120*6

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Structural Drawing
结构图

1 Roof beams 斜梁
2 Eave Beam Left and Right 左右悬挂管
3 Pillar 承重柱
4 Central Column 中柱
5 Eave Ridgepole beam 屋檐、屋脊方管
6 purlin 屋面方管
7 Steel cable cross brace 十字撑
8 Roof cable 屋面钢缆
9 Ridge support 屋脊支撑

Polygon Tent

多边形篷房

Unique in shape and flexibly combinable. Designed in hexagonal, octagonal, or other polygonal shapes, it boasts a distinctive style. Multiple units can be flexibly connected, making it perfect for creative markets and brand pop-up shops.

造型独特，灵活组合。设计为六边形、八边形等多边造型，风格独特，多个单体可灵活组合连接，适合创意市集、品牌快闪店等。

Polygon Tent

多边形篷房

Rendering
效果图



Front View
正视图

Side View
侧视图

Specifications
技术参数

Technical Specifications for Polygon Tents
多边形篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
PO-06	6/19.69	3/9.84	2.6/8.53	3.6/11.81	84*48*3
PO-08	8/26.25	4/13.12	2.6/8.53	3.9/12.80	84*48*3
PO-10	10/32.81	5/16.40	3/9.84	4.6/15.09	150*120*4
PO-12	12/39.37	4.6/15.09	3/9.84	5/16.40	150*120*4
PO-15	15/49.21	4.65/15.26	4/13.12	6.45/21.16	150*120*4
POL-20	20/65.62	5.2/17.06	4/13.12	7.25/23.79	200*120*4

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Structural Drawing
结构图



1 Roof beams 斜梁

2 Pillar 承重柱

3 Eave Beam Left and Right
左右悬挂管

Capsule-Shaped Tent

异形胶囊篷房

Futuristic and highly attractive. Featuring a modular, streamlined gel-like design, it exudes a strong sense of technology and futurism. Suitable for standalone or clustered use, it serves as the perfect finishing touch for creating landmark temporary structures and trending social spaces.

未来感强，极具吸引力。采用模块化、流线型的胶囊状设计，极具科技感与未来感，可独立或集群使用，是打造地标性临时建筑和网红空间的点睛之笔。

Capsule-Shaped Tent

异形胶囊篷房



Capsule-Shaped Tent

异形胶囊篷房



Rendering

效果图

Structural Drawing

结构图



① Roof beams 斜梁

② Pillar 承重柱

③ purlin 屋面方管

④ Ridge support 屋脊支撑

Double-Decker Tent

双层篷房

Space-efficient and functionally layered. The innovative double-decker design effectively multiplies usable area, allowing for different functional zones on upper and lower levels, making it suitable for dining, observation decks, and VIP lounges.

空间倍增，功能立体。创新性的双层设计，有效倍增使用面积，可规划为上下层不同功能区，适用于餐饮、观景台、VIP休息室等。

Double-Decker Tent

双层篷房

Rendering
效果图

Structural Drawing
结构图

Specifications
技术参数

Technical Specifications for Double-Decker Tents
双层篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
DB-10	10/32.81	5/16.40	8/26.25	9.6/36.09	150*120*4
DB-15	15/49.21	5/16.40	8/26.25	10.4/34.12	150*120*4
DB-20	20/65.62	5/16.40	8/26.25	11.3/37.07	200*120*4
DB-30	30/98.43	5/16.40	8/26.25	12.88/42.26	250*120*4
DB-40	40/131.23	5/16.40	8/26.25	14.5/47.57	300*120*5
DB-40	40/131.23	5/16.40	10/32.81	16.5/54.13	300*120*5
DB-40	40/131.23	5/16.40	12/39.37	18.5/60.70	350*120*5

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Mixed Marquee Tent

组合式篷房

Integrated functions and grand scale. By combining and connecting various basic marquees (such as A-frame and spire types), a large multifunctional space with clearly defined zones is created, meeting the demands of large-scale, comprehensive events.

功能集成，规模宏大。通过多种基础篷房（如人字顶、尖顶）的组合连接，形成功能分区明确的大型复合空间，满足超大型、综合性的活动需求。

Rendering
效果图

Front View
正视图

Specifications
技术参数

Technical Specifications for Mixed Marquee Tent
组合篷房技术规格

Model 型号	Span 跨度(m/ft)	Bay Spacing 档距(m/ft)	Eave Height 边高(m/ft)	Ridge Height 顶高(m/ft)	Main Profiles 主要型材规格 (mm)
MI-10	10/32.81	5/16.40	3/9.84	4.62/15.16	150*120*4
MI-15	15/49.21	5/16.40	4/13.12	6.44/21.13	150*120*4
MI-20	20/65.62	5/16.40	4/13.12	7.25/23.79	200*120*4

Modular design allows for extendable spans, customizable dimensions and configurations.
模块化设计，档距可延长，尺寸与构型均可定制。

Structural Drawing
结构图



Event Marquee Case Studies

活动篷房案例参考

Rapid deployment, ready when needed. Constructed with lightweight alloy frames and professional canopy materials, it features easy installation and disassembly along with adaptable site compatibility. It can quickly create tidy, safe temporary spaces, widely serving various immediate needs such as outdoor celebrations, corporate events, and emergency support scenarios.

快速构建，即需即用。采用轻质合金框架与专业篷布，具备便捷的拆装特性与灵活的场地适应性，可迅速搭建出规整、安全的临时空间，广泛服务于户外庆典、企业活动、应急保障等各类即时性场景需求。

Event Marquee Case Studies

活动篷房案例参考

Optional accessories
可选配件

Optional Door Systems
门可选

Single door
单开玻璃门

Double door
玻璃双开门

Electric PVC Roller Shutter Door
电动PVC卷闸门

Electric Steel Roller Shutter Door
电动钢制卷闸门

Sliding Door
推拉门

Fire-Rated Door
防火安全门

Optional Wall Systems
墙系统

ABS Wall Panel System
ABS墙

Glass Wall
玻璃墙

PVC Wall
PVC墙

Rock Wool Sandwich Panel
棉岩板

Sandwich Panel
岩棉夹芯板

Optional accessories
可选配件

Other Accessories
其他配件

Floor
地板

Air Conditioner (AC)
空调

LED Light
LED 灯

Lining
帷幔

Pagoda Lining
尖顶帷幔

Carpet
地毯

Fixed and load-bearing accessories
固定与承重配件

Steel Anchors
钢钎

Steel Anchor puller
起钉器


Base Plate
承重盘

Ballast Frame
承重铁架

Anchor Casting
预埋件

Ballast Frame
承重铁架