
kobra

PRODUCT CATALOG

Water Treatment Solutions for Animal Production



Agriculture ***never stops.***
And it all ***starts*** with ***quality water.***

WE ARE WATER.

ORKA® - COMPLETE WATER TREATMENT AND COOLING WITH TOTAL CONTROL

ORKA® is a **complete water treatment and cooling system with total control**, designed for operations that demand high performance, precision, and consistency. The system provides intelligent monitoring of pH, ORP, water consumption, and temperature, ensuring continuous supervision of water quality in real time. With remote control via a mobile app and automatic chemical dosing, ORKA optimizes water management, improves operational efficiency, and promotes a sustainable, eco-efficient approach through the intelligent use of water resources.



ORKA®
kobra

Code:
ORK01

Monitored Parameters

- TEMPERATURE
- pH
- ORP (OXIDATION-REDUCTION POTENTIAL)
- WATER FLOW / CONSUMPTION



ECO-FRIENDLY

Smart Recirculation is an eco-friendly system designed to optimize water usage and eliminate waste.

With this technology, water is continuously recirculated within the system, maintaining its quality while ensuring a constant and reliable water supply.



Key Benefits

INTELLIGENT MONITORING
HIGH-PRECISION SENSORS PROVIDE CONTINUOUS WATER QUALITY ANALYSIS, DELIVERING REAL-TIME DATA AND IMMEDIATE RESPONSE TO ANY VARIATION.

REMOTE WEB-BASED CONTROL
AN INTUITIVE WEB INTERFACE PROVIDES COMPLETE SYSTEM CONTROL. CONFIGURE PARAMETERS, ADJUST DOSING SETTINGS, AND MONITOR OPERATIONAL PERFORMANCE FROM ANYWHERE.

ENGINEERED FOR LIVESTOCK FARMS
ROBUST, HEAVY-DUTY EQUIPMENT DESIGNED TO OPERATE RELIABLY IN DEMANDING FARM ENVIRONMENTS, ENSURING DURABILITY, EFFICIENCY, AND EASY MAINTENANCE.

AUTOMATIC DOSING
HIGH-PRECISION INJECTION SYSTEMS DELIVER OPTIMIZED APPLICATION OF DISINFECTANTS AND TREATMENT ADDITIVES, ENSURING GREATER EFFICIENCY, COST SAVINGS, AND CONSISTENT WATER TREATMENT.

SmartKobra® Control Platform

SMARTKOBRA® IS AN INTELLIGENT WATER MANAGEMENT PLATFORM DESIGNED TO CENTRALIZE, AUTOMATE, AND MANAGE EVERY STAGE OF THE WATER TREATMENT PROCESS IN LIVESTOCK OPERATIONS, DELIVERING HIGH PRECISION, RELIABILITY, AND OUTSTANDING OPERATIONAL PERFORMANCE.



INTELLIGENT MONITORING
CONTINUOUSLY MONITORS KEY WATER QUALITY PARAMETERS BY INTEGRATING MULTIPLE SENSORS AND PROVIDING REAL-TIME DATA FOR RAPID RESPONSE TO PROCESS VARIATIONS.

AUTOMATION & PRECISION
REMOTE CONTROL AND AUTOMATIC DOSING ENSURE STANDARDIZED WATER TREATMENT, OPTIMIZED CHEMICAL USAGE, AND GREATER OPERATIONAL EFFICIENCY.

DATA THAT DRIVES RESULTS
COMPREHENSIVE REPORTS AND HISTORICAL RECORDS PROVIDE VALUABLE INSIGHTS FOR PERFORMANCE ANALYSIS, FULL TRACEABILITY, AND DATA-DRIVEN DECISION-MAKING.

DESIGNED FOR MODERN LIVESTOCK OPERATIONS, SMARTKOBRA® COMBINES AUTOMATION, INTELLIGENT TECHNOLOGY, AND SUSTAINABILITY IN A FULLY INTEGRATED, SCALABLE SOLUTION BUILT TO SUPPORT THE CONTINUOUS EVOLUTION OF WATER TREATMENT SYSTEMS.

MORE CONTROL IN DOSING.
MORE SAFETY IN WATER TREATMENT.



Code: **BDEK02**



Code: **BDEK03**

The **Koreon®** line offers reliable, robust, and precise metering pumps, engineered to provide efficient control, safety, and ease of use in the dosing of chemicals for water treatment systems.

KOREON® Lite Dosing Pumps

- Precise dosing control
- Simple operation with excellent cost-effectiveness
- Robust design
- Ideal for water treatment systems

KOREON MAX Dosing Pumps

- Precise dosing control
- Digital display for enhanced visual monitoring
- Robust design and user-friendly operation.
- Ideal for water treatment systems.

APPLICATIONS — Poultry | Swine | Water Treatment | Chemical Dosing

SKUDO® - KOBRA CENTRAL WATER TREATMENT SYSTEM

MORE CONTROL AT THE SOURCE. BETTER WATER QUALITY THROUGHOUT THE FARM.

The **Skudo® Kobra Central Water Treatment System** combines the **KOBRAMIX®** mixing tank with the **KOREON®** electronic dosing pump, bringing together solution preparation, mixing, and dosing for water treatment on poultry and swine farms. Installed in the water supply line between the well outlet and the main storage tank, the system enables controlled dosing of disinfectants, such as **BRADOX®**, before water is distributed to the various points of use across the farm. A practical solution for centralized treatment and easier water management.

SOLUTION PREPARATION AND DOSING IN ONE SYSTEM

KOREON®

An electronic dosing pump that draws the prepared solution from the **KOBRAMIX®** tank and injects it into the water supply line, offering adjustable dosing and easy operation.



KOBRAMIX®

A manual mixing tank designed for preparing, thoroughly mixing, and storing the solution. Features an external filling connection for use with the lid closed, a gas vent outlet, and a low-level sensor with audible and visual alarms.



Recommended Monitoring
Kobra pH / ORP / Temperature Meters

Code:
STCBMKTW

BENEFITS

- Centralized treatment before water distribution.
- Convenient preparation and application of disinfectants.
- Adjustable dosing to meet treatment requirements.
- Low-level alert to support routine solution replenishment.

IDEAL FOR USE WITH BRADOX®



Easy preparation and controlled dosing of **BRADOX®**, bringing the power of chlorine dioxide to your farm's central water treatment system.

APPLICATIONS — Poultry Farming | Swine Farming | Water Supply Treatment

kobra meters

KOBRA ULTRASONIC WATER METER

Accurate water flow measurement, even at low flow rates, using ultrasonic technology with no moving parts. Designed for high durability, low maintenance, and pulse output for integration with farm controllers and automation systems.



Code:
HDUK1 - 1"
HDUK1.5 - 1 1/2"







KOBRA WATER QUALITY METER

The **KOBRA® Water Quality Meter** measures pH, ORP, and water temperature quickly and accurately, providing reliable real-time results.

Code:
KMA01

QUARTET®



Code:
Poultry
QK01 - 1"
QK03 - 1 1/2"
Swine
QKS01 - 1"
QKS03 - 1 1/2"



Recommended Monitoring
Kobra pH / ORP / Temperature Meters

The **Kobra Quartet®** is a complete drinking water treatment system designed to improve water quality through four treatment stages: 1 - Chlorination, 2 - Acidification, 3 - Filtration, 4 - Scale & Corrosion Control. The first part of the **Kobra Quartet®** provides microbiological control through chlorination (1), achieved by dissolving trichlor tablets, followed by acidification (2) using **Acikobra®** organic acid tablets, which lower the water pH. The combined action of these treatments enhances water sanitation by increasing chlorine efficiency under acidic conditions. The second part of the **Kobra Quartet®** provides physical and chemical water treatment through the **Kobra Nipple Filter** (3), which uses a porous membrane to retain suspended particles. **The Kobra Nipple Filter** is highly durable, washable, and reusable. Finally, the water passes through the **Noleak® Doser** or **Freeflow Swine ® Kobra** (4), where hardness-forming minerals and corrosive agents are neutralized. This process prevents the oxidation of iron and manganese, inhibits calcium carbonate scale formation, and helps prevent biofilm development, scale buildup in water systems, and leaking drinkers.

* The Kobra Quartet® is available in versions for poultry and swine production. For more information, please contact your distributor or the Kobra team.

QUARTET® CONSUMABLES



Code: **REDTAB**
7 tablets of 200 g / 1.4 kg

ACIKOBRA® TABLETS



Code: **RF400** - 0.4 kg Refill

NOLEAK® REFILL



Code: **RF1100** - 1.1 kg Refill

FREEFLOW SWINE®



Code: **KITPOOL** - 100 Test Strips

KIT POOL TEST®



Code: **PHK01** - 100 Test Strips

pH **Test®**

DOSATAK®

The **Dosatak® Kobra** is a volumetric proportional liquid dosing pump powered exclusively by water flow and manufactured in Brazil. Built with high-resistance materials, the Dosatak® Kobra features a highly durable diaphragm system that delivers reliable performance even in hard water conditions. The system automatically draws the concentrate, dilutes it with water, and injects it accurately into the water line, ensuring precise and consistent dosing without the need for electrical power.



DOSATAK® *Animal Health*

- Precise dosing of medications, vaccines, electrolytes, and vitamins
- Standard dosing range: 1% to 5% or 0,4% to 2%
- Ensures safe and efficient application
- Designed to meet the specific requirements of animal nutrition and health programs

Code: Animal Health – DSK5RV25 – 1–5%



DOSATAK® *Sanitation*

- Ideal for dosing sanitizers and acidifiers
- Standard dosing range: 0.1% to 0.5%
- Constructed with materials offering superior chemical and mechanical resistance
- Suitable for sanitizers and oxidizing chemicals at high concentrations

Code: Sanitation – DSK05RV25SA – 0.1–0.5%

DOSATAK® *Vehicle Disinfection*

- Specifically designed for disinfection arch applications
- Standard dosing range: 0.1% to 0.5%
- Direct dosing of the selected product without the need for pre-dilution
- Provides a practical and efficient application, helping ensure facility biosecurity

Code: Disinfection Arch – DSK05RV25AD – 0.1–0.5%



Code:
DSK5RV25 - 1 - 5%

kobramix

The **KOBRAMIX® 50 L and 200 L** Mixing Tanks by Kobra® are designed to facilitate the dissolution and mixing of sanitizers, medications, additives, and other products in water. They ensure a high-quality solution by providing fast and efficient mixing. Available in manual and electric models, the tanks feature a mixing shaft and impeller made from highly chemical-resistant materials. The electric models also include a level sensor with an audible alarm that alerts the operator when the product level is low.



Code:
Manual
KTW50LPM
KTW200LPM

Code:
Electric
KTW50LN
KTW200LN

BRADOX®

BRADOX® is a two-component formulation that, when dissolved in water, generates high-purity stabilized chlorine dioxide. Chlorine dioxide is a highly effective sanitizing agent that offers several advantages over chlorine and other disinfectants for the disinfection of water and equipment.

- **Effective disinfection across a pH range of 4 to 10, even in the presence of organic matter.**
- **Removes biofilms from pipelines and water reservoirs.**
- **Highly effective against viruses, bacteria, algae, and protozoa.**
- **Does not react with ammonia or produce strong-smelling compounds.**
- **Does not form trihalomethanes (THMs) or chlorinated hydrocarbons.**
- **Non-corrosive, even at high concentrations.**
- **Provides long-lasting microbiological protection for hours or even days.**



Code:
BRX150 - 150g
BRX1500 - 1,5Kg

BRADOX® CHLORINE DIOXIDE TEST STRIPS



Code: **FBDX01** - *50 Tiras*

Bradox® Chlorine Dioxide Test Strips measure chlorine dioxide concentrations from 0.5 to 100 ppm. Accurate results are obtained in less than one minute, making them ideal for a wide range of water treatment applications.

KIT POOL TEST®



Code: **KITPOOL** - 100 Fitas

Pool Test Kit® strips are designed for practical water quality monitoring, measuring Free Chlorine (ppm), Alkalinity (ppm), Total Hardness (ppm), and pH (6.2–9.0) quickly and accurately.

KONTROL®



Cód.: **KTRL01** - 25Kg

With its acid-based formulation, **Kontrol®** is an effective solution for reducing the presence of Enterobacteriaceae, especially Salmonella and E. coli, by lowering litter pH and moisture. **Kontrol®** also helps reduce ammonia generation in poultry litter, improving air quality inside poultry houses. In addition, it enhances the nutritional value of the litter when reused as fertilizer.

HYDRAK®



Code: **HYK01** – 1Kg

Hydrak® is a powdered blend of electrolytes, organic acids, and buffering agents, formulated for dissolution in drinking water.

NOPLAX®



Cód.: **KPC01**- 200g

Noplax® Kobra is an additive developed for cleaning evaporative cooling systems (cooling pads). It removes scale deposits and neutralizes contaminants, helping prevent the formation of new deposits. In addition, **Noplax®** provides microbiological control of both the reservoir water and the air passing through the cooling system by means of a specialized blend of chelating agents, dispersants, sequestrants, buffering agents, and anti-caking additives.

NON-CORROSIVE • SAFE FOR COOLING PADS

ACIKOBRA® PASTILHAS

Acikobra® Tablets are formulated with 100% food-grade organic acids in tablet form. They are designed to reduce and maintain water pH at optimal acidic levels, improving microbiological control and enhancing drinking water quality for animal production.

100% ORGANIC ACIDS



Code: **REDTAB** – 7 Tablets of 200 g / 1.4 kg

ACIKOBRA PÓ SOLÚVEL

Acikobra® Soluble Powder, available in 1 kg and 120 g packages, is formulated with 100% food-grade organic acids in powder form. It reduces and maintains water pH at optimal acidic levels, improving microbiological control and enhancing drinking water quality for animal production.

100% ORGANIC ACIDS



Code:
ACK02 - 1Kg
ACK03 - 120g

NOLEAK® ANTIHARDNESS®

Kobra Noleak® and **Antihardness®** dosing cartridges help reduce drinker leakage and improve water quality in poultry and swine farms. They minimize the effects of hard water while helping prevent corrosion, metal oxidation, and scale buildup inside water lines.

They also help control iron bacteria, including E. coli, Pseudomonas, and Salmonella, reduce ammonia formation, and prevent excessive litter moisture, contributing to a healthier environment for the animals.



Code: **RF400** – 0.400 kg Refill



Code: **RF1100** – 1.100 kg Refill

SILICONE LUBRICANT

Silicone grease specifically formulated for lubricating the sealing rings of the **Dosatak®** proportional dosing pump.



Code:
GSD01



ACIKOBRA MAX®

Acikobra Max® is a liquid **pH reducer** formulated with 100% food-grade organic acids, developed to provide precise, safe, and efficient pH control for animal drinking water. Its Max formulation delivers highly effective pH adjustment, improving water palatability, enhancing microbiological control, and increasing the effectiveness of water-applied treatments—without causing damage to equipment or water systems. As a liquid product, **Acikobra Max®** provides uniform and controlled dosing, making it ideal for use with Kobra proportional dosing pumps. It ensures standardized water management and consistent results throughout all stages of production. Developed for continuous on-farm use, **Acikobra Max®** combines high-quality raw materials, ease of application, and reliable performance.


ACIKOBRA MAX®

When precise pH control matters,
choose superior performance and reliability.




Recommended Monitoring
Kobra pH / ORP / Temperature Meters

nordik® EVAPORATIVE PAD



- Greater Rigidity
- Longer Service Life
- Higher Water Absorption
- Best Cost-Effectiveness



• Dimensions:
Height - 182,8cm (72")
Width - 60,9cm (24")
Thickness -15,2cm (6")

Code:
PEV01 - 45º/15º
PEV04 - 45º/45º

NORDIK® EC-Pro Evaporative Cooling Pads, manufactured with **Euro Cooling Technology**, are produced using premium European paper and a high-performance specialty resin engineered to resist deterioration while meeting the most demanding international standards. They deliver outstanding cooling efficiency, long service life, and low maintenance, providing clean, high-quality cooled air.

NORDIK® Cooling Pads are available in 45°/45° and 15°/45° flute configurations to suit different applications, and can also be manufactured as custom solutions according to customer specifications. They are ideal for poultry and swine farms, as well as cooling applications in greenhouses, horticultural facilities, floriculture, cattle housing, warehouses, and other small-, medium-, and large-scale environments.

Quality & Durability
- High-quality materials
- Durable construction
- Long service life

Efficiency & Performance
- High evaporation efficiency
- Excellent humidification performance
- Low operating costs

Maintenance & Sustainability
- No water carryover
- Low mineral scale formation
- Algae protection system

Installation & Flexibility
- Quick and easy installation
- Available in 45°/45° and 15°/45°
- External protection
- Custom-engineered solutions


EVAPORATIVE COOLING PAD FILTER



Code: AV42

The **Kobra Evaporative Cooling Pad Filter®** is designed to prevent clogging of the water distribution holes in evaporative cooling pad systems caused by insects, leaves, and other solid particles. Thanks to its high-efficiency filtration, water is evenly distributed across the entire cooling pad, ensuring optimal performance while eliminating the need for frequent unclogging.

SEE HOW EASY IT IS TO INSTALL THE FILTER ON THE COOLING PAD SYSTEM:



NOPLAX®



Noplax® Kobra is specially formulated for the cleaning and maintenance of evaporative cooling systems, removing scale deposits, neutralizing contaminants, and preventing the formation of new deposits. It also helps maintain microbiological control of both the reservoir water and the air passing through the cooling system.

SEE HOW EASY IT IS TO USE:

1. Drain the water trough.
2. Refill with clean water.
3. Add NOPLAX® and let it circulate for one week.

Code:
KPC01 - 200g

Use one 200 g package of NOPLAX® for evaporative cooling pads with a surface area of up to 55 m² (approximately 30 m × 1.80 m).

NOPLAX® ULTRA KIT




Code: **KITDKPC**

The **Noplax® Ultra Kit** continuously treats and renews water in evaporative cooling systems. With controlled dosing, it helps clean, descale, and continuously purge the system, reducing mineral deposits and contaminants that compromise cooling pad efficiency. Its 1.1 kg refill cartridge provides long-lasting automatic dosing and features a transparent housing for easy refill level monitoring.

AUTOMATED COOLING PAD WATER TREATMENT

SEE HOW EASY IT IS TO INSTALL THE DOSER ON THE COOLING PAD SYSTEM:



SOLUTIONS FOR FOGGING SYSTEMS


HIGH PRESSURE
IN-LINE FILTER – INSTALLED BEFORE THE WATER TANK



Kobra® offers a range of high-capacity filters designed for high-pressure fogging systems, providing superior filtration performance. Explore the available options:

Code:
AV31 - 1" 50 micra
AV32 - 1" 25 micra
AV37 - 1 1/2" 25 micra
AV40 - 1 1/2" 50 micra

SEE HOW TO INSTALL HIGH-PRESSURE EQUIPMENT:




MEDIUM & LOW PRESSURE
IN-LINE FILTER – INSTALLED AFTER THE WATER PUMP



Code:
AV01 – 3/4" Male Thread – 50 Microns
AV02 – 1" Male Thread – 50 Microns

Kobra® offers a range of high-capacity filters designed for medium- and low-pressure fogging systems, ensuring superior filtration performance.

SEE HOW TO INSTALL MEDIUM- & LOW-PRESSURE EQUIPMENT:



FILTER CARTRIDGE
WATER TANK FILTER – INSTALLED INSIDE THE RESERVOIR



Kobra® Filter Cartridges improve water quality by retaining suspended solid particles through depth filtration, ensuring superior filtration efficiency. They are washable and reusable, providing long service life, durability, and easy maintenance.

Code:
AV02 – 1" Male Thread – 50 Microns
ERAV1050 – 1½" Male Thread – 50

SEE HOW TO INSTALL THE FILTER




Freeflow
INSTALLED BETWEEN THE FOGGING FILTER AND THE WATER TANK



The Kobra Freeflow® Doser reduces scale buildup and corrosion in livestock water systems, protecting pipelines and improving the performance of watering systems through continuous dosing from the refill cartridge.

SEE HOW TO INSTALL FREEFLOW



INSTALLATION DIAGRAM

CENTRAL TREATMENT WITH KOREON® + QUARTET

A complete system for water pre-treatment and chemical dosing in livestock operations, from the water source to drinking systems, cooling, medication, and sanitization.





Diagram Legend

- DOMESTIC WATER SYSTEM
- DRINKING WATER SYSTEM
- FOGGING SYSTEM
- EVAPORATIVE COOLING PAD SYSTEM



ABOUT THE COMPANY

Operating in the Brazilian market since 1997, we have been developing innovative products for a wide range of industries, from everyday agricultural operations to complex industrial production lines. Our products are designed to improve people's lives and enhance their businesses. With a portfolio of over 100 products, including dosing systems, filters, water treatment additives, and custom-engineered solutions developed with Kobrapor® technology, we are committed to delivering high-performance solutions that are easy to implement.

Through our technological solutions, we have expanded into new markets and reached new customers, serving clients throughout Brazil and internationally in countries such as Argentina, Chile, Peru, Mexico, the United States, Egypt, Germany, Italy, Panama, the Dominican Republic, South Africa, Uruguay, Paraguay, Ecuador, Bolivia, Honduras, Costa Rica, Colombia, Turkey, Poland, Russia, Hungary, and many more.

QUALITY POLICY

We are committed to manufacturing user-friendly, high-performance products that meet our customers' needs. We continuously improve our processes, products, and Quality Management System while complying with applicable requirements. We encourage the personal and professional development of our employees, teamwork, respect, and commitment to quality.

kobra



Address: Rua Damaris Rosa de Menezes Monteiro, 265
ZIP Code: 86031-216
City: Londrina – Paraná – Brazil
Phone: +55 43 3374-5151
E-mail: contato@kobratec.com.br
www.kobratec.com.br

Kobra® reserves the right to modify product descriptions contained in this catalog. Specifications are subject to change without prior notice. Images shown in this catalog are for illustrative purposes only. The actual product should be considered final.

@kobraindtec

