


1470-19 (3/11)


0.76±0.08




SIM CARD PAD LAYOUT

DETECTION SWITCH(SW)

CARD EJECT OFF




CIRCUIT DRAWING OF SWITCH

MATCH WITH PCB LAYOUT
SCALE <5:1>

SW	DETECTION SWITCH
C8	RESERVED
C7	I/O
C6	VPP
C5	GND
C4	RESERVED
C3	CLK
C2	RST
C1	VCC
PIN No.	PIN NAME

SIM CARD PIN ASSIGNMENT

PCB LAYOUT(REFERENCE)
(VIEW FROM CONNECTOR MOUNT SIDE)DETAIL C
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 17FEB2012

CHK WJ.Choi 17FEB2012

APVD JH.Kim 17FEB2012

PRODUCT SPEC

108-61153

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

STE

TE Connectivity

NAME MICRO SIM 1.24

Push-Pull TYPE

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A300779C=2108431

SCALE 6:1 SHEET 3 OF 4 REV B3

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P


LTR

DESCRIPTION

DATE

DWN

APVD

 16 ± 0.15
 2 ± 0.15 4 ± 0.15
UNREELING
DIRECTION
 $\phi 1.5^{+0.1}_0$
 1.75 ± 0.15
 11.5 ± 0.15
 24 ± 0.3

1. HOUSING MATERIAL : THERMO PLASTIC RESIN.

2. CONTACT MATERIAL : COPPER ALLOY.

 FINISH : 1.3um MIN. NICKEL UNDERPLATING ALL OVER,
 GOLD PLATING 0.3um MIN. ON ZONE 1,
 GOLD PLATING 0.05um MIN. ON ZONE 2.

3. SHELL MATERIAL : STAINLESS STEEL.

 FINISH : 1.3um MIN. NICKEL UNDERPLATING ALL OVER,
 TIN PLATING 1.0um MIN. ZONE 3.

4. COPLANARITY : 0.08MAX

5. COPLANARITY MEASURED ON 8 CONTACTS AND 5 CLIP PEGS IN ONE PASS.

6. DIMENTION MEASURED FROM PLASTIC TO CENTER OF CLIP PEGS.

7. EASY BROKEN BURR IS NOT PERMITTED.

8. NO STRIP-LINE AREA

9. TE LOGO, CARD INSERTION LOGO

10. DATE CODE : YWWSL (YEAR, WEEK , DAY, SHIFT, LINE)

11. DO NOT CONTAIN ANY SUBSTANCE WHICH ARE SPECIFIED IN (OQA-2049)

12. PACKING QUANTITY : 2000PCS/REEL

13. GROUND PATTERN

14. THIS PATTERN IS NOT GROUND. IT IS ONLY FLOTING PATTERN.

400mm REF

WEEDING THE COVER TAPE.

 $\phi 330$ REF
 $\phi 100$ REF
 REEL DIA.

 2.5 REF TYP.2
 32.4 REF
 $\phi 13$ REF20 POCKETS
(EMPTY)WITH PRODUCT CHARGE
2000EA/1REEL20 POCKETS
(EMPTY)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN WJ.Choi 17FEB2012

CHK JH.Kim 17FEB2012

APVD BW.Kang 17FEB2012

PRODUCT SPEC

108-61153

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

 MICRO SIM H1.24
 Push-Pull TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C=2108431

-

SCALE 5:1

SHEET 4

OF 4

REV B3