




 **http://localhost:5012/api/auth/register**  Save  Share 

POST

http://localhost:5012/api/auth/register

Send

ParamsAuthHeaders (9)BodyScriptsSettings

rawJSON

```
1 {
2   "firstName": "Олексі́й",
3   "lastName": "Біловол",
4   "email": "user@library.com",
5   "password": "User123!"
6 }
```

Body200 OK • 351 ms • 188 B •  

{ } JSON

Preview

Visualize

```
1 {
2   "message": "User created successfully!"
3 }
```

HTTP

http://localhost:5012/api/auth/login

Save

Share

</>

POST

http://localhost:5012/api/auth/login

Send

Params

Auth

Headers (9)

Body

Scripts

Settings

Cookies

Beautify

raw

JSON

```
1 {
2   "email": "user@library.com",
3   "password": "User123!"
4 }
```

Body

200 OK

470 ms


972 B


{ } JSON

Preview

Visualize

```
1 {
2   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJodHRwOi8vc2NoZW1hcy54bWxzb2FwLm9yZy93cy8yMDA1LzA1L2lkZW50aXR5L2NsYWltcy9uYW11IjoidXNlckBsaWJyYXJ5LmNvbSIsImh0dHA6Ly9zY2hlbWVzLnhtbHNvYXAud3JnL3dzLzIwMDUvMDUvYWRLbnRpdHkvY2xhaW1zL2VtYWlsYWRLcmVzcyI6InVzZXJAbGlicmFyeS5jb20iLCJodHRwOi8vc2NoZW1hcy54bWxzb2FwLm9yZy93cy8yMDA1LzA1L2lkZW50aXR5L2NsYWltcy9uYW11aWR1bnRpdZml1ciI6Ijg0MWQ0ODVhLThiM2EtNDRLZi05MzAxLTBhYTJlOWQ3OWJhNCIsImp0aSI6IjA1OGZmNGI0LWZhNzItNDQ4Mi05MjQ1LTBhOThhZjQ1Y2RjNyIsImh0dHA6Ly9zY2hlbWVzLm1pY3Jvc29mdC5jb20vd3MvMjAwOC8wNi9pZGVudG10eS9jbGFpbXMvcm9sZSI6Ii1VzZXIiLCJleHAiOjE3NjE1NDI4MDYsImZcyI6IkpXVnJhcn1BUEkiLCJhdWQiOiJMaWJyYXJ5J5Q2xpZW50In0.rakgiX17zXcfhKXB7V3A39vER7ztMtH67IeQGwKnzhM",
3   "expiration": "2025-11-07T10:12:06Z"
```





Як ми бачимо з токеном юзеру ми не можемо виконати PULL, але можемо виконати GET. А з токеном адміна доступні всі функції

POST

http://localhost:5012/api/books

Send

Params

Auth

Headers (10)

Body

Scripts

Settings

Cookies

Auth Type

Bearer Token

Token

.hu8dlhhoQSVVq_mgNz-w

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Body

201 Created

97 ms

377 B

JSON

Preview

Visualize

{

"id": "5e6e8f33-1eca-44bc-952a-210bd06bba48",

"title": "Тестова книга",

"author": "Тестовий автор",

"year": 2024,

"pages": 100

}

GET

http://localhost:5012/api/books

Send

Params

Auth

Headers (10)

Body

Scripts

Settings

Cookies

Auth Type

Bearer Token

Token

.hu8dlhhoQSVVq_mgNz-w

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Body

200 OK

8 ms

294 B

{ } JSON

Preview

Visualize

```
1  [
2    {
3      "id": "5e6e8f33-1eca-44bc-952a-210bd06bba48",
4      "title": "Тестова книга",
5      "author": "Тестовий автор",
6      "year": 2024,
7      "pages": 100
8    }
9  ]
```