



Cloudflare Agents Platform: From Workers to Production



The Stateless AI Paradox



Lambda functions forget everything. State is lost.




Containers boot slowly. Cold starts break real-time latency.

The Contrarian Truth:

"Serverless" is often marketed as stateless.
For AI agents, serverless must be stateful.

The Edge-Native Agent Architecture




Running natively in 330+ PoPs globally
— without managing a single server.

Infrastructure For Agents: The Reality Check

	Edge Agents (Cloudflare)	Cloud VMs (EC2/Containers)	Stateless Serverless (Lambda)
State Persistence	Built-in (SQLite)	Requires external DB	None (ephemeral)
Cold Start Time	Milliseconds	Seconds to Minutes	Milliseconds to Seconds
Tool Execution Latency	Zero-network-hop	High (external API calls)	High (external API calls)
Ops Overhead	Single codebase deploy	High (server/network management)	Medium (complex orchestration)


Layer 1: The Compute Primitive



Inspector Note

The Contrarian Truth: Your agent isn't re-hydrated from a database on every call. It wakes from hibernation with its memory fully intact.

Layer 2: Durable Objects as the Agent's Brain




Co-located Compute & State
(Zero Network Hop)


Inspector Note

The Contrarian Truth: Redis is a network hop and serialization tax. Durable Object SQLite is co-located with your compute. Zero network latency for state reads.

Facets Architecture




Layer 3: Native Tool Sandboxing



Inspector Note

The Contrarian Truth: Most frameworks treat tools as HTTP endpoints. Here, your tools are native platform bindings. The tool IS the infrastructure.


Layer 4: Workflows v2 for Durable Execution



Inspector Note

The Contrarian Truth: "Fire-and-forget" is for webhooks. For AI agents, every step must be resumable. Workflows make resumability the default.


Layer 5: AI Gateway for Production Routing



Inspector Note

The Contrarian Truth: You don't need LangSmith or Helicone. If you're on Cloudflare, token counts, rate limits, and fallback routing are native. No data leaves your account.


Layer 6: MCP and Interoperability



Inspector Note

The Contrarian Truth: MCP servers are usually separate microservices. A Workers agent CAN BE an MCP server—same codebase, same deployment.


Layer 7: Tracing and Production Ops



Inspector Note


The Contrarian Truth: Logging LLM output isn't observability. Real observability means tracing the gap between intent (user request) and execution (agent action).

The CaseOps Architecture Blueprint



Seven isolated primitives, unified into a single edge-native production system.

The Operational Leverage of the Edge




- Deployed globally in one command.
- No servers to manage.
- Fails gracefully by default.



**Single Codebase.
One Deploy.**

Try It Next



```
> npm create cloudflare@latest --template agents  
> cd my-agent  
> npx wrangler deploy
```

Read the docs and start building stateful agents at the edge today.