Glowy:

Splendid! You're a natural. Just like Harry Potter was, remember what Hagrid told him when they first met?

"You're a unit of electrical energy, Harry." "I'm a watt?"

Huehuehue. Yes, I'll have one for each level, what did you expect?

Glowy:

Getting close to that unlimited power we talked about 😏

🔓 **Additional info**

Tasks can now draw as much power as wanted at any given minute within a certain interval

Task for Level 3:

Find the cheapest minute to draw power for each task

› Tasks now don't have to run for a certain time, but have to draw a certain amount of power to be completed.

› Tasks can now draw as much power as needed at any given minute within a given interval. This might change in future levels 😉

› Find the cheapest minute within this interval to complete the task.

	Input	Output
Format	N price (repeats N times) M taskId power startInterval endInterval (repeats M times)	M taskId minuteId power (repeats N times) For each task, find the cheapest minute to draw enough power to finish the task.
Types	N (int) number of minutes that follow price (int) price of power at that minute M (int) Number of tasks that follow taskId (int) id of the task starting at 1 **power (int) the amount of power the task has to draw to be completed** **startInterval (int) the id of the first minute that power can be drawn for this task** **endInterval (int) the id of the last minute that power can be drawn for this task**	M (int) Number of tasks that follow taskId (int) id of the task minuteId (int) id of the minute the task is drawing power **power (int) amount of power that is drawn**
Example	10 9796 8267 5415 8256 6770 3985 2567 2753 5600 5046 5 1 4 2 8 2 7 1 8 3 1 0 2 4 1 7 8 5 1 1 2	5 1 6 4 2 6 7 3 2 1 4 7 1 5 2 1