

NEXHIRE

Functional, User Experience and Interaction Specification

Modules, Screens, Navigation, Use Cases, UI/UX and Detailed Workflows

Volume 2 of 4 | Version 3.0 | Team ALPHA | 5 August 2026

Enterprise Second-Brain Edition - Controlled Source of Truth

Document Control and Version History

Field	Value
Product	NexHire Smart Recruitment Matching Platform
Document Set	Enterprise Documentation and Second Brain v3.0
Owner	Kogul / Team ALPHA
Classification	Project Internal / Academic Submission / Client-Ready
Canonical Product Baseline	Second Brain Final Pack v2.0
Implementation Overlay	Master Documentation and Team Handover Pack
Review Rule	Changes require an approved decision record and traceability update

Version	Date	Status	Summary
1.0	4 Aug 2026	Historical	Original source documentation baseline
2.0	5 Aug 2026	Validated Source	Second Brain canonical pack and validated prototype
3.0	5 Aug 2026	Current Controlled Edition	Unified enterprise documentation with conflicts resolved through phase boundaries

Authoritative interpretation rule

Core Release v1.0 follows the trust-first, explainable matching, duplicate-safe application and consent-gated contact scope of the validated Second Brain pack. Interview, Offer, Talent Pool and Complaint capabilities from the implementation overlay are retained as Phase 2 extensions, not silently mixed into Core Release v1.0.

Table of Contents

15	Functional Architecture and Module Breakdown
16	Navigation and Information Architecture
17	Screen Specifications
18	Detailed Use Case Specification
19	Activity and Sequence Flow Explanations
20	UI/UX Design System and Accessibility
21	Validation, Errors and Notifications
22	Dashboards, Reports and Analytics
23	Phase 2 UX Extensions
24	Appendices

15. Functional Architecture and Module Breakdown

Module	Name	Functional Responsibility
M01	Identity and Access	Registration, login, refresh, logout, role and account-state enforcement.
M02	Candidate Profile	Structured candidate evidence and readiness.
M03	Skill Passport	Canonical skills, aliases and candidate evidence.
M04	Protected CV and CV Studio	Private upload, scan, controlled streaming and deterministic template rendering.
M05	Company Trust	Company profile, evidence and verification lifecycle.
M06	Vacancy Lifecycle	Draft, moderation, activation, closure and expiry.
M07	Search and Discovery	Trusted public vacancy search and candidate projections.
M08	Matching Engine	RM-1.0 deterministic scoring, gaps, receipts and replay.
M09	Applications	Idempotent duplicate-safe apply, history and withdrawal.
M10	Employer Applicant Review	Stable ranking, evidence review and protected CV access.
M11	Application Status	Allowed transition matrix, history and notifications.
M12	Consent Contact	One pending request, candidate decision, conditional detail release.
M13	Notifications	Owner-only in-app inbox and durable outbox delivery.
M14	Privacy and Deletion	Preferences and controlled deletion requests.
M15	Reporting and Audit	Truth-based summaries, exports and append-only audit.
M16	Administration and Governance	Verification, users, moderation, skill governance and locked settings.

M01 - Identity and Access

Registration, login, refresh, logout, role and account-state enforcement.

Dependency and boundary: No business module may bypass identity/account-state policies.

M02 - Candidate Profile

Structured candidate evidence and readiness.

Dependency and boundary: Feeds M08 matching and M04 CV Studio; owned by Job Seeker.

M03 - Skill Passport

Canonical skills, aliases and candidate evidence.

Dependency and boundary: Feeds M08 and M06; governed by M16.

M04 - Protected CV and CV Studio

Private upload, scan, controlled streaming and deterministic template rendering.

Dependency and boundary: Uses M01, M02 and private storage; accessible to M10 only through policy.

M05 - Company Trust

Company profile, evidence and verification lifecycle.

Dependency and boundary: Gates M06 activation and public trust.

M06 - Vacancy Lifecycle

Draft, moderation, activation, closure and expiry.

Dependency and boundary: Uses M03 and M05; feeds search, matching and applications.

M07 - Search and Discovery

Trusted public vacancy search and candidate projections.

Dependency and boundary: Reads trusted M06 projections.

M08 - Matching Engine

RM-1.0 deterministic scoring, gaps, receipts and replay.

Dependency and boundary: Consumes M02/M03/M06 and publishes immutable receipt.

M09 - Applications

Idempotent duplicate-safe apply, history and withdrawal.

Dependency and boundary: Consumes M08 and M06; feeds M10/M11/M12.

M10 - Employer Applicant Review

Stable ranking, evidence review and protected CV access.

Dependency and boundary: Reads M09/M08/M04 under employer ownership.

M11 - Application Status

Allowed transition matrix, history and notifications.

Dependency and boundary: Mutates M09 state with notifications/audit.

M12 - Consent Contact

One pending request, candidate decision, conditional detail release.

Dependency and boundary: Depends on eligible M09/M11 state and candidate consent.

M13 - Notifications

Owner-only in-app inbox and durable outbox delivery.

Dependency and boundary: Consumes outbox events from all business modules.

M14 - Privacy and Deletion

Preferences and controlled deletion requests.

Dependency and boundary: Controls privacy and deletion requests across candidate data.

M15 - Reporting and Audit

Truth-based summaries, exports and append-only audit.

Dependency and boundary: Reads authoritative aggregates; never invents dashboard values.

M16 - Administration and Governance

Verification, users, moderation, skill governance and locked settings.

Dependency and boundary: Operates governance, not hidden matching manipulation.

16. Navigation and Information Architecture

Workspace	Primary Navigation
Public	Home, Trusted Jobs, Job Detail, Register, Login
Job Seeker	Dashboard, Profile, Skill Passport, Protected CV, CV Studio, Find Jobs, Applications, Contact Requests, Notifications, Privacy
Employer	Dashboard, Company Profile, Verification, Vacancies, Ranked Applicants, Contact Requests, Reports, Notifications
Administrator	Dashboard, Verification Queue, Users, Vacancy Reports, Moderation, Skills, Audit, Settings

16.1 Navigation Rules

- Navigation is role-specific; unauthorized routes must also fail server-side.
- Current page and status are visible without relying only on colour.
- Critical decision actions remain near the evidence they affect.
- Back navigation must not repeat non-idempotent commands.
- Deep links re-authorize the current resource and state.

17. Screen Specifications

Screen	Purpose
Public Home	Value proposition, trusted-vacancy entry, role-specific calls to action.
Register	Role selection, account details, notice acknowledgement and password policy.
Login	Secure credential entry and role-aware workspace routing.
Candidate Dashboard	Readiness, active applications, notifications and next actions.
Candidate Profile	Structured evidence, location, experience, education and readiness.
Skill Passport	Canonical skill lookup, evidence level, add/remove and duplicate prevention.
Protected CV	Upload/replace/remove, scan state and private access explanation.
CV Studio	Candidate-authored structured CV, preview and deterministic PDF render.
Trusted Vacancy Search	Keyword/location filters, trust indicators and bounded result list.
Match Explanation	Overall score, components, required-skill gaps and replay receipt.
Application Tracker	Status, history, withdrawal and immutable application identity.
Contact Requests	Employer context, expiry, accept/decline and privacy explanation.
Candidate Privacy	Visibility preferences and deletion request status.
Employer Dashboard	Trust state, active vacancies, applications and required actions.
Company Profile and Verification	Company evidence, documents, status and decision history.
Vacancy Workspace	Draft/edit/activate/close, required/preferred skills and trust predicate.
Ranked Applicants	Stable ranking, match explanation, evidence and masked contact.
Employer Contact Requests	Pending/accepted/declined/expired requests and accepted detail view.
Employer Reports	Truth-based summary and safe CSV export.

Screen	Purpose
Admin Dashboard	Truth counts, queues, risks and operational actions.
Verification Queue	Evidence review, reasoned decision and concurrency controls.
Account Management	Bounded search, suspend/reactivate and audit context.
Vacancy Moderation	Reports, evidence, moderation action and public removal.
Skill Governance	Canonical skill and alias management with evidence preservation.
Audit and Settings	Bounded audit search and read-only locked product settings.

17.1 Public Home

Value proposition, trusted-vacancy entry, role-specific calls to action.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.2 Register

Role selection, account details, notice acknowledgement and password policy.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.3 Login

Secure credential entry and role-aware workspace routing.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.4 Candidate Dashboard

Readiness, active applications, notifications and next actions.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.5 Candidate Profile

Structured evidence, location, experience, education and readiness.

- Clear page title and role context
- Loading, empty, success and actionable error states

- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.6 Skill Passport

Canonical skill lookup, evidence level, add/remove and duplicate prevention.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.7 Protected CV

Upload/replace/remove, scan state and private access explanation.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.8 CV Studio

Candidate-authored structured CV, preview and deterministic PDF render.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.9 Trusted Vacancy Search

Keyword/location filters, trust indicators and bounded result list.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.10 Match Explanation

Overall score, components, required-skill gaps and replay receipt.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.11 Application Tracker

Status, history, withdrawal and immutable application identity.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.12 Contact Requests

Employer context, expiry, accept/decline and privacy explanation.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.13 Candidate Privacy

Visibility preferences and deletion request status.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.14 Employer Dashboard

Trust state, active vacancies, applications and required actions.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.15 Company Profile and Verification

Company evidence, documents, status and decision history.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.16 Vacancy Workspace

Draft/edit/activate/close, required/preferred skills and trust predicate.

- Clear page title and role context
- Loading, empty, success and actionable error states

- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.17 Ranked Applicants

Stable ranking, match explanation, evidence and masked contact.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.18 Employer Contact Requests

Pending/accepted/declined/expired requests and accepted detail view.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.19 Employer Reports

Truth-based summary and safe CSV export.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.20 Admin Dashboard

Truth counts, queues, risks and operational actions.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.21 Verification Queue

Evidence review, reasoned decision and concurrency controls.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.22 Account Management

Bounded search, suspend/reactivate and audit context.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.23 Vacancy Moderation

Reports, evidence, moderation action and public removal.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.24 Skill Governance

Canonical skill and alias management with evidence preservation.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

17.25 Audit and Settings

Bounded audit search and read-only locked product settings.

- Clear page title and role context
- Loading, empty, success and actionable error states
- Responsive layout and keyboard-operable controls
- Server-authoritative authorization and validation
- Audit/confirmation feedback for consequential actions

18. Detailed Use Case Specification

The following compact enterprise use-case catalogue is normative. Detailed implementation must preserve actor, trigger, preconditions, five-step interaction contract, alternate paths, rules and test evidence.

UC01 - Register Account

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates register account from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.

Attribute	Specification
Business Outcome	Register Account completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC02 - Login, Role Access and Logout

Attribute	Specification
Primary Actor	Authenticated user
Trigger	Actor initiates login, role access and logout from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Login, Role Access and Logout completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC03 - Create and Maintain Candidate Profile Evidence

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates create and maintain candidate profile evidence from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Create and Maintain Candidate Profile Evidence completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC04 - Manage the Controlled Skill Passport

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates manage the controlled skill passport from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Manage the Controlled Skill Passport completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC05 - Upload, Replace or Remove a Protected CV

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates upload, replace or remove a protected cv from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Upload, Replace or Remove a Protected CV completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC06 - Create a Candidate-Owned CV in CV Studio

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates create a candidate-owned cv in cv studio from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Create a Candidate-Owned CV in CV Studio completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC07 - Search and Filter Trusted Vacancies

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates search and filter trusted vacancies from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Search and Filter Trusted Vacancies completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC08 - View Two-Sided Match, Gaps and Replay Receipt

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates view two-sided match, gaps and replay receipt from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and

Attribute	Specification
	allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	View Two-Sided Match, Gaps and Replay Receipt completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC09 - Submit a Duplicate-Safe Job Application

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates submit a duplicate-safe job application from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Submit a Duplicate-Safe Job Application completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC10 - Track History or Withdraw an Application

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates track history or withdraw an application from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Track History or Withdraw an Application completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC11 - Accept, Decline or Let a Contact Request Expire

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates accept, decline or let a contact request expire from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.

Attribute	Specification
Business Outcome	Accept, Decline or Let a Contact Request Expire completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC12 - Read and Manage In-App Notifications

Attribute	Specification
Primary Actor	Authenticated user
Trigger	Actor initiates read and manage in-app notifications from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Read and Manage In-App Notifications completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC13 - Manage Candidate Privacy and Deletion Request

Attribute	Specification
Primary Actor	Job Seeker
Trigger	Actor initiates manage candidate privacy and deletion request from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Manage Candidate Privacy and Deletion Request completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC14 - Maintain Company Profile and Submit Verification

Attribute	Specification
Primary Actor	Employer
Trigger	Actor initiates maintain company profile and submit verification from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Maintain Company Profile and Submit Verification completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC15 - Create, Publish, Edit, Close and Expire a Vacancy

Attribute	Specification
Primary Actor	Employer
Trigger	Actor initiates create, publish, edit, close and expire a vacancy from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Create, Publish, Edit, Close and Expire a Vacancy completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC16 - Review the Ranked Applicant Queue and Protected CV

Attribute	Specification
Primary Actor	Employer
Trigger	Actor initiates review the ranked applicant queue and protected cv from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Review the Ranked Applicant Queue and Protected CV completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC17 - Update Employer-Owned Application Status

Attribute	Specification
Primary Actor	Employer
Trigger	Actor initiates update employer-owned application status from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Update Employer-Owned Application Status completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC18 - Request Candidate Contact and View Accepted Details

Attribute	Specification
Primary Actor	Employer
Trigger	Actor initiates request candidate contact and view accepted details from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and

Attribute	Specification
	allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Request Candidate Contact and View Accepted Details completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC19 - View and Export Basic Employer Reports

Attribute	Specification
Primary Actor	Employer
Trigger	Actor initiates view and export basic employer reports from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	View and Export Basic Employer Reports completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC20 - Review and Decide Employer Verification

Attribute	Specification
Primary Actor	Administrator
Trigger	Actor initiates review and decide employer verification from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Review and Decide Employer Verification completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC21 - Manage Accounts and Basic Admin Dashboard

Attribute	Specification
Primary Actor	Administrator
Trigger	Actor initiates manage accounts and basic admin dashboard from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.

Attribute	Specification
Business Outcome	Manage Accounts and Basic Admin Dashboard completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC22 - Moderate Vacancies and Resolve Candidate Reports

Attribute	Specification
Primary Actor	Administrator
Trigger	Actor initiates moderate vacancies and resolve candidate reports from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Moderate Vacancies and Resolve Candidate Reports completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC23 - Govern the Canonical Skill Dictionary

Attribute	Specification
Primary Actor	Administrator
Trigger	Actor initiates govern the canonical skill dictionary from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Govern the Canonical Skill Dictionary completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC24 - Review Audit Events and Locked Platform Settings

Attribute	Specification
Primary Actor	Administrator
Trigger	Actor initiates review audit events and locked platform settings from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Review Audit Events and Locked Platform Settings completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

UC25 - Enforce Vacancy and Contact Lifecycle Automatically

Attribute	Specification
Primary Actor	System Worker
Trigger	Actor initiates enforce vacancy and contact lifecycle automatically from the relevant workspace or scheduled guard.
Preconditions	Authenticated/active role where required; owned resource and allowed state; required evidence available.
Main Success Flow	See relevant context -> Validate inputs/state -> Authorize role and resource -> Commit atomically -> Confirm with stable outcome.
Alternate / Failure Paths	Validation failure, unauthorized/hidden resource, stale version, invalid state, duplicate/idempotent replay, rate limit or infrastructure failure.
Business Outcome	Enforce Vacancy and Contact Lifecycle Automatically completes without violating trust, privacy, state or audit requirements.
Acceptance Evidence	API test, database/state assertion, authorization test, UI state and audit/outbox evidence where applicable.

19. Activity and Sequence Flow Explanations




Figure 3 - Cross-role activity flow

19.1 Vacancy Activation Activity

1. Employer saves a Draft vacancy.
2. Server validates required content, canonical skills and company ownership.
3. System evaluates company verification, account state, moderation and vacancy dates.
4. If full trust predicate passes, activation commits status and history with concurrency control.
5. Search projection becomes eligible; notification/audit/outbox effects are durable.
6. Failure returns a stable problem code with no partial activation.

19.2 Ranked Applicant Read Sequence

7. Employer requests applicants for an owned vacancy.
8. Policy verifies employer, company and vacancy ownership.
9. Query reads applications and current RM-1.0 receipts.
10. Stable order is computed by score and documented tie-breakers.
11. Response exposes symmetric explanation and masked contact.
12. Opening CV performs a separate private-stream authorization and creates audit evidence.

19.3 Lifecycle Worker Activity

13. Worker claims a bounded batch using concurrency-safe leasing.
14. Expired vacancies and contact requests are detected using UTC time.
15. State guards are re-evaluated before mutation.
16. State history, notifications and outbox records commit transactionally.
17. Failures are retried with backoff; poison records are surfaced operationally.

20. UI/UX Design System and Accessibility

20.1 Experience Principles

- Trust indicators are specific and verifiable, not generic badges.
- Explainability uses plain language and component evidence.
- Privacy decisions show what will be shared, with whom, for which job and until when.
- Destructive or consequential actions use confirmation and outcome feedback.
- Empty states explain the next valid action.
- Tables remain readable and decision order remains stable on smaller screens.

20.2 Visual System

Element	Guideline
Typography	Readable sans-serif hierarchy; minimum comfortable body size; avoid dense all-caps text.
Colour	Use colour as reinforcement only; pair status with text/icon.
Spacing	Consistent 4/8-point rhythm and adequate decision separation.
Forms	Persistent labels, field-level errors, server summary, required indicators and sensible input types.
Tables	Sticky/repeated headers, bounded columns, pagination and responsive card fallback.
Actions	One primary action per decision region; destructive actions visually and semantically distinct.
Feedback	Loading disabled state, success confirmation, correlation-friendly error reference.

20.3 Accessibility Requirements

- WCAG-oriented keyboard access and visible focus.
- Semantic heading order and landmarks.
- Labels explicitly associated with inputs.
- Status is not communicated by colour alone.
- Modal focus trapping and return.
- Accessible names for icon-only controls.
- Sufficient contrast and scalable text.
- Validation messages announced through live regions where appropriate.

21. Validation, Error Handling and Notifications

21.1 Validation Layers

Layer	Examples
Client	Required fields, format hints, date constraints; never treated as authoritative.
API Contract	JSON schema/model binding, size limits, enum and field validation.
Application/Domain	Ownership, account state, trust predicate, allowed transition, uniqueness and rule compatibility.
Database	Unique keys, foreign keys, row version, non-null and check constraints.
Storage/Security	File extension, MIME/signature, quarantine, scan and path isolation.

21.2 Standard Error Model

Errors use RFC 7807 Problem Details or an equivalent stable envelope with type/code, title, HTTP status, safe detail, field errors where applicable, correlation identifier and retry guidance. Internal exception data and sensitive resource existence are not exposed.

HTTP	Meaning in NexHire
400	Malformed or validation failure
401	Missing/invalid authentication
403	Authenticated but policy denied
404	Resource absent or deliberately hidden by ownership policy
409	Duplicate or invalid current state
412	If-Match / optimistic concurrency failure
413	Payload too large
415	Unsupported media type
422	Semantically invalid business input
423	Private file not available, for example still scanning
429	Rate limit exceeded
500	Unexpected server failure with safe public response

21.3 Notification Matrix

Event	Recipients	Content Rule
Verification submitted/decided	Employer, relevant Admin queue	No sensitive document content in notification.
Application submitted	Candidate and Employer	Job context and stable application reference.
Application status changed	Candidate	New status and job context; no hidden internal notes.
Contact requested	Candidate	Employer/job context, expiry and privacy meaning.
Contact decided	Employer and Candidate	Decision state; accepted details only through protected endpoint.
Vacancy moderated/expired	Employer and affected candidate context where required	Reason-safe state and next action.
Deletion request state	Candidate	State only; internal retention/legal detail remains restricted.

22. Dashboards, Reports and Analytics

22.1 Dashboard Principles

Dashboards are read models over authoritative database states. They must define each metric, date boundary, filter and refresh behaviour. Counts must reconcile with detailed lists.

Dashboard	Core Metrics
Job Seeker	Profile readiness, active applications, recent status changes, pending contact requests, unread notifications.
Employer	Verification/trust state, active vacancies, applications by status, pending contact requests, recent actions.
Administrator	Pending verifications, account counts, active/trusted vacancies, application counts, report queues and operational warnings.

22.2 Employer Reports

- Vacancy/application summary by bounded date range.
- Application status distribution.

- RM-1.0 match-score distribution without discriminatory segmentation.
- Contact request acceptance/decline/expiry rates.
- Formula-safe CSV export with explicit encoding and row limits.

22.3 Analytics Guardrails

- No protected-characteristic matching or ranking analytics.
- No hidden score adjustment through analytics configuration.
- No personal contact export before consent.
- All metrics have a written definition and source query.

23. Phase 2 UX Extensions

Interview Scheduling

Interview Scheduling is a planned extension. Before UI implementation, define the complete state machine, role/ownership matrix, notifications, data retention, API contracts, accessibility requirements and test traceability. The extension must not bypass the Core Release application and consent controls.

Interview Evaluation

Interview Evaluation is a planned extension. Before UI implementation, define the complete state machine, role/ownership matrix, notifications, data retention, API contracts, accessibility requirements and test traceability. The extension must not bypass the Core Release application and consent controls.

Offer Management

Offer Management is a planned extension. Before UI implementation, define the complete state machine, role/ownership matrix, notifications, data retention, API contracts, accessibility requirements and test traceability. The extension must not bypass the Core Release application and consent controls.

Talent Pool

Talent Pool is a planned extension. Before UI implementation, define the complete state machine, role/ownership matrix, notifications, data retention, API contracts, accessibility requirements and test traceability. The extension must not bypass the Core Release application and consent controls.

Complaint Case Management

Complaint Case Management is a planned extension. Before UI implementation, define the complete state machine, role/ownership matrix, notifications, data retention, API contracts, accessibility requirements and test traceability. The extension must not bypass the Core Release application and consent controls.

24. Appendices

Appendix B - UI Acceptance Checklist

- Page purpose and role are clear.
- All controls have permitted server action.
- Loading, empty, success and failure states exist.
- Validation is actionable and consistent with API.
- Ownership is rechecked on deep link.
- Sensitive data is masked by default.
- Keyboard and responsive checks pass.

- Consequential decisions create confirmation and audit evidence.

25. v3.1 Amendment - Complete Company Verification UI/UX

Area	v3.1 Approved Rule
Employer screens	Verification alert, verification overview, business identity, document workspace, review and declaration, under-review tracking, more-information correction, approved/rejected outcome.
Admin screens	Verification queue, verification detail, evidence inspection, risk and history panel, decision modal.
Publishing gate	Create Vacancy may remain available for Draft work. Publish/Activate is disabled with a direct link to the verification workspace until the company is Verified.
Accessibility	Status must use text and icon in addition to color. Upload controls require labels, accepted file guidance, progress, retry and error messages. Decision modals require keyboard focus trapping and reason validation.
Prototype	The v3.1 prototype includes a dedicated Employer Verification route and enhanced Admin Verification review interaction.

This amendment is authoritative for Company Verification. Where an earlier summary is less detailed, this amendment and Volume 05 provide the complete implementation and UX contract.