MB Builders Inc.

Construction Safety Manual

General Construction & Metal/Steel Erection Safety Program

Effective Date	9.28.2026
Version	1.0
Applies To	MB Builders Inc. employees and applicable personnel

IMPORTANT

This manual is a general policy guide. It is not an employment contract, does not guarantee employment for any period, and may be revised by MB Builders Inc. subject to applicable law. Employees should direct questions to management.

Table of Contents

- 1. Safety Policy & Responsibilities
- 2. Stop-Work Authority & Hazard Reporting
- 3. Pre-Task Planning / JHA
- 4. PPE
- 5. Fall Protection
- 6. Steel Erection & Structural Work
- 7. Ladders & Scaffolds
- 8. Cranes, Rigging & Suspended Loads
- 9. Mobile Equipment & Aerial Lifts
- 10. Electrical Safety
- 11. Hot Work, Welding & Cutting
- 12. Hand & Power Tools
- 13. Excavation, Trenching & Ground Conditions
- 14. Silica, Dust, Chemicals & SDS
- 15. Heat, Weather & Environmental Conditions
- 16. Housekeeping & Material Handling
- 17. Emergency Response & First Aid
- 18. Incident / Near-Miss Reporting
- 19. Training & Competent Persons
- 20. Enforcement & Acknowledgment

1. Safety Policy & Responsibilities

MB Builders Inc.'s objective is to prevent injuries, illnesses, property damage, and environmental incidents. Production pressure, schedule demands, or cost concerns do not justify unsafe work.

- Management provides resources, training, appropriate PPE, and qualified supervision.
- Supervisors plan work, identify hazards, enforce rules, and correct unsafe conditions.
- Employees follow training, inspect equipment, use required protection, report hazards/incidents, and stop work when necessary.
- Only trained and authorized personnel may perform tasks requiring specific qualifications or operate designated equipment.

2. Stop-Work Authority & Hazard Reporting

Every employee may stop or decline a task in good faith when the employee reasonably believes an imminent or serious hazard exists, required controls are missing, or the employee lacks required training/authorization. Notify supervision immediately so the hazard can be evaluated and corrected. Good-faith safety reporting is protected from retaliation.

3. Pre-Task Planning / Job Hazard Analysis (JHA)

Before significant work begins and whenever conditions materially change, the crew should review the task, hazards, access, equipment, weather, other trades, energy sources, fall exposures, lifting needs, emergency arrangements, and required controls. Site-specific plans and controlling-contractor requirements must be followed.

4. Personal Protective Equipment (PPE)

- Minimum jobsite PPE normally includes approved hard hats, safety glasses with side protection, high-visibility apparel as required, appropriate work clothing, gloves suited to the task, and work footwear appropriate to the hazards.
- Hearing, face, respiratory, welding, arc-flash/electrical, fall-protection, or other specialized PPE must be used when required by hazard assessment, standard, or site rule.
- MB Builders Inc. provides required PPE at no cost where required by law. Employees may request approval to use personally owned PPE; MB Builders Inc. must determine it is adequate.
- Inspect PPE before use. Damaged, contaminated, expired, modified, or otherwise unsuitable PPE must be removed from service.

5. Fall Protection

Fall hazards must be evaluated before work at elevation. Guardrails, personal fall arrest/restraint systems, safety nets, controlled access methods, or other lawful systems will be selected based on the task and applicable construction/steel-erection requirements. Employees must be trained before using fall-protection systems.

- Use approved anchorage and compatible components.
- Inspect harnesses, connectors, lanyards/SRLs, lifelines, and anchors before use.
- Protect openings, leading edges, floor holes, and access points.
- Do not alter fall-protection equipment or tie off to unapproved points.
- A rescue method must be considered where personal fall arrest is used.

6. Steel Erection & Structural Work

Steel erection will be performed under applicable OSHA steel-erection requirements and any site-specific erection plan. Employees must follow sequencing, connection, decking, fall-protection, material-storage, hoisting, and controlled-decking-zone rules applicable to their work.

- Do not work beneath suspended loads except where specifically permitted and controlled by applicable rules.
- Maintain communication between connectors, riggers, signal persons, operators, and supervision.
- Do not release members from hoisting equipment until required connections are installed and the member is stable.
- Secure decking, materials, tools, and loose objects against displacement or falling.
- Observe controlling-contractor restrictions and protection for employees working below steel erection.

7. Ladders & Scaffolds

- Use the correct ladder type and length; inspect before use.
- Maintain stable footing and required access/extension; do not stand on prohibited steps.
- Do not use metal ladders where electrical contact hazards exist.
- Scaffolds must be erected, altered, inspected, and used under applicable competent-person requirements.
- Do not use incomplete, damaged, overloaded, or unauthorized scaffolds.

8. Cranes, Rigging & Suspended Loads

- Only qualified/authorized personnel may operate cranes or perform regulated rigging/signal duties.
- Inspect slings, hooks, shackles, below-the-hook devices, and rigging before use.
- Know or reliably determine load weight and capacity; never exceed rated capacity.
- Establish swing-radius and fall-zone controls.
- Use tag lines when appropriate and safe; keep employees clear of suspended loads.
- Follow power-line clearance and assembly/disassembly requirements.

9. Mobile Equipment & Aerial Lifts

- Only trained and authorized employees may operate forklifts, telehandlers, skid steers, excavators, loaders, MEWPs/aerial lifts, or similar equipment.
- Perform documented or required pre-use inspections.
- Wear seat belts/restraints when provided and required.
- Use spotters when visibility, congestion, backing, or site conditions warrant.
- Do not exceed platform/load ratings or use equipment outside manufacturer limitations.
- Maintain separation between pedestrians and mobile equipment where feasible.

10. Electrical Safety

- Treat electrical conductors and equipment as energized until properly verified otherwise by qualified personnel.
- Use GFCI/assured equipment grounding protections as applicable.
- Inspect cords and tools; remove damaged equipment from service.
- Maintain required clearances from overhead and underground utilities.
- Only qualified persons may perform electrical work requiring that qualification.

11. Hot Work, Welding & Cutting

- Only trained/authorized personnel may weld, cut, braze, or perform other hot work.
- Use required eye/face protection, gloves, protective clothing, ventilation, screens, and fire prevention controls.
- Remove combustibles or protect them; provide fire watch/extinguishing equipment when required.
- Secure compressed-gas cylinders upright, protect valves, separate/store gases as required, and inspect hoses/regulators.
- Follow site hot-work permit procedures.

12. Hand & Power Tools

- Use tools only for their intended purpose and within manufacturer instructions.
- Keep guards and safety devices installed and functional.
- Disconnect/de-energize before servicing or clearing jams when required.
- Do not use defective tools, makeshift extensions, or unauthorized modifications.
- Use appropriate eye, face, hearing, respiratory, and hand protection.

13. Excavation, Trenching & Ground Conditions

Where MB Builders Inc. employees enter or work around excavations, applicable competent-person inspections, protective systems, access/egress, spoil placement, utility location, water control, and mobile-equipment protections must be in place. Employees may not enter an excavation that has not been evaluated and released for entry when such evaluation is required.

14. Silica, Dust, Chemicals & SDS

Employees must follow hazard communication, labeling, Safety Data Sheet, exposure-control, and respiratory-protection requirements. Tasks that generate respirable crystalline silica or other hazardous dusts require approved engineering/work-practice controls and respiratory protection when required. Do not use chemicals from unlabeled containers.

15. Heat, Weather & Environmental Conditions

- Supervision will consider heat, cold, lightning, high winds, rain, ice, visibility, and other weather in work planning.
- Employees should use available water, rest, shade/cooling, acclimatization, and buddy observation practices appropriate to heat conditions.
- Cranes, aerial lifts, steel erection, roofing, and other elevated work must respect manufacturer/site wind and weather limits.
- Stop and report conditions that make continued work unsafe.

16. Housekeeping & Material Handling

- Keep access routes, stairs, work platforms, and emergency paths reasonably clear.
- Stack and secure material to prevent shifting, rolling, collapse, or falling objects.
- Use mechanical assistance or team lifting for heavy/awkward loads.
- Dispose of scrap, protruding fasteners, banding, and trip hazards promptly.

17. Emergency Response & First Aid

Each project will communicate emergency contacts, site address/location, muster point, severe-weather procedures, fire response, and available first-aid resources. Call emergency services when needed. Employees should not exceed their level of training when providing first aid or rescue.

18. Incident / Near-Miss Reporting

Report injuries, illnesses, near misses, property damage, environmental releases, and vehicle/equipment incidents immediately or as soon as safely possible. Preserve the scene when appropriate, obtain medical attention, cooperate with investigation, and provide truthful information. Reporting is intended to identify causes and prevent recurrence.

19. Training & Competent Persons

MB Builders Inc. will identify training and competent/qualified-person needs based on assigned work. Credentials may include OSHA outreach training, First Aid/CPR, fall protection, equipment operation, rigging/signal person, welding, respiratory protection, silica, excavation, scaffold, and other project-specific training. Employees must not perform work for which required training or authorization has not been completed.

20. Enforcement & Acknowledgment

Safety violations may result in removal from a task or site, retraining, corrective action, or termination depending on severity and circumstances. Deliberate bypassing of critical safety controls may be treated as serious misconduct.

Employee Name: _____

I acknowledge receipt of the MB Builders Inc. Construction Safety Manual and agree to follow applicable safety rules and training.

Employee Signature: _____

Date: _____

Supervisor/Trainer: _____