


Correction du DS INFO0405



Exercise 2 :

P1 : A P(S6) P(S1) B V(S1)

P2 : P(S5) A P(S2) B V(S2) V(S7) P(S1) P(S3) C V(S1) V(S3) V(S8)

P3 : P(S4) A V(S5) V(S6) V(S9) P(S9) P(S2) P(S3) B V(S2) V(S3)

P4 : A V(S4) P(S7) B P(S8) P(S9) C

Exercise 3:

	Durée	Soumission	Priorité
P1	8	0	3
P2	11	4	3
P3	9	2	5
P4	5	3	1
P5	7	2	5
P6	10	8	4

Fifo

$P_1, P_3, P_5, P_4, P_2, P_6$

0 8 17 24 29 40 50

Il est plus important d'avoir ça que le résultat

TMA: $\frac{(0-0) + (8-2) + (17-2) + (24-3) + (29-4) + (40-8)}{6}$

TME: $\frac{(8-0) + (17-2) + (24-2) + (29-3) + (40-4) + (50-8)}{6}$



SJF



$P_1, P_4, P_5, P_3, P_6, P_2$

0 8 13 20 29 39 50

TMA: $\frac{(0-0) + (8-3) + (13-2) + (20-2) + (29-8) + (39-4)}{6}$


TME: $\frac{(8-0) + (13-3) + (20-2) + (29-2) + (39-8) + (50-4)}{6}$





Exercice 4:

Dans le processus fils `fork()` donne 0
 père `fork()` donne `PPid`
 du père



```
1  int main()
2  {
3      for( int i=0; i<3; i++ )
4      {
5          if( fork() == 0 )
6          {
7              printf( "%d\n", getpid() );
8              exit( 0 );
9          }
10         wait(NULL);
11     }
12     exit( 0 );
13 }
14
```

```
1  int main()
2  {
3      char cmd[50];
4      char arg[50];
5      scanf("%s",cmd);
6      scanf("%s",arg);
7      while( (cmd != "exit" ) || arg != "now" )
8      {
9          if( fork() == 0 )
10         {
11             execl("bin"+cmd,arg);
12             exit( 0 );
13         }
14         scanf("%s",cmd);
15         scanf("%s",arg);
16     }
17     exit( 0 );
18 }
19
```