

Cucumber Report

Feb 27, 2023, 9:59:41 PM

Start : Feb 27, 9:59:03.906 PM

End : Feb 27, 9:59:40.462 PM

Duration : 36.556 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 9
SKIPPED - 0

PASSED - 1
FAILED - 80
SKIPPED - 0

PASSED - 5
FAILED - 80
SKIPPED - 192



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To launching dsalgo application and to test Home page</u>	9.930 s	4	1	3	0	13	5	3	5
<u>Validating Register page</u>	0.974 s	11	0	11	0	33	0	11	22
<u>User to signin</u>	0.309 s	4	0	4	0	20	0	4	16
<u>launching dsalgo application load Datastructure page</u>	0.107 s	2	0	2	0	6	0	2	4
<u>launching dsalgo application load Array page</u>	0.805 s	13	0	13	0	39	0	13	26
<u>User Testing Linkedlist page</u>	1.062 s	14	0	14	0	42	0	14	28
<u>Testing the stack page of the DS Algo application</u>	14.363 s	11	0	11	0	40	0	11	29
<u>User to sign in the dsalgo application and test Queue page</u>	6.259 s	14	0	14	0	54	0	14	40
<u>User to sign in the dsalgo application and test Graph page</u>	2.208 s	8	0	8	0	30	0	8	22


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TestSuit_home	4	1	3	0	1	0	1	0
@home	17	1	16	0	2	0	2	0
@Test_suit_register_02	1	0	1	0	1	0	1	0
@register	11	0	11	0	1	0	1	0
@Test_suit_register_03	1	0	1	0	1	0	1	0
@Test_suit_register_04	1	0	1	0	1	0	1	0
@Test_suit_register_05	1	0	1	0	1	0	1	0
@Test_suit_register_06	1	0	1	0	1	0	1	0
@Test_suit_register_07	1	0	1	0	1	0	1	0
@Test_suit_register_08	1	0	1	0	1	0	1	0
@Test_suit_register_09	1	0	1	0	1	0	1	0
@Test_suit_register_10	1	0	1	0	1	0	1	0
@Test_suit_register_11	1	0	1	0	1	0	1	0
@Test_suit_register_12	1	0	1	0	1	0	1	0
@Test_suit_signin01	1	0	1	0	1	0	1	0
@Test_suit_sigin02	1	0	1	0	1	0	1	0
@Test_suit_signin03	1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test_suit_signin04	1	0	1	0	1	0	1	0
@Datastructure	2	0	2	0	1	0	1	0
@TestSuit_Datastructure_01	1	0	1	0	1	0	1	0
@TestSuit_Datastructure_02	1	0	1	0	1	0	1	0
@TestSuit_Array_01	1	0	1	0	1	0	1	0
@TestSuit_Array_02	1	0	1	0	1	0	1	0
@TestSuit_Array_03	1	0	1	0	1	0	1	0
@TestSuit_Array_04	1	0	1	0	1	0	1	0
@TestSuit_Array_05	1	0	1	0	1	0	1	0
@TestSuit_Array_06	1	0	1	0	1	0	1	0
@TestSuit_Array_07	1	0	1	0	1	0	1	0
@TestSuit_Array_08	1	0	1	0	1	0	1	0
@TestSuit_Array_09	1	0	1	0	1	0	1	0
@TestSuit_Array_10	1	0	1	0	1	0	1	0
@TestSuit_Array_11	1	0	1	0	1	0	1	0
@TestSuit_Array_12	1	0	1	0	1	0	1	0
@TestSuit_Array_13	1	0	1	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Linkedlist	14	0	14	0	1	0	1	0
@TS_II_01	1	0	1	0	1	0	1	0
@TS_II_02	1	0	1	0	1	0	1	0
@TS_II_03	1	0	1	0	1	0	1	0
@TS_II_04	1	0	1	0	1	0	1	0
@TS_II_05	1	0	1	0	1	0	1	0
@TS_II_06	1	0	1	0	1	0	1	0
@TS_II_07	1	0	1	0	1	0	1	0
@TS_II_08	1	0	1	0	1	0	1	0
@TS_II_09	1	0	1	0	1	0	1	0
@TS_II_10	1	0	1	0	1	0	1	0
@TS_II_11	1	0	1	0	1	0	1	0
@TS_II_12	1	0	1	0	1	0	1	0
@TS_II_13	1	0	1	0	1	0	1	0
@TS_II_14	1	0	1	0	1	0	1	0
@StackSutie	11	0	11	0	1	0	1	0
@TestDemo_Stack_01	1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TestDemo_Stack_02	1	0	1	0	1	0	1	0
@TestDemo_Stack_03	1	0	1	0	1	0	1	0
@TestDemo_Stack_04	1	0	1	0	1	0	1	0
@TestDemo_Stack_05	1	0	1	0	1	0	1	0
@TestDemo_Stack_06	1	0	1	0	1	0	1	0
@TestDemo_Stack_07	1	0	1	0	1	0	1	0
@TestDemo_Stack_08	1	0	1	0	1	0	1	0
@TestDemo_Stack_09	1	0	1	0	1	0	1	0
@TestDemo_Stack_10	1	0	1	0	1	0	1	0
@TestDemo_Stack_11	1	0	1	0	1	0	1	0
@TestDemo_Queue_01	1	0	1	0	1	0	1	0
@QueueSuite	14	0	14	0	1	0	1	0
@TestSuite_queue_02	1	0	1	0	1	0	1	0
@TestSuite_queue_03	1	0	1	0	1	0	1	0
@TestSuite_queue_04	1	0	1	0	1	0	1	0
@TestSuite_queue_05	1	0	1	0	1	0	1	0
@TestSuite_queue_06	1	0	1	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TestSuite_queue_07	1	0	1	0	1	0	1	0
@TestSuite_queue_08	1	0	1	0	1	0	1	0
@TestSuite_queue_09	1	0	1	0	1	0	1	0
@TestSuite_queue_10	1	0	1	0	1	0	1	0
@TestSuite_queue_11	1	0	1	0	1	0	1	0
@TestSuite_queue_12	1	0	1	0	1	0	1	0
@TestSuite_queue_13	1	0	1	0	1	0	1	0
@TestSuite_queue_14	1	0	1	0	1	0	1	0
@GraphSuite	8	0	8	0	1	0	1	0
@TestDemo_Graph_01	1	0	1	0	1	0	1	0
@TestDemo_Graph_02	1	0	1	0	1	0	1	0
@TestDemo_Graph_03	1	0	1	0	1	0	1	0
@TestDemo_Graph_04	1	0	1	0	1	0	1	0
@TestDemo_Graph_05	1	0	1	0	1	0	1	0
@TestDemo_Graph_06	1	0	1	0	1	0	1	0
@TestDemo_Graph_07	1	0	1	0	1	0	1	0
@TestDemo_Graph_08	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>To launching dsalgo application and to test Home page</u>	4	1	3	0	9.930 s
2	<u>Validating Register page</u>	11	0	11	0	0.974 s
3	<u>User to signin</u>	4	0	4	0	0.309 s
4	<u>launching dsalgo application load Datastructure page</u>	2	0	2	0	0.107 s
5	<u>launching dsalgo application load Array page</u>	13	0	13	0	0.805 s
6	<u>User Testing Linkedlist page</u>	14	0	14	0	1.062 s
7	<u>Testing the stack page of the DS Algo application</u>	11	0	11	0	14.363 s
8	<u>User to sign in the dsalgo application and test Queue page</u>	14	0	14	0	6.259 s
9	<u>User to sign in the dsalgo application and test Graph page</u>	8	0	8	0	2.208 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To launching dsalgo application and to test Home page</u>	<u>Launching home page of an dsalgo project</u>	3	3	0	0	6.064 s
2	<u>To launching dsalgo application and to test Home page</u>	<u>From Home page user tries to click on dropdown without login in</u>	4	2	1	1	3.440 s
3	<u>To launching dsalgo application and to test Home page</u>	<u>From Home page user clicks on signin link</u>	3	0	1	2	0.059 s
4	<u>To launching dsalgo application and to test Home page</u>	<u>From Home page user clicks on Register</u>	3	0	1	2	0.069 s
5	<u>Validating Register page</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	0	1	2	0.062 s
6	<u>Validating Register page</u>	<u>The user is presented with error message for empty fields below Password textbox</u>	3	0	1	2	0.079 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Validating Register page</u>	<u>The user is presented with error message for empty fields below confirm Password textbox</u>	3	0	1	2	0.066 s
8	<u>Validating Register page</u>	<u>The user is presented with error message for invalid username</u>	3	0	1	2	0.066 s
9	<u>Validating Register page</u>	<u>The user is presented with error message for password mismatch</u>	3	0	1	2	0.026 s
10	<u>Validating Register page</u>	<u>The user is presented with error message for password with characters less than 8</u>	3	0	1	2	0.029 s
11	<u>Validating Register page</u>	<u>The user is presented with error message for password with only numbers</u>	3	0	1	2	0.064 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>Validating Register page</u>	<u>The user is presented with error message for password too similar to your other personal information</u>	3	0	1	2	0.029 s
13	<u>Validating Register page</u>	<u>The user is presented with error message for commonly used password</u>	3	0	1	2	0.022 s
14	<u>Validating Register page</u>	<u>The user redirected to Homepage with valid details</u>	3	0	1	2	0.087 s
15	<u>Validating Register page</u>	<u>The user is presented with error message for existing username</u>	3	0	1	2	0.019 s
16	<u>User to signin</u>	<u>User missed to give credentials</u>	5	0	1	4	0.027 s
17	<u>User to signin</u>	<u>User failed to give valid username</u>	5	0	1	4	0.054 s
18	<u>User to signin</u>	<u>User failed to give valid password</u>	5	0	1	4	0.045 s
19	<u>User to signin</u>	<u>user signin</u>	5	0	1	4	0.048 s
20	<u>launching dsalgo application load Datastructure page</u>	<u>navigate to Time complexity from signin</u>	3	0	1	2	0.042 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>launching dsalgo application load Datastructure page</u>	<u>navigate to Time complexity and practice question page</u>	3	0	1	2	0.030 s
22	<u>launching dsalgo application load Array page</u>	<u>navigate to Arrays in Python from signin</u>	3	0	1	2	0.022 s
23	<u>launching dsalgo application load Array page</u>	<u>navigate to Arrays in Python and open editor</u>	3	0	1	2	0.012 s
24	<u>launching dsalgo application load Array page</u>	<u>navigate to Arrays using List from signin</u>	3	0	1	2	0.034 s
25	<u>launching dsalgo application load Array page</u>	<u>Open editor from Arrays using List page</u>	3	0	1	2	0.022 s
26	<u>launching dsalgo application load Array page</u>	<u>navigate to Basic Operations in List from signin</u>	3	0	1	2	0.020 s
27	<u>launching dsalgo application load Array page</u>	<u>Open editor from Basic Operations in List page</u>	3	0	1	2	0.147 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>launching dsalgo application load Array page</u>	<u>navigate to Applications of Array from signin</u>	3	0	1	2	0.053 s
29	<u>launching dsalgo application load Array page</u>	<u>Open editor from Applications of Array page</u>	3	0	1	2	0.016 s
30	<u>launching dsalgo application load Array page</u>	<u>Launching Practice Questions page of an dsalgo project</u>	3	0	1	2	0.040 s
31	<u>launching dsalgo application load Array page</u>	<u>Launching Search array link of an dsalgo project</u>	3	0	1	2	0.030 s
32	<u>launching dsalgo application load Array page</u>	<u>Launching Max Consecutive Ones link of an dsalgo project</u>	3	0	1	2	0.022 s
33	<u>launching dsalgo application load Array page</u>	<u>Launching Find Numbers with Even Number of Digits link of an dsalgo project</u>	3	0	1	2	0.063 s
34	<u>launching dsalgo application load Array page</u>	<u>Launching Squares of a Sorted Array link of an dsalgo project</u>	3	0	1	2	0.016 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
35	<u>User Testing Linkedlist page</u>	<u>navigate to Introduction in Linked List page from signin</u>	3	0	1	2	0.012 s
36	<u>User Testing Linkedlist page</u>	<u>navigate to Introduction and open editor</u>	3	0	1	2	0.037 s
37	<u>User Testing Linkedlist page</u>	<u>navigate to Creating Linked List from signin</u>	3	0	1	2	0.015 s
38	<u>User Testing Linkedlist page</u>	<u>Open editor from Creating Linked List page</u>	3	0	1	2	0.012 s
39	<u>User Testing Linkedlist page</u>	<u>navigate to Types of Linked List from signin</u>	3	0	1	2	0.023 s
40	<u>User Testing Linkedlist page</u>	<u>Open editor from Types of Linked List page</u>	3	0	1	2	0.052 s
41	<u>User Testing Linkedlist page</u>	<u>navigate to Implement Linked List in Python from signin</u>	3	0	1	2	0.041 s
42	<u>User Testing Linkedlist page</u>	<u>Open editor from Implement Linked List in Python page</u>	3	0	1	2	0.043 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
43	<u>User Testing Linkedlist page</u>	<u>navigate to Traversal from signin</u>	3	0	1	2	0.044 s
44	<u>User Testing Linkedlist page</u>	<u>Open editor from Traversal page</u>	3	0	1	2	0.059 s
45	<u>User Testing Linkedlist page</u>	<u>navigate to Insertion from signin</u>	3	0	1	2	0.156 s
46	<u>User Testing Linkedlist page</u>	<u>Open editor from Insertion page</u>	3	0	1	2	0.136 s
47	<u>User Testing Linkedlist page</u>	<u>navigate to Deletion from signin</u>	3	0	1	2	0.054 s
48	<u>User Testing Linkedlist page</u>	<u>Open editor from Deletion page</u>	3	0	1	2	0.028 s
49	<u>Testing the stack page of the DS Algo application</u>	<u>The user should be on the stack page</u>	3	0	1	2	0.042 s
50	<u>Testing the stack page of the DS Algo application</u>	<u>The user is able to navigate to "operations in stack" page</u>	3	0	1	2	1.026 s
51	<u>Testing the stack page of the DS Algo application</u>	<u>The user is able to navigate to page having tryeditor from operations in stack page</u>	5	0	1	4	1.013 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
52	<u>Testing the stack page of the DS Algo application</u>	<u>The user is presented with error message for invalid python code for operations in stack page</u>	4	0	1	3	2.019 s
53	<u>Testing the stack page of the DS Algo application</u>	<u>The user is able to navigate to stack page and click on "Implementation " link</u>	3	0	1	2	2.022 s
54	<u>Testing the stack page of the DS Algo application</u>	<u>The user is able to navigate to page having tryeditor from Implementation page</u>	5	0	1	4	1.020 s
55	<u>Testing the stack page of the DS Algo application</u>	<u>The user is presented with error message for invalid code for Implementation page</u>	3	0	1	2	2.016 s
56	<u>Testing the stack page of the DS Algo application</u>	<u>The user is able to navigate to stack page and click on "Applications " link</u>	3	0	1	2	2.026 s
57	<u>Testing the stack page of the DS Algo application</u>	<u>The user is able to navigate to page having tryeditor from Applications page</u>	5	0	1	4	1.025 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>Testing the stack page of the DS Algo application</u>	<u>The user is presented with error message for invalid code in tryEditor page for Applications page</u>	3	0	1	2	2.018 s
59	<u>Testing the stack page of the DS Algo application</u>	<u>The user is able to navigate to "practice Questions" in stack page</u>	3	0	1	2	0.007 s
60	<u>User to sign in the dsalgo application and test Queue page</u>	<u>user is logged in into the dsalgo project to test Queue page</u>	3	0	1	2	0.010 s
61	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The user is able to navigate to Implementation of Queue in Python link page</u>	3	0	1	2	0.006 s
62	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The user should be directed to editor page with run button to test python code</u>	5	0	1	4	0.007 s
63	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The user is presented with error message for invalid code in Editor for Implementation of queue page</u>	4	0	1	3	0.006 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
64	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The user is able to navigate to queue page and click on Implementation using collections deque link</u>	3	0	1	2	2.014 s
65	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The user should be directed to editor page with run button to test python code from Implementation using collections *</u>	5	0	1	4	0.006 s
66	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The user is presented with error message for invalid code in Editor for Implementation using collections page</u>	4	0	1	3	0.008 s
67	<u>User to sign in the dsalgo application and test Queue page</u>	<u>User is able to navigate to queue page and click on Implementation using array link</u>	3	0	1	2	2.017 s
68	<u>User to sign in the dsalgo application and test Queue page</u>	<u>User should be directed to editor page with run button to test python code from Implementation using array link</u>	5	0	1	4	0.006 s


* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The User is presented with error message for invalid code in Editor for Implementation using array page</u>	4	0	1	3	0.012 s
70	<u>User to sign in the dsalgo application and test Queue page</u>	<u>User is able to navigate to queue page and click on Queue Operations link</u>	3	0	1	2	2.011 s
71	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The user should be directed to editor page with run button to test python code from Queue Operations link</u>	5	0	1	4	0.007 s
72	<u>User to sign in the dsalgo application and test Queue page</u>	<u>The User is presented with error message for invalid code in Editor for Queue Operations page</u>	4	0	1	3	0.015 s
73	<u>User to sign in the dsalgo application and test Queue page</u>	<u>User is able to navigate to Queue page and click on Practice Questions</u>	3	0	1	2	0.008 s
74	<u>User to sign in the dsalgo application and test Graph page</u>	<u>user is logged in into the dsalgo project to test Graph page</u>	3	0	1	2	0.011 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
75	<u>User to sign in the dsalgo application and test Graph page</u>	<u>User is able to navigate to graph page</u>	3	0	1	2	0.006 s
76	<u>User to sign in the dsalgo application and test Graph page</u>	<u>User should be directed to editor page with run button to test python code</u>	5	0	1	4	0.010 s
77	<u>User to sign in the dsalgo application and test Graph page</u>	<u>User is presented with error message for invalid code in Editor for graph link page</u>	4	0	1	3	0.017 s
78	<u>User to sign in the dsalgo application and test Graph page</u>	<u>User is able to navigate to graph page and click on graph representations</u>	3	0	1	2	2.020 s
79	<u>User to sign in the dsalgo application and test Graph page</u>	<u>User should be directed to editor page with run button to test python code from graph representations</u>	5	0	1	4	0.016 s
80	<u>User to sign in the dsalgo application and test Graph page</u>	<u>The user is presented with error message for invalid code in Editor for graph representations</u>	4	0	1	3	0.013 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
81	<u>User to sign in the dsalgo application and test Graph page</u>	<u>User is able to navigate to graph representations page and click on Practice Questions</u>	3	0	1	2	0.013 s

To launching dsalgo application and to test Home page



FAILED	DURATION - 9.930 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 13 Pass - 5 Fail - 3 Skip - 5	
/ 9:59:03.906 PM // 9:59:13.836 PM /					

Launching home page of an dsalgo project

PASSED	DURATION - 6.064 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:59:03.911 PM // 9:59:09.975 PM /				
To launching dsalgo application and to test Home page				
@TestSuit_home @home				



#	Step / Hook Details	Status	Duration
1	Given User opens DS Algo portal link	PASSED	0.797 s
2	When User clicks Get Started button	PASSED	0.572 s
3	Then User will be redirected to homepage	PASSED	0.301 s

From Home page user tries to click on dropdown without login in

FAILED	DURATION - 3.440 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 9:59:10.138 PM // 9:59:13.578 PM /				
To launching dsalgo application and to test Home page				
@TestSuit_home @home				



#	Step / Hook Details	Status	Duration
1	Given User is in Home page	PASSED	0.161 s
2	When User clicks on Data Structures dropdown	PASSED	0.004 s
3	And Select Array option org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, findElement {using=xpath, value=//a[@href='array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy38.click(Unknown Source) at page_objects.HomePage.drp_Item_Click(HomePage.java:84) at step_definitions.home_stepdef.select_array_option(home_stepdef.java:76) at ?.Select Array option(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/01_home.feature:14) * Not displayable characters are replaced by '?'.	FAILED	3.258 s
4	Then User to get warning message to login	SKIPPED	0.002 s

From Home page user clicks on signin link

<div>FAILED</div> <div>DURATION - 0.059 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:13.664 PM // 9:59:13.723 PM /</div>				
<div>To launching dsalgo application and to test Home page</div>				
<div>@TestSuit_home @home</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given User in Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.home_stepdef.user_in_home_page(home_stepdef.java:90) at ?.User in Home page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/01_home.feature:19)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.041 s
2	When User clicks on signin link	SKIPPED	0.001 s
3	Then User to go to login page	SKIPPED	0.001 s

From Home page user clicks on Register



<div>FAILED</div> <div>DURATION - 0.069 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:13.767 PM // 9:59:13.836 PM /				
To launching dsalgo application and to test Home page				
@TestSuit_home @home				

#	Step / Hook Details	Status	Duration
1	<p>Given User is in Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.home_stepdef.user_is_in_home_page(home_stepdef.java:62) at ?.User is in Home page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/01_home.feature:25)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.008 s
2	When User clicks on register link	SKIPPED	0.001 s
3	Then User to open Registration page	SKIPPED	0.001 s

Validating Register page

FAILED	DURATION - 0.974 s	Scenarios Total - 11 Pass - 0 Fail - 11 Skip - 0		Steps Total - 33 Pass - 0 Fail - 11 Skip - 22	
/ 9:59:13.942 PM // 9:59:14.916 PM /					

The user is presented with error message for empty fields below Username textbox



FAILED	DURATION - 0.062 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:13.942 PM // 9:59:14.004 PM /				
Validating Register page				
@Test_suit_register_02 @register				

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)	FAILED	0.052 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: </pre>		

#	Step / Hook Details	Status	Duration
	<pre> 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	When The user clicks "Register" button with all fields empty	SKIPPED	0.000 s
3	Then It should display an error message "Please fill out this field." below Username textbox	SKIPPED	0.000 s

The user is presented with error message for empty fields below Password textbox



FAILED	DURATION - 0.079 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:14.072 PM // 9:59:14.151 PM /				
Validating Register page				
@Test_suit_register_03 @register				

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre>	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

#	Step / Hook Details	Status	Duration
	<p>Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p>		
2	<p>When The user clicks "Register" button after entering username with other fields empty</p> <div> <div>username</div> <div>MajestyPalm1</div> </div>	SKIPPED	0.027 s
3	Then It should display an error message "Please fill out this field." below Password textbox	SKIPPED	0.005 s

The user is presented with error message for empty fields below confirm Password textbox



<div>FAILED</div> <div>DURATION - 0.066 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:14.210 PM // 9:59:14.276 PM /				
Validating Register page				
@Test_suit_register_04 @register				

#	Step / Hook Details	Status	Duration
1	<p>Given The user opens Register Page</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p>	FAILED	0.048 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more </pre> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Local\Temp\scoped_dir1100_11005481178\chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtools, se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) </pre>		

#	Step / Hook Details	Status	Duration				
	<div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>						
2	<div>When The user clicks "Register" button after entering "username" and "password" with Password Confirmation field empty</div> <table><tr><td>username</td><td>password</td></tr><tr><td>MajestyPalm1</td><td>testpassword</td></tr></table>	username	password	MajestyPalm1	testpassword	SKIPPED	0.002 s
username	password						
MajestyPalm1	testpassword						
3	Then It should display an error message "Please fill out this field." below Password Confirmation textbox	SKIPPED	0.003 s				

The user is presented with error message for invalid username

FAILED DURATION - 0.066 s / 9:59:14.321 PM // 9:59:14.387 PM / Validating Register page @Test_suit_register_05 @register		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) </pre>	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </p>		

#	Step / Hook Details	Status	Duration						
	<div>[79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Local\Google\Chrome\User Data\Default\Extensions\efaa231b-6bcb-47d0-a9e2-fce59fb46312}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtools/page/79c2d721f294e6ec27622d13f3deb029, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>								
2	<div>When The user enters a "username" with characters other than Letters, digits and "@./+/_"</div> <table><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>&**&**&</td><td>testpassword</td><td>testpassword</td></tr></table>	username	password	password confirmation	&**&**&	testpassword	testpassword	SKIPPED	0.001 s
username	password	password confirmation							
&**&**&	testpassword	testpassword							
3	Then It should display an error message "Please enter a valid username"	SKIPPED	0.000 s						

The user is presented with error message for password mismatch



FAILED	DURATION - 0.026 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:14.442 PM // 9:59:14.468 PM /				
Validating Register page				
@Test_suit_register_06 @register				

#	Step / Hook Details	Status	Duration
1	<p>Given The user opens Register Page</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) </pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	When The user clicks "Register" button after entering valid "username" and different passwords in "password" and "password confirmation" fields	SKIPPED	0.001 s

#	Step / Hook Details			Status	Duration
	username	password	password confirmation		
	MajestyPalm1	testpassword	testpassword1		
3	Then It should display an error message "password_mismatch:The two password fields didn't match."			SKIPPED	0.000 s

The user is presented with error message for password with characters less than 8

<div>FAILED</div> <div>DURATION - 0.029 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:14.505 PM // 9:59:14.534 PM /				
Validating Register page				
@register @Test_suit_register_07				

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtoo..., se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		

#	Step / Hook Details	Status	Duration						
	<div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946)</div> <div>at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26)</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>								
2	<div>When The user enters a valid "username" and "password" with characters less than 8</div> <table><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>MajestyPalm1</td><td>a1b2c3d</td><td>a1b2c3d</td></tr></table>	username	password	password confirmation	MajestyPalm1	a1b2c3d	a1b2c3d	SKIPPED	0.003 s
username	password	password confirmation							
MajestyPalm1	a1b2c3d	a1b2c3d							
3	<div>Then It should display an error message "Password should contain at least 8 characters"</div>	SKIPPED	0.002 s						

The user is presented with error message for password with only numbers



FAILED DURATION - 0.064 s / 9:59:14.564 PM // 9:59:14.628 PM / Validating Register page @register @Test_suit_register_08		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	FAILED	0.026 s
	<pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

#	Step / Hook Details	Status	Duration						
	<div>Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Local\Temp\110.0.5481.178\chromedriver-win64\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtools, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>								
2	<div>When The user enters a valid "username" and "password" with only numbers</div> <table><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>MajestyPalm1</td><td>12345678</td><td>12345678</td></tr></table>	username	password	password confirmation	MajestyPalm1	12345678	12345678	SKIPPED	0.008 s
username	password	password confirmation							
MajestyPalm1	12345678	12345678							
3	<div>Then It should display an error message "Password can't be entirely numeric."</div>	SKIPPED	0.004 s						

The user is presented with error message for password too similar to your other personal information



<div>FAILED</div> <div>DURATION - 0.029 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:14.654 PM // 9:59:14.683 PM /				
Validating Register page				
@register @Test_suit_register_09				

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) </pre>		

#	Step / Hook Details	Status	Duration						
	<div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>								
2	<div>When The user enters a valid "username" and "password" similar to username</div> <table><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>MajestyPalm1</td><td>testPalm1</td><td>testPalm1</td></tr></table>	username	password	password confirmation	MajestyPalm1	testPalm1	testPalm1	SKIPPED	0.001 s
username	password	password confirmation							
MajestyPalm1	testPalm1	testPalm1							
3	<div>Then It should display an error message "password can't be too similar to your other personal information."</div>	SKIPPED	0.000 s						

The user is presented with error message for commonly used password

FAILED DURATION - 0.022 s / 9:59:14.720 PM // 9:59:14.742 PM / Validating Register page @Test_suit_register_10 @register		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	FAILED	0.009 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre>		

#	Step / Hook Details	Status	Duration						
	<div>[79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome-extension\...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtools/page/79c2d721f294e6ec27622d13f3deb029, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>								
2	<div>When The user enters a valid "username" and commonly used password "password"</div> <table><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>MajestyPalm1</td><td>Welcome1</td><td>Welcome1</td></tr></table>	username	password	password confirmation	MajestyPalm1	Welcome1	Welcome1	SKIPPED	0.001 s
username	password	password confirmation							
MajestyPalm1	Welcome1	Welcome1							
3	Then It should display an error message "Password can't be commonly used password"	SKIPPED	0.001 s						

The user redirected to Homepage with valid details



FAILED DURATION - 0.087 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:14.787 PM // 9:59:14.874 PM /			
Validating Register page			
@Test_suit_register_11 @register			

#	Step / Hook Details	Status	Duration
1	<p>Given The user opens Register Page</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) </pre>	FAILED	0.047 s

#	Step / Hook Details	Status	Duration						
	<div>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</div> <div>Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>								
2	<div>When The user enters a valid "username" and "password" and "password confirmation"</div> <table><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>MajestyPalm3</td><td>Majesty@123</td><td>Majesty@123</td></tr></table>	username	password	password confirmation	MajestyPalm3	Majesty@123	Majesty@123	SKIPPED	0.001 s
username	password	password confirmation							
MajestyPalm3	Majesty@123	Majesty@123							

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Homepage with the message "New Account Created. You are logged in as <username>"	SKIPPED	0.026 s

The user is presented with error message for existing username



FAILED DURATION - 0.019 s / 9:59:14.897 PM // 9:59:14.916 PM / Validating Register page @Test_suit_register_12 @register		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Registration_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)	FAILED	0.010 s



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>		

#	Step / Hook Details	Status	Duration						
	<div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at step_definitions.Registration_Stepdef.<init>(Registration_Stepdef.java:26) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div>								
2	<div>When The user enters a valid existing "username" with "password" and "password confirmation"</div> <table><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>MajestyPalm3</td><td>Majesty@123</td><td>Majesty@123</td></tr></table>	username	password	password confirmation	MajestyPalm3	Majesty@123	Majesty@123	SKIPPED	0.001 s
username	password	password confirmation							
MajestyPalm3	Majesty@123	Majesty@123							
3	<div>Then It should display an error message "Username already exists"</div>	SKIPPED	0.000 s						

User to sign



FAILED	DURATION - 0.309 s	Scenarios		Steps	
/ 9:59:15.012 PM // 9:59:15.321 PM /		Total - 4		Total - 20	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 16	

User missed to give credentials

FAILED	DURATION - 0.027 s		Steps	
/ 9:59:15.012 PM // 9:59:15.039 PM /			Total - 5	
User to sign			Pass - 0	
@Test_suit_signin01			Fail - 1	
			Skip - 4	



#	Step / Hook Details	Status	Duration
1	<p>Given User is in signin page regone</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Signin_stepdef.LoadLoginPage(Signin_stepdef.java:25) at step_definitions.Signin_stepdef.user_is_in_signin_page_regone(Signin_stepdef.java:35) at ?.User is in signin page regone(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/03_Signin.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.006 s
2	When User not giving valid userId regone	SKIPPED	0.000 s
3	And User not giving valid password regone	SKIPPED	0.002 s
4	And User clicks on signin button regone	SKIPPED	0.002 s
5	Then Error enter valid username & password regone	SKIPPED	0.003 s

User failed to give valid username

<div>FAILED</div> <div>DURATION - 0.054 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 9:59:15.064 PM // 9:59:15.118 PM /</div>				
<div>User to signin</div>				
<div>@Test_suit_signin02</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User is in signin page regtwo</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Signin_stepdef.LoadLoginPage(Signin_stepdef.java:25) at step_definitions.Signin_stepdef.user_is_in_signin_page_regtwo(Signin_stepdef.java:66) at ?.User is in signin page regtwo(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/03_Signin.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.026 s
2	When User not giving valid userId regtwo	SKIPPED	0.003 s
3	And User giving valid password regtwo	SKIPPED	0.003 s
4	And User clicks on sign button regtwo	SKIPPED	0.001 s
5	Then Error no special characters and numbers allowed regtwo	SKIPPED	0.001 s



User failed to give valid password

<div>FAILED</div> <div>DURATION - 0.045 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 9:59:15.169 PM // 9:59:15.214 PM /				
User to signin				
@Test_suit_signin03				

#	Step / Hook Details	Status	Duration
1	Given User is in signin page regthree <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Signin_stepdef.LoadLoginPage(Signin_stepdef.java:25) at step_definitions.Signin_stepdef.user_is_in_signin_page_regthree(Signin_stepdef.java:94) at ?.User is in signin page regthree(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/03_Signin.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.008 s
2	When User giving valid userId regthree	SKIPPED	0.008 s
3	And User not giving valid password regthree	SKIPPED	0.004 s
4	And User clicks on signin button regthree	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then Error enter valid password regthree	SKIPPED	0.000 s



user signin

<div>FAILED</div> <div>DURATION - 0.048 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 9:59:15.273 PM // 9:59:15.321 PM /				
User to signin				
@Test_suit_signin04				



#	Step / Hook Details	Status	Duration
1	Given User is in signin page regfive <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Signin_stepdef.LoadLoginPage(Signin_stepdef.java:25) at step_definitions.Signin_stepdef.user_is_in_signin_page_regfive(Signin_stepdef.java:122) at ?.User is in signin page regfive(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/03_Signin.feature:29)</pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
2	When User to give valid userId regfive	SKIPPED	0.008 s
3	And User to give valid password regfive	SKIPPED	0.003 s
4	And User clicks on signin button regfive	SKIPPED	0.002 s
5	Then Validate success message regfive	SKIPPED	0.003 s

launching dsalgo application load Datastructure page

FAILED	DURATION - 0.107 s	Scenarios		Steps	
/ 9:59:15.495 PM // 9:59:15.602 PM /		Total - 2 Pass - 0 Fail - 2 Skip - 0		Total - 6 Pass - 0 Fail - 2 Skip - 4	



navigate to Time complexity from signin

FAILED	DURATION - 0.042 s		
/ 9:59:15.495 PM // 9:59:15.537 PM /			
launching dsalgo application load Datastructure page			
@Datastructure @TestSuit_Datastructure_01			

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Datastructure page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Datastructure_Stepdef.user_is_in_datastructure_page_after_logged_in(Datastructure_Stepdef.java:41) at ?.user is in Datastructure page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/04_Datastructure.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When user clicks "Time complexity" button datastu	SKIPPED	0.003 s
3	Then user should be redirected to Time complexity pagedatastu	SKIPPED	0.008 s



navigate to Time complexity and practice question page

<div>FAILED</div> <div>DURATION - 0.030 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:15.572 PM // 9:59:15.602 PM /				
launching dsalgo application load Datastructure page				
@Datastructure @TestSuit_Datastructure_02				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Time complexity page after logged in</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Datastructure_Stepdef.user_is_in_time_complexity_page_after_logged_in(Datastructure_Stepdef.java:86) at ?.user is in Time complexity page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/04_Datastructure.feature:12) * Not displayable characters are replaced by '?'.		
2	When user clicks "Try Here" button in Time complexity page	SKIPPED	0.001 s
3	Then user displayed with a page have an tryEditor with a Run button to test and navigate to practice question page	SKIPPED	0.002 s

launching dsalgo application load Array page



FAILED	DURATION - 0.805 s	Scenarios		Steps	
/ 9:59:15.625 PM // 9:59:16.430 PM /		Total - 13		Total - 39	
		Pass - 0		Pass - 0	
		Fail - 13		Fail - 13	
		Skip - 0		Skip - 26	

navigate to Arrays in Python from signin

FAILED		DURATION - 0.022 s			Steps	
/ 9:59:15.625 PM // 9:59:15.647 PM /					Total - 3	
launching dsalgo application load Array page					Pass - 0	
@TestSuit_Array_01 @home					Fail - 1	
					Skip - 2	



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Array page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.015 s
2	When user clicks "Arrays in Python" button	SKIPPED	0.001 s
3	Then user should be redirected to "arrays-in-python" page	SKIPPED	0.001 s

navigate to Arrays in Python and open editor

FAILED	DURATION - 0.012 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:15.673 PM // 9:59:15.685 PM /				
launching dsalgo application load Array page				
@TestSuit_Array_02 @home				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Arrays in Python page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_arrays_in_python_page_after_logged_in(Array_Stepdef.java:84) at ?.user is in Arrays in Python page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.007 s
2	When user clicks "Try Here" button in Arrays in Python page	SKIPPED	0.000 s
3	Then user should be redirected to a page having an tryEditor with a Run button to test	SKIPPED	0.000 s

navigate to Arrays using List from signin

FAILED DURATION - 0.034 s / 9:59:15.709 PM // 9:59:15.743 PM / launching dsalgo application load Array page @TestSuit_Array_03 @home		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Array page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:18)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.015 s
2	When user clicks "Arrays using List" button	SKIPPED	0.001 s
3	Then user should be redirected to "arrays-using-list" page	SKIPPED	0.005 s

Open editor from Arrays using List page

<div>FAILED</div> <div>DURATION - 0.022 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:15.758 PM // 9:59:15.780 PM /				
launching dsalgo application load Array page				
@TestSuit_Array_04 @home				

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Arrays using List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_arrays_using_list_page_after_logged_in(Array_Stepdef.java:118) at ?.user is in Arrays using List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:24)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.007 s
2	When user clicks "Try Here" button in Arrays using List page	SKIPPED	0.003 s
3	Then user should be redirected to a page having an tryEditor with a Run button to test	SKIPPED	0.006 s

navigate to Basic Operations in List from signin

FAILED DURATION - 0.020 s / 9:59:15.814 PM // 9:59:15.834 PM / <i>launching dsalgo application load Array page</i> @TestSuit_Array_05 @home		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Array page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:30)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.015 s
2	When user clicks "Basic Operations in List" button	SKIPPED	0.000 s
3	Then user should be redirected to "basic-operations-in-lists" page	SKIPPED	0.000 s

Open editor from Basic Operations in List page

<div>FAILED</div> <div>DURATION - 0.147 s</div>	<div><table><caption>Test Results Data</caption><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.147</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0.147	2	0	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
Step		Value									
1		0.147									
2		0									
3	0										
<div>/ 9:59:15.871 PM // 9:59:16.018 PM /</div>											
<div>launching dsalgo application load Array page</div>											
<div>@TestSuit_Array_06 @home</div>											

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Basic Operations in List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_basic_operations_in_list_page_after_logged_in(Array_Stepdef.java:136) at ?.user is in Basic Operations in List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:36)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.133 s
2	When user clicks "Try Here" button in Arrays using List page	SKIPPED	0.003 s
3	Then user should be redirected to a page having an tryEditor with a Run button to test	SKIPPED	0.002 s

navigate to Applications of Array from signin

FAILED DURATION - 0.053 s / 9:59:16.049 PM // 9:59:16.102 PM / launching dsalgo application load Array page @TestSuit_Array_07 @home		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Array page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:42)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.044 s
2	When user clicks "Applications of Array" button	SKIPPED	0.001 s
3	Then user should be redirected to "applications-of-array" page	SKIPPED	0.001 s

Open editor from Applications of Array page

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div><table><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.016</td></tr><tr><td>2</td><td>0.000</td></tr><tr><td>3</td><td>0.000</td></tr></tbody></table></div>	Step	Value	1	0.016	2	0.000	3	0.000	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
Step	Value											
1	0.016											
2	0.000											
3	0.000											
/ 9:59:16.122 PM // 9:59:16.138 PM /												
launching dsalgo application load Array page												
@TestSuit_Array_08 @home												

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Applications of Array page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_applications_of_array_page_after_logged_in(Array_Stepdef.java:149) at ?.user is in Applications of Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:48)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When user clicks "Try Here" button in Applications of Arrays page	SKIPPED	0.001 s
3	Then user should be redirected to a page having an tryEditor with a Run button to test	SKIPPED	0.000 s

Launching Practice Questions page of an dsalgo project

<div> <div>FAILED</div> <div>DURATION - 0.040 s</div> </div> <div> <div>/ 9:59:16.155 PM // 9:59:16.195 PM /</div> <div>launching dsalgo application load Array page</div> <div>@TestSuit_Array_09 @home</div> </div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
---	--	---	---

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Array page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:54)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.014 s
2	When user clicks "Practice Questions" button	SKIPPED	0.000 s
3	Then user should be redirected to "practice" page	SKIPPED	0.000 s

Launching Search array link of an dsalgo project

<div>FAILED</div> <div>DURATION - 0.030 s</div>		<table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.03</td></tr><tr><td>2</td><td>0.00</td></tr><tr><td>3</td><td>0.00</td></tr></tbody></table>	Step	Value	1	0.03	2	0.00	3	0.00	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
Step	Value											
1	0.03											
2	0.00											
3	0.00											
/ 9:59:16.223 PM // 9:59:16.253 PM /												
launching dsalgo application load Array page												
@TestSuit_Array_10 @home												

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Practice page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:60)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.026 s
2	When user clicks "Search the array" link	SKIPPED	0.000 s
3	Then user should be redirected to "Question" page contains questions,an tryEditor to write code with Run and Submit buttons	SKIPPED	0.000 s

Launching Max Consecutive Ones link of an dsalgo project

<div>FAILED</div> <div>DURATION - 0.022 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.022</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0.022	2	0	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div><div>3</div></div>
Step	Value											
1	0.022											
2	0											
3	0											
<div>/ 9:59:16.275 PM // 9:59:16.297 PM /</div>												
<div>launching dsalgo application load Array page</div>												
<div>@TestSuit_Array_11 @home</div>												



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Practice page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:66) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.015 s
2	When user clicks "Max Consecutive Ones" link	SKIPPED	0.000 s
3	Then user should be redirected to "Question" page contains questions,an tryEditor to write code with Run and Submit buttons	SKIPPED	0.001 s

Launching Find Numbers with Even Number of Digits link of an dsalgo project

<div>FAILED</div> <div>DURATION - 0.063 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.01</td></tr><tr><td>3</td><td>0.01</td></tr></tbody></table></div>	Step	Value	1	0.05	2	0.01	3	0.01	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
Step	Value											
1	0.05											
2	0.01											
3	0.01											
<div>/ 9:59:16.322 PM // 9:59:16.385 PM /</div>												
<div>launching dsalgo application load Array page</div>												
<div>@TestSuit_Array_12 @home</div>												



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Practice page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:72)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.053 s
2	When user clicks "Find Numbers with Even Number of Digits" link	SKIPPED	0.001 s
3	Then user should be redirected to "Question" page contains questions,an tryEditor to write code with Run and Submit buttons	SKIPPED	0.001 s

Launching Squares of a Sorted Array link of an dsalgo project



<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:16.414 PM // 9:59:16.430 PM /</div>				
<div>launching dsalgo application load Array page</div>				
<div>@TestSuit_Array_13 @home</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Practice page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:78) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.009 s
2	When user clicks "Squares of a Sorted Array" link	SKIPPED	0.001 s
3	Then user should be redirected to "Question" page contains questions,an tryEditor to write code with Run and Submit buttons	SKIPPED	0.000 s

User Testing Linkedlist page



FAILED	DURATION - 1.062 s	Scenarios		Steps	
/ 9:59:16.467 PM // 9:59:17.529 PM /		Total - 14		Total - 42	
		Pass - 0		Pass - 0	
		Fail - 14		Fail - 14	
		Skip - 0		Skip - 28	

navigate to Introduction in Linked List page from signin

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:16.467 PM // 9:59:16.479 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_01				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Linked List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_linked_list_page_after_logged_in(LinkedList_stepdef.java:44) at ?.user is in Linked List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.008 s
2	When The user clicks "Introduction" button	SKIPPED	0.000 s
3	Then user should be redirected to "Introduction" page	SKIPPED	0.001 s

navigate to Introduction and open editor

<div>FAILED</div> <div>DURATION - 0.037 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:16.497 PM // 9:59:16.534 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_02				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Introduction page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, chromeVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_introduction_page_after_logged_in(LinkedList_stepdef.java:98) at ?.user is in Introduction page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.016 s
2	When user clicks "Try Here" button in Introduction page	SKIPPED	0.000 s
3	Then user should be redirected to Introduction tryEditor with a Run button to test	SKIPPED	0.001 s

navigate to Creating Linked List from signin

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:16.546 PM // 9:59:16.561 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_03				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Linked List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_linked_list_page_after_logged_in(LinkedList_stepdef.java:44) at ?.user is in Linked List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:18)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.010 s
2	When The user clicks "Creating Linked List" button	SKIPPED	0.000 s
3	Then user should be redirected to "Creating-Linked-List" page	SKIPPED	0.001 s

Open editor from Creating Linked List page

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:16.586 PM // 9:59:16.598 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_04				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Creating Linked List after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_creating_linked_list_page_after_logged_in(LinkedList_stepdef.java:133) at ?.user is in Creating Linked List after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:24)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When user clicks "Try Here" button in Creating Linked List Page	SKIPPED	0.000 s
3	Then user should be redirected to Creating Linked List tryEditor with a Run button to test	SKIPPED	0.000 s

navigate to Types of Linked List from signin

<div>FAILED</div> <div>DURATION - 0.023 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:16.610 PM // 9:59:16.633 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_05				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Linked List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_linked_list_page_after_logged_in(LinkedList_stepdef.java:44) at ?.user is in Linked List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:30)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.012 s
2	When The user clicks "Types of Linked List " button	SKIPPED	0.000 s
3	Then user should be redirected to "Types-of-Linked-List " page	SKIPPED	0.000 s

Open editor from Types of Linked List page

<div>FAILED</div> <div>DURATION - 0.052 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:16.653 PM // 9:59:16.705 PM /</div>				
<div>User Testing Linkedlist page</div>				
<div>@TS_II_06 @Linkedlist</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Types of Linked List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_Types_of_Linked_List_page_after_logged_in(LinkedList_stepdef.java:164) at ?.user is in Types of Linked List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:36)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.015 s
2	When user clicks "Try Here" button in Types of Linked List page	SKIPPED	0.018 s
3	Then user should be redirected to a page Types of Linked List an tryEditor with a Run button to test	SKIPPED	0.009 s

navigate to Implement Linked List in Python from signin

<div>FAILED</div> <div>DURATION - 0.041 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:16.735 PM // 9:59:16.776 PM /				
User Testing Linkedlist page				
@TS_II_07 @Linkedlist				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Linked List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_linked_list_page_after_logged_in(LinkedList_stepdef.java:44) at ?.user is in Linked List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:42)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.027 s
2	When The user clicks "Implement Linked List in Python" button	SKIPPED	0.001 s
3	Then user should be redirected to "Implement-Linked-List-in-Python" page	SKIPPED	0.001 s

Open editor from Implement Linked List in Python page

<div>FAILED</div> <div>DURATION - 0.043 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:16.811 PM // 9:59:16.854 PM /				
User Testing Linkedlist page				
@TS_II_08 @Linkedlist				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Implement Linked List in Python after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_implement_linked_list_in_python_after_logged_in(LinkedList_stepdef.java:195) at ?.user is in Implement Linked List in Python after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:48) * Not displayable characters are replaced by '?'. </p>	FAILED	0.035 s
2	When user clicks "Try Here" button in Implement Linked List in Python page	SKIPPED	0.001 s
3	Then user should be redirected to a page Implement Linked List an tryEditor with a Run button to test	SKIPPED	0.001 s

navigate to Traversal from signin

<div>FAILED</div> <div>DURATION - 0.044 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:16.888 PM // 9:59:16.932 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_09				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Linked List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_linked_list_page_after_logged_in(LinkedList_stepdef.java:44) at ?.user is in Linked List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:54)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.033 s
2	When The user clicks "Traversal" button	SKIPPED	0.000 s
3	Then user should be redirected to "Traversal" page	SKIPPED	0.000 s

Open editor from Traversal page

<div>FAILED</div> <div>DURATION - 0.059 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:16.984 PM // 9:59:17.043 PM /</div>				
<div>User Testing Linkedlist page</div>				
<div>@Linkedlist @TS_II_10</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Traversal after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_traversal_after_logged_in(LinkedList_stepdef.java:224) at ?.user is in Traversal after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:60)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.046 s
2	When The user clicks "Try Here" button in Traversal page	SKIPPED	0.003 s
3	Then user should be redirected to a page Traversal tryEditor with a Run button to test	SKIPPED	0.005 s

navigate to Insertion from signin

<div>FAILED</div> <div>DURATION - 0.156 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:17.062 PM // 9:59:17.218 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_11				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Linked List page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_linked_list_page_after_logged_in(LinkedList_stepdef.java:44) at ?.user is in Linked List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:67) * Not displayable characters are replaced by '?'. </p>	FAILED	0.135 s
2	When The user clicks "Insertion" button	SKIPPED	0.002 s
3	Then user should be redirected to "Insertion" page	SKIPPED	0.001 s

Open editor from Insertion page

<div>FAILED</div> <div>DURATION - 0.136 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:59:17.276 PM // 9:59:17.412 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_12				

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Insertion after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_insertion_after_logged_in(LinkedList_stepdef.java:254) at ?.user is in Insertion after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:74)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.117 s
2	When The user clicks "Try Here" button in Insertion page	SKIPPED	0.007 s
3	Then user should be redirected to insertion tryEditor page to Run button to test	SKIPPED	0.000 s

navigate to Deletion from signin

<div>FAILED</div> <div>DURATION - 0.054 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:17.433 PM // 9:59:17.487 PM /				
User Testing Linkedlist page				
@Linkedlist @TS_II_13				



#	Step / Hook Details	Status	Duration
1	<p>Given user is in Insertion after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_insertion_after_logged_in(LinkedList_stepdef.java:254) at ?.user is in Insertion after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:82)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.049 s
2	When The user clicks "Deletion" button	SKIPPED	0.000 s
3	Then user should be redirected to "Deletion" page	SKIPPED	0.000 s

Open editor from Deletion page



<div>FAILED</div> <div>DURATION - 0.028 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.028</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0.028	2	0	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
Step	Value											
1	0.028											
2	0											
3	0											
<div>/ 9:59:17.501 PM // 9:59:17.529 PM /</div>												
<div>User Testing Linkedlist page</div>												
<div>@Linkedlist @TS_II_14</div>												

#	Step / Hook Details	Status	Duration
1	<p>Given user is in Deletion after logged in</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, chromeVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.LinkedList_stepdef.user_is_in_deletion_after_logged_in(LinkedList_stepdef.java:284) at ?.user is in Deletion after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/06_linkedlist.feature:89) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.022 s
2	When The user clicks "Try Here" button in Deletion page	SKIPPED	0.001 s
3	Then user should be redirected to Deletion tryEditor to Run button to test and Submit button	SKIPPED	0.000 s

Testing the stack page of the DS Algo application

FAILED	DURATION - 14.363 s	Scenarios Total - 11 Pass - 0 Fail - 11 Skip - 0		Steps Total - 40 Pass - 0 Fail - 11 Skip - 29	
/ 9:59:17.604 PM // 9:59:31.967 PM /					



The user should be on the stack page

FAILED	DURATION - 0.042 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:17.604 PM // 9:59:17.646 PM /				
Testing the stack page of the DS Algo application				
@StackSutie @TestDemo_Stack_01				

#	Step / Hook Details	Status	Duration
1	<p>Given The user landed on the home page after logged in</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtoo..., se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)</p>	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Stack_stepdef.the_user_landed_on_the_home_page_after_logged_in(Stack_stepdef.java:40) at ?.The user landed on the home page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:6) * Not displayable characters are replaced by '?'.		
2	When The user selects the stack option from the dropdown menu or clicks on Get Started button under Stack	SKIPPED	0.001 s
3	Then The user should be redirected to stack page	SKIPPED	0.004 s



The user is able to navigate to "operations in stack" page

<div>FAILED</div> <div>DURATION - 1.026 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:17.685 PM // 9:59:18.711 PM /</div>				
<div>Testing the stack page of the DS Algo application</div>				
<div>@StackSutie @TestDemo_Stack_02</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the stack page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	1.023 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.Stackpage.getstackPageTitle(Stackpage.java:90) at step_definitions.Stack_stepdef.the_user_is_on_the_stack_page(Stack_stepdef.java:67) at ?.The user is on the stack page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:12) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks on the operations in the stack link	SKIPPED	0.001 s
3	Then The user should be redirected to operations in stack page	SKIPPED	0.000 s

The user is able to navigate to page having tryeditor from operations in stack page

FAILED		DURATION - 1.013 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>			
/ 9:59:18.721 PM // 9:59:19.734 PM /								
Testing the stack page of the DS Algo application								
@StackSutie @TestDemo_Stack_03								

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the operations in stack page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	1.009 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.Stackpage.getstackPageTitle(Stackpage.java:90) at step_definitions.Stack_stepdef.the_user_is_on_the_operations_in_stack_page(Stack_stepdef.java:88) at ?.The user is on the operations in stack page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:18) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks on Try here button for operations in stack page	SKIPPED	0.000 s
3	Then The user should be redirected to page having an tryEditor with a Run button for operations in stack page	SKIPPED	0.000 s
4	And The user enter the valid python code in tryeditor page and click on Run button	SKIPPED	0.000 s
5	Then The user is presented with result for operations in stack	SKIPPED	0.001 s

The user is presented with error message for invalid python code for operations in stack page

FAILED	DURATION - 2.019 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 9:59:19.745 PM // 9:59:21.764 PM /				
Testing the stack page of the DS Algo application				
@TestDemo_Stack_04 @StackSutie				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page for operations in stack page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss </pre>	FAILED	2.016 s

#	Step / Hook Details	Status	Duration
	<p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296)</p> <p>at page_objects.Stackpage.navigateTryEditor(Stackpage.java:118)</p> <p>at step_definitions.Stack_stepdef.the_user_is_on_the_try_editor_page_for_operations_in_stack_page(Stack_stepdef.java:136)</p> <p>at ?.The user is on the tryEditor page for operations in stack page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:27)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user enter the invalid python code for operations in stack page	SKIPPED	0.000 s
3	And The user click on the run button for operations in stack page	SKIPPED	0.000 s
4	Then The user will get an error message for operations in stack page	SKIPPED	0.000 s

The user is able to navigate to stack page and click on "Implementation " link

FAILED	DURATION - 2.022 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:21.772 PM // 9:59:23.794 PM /				
Testing the stack page of the DS Algo application				
@TestDemo_Stack_05 @StackSutie				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is in editor page and navigates to the stack page for implementation page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/stack/}] Capabilities {acceptInsecureCerts: false,</p>	FAILED	2.020 s

#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.Stackpage.navigateToStackPage(Stackpage.java:96) at step_definitions.Stack_stepdef.the_user_is_in_editor_page_and_navigates_to_the_stack_page_for_implementation_page(Stack_stepdef.java:170) at ?.The user is in editor page and navigates to the stack page for implementation page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:34) * Not displayable characters are replaced by '?'. </p>		
2	When The user clicks on the Implementation link	SKIPPED	0.000 s
3	Then The user should be redirected to Implementation page	SKIPPED	0.000 s



The user is able to navigate to page having tryeditor from Implementation page

FAILED DURATION - 1.020 s / 9:59:23.804 PM // 9:59:24.824 PM / Testing the stack page of the DS Algo application @TestDemo_Stack_06 @StackSutie		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation page	FAILED	1.014 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.Stackpage.getstackPageTitle(Stackpage.java:90) at step_definitions.Stack_stepdef.the_user_is_on_the_implementation_page(Stack_stepdef.java:189) at ?.The user is on the Implementation page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:40)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user clicks on Try here button for Implementation page	SKIPPED	0.001 s
3	Then The user should be redirected to page having an tryEditor with a Run button and enter valid python code for Implementation page	SKIPPED	0.001 s
4	And The user click on the run button for implementation page	SKIPPED	0.000 s
5	Then The user is presented with result for implementation page	SKIPPED	0.001 s

The user is presented with error message for invalid code for Implementation page

FAILED	DURATION - 2.016 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:24.837 PM // 9:59:26.853 PM /				
Testing the stack page of the DS Algo application				
@TestDemo_Stack_07 @StackSutie				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page for Implementation page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.Stackpage.navigateTryEditor(Stackpage.java:118) at step_definitions.Stack_stepdef.the_user_is_on_the_try_editor_page_for_implementation_page(Stack_stepdef.java:233) at ?.The user is on the tryEditor page for Implementation page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:48) * Not displayable characters are replaced by '?'. </p>	FAILED	2.013 s
2	When The user enter the invalid python code in tryeditor page and click run button for Implementation page	SKIPPED	0.000 s
3	Then The user will get an error message for Implementation page	SKIPPED	0.000 s



The user is able to navigate to stack page and click on "Applications " link

FAILED	DURATION - 2.026 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:26.863 PM // 9:59:28.889 PM /				
Testing the stack page of the DS Algo application				
@TestDemo_Stack_08 @StackSutie				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is in tryeditor page and navigates to stack page for application page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/stack/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.Stackpage.navigateToStackPage(Stackpage.java:96) at step_definitions.Stack_stepdef.the_user_is_in_tryeditor_page_and_navigates_to_stack_page_for_application_page(Stack_stepdef.java:262) at ?.The user is in tryeditor page and navigates to stack page for application page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:54) * Not displayable characters are replaced by '?'. </p>	FAILED	2.023 s
2	When The user clicks on the Applications link	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Applications page	SKIPPED	0.000 s



The user is able to navigate to page having tryeditor from Applications page

<div>FAILED</div> <div>DURATION - 1.025 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 9:59:28.898 PM // 9:59:29.923 PM /				
Testing the stack page of the DS Algo application				
@TestDemo_Stack_09 @StackSutie				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the Applications page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtoo..., se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.Stackpage.getstackPageTitle(Stackpage.java:90) at step_definitions.Stack_stepdef.the_user_is_on_the_applications_page(Stack_stepdef.java:279) </pre>	FAILED	1.020 s

#	Step / Hook Details	Status	Duration
	at ?.The user is on the Applications page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:60) * Not displayable characters are replaced by '?'. 2 When The user clicks on Try here button for for Applications page		
2	When The user clicks on Try here button for for Applications page	SKIPPED	0.000 s
3	Then The user should be redirected to page having an tryEditor with a Run button and enter python code for Applications page	SKIPPED	0.000 s
4	And user click on run button for applications page	SKIPPED	0.000 s
5	Then The user is presented with the result for applications page	SKIPPED	0.000 s



The user is presented with error message for invalid code in tryEditor page for Applications page

FAILED DURATION - 2.018 s / 9:59:29.934 PM // 9:59:31.952 PM / Testing the stack page of the DS Algo application @StackSutie @TestDemo_Stack_10		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page for Applications page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	2.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.Stackpage.navigateTryEditor(Stackpage.java:118) at step_definitions.Stack_stepdef.the_user_is_on_the_try_editor_page_for_applications_page(Stack_stepdef.java:324) at ?.The user is on the tryEditor page for Applications page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:68) * Not displayable characters are replaced by '?'. </pre>		
2	When The user enter the invalid python code in tryeditor and clickon run button for Applications page	SKIPPED	0.001 s
3	Then The user will get an error message for Applications page	SKIPPED	0.000 s



The user is able to navigate to "practice Questions" in stack page

FAILED		DURATION - 0.007 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:59:31.960 PM // 9:59:31.967 PM /						
Testing the stack page of the DS Algo application						
@StackSutie @TestDemo_Stack_11						



#	Step / Hook Details	Status	Duration
1	<p>Given The user is in tryeditor page and navigates to applications page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/stack/stack-applications/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtoo ..., se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.Stackpage.navigatetoapplicationsinstackPage(Stackpage.java:169) at step_definitions.Stack_stepdef.the_user_is_in_ryeditor_page_and_navigates_to_applications_page(Stack_stepdef.java:354) at ?.The user is in tryeditor page and navigates to applications page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:74) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks on the practice Questions button	SKIPPED	0.000 s
3	Then The user should be directed to practice questions	SKIPPED	0.000 s

User to sign in the dsalgo application and test Queue page

FAILED	DURATION - 6.259 s	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0		Steps Total - 54 Pass - 0 Fail - 14 Skip - 40	
/ 9:59:31.980 PM // 9:59:38.239 PM /					

user is logged in into the dsalgo project to test Queue page

FAILED	DURATION - 0.010 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:31.980 PM // 9:59:31.990 PM /				
User to sign in the dsalgo application and test Queue page				
@TestDemo_Queue_01 @QueueSuite				

#	Step / Hook Details	Status	Duration
1	Given user is logged into the home page	FAILED	0.008 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre>		

#	Step / Hook Details	Status	Duration
	<p>[79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Queue_stepdef.user_is_logged_into_the_home_page(Queue_stepdef.java:43) at ?.user is logged into the home page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When user clicks on get started button or dropdown for queue	SKIPPED	0.000 s
3	Then user directed to the queue page	SKIPPED	0.000 s

The user is able to navigate to Implementation of Queue in Python link page

FAILED DURATION - 0.006 s / 9:59:32.000 PM // 9:59:32.006 PM / User to sign in the dsalgo application and test Queue page @QueueSuite @TestSuite_queue_02		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user in queue page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch:	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtoo..., se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) at step_definitions.Queue_stepdef.the_user_in_queue_page(Queue_stepdef.java:66) at ?.The user in queue page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When user clicks on Implementation of Queue in Python link page	SKIPPED	0.000 s
3	Then user should be directed to Implementation of Queue in Python link page	SKIPPED	0.001 s

The user should be directed to editor page with run button to test python code

FAILED DURATION - 0.007 s / 9:59:32.015 PM // 9:59:32.022 PM / User to sign in the dsalgo application and test Queue page @QueueSuite @TestSuite_queue_03		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	<p>Given The user is in Implementation of queue in python link page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtoo..., se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) at step_definitions.Queue_stepdef.the_user_is_in_implementation_of_queue_in_python_link_page(Queue_stepdef.java:87) at ?.The user is in Implementation of queue in python link page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:18) * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	When The user clicks on Tryhere link for Implementation of queue in python	SKIPPED	0.001 s
3	Then The user navigates to Editor page to enter valid python code for Implementation of queue in python	SKIPPED	0.000 s
4	And user clicks on the run button for Implementation of queue in python	SKIPPED	0.000 s
5	Then The user is presented with the result after run button is clicked for Implementation of queue in python	SKIPPED	0.000 s



The user is presented with error message for invalid code in Editor for Implementation of queue page

FAILED	DURATION - 0.006 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 9:59:32.029 PM // 9:59:32.035 PM /				
User to sign in the dsalgo application and test Queue page				
@QueueSuite @TestSuite_queue_04				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is in a page having an Editor with a Run button to test for Implementation of queue in python</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToEditorUrl(QueuePage.java:145) at step_definitions.Queue_stepdef. the_user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_implementation_of_queue_in_python(Queue_stepdef.java:135) at ?.The user is in a page having an Editor with a Run button to test for Implementation of queue in python(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:26) * Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
2	When The user enters invalid python code for Implementation of queue in python	SKIPPED	0.000 s
3	And clicks run button for Implementation of queue	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then The user gets an error message for Implementation of queue	SKIPPED	0.000 s



The user is able to navigate to queue page and click on Implementation using collections deque link

<div>FAILED</div> <div>DURATION - 2.014 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:32.047 PM // 9:59:34.061 PM /</div>				
<div>User to sign in the dsalgo application and test Queue page</div>				
<div>@QueueSuite @TestSuite_queue_05</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User in editor page and navigates to the queue page for Implementation using collections deque link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/queue/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToQueuePage(QueuePage.java:152) at step_definitions.Queue_stepdef. user_in_editor_page_and_navigates_to_the_queue_page_for_implementation_using_collections_deque_link(Queue_stepdef.java:170) at ?.User in editor page and navigates to the queue page for Implementation using collections deque link(file:///C:/Users/karth/Dsalgo_The-</pre>	FAILED	2.011 s

#	Step / Hook Details	Status	Duration
	Xpathers/src/test/resources/features/08_Queue.feature:33) * Not displayable characters are replaced by '?'. 2 When User clicks on Implementation using collections deque link		
2	When User clicks on Implementation using collections deque link	SKIPPED	0.001 s
3	Then User should be redirected to Implementation using collections deque page	SKIPPED	0.000 s



The user should be directed to editor page with run button to test python code from Implementation using collections delque link

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
<div>/ 9:59:34.068 PM // 9:59:34.074 PM /</div>			
<div>User to sign in the dsalgo application and test Queue page</div>			
<div>@QueueSuite @TestSuite_queue_06</div>			

#	Step / Hook Details	Status	Duration
1	Given User in implementation using collections page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) at step_definitions.Queue_stepdef.user_in_implementation_using_collections_page(Queue_stepdef.java:191) at ?.User in implementation using collections page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:39) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Tryhere link for collections page	SKIPPED	0.000 s
3	Then User navigates to Editor page to enter valid python code for collections page	SKIPPED	0.000 s
4	And User clicks on the run button for collections page	SKIPPED	0.000 s
5	Then The user is presented with the result after run button is clicked for collections page	SKIPPED	0.000 s



The user is presented with error message for invalid code in Editor for Implementation using collections page

FAILED	DURATION - 0.008 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 9:59:34.084 PM // 9:59:34.092 PM /				
User to sign in the dsalgo application and test Queue page				
@QueueSuite @TestSuite_queue_07				

#	Step / Hook Details	Status	Duration
1	<p>Given User is in a page having an Editor with a Run button to test for collection page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToEditorUrl(QueuePage.java:145) at step_definitions.Queue_stepdef.user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_collection_page(Queue_stepdef.java:235) at ?.User is in a page having an Editor with a Run button to test for collection page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:47) * Not displayable characters are replaced by '?'. </pre>		
2	When User enters invalid python code in Editor for collections page	SKIPPED	0.000 s
3	And clicks run button for collection page link	SKIPPED	0.000 s
4	Then The user gets an error message for collection page	SKIPPED	0.001 s



User is able to navigate to queue page and click on Implementation using array link

FAILED DURATION - 2.017 s / 9:59:34.104 PM // 9:59:36.121 PM / User to sign in the dsalgo application and test Queue page @QueueSuite @TestSuite_queue_08		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User in editor page and navigates to the queue page for Implementation using array link <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/queue/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss </pre>	FAILED	2.014 s

#	Step / Hook Details	Status	Duration
	<p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296)</p> <p>at page_objects.QueuePage.navigateToQueuePage(QueuePage.java:152)</p> <p>at step_definitions.Queue_stepdef.</p> <p>user_in_editor_page_and_navigates_to_the_queue_page_for_implementation_using_array_link(Queue_stepdef.java:271)</p> <p>at ?.User in editor page and navigates to the queue page for Implementation using array link(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:54)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user clicks on Implementation using array link	SKIPPED	0.000 s
3	Then The user should be redirected to Implementation using array page	SKIPPED	0.000 s



User should be directed to editor page with run button to test python code from Implementation using array link

FAILED DURATION - 0.006 s / 9:59:36.128 PM // 9:59:36.134 PM / User to sign in the dsalgo application and test Queue page @QueueSuite @TestSuite_queue_09		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	<p>Given User in Implementation using array link</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</p>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<p>110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) at step_definitions.Queue_stepdef.user_in_implementation_using_array_link(Queue_stepdef.java:291) at ?.User in Implementation using array link(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:60)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Tryhere link from Implementation using array link	SKIPPED	0.000 s
3	Then User navigates to Editor page to enter valid python code for array link	SKIPPED	0.000 s
4	And User clicks on the run button for array link	SKIPPED	0.000 s
5	Then User is presented with the result after run button is clicked for array link	SKIPPED	0.000 s

The User is presented with error message for invalid code in Editor for Implementation using array page

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 9:59:36.143 PM // 9:59:36.155 PM /				
User to sign in the dsalgo application and test Queue page				
@QueueSuite @TestSuite_queue_10				



#	Step / Hook Details	Status	Duration
1	<p>Given User is in a page having an Editor with a Run button to test for array page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToEditorUrl(QueuePage.java:145) at step_definitions.Queue_stepdef.user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_array_page(Queue_stepdef.java:336) at ?.User is in a page having an Editor with a Run button to test for array page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:68) * Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When User enters invalid python code in Editor for array page.	SKIPPED	0.000 s
3	And clicks run button for array page	SKIPPED	0.000 s
4	Then The user gets an error message for array page	SKIPPED	0.000 s

User is able to navigate to queue page and click on Queue Operations link

<div>FAILED</div> <div>DURATION - 2.011 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:36.171 PM // 9:59:38.182 PM /</div>				
<div>User to sign in the dsalgo application and test Queue page</div>				
<div>@QueueSuite @TestSuite_queue_11</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User in editor page and navigates to the queue page for Queue Operations link</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/queue/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToQueuePage(QueuePage.java:152) at step_definitions.Queue_stepdef.user_in_editor_page_and_navigates_to_the_queue_page_for_queue_operations_link(Queue_stepdef.java:372) at ?.User in editor page and navigates to the queue page for Queue Operations link(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:75) * Not displayable characters are replaced by '?'. </p>	FAILED	2.009 s
2	When The user clicks on Queue Operations link	SKIPPED	0.000 s
3	Then The user should be redirected to Queue Operations page	SKIPPED	0.000 s



The user should be directed to editor page with run button to test python code from Queue Operations link

FAILED	DURATION - 0.007 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 9:59:38.190 PM // 9:59:38.197 PM /				
User to sign in the dsalgo application and test Queue page				
@QueueSuite @TestSuite_queue_12				

#	Step / Hook Details	Status	Duration
1	<p>Given User in Queue Operations link</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58136/devtoo..., se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) at step_definitions.Queue_stepdef.user_in_queue_operations_link(Queue_stepdef.java:392) at ?.User in Queue Operations link(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:81)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When User clicks on Tryhere link from Queue Operations link	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User navigates to Editor page to enter valid python code for Queue Operations link	SKIPPED	0.000 s
4	And User clicks on the run button for Queue Operations link	SKIPPED	0.001 s
5	Then User is presented with the result after run button is clicked for Queue Operations link	SKIPPED	0.000 s



The User is presented with error message for invalid code in Editor for Queue Operations page

FAILED		DURATION - 0.015 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3			
/ 9:59:38.206 PM // 9:59:38.221 PM /								
User to sign in the dsalgo application and test Queue page								
@QueueSuite @TestSuite_queue_13								

#	Step / Hook Details	Status	Duration
1	<p>Given User is in a page having an Editor with a Run button to test for Queue Operations page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToEditorUrl(QueuePage.java:145) at step_definitions.Queue_stepdef.</p>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_queue_operations_page(Queue_stepdef.java:434) at ?.User is in a page having an Editor with a Run button to test for Queue Operations page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:89) * Not displayable characters are replaced by '?'. 2 When User enters invalid python code in Editor for Queue Operations page		
2	When User enters invalid python code in Editor for Queue Operations page	SKIPPED	0.003 s
3	And clicks run button for Queue Operations page	SKIPPED	0.000 s
4	Then The user gets an error message for Queue Operations page	SKIPPED	0.000 s



User is able to navigate to Queue page and click on Practice Questions

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:38.231 PM // 9:59:38.239 PM /				
User to sign in the dsalgo application and test Queue page				
@QueueSuite @TestSuite_queue_14				



#	Step / Hook Details	Status	Duration
1	Given User is in Editor page and navigates to Queue operation page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/queue/QueueOp/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToQPracQuesPage(QueuePage.java:179) at step_definitions.Queue_stepdef.user_is_in_editor_page_and_navigates_to_queue_operation_page(Queue_stepdef.java:469) at ?.User is in Editor page and navigates to Queue operation page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:96) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Practice Questions	SKIPPED	0.000 s
3	Then User is directed to Practice page	SKIPPED	0.000 s

User to sign in the dsalgo application and test Graph page

FAILED	DURATION - 2.208 s	Scenarios		Steps	
/ 9:59:38.254 PM // 9:59:40.462 PM /		Total - 8		Total - 30	
		Pass - 0		Pass - 0	
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 22	

user is logged in into the dsalgo project to test Graph page

FAILED	DURATION - 0.011 s		Steps	
/ 9:59:38.254 PM // 9:59:38.265 PM /			Total - 3	
User to sign in the dsalgo application and test Graph page			Pass - 0	
@GraphSuite @TestDemo_Graph_01			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given After signin user is in home page	FAILED	0.007 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: </pre>		

#	Step / Hook Details	Status	Duration
	C:\Users\karth\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Graph_stepdef.after_signin_user_is_in_home_page(Graph_stepdef.java:41) at ?.After signin user is in home page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:6) * Not displayable characters are replaced by '?'.		
2	When User clicks on get started button or dropdown for graph	SKIPPED	0.001 s
3	Then user directed to the graph page	SKIPPED	0.000 s

User is able to navigate to graph page

FAILED DURATION - 0.006 s / 9:59:38.273 PM // 9:59:38.279 PM / User to sign in the dsalgo application and test Graph page @GraphSuite @TestDemo_Graph_02		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User in graph page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.GraphPage.getGraphPageTitle(GraphPage.java:70) at step_definitions.Graph_stepdef.user_in_graph_page(Graph_stepdef.java:65) at ?.User in graph page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:12) * Not displayable characters are replaced by '?'.		
2	When User clicks on graph link button	SKIPPED	0.001 s
3	Then User should be directed to graph link page	SKIPPED	0.000 s



User should be directed to editor page with run button to test python code

FAILED DURATION - 0.010 s / 9:59:38.294 PM // 9:59:38.304 PM / User to sign in the dsalgo application and test Graph page @GraphSuite @TestDemo_Graph_03		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is in graph link page	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.GraphPage.getGraphPageTitle(GraphPage.java:70) at step_definitions.Graph_stepdef.user_is_in_graph_link_page(Graph_stepdef.java:85) at ?.User is in graph link page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:18)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Tryhere link for graph link page	SKIPPED	0.001 s
3	Then User navigates to Editor page to enter valid python code for graph link page	SKIPPED	0.000 s
4	And User clicks on the run button for graph link page	SKIPPED	0.000 s
5	Then User is presented with the result after run button is clicked for graph link page	SKIPPED	0.000 s



User is presented with error message for invalid code in Editor for graph link page

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 9:59:38.325 PM // 9:59:38.342 PM /				
User to sign in the dsalgo application and test Graph page				
@TestDemo_Graph_04 @GraphSuite				

#	Step / Hook Details	Status	Duration
1	<p>Given User is in a page having an Editor with a Run button to test for graph link page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.GraphPage.navigateToGraphEditorUrl(GraphPage.java:128) at step_definitions.Graph_stepdef.user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_graph_link_page(Graph_stepdef.java:138) at ?.User is in a page having an Editor with a Run button to test for graph link page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:26) * Not displayable characters are replaced by '?'. </p>	FAILED	0.010 s
2	When User enters invalid python code for graph link page	SKIPPED	0.000 s
3	And clicks run button for graph link page	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
4	Then The user gets an error message for graph link page	SKIPPED	0.001 s



User is able to navigate to graph page and click on graph representations

<div>FAILED</div> <div>DURATION - 2.020 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:59:38.366 PM // 9:59:40.386 PM /</div>				
<div>User to sign in the dsalgo application and test Graph page</div>				
<div>@GraphSuite @TestDemo_Graph_05</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User in editor page and navigates to the graph page for graph representations</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/graph/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.GraphPage.navigateToGraphPage(GraphPage.java:135) at step_definitions.Graph_stepdef.user_in_editor_page_and_navigates_to_the_graph_page_for_graph_representations(Graph_stepdef.java:169) at ?.User in editor page and navigates to the graph page for graph representations(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/</pre>	FAILED	2.016 s

#	Step / Hook Details	Status	Duration
	resources/features/09_graph.feature:33) * Not displayable characters are replaced by '?'. 2 When User clicks on graph representations link		
2	When User clicks on graph representations link	SKIPPED	0.000 s
3	Then User should be redirected to graph representations	SKIPPED	0.000 s



User should be directed to editor page with run button to test python code from graph representations

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 9:59:40.397 PM // 9:59:40.413 PM /				
User to sign in the dsalgo application and test Graph page				
@TestDemo_Graph_06 @GraphSuite				

#	Step / Hook Details	Status	Duration
1	Given User is in graph representations org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy38.click(Unknown Source) at page_objects.GraphPage.clickOngraphrepresentations(GraphPage.java:141) at step_definitions.Graph_stepdef.user_is_in_graph_representations(Graph_stepdef.java:189) at ?.User is in graph representations(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:39) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Tryhere link for graph representations	SKIPPED	0.000 s
3	Then User navigates to Editor page to enter valid python code for graph representations	SKIPPED	0.000 s
4	And User clicks on the run button for graph representations	SKIPPED	0.000 s
5	Then The user is presented with the result after run button is clicked for graph representations	SKIPPED	0.004 s



The user is presented with error message for invalid code in Editor for graph representations

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 9:59:40.424 PM // 9:59:40.437 PM /				
User to sign in the dsalgo application and test Graph page				
@TestDemo_Graph_07 @GraphSuite				

#	Step / Hook Details	Status	Duration
1	<p>Given User is in a page having an Editor with a Run button to test for graph representations</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.GraphPage.navigateToGraphEditorUrl(GraphPage.java:128) at step_definitions.Graph_stepdef. user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_graph_representations(Graph_stepdef.java:244) at ?.User is in a page having an Editor with a Run button to test for graph representations(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/ resources/features/09_graph.feature:47) * Not displayable characters are replaced by '?'. </pre>		
2	When User enters invalid python code in Editor for graph representations	SKIPPED	0.002 s
3	And clicks run button for graph representations	SKIPPED	0.000 s
4	Then The user gets an error message for graph representations	SKIPPED	0.001 s

User is able to navigate tograph representations page and click on Practice Questions

FAILED	DURATION - 0.013 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:59:40.449 PM // 9:59:40.462 PM /				
User to sign in the dsalgo application and test Graph page				
@TestDemo_Graph_08 @GraphSuite				

#	Step / Hook Details	Status	Duration
1	Given User is in Editor page and navigates to graph representations page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79c2d721f294e6ec27622d13f3deb029, get {url=https://dsportalapp.herokuapp.com/graph/graph-representations/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\karth\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58136}, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58136/devtoo. ..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79c2d721f294e6ec27622d13f3deb029</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.GraphPage.navigateToGraphPracQuesPage(GraphPage.java:147) at step_definitions.Graph_stepdef.user_is_in_editor_page_and_navigates_to_graph_representations_page(Graph_stepdef.java:275) at ?.User is in Editor page and navigates to graph representations page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:54)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Practice Questions from graph representations page	SKIPPED	0.000 s
3	Then User is directed to the Practice page	SKIPPED	0.000 s