

| Feature | | | Step | | | | | | |
|--|----------|----|------|----|---|----|----|----|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| To launching dsalgo application and to test Home page | 13.359 s | 4 | 4 | 0 | 0 | 13 | 13 | 0 | 0 |
| Validating Register page | 7.668 s | 11 | 11 | 0 | 0 | 33 | 33 | 0 | 0 |
| User to sigin | 3.197 s | 4 | 0 | 4 | 0 | 20 | 7 | 4 | 9 |
| launching dsalgo application load Datastructure page | 9.492 s | 2 | 2 | 0 | 0 | 6 | 6 | 0 | 0 |
| launching dsalgo application load Array page | 9.646 s | 13 | 1 | 12 | 0 | 39 | 3 | 12 | 24 |
| User Testing Linkedlist page | 1.050 s | 14 | 0 | 14 | 0 | 42 | 0 | 14 | 28 |
| Testing the stack page of the DS Algo application | 14.329 s | 11 | 0 | 11 | 0 | 40 | 0 | 11 | 29 |
| User to sign in the dsalgo application and test Queue page | 6.353 s | 14 | 0 | 14 | 0 | 54 | 0 | 14 | 40 |
| User to sign in the dsalgo application and test Graph page | 2.391 s | 8 | 0 | 8 | 0 | 30 | 0 | 8 | 22 |

| Tag | | Sce | nario | | | Fea | ture | |
|------------------------|----|-----|-------|---|---|-----|------|---|
| Name | T | P | F | S | Т | P | F | S |
| @TestSuit_home | 4 | 4 | 0 | 0 | 1 | 1 | 0 | 0 |
| @home | 17 | 5 | 12 | 0 | 2 | 1 | 1 | 0 |
| @Test_suit_register_02 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @register | 11 | 11 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_03 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_04 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_05 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_06 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_07 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_08 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_09 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_10 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_11 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_register_12 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Test_suit_signin01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_sigin02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_signin03 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


| Тад | | Scei | nario | | | Fea | ture | |
|----------------------------|---|------|-------|---|---|-----|------|---|
| Name | Т | P | F | S | T | P | F | S |
| @Test_suit_signin04 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Datastructure | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TestSuit_Datastructure_01 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TestSuit_Datastructure_02 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TestSuit_Array_01 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_03 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_04 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_06 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_07 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_08 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_09 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_10 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_12 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuit_Array_13 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| Tag | | Scel | nario | | | Fea | ture |) | |
|--------------------|----|------|-------|---|---|-----|------|---|--|
| Name | Т | P | F | S | T | P | F | S | |
| @Linkedlist | 14 | 0 | 14 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_03 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_04 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_06 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_07 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_08 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_09 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_10 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_12 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_13 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TS_II_14 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @StackSutie | 11 | 0 | 11 | 0 | 1 | 0 | 1 | 0 | |
| @TestDemo_Stack_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |

| Тад | | Scei | nario | | | Fea | ture | |
|---------------------|----|------|-------|---|---|-----|------|---|
| Name | Т | P | F | S | T | P | F | S |
| @TestDemo_Stack_02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_03 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_04 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_06 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_07 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_08 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_09 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_10 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Stack_11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Queue_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @QueueSuite | 14 | 0 | 14 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_03 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_04 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_06 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


| Тад | | Scei | nario | | | Fea | ture | |
|---------------------|---|------|-------|---|---|-----|------|---|
| Name | Τ | P | F | S | T | P | F | S |
| @TestSuite_queue_07 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_08 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_09 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_10 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_12 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_13 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestSuite_queue_14 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GraphSuite | 8 | 0 | 8 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_03 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_04 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_06 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_07 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestDemo_Graph_08 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 8 --




| # | Feature Name | T | P | F | S | Duration |
|---|--|----|----|----|---|----------|
| 1 | To launching dsalgo application and to test Home page | 4 | 4 | 0 | 0 | 13.359 s |
| 2 | Validating Register page | 11 | 11 | 0 | 0 | 7.668 s |
| 3 | <u>User to sigin</u> | 4 | 0 | 4 | 0 | 3.197 s |
| 4 | launching dsalgo application load Datastructure page | 2 | 2 | 0 | 0 | 9.492 s |
| 5 | launching dsalgo application load Array page | 13 | 1 | 12 | 0 | 9.646 s |
| 6 | User Testing Linkedlist page | 14 | 0 | 14 | 0 | 1.050 s |
| 7 | Testing the stack page of the DS Algo application | 11 | 0 | 11 | 0 | 14.329 s |
| 8 | User to sign in the dsalgo application and test Queue page | 14 | 0 | 14 | 0 | 6.353 s |
| 9 | User to sign in the dsalgo application and test Graph page | 8 | 0 | 8 | 0 | 2.391 s |

SCENARIOS SUMMARY -- 9 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | To launching dsalgo application and to test Home page | Launching home page of an dsalgo project | 3 | 3 | 0 | 0 | 8.159 s |
| 2 | To launching dsalgo application and to test Home page | From Home page user tries to click on dropdown without loggin in | 4 | 4 | 0 | 0 | 3.729 s |
| 3 | To launching dsalgo application and to test Home page | From Home page user clicks on signin link | 3 | 3 | 0 | 0 | 0.706 s |
| 4 | To launching dsalgo application and to test Home page | From Home page user clicks on Register | 3 | 3 | 0 | 0 | 0.512 s |
| 5 | Validating Register page | The user is presented with error message for empty fields below Username textbox | 3 | 3 | 0 | 0 | 0.595 s |
| 6 | Validating Register page | The user is presented with error message for empty fields below Password textbox | 3 | 3 | 0 | 0 | 0.767 s |

SCENARIOS SUMMARY -- 10 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------------|--|---|---|---|---|----------|
| 7 | Validating Register page | The user is presented with error message for empty fields below confirm Password textbox | 3 | 3 | 0 | 0 | 0.588 s |
| 8 | Validating Register page | The user is presented with error message for invalid username | 3 | 3 | 0 | 0 | 0.665 s |
| 9 | Validating Register page | The user is presented with error message for password mismatch | 3 | 3 | 0 | 0 | 0.834 s |
| 10 | Validating Register page | The user is presented with error message for password with characters less than 8 | 3 | 3 | 0 | 0 | 0.706 s |
| 11 | Validating Register page | The user is presented with error message for password with only numbers | 3 | 3 | 0 | 0 | 0.650 s |

SCENARIOS SUMMARY -- 11 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 12 | Validating Register page | The user is presented with error message for password too similar to your other personal information | 3 | 3 | 0 | 0 | 0.629 s |
| 13 | Validating Register page | The user is presented with error message for commonly used password | 3 | 3 | 0 | 0 | 0.662 s |
| 14 | Validating Register page | The user redirected to Homepage with valid details | 3 | 3 | 0 | 0 | 0.617 s |
| 15 | Validating Register page | The user is presented with error message for existing username | 3 | 3 | 0 | 0 | 0.663 s |
| 16 | <u>User to sigin</u> | User missed to give credentials | 5 | 4 | 1 | 0 | 1.231 s |
| 17 | <u>User to sigin</u> | User failed to give valid username | 5 | 1 | 1 | 3 | 0.532 s |
| 18 | User to sigin | User failed to give valid password | 5 | 1 | 1 | 3 | 0.717 s |
| 19 | User to sigin | user sigin | 5 | 1 | 1 | 3 | 0.601 s |
| 20 | launching dsalgo application load Datastructure page | navigate to Time complexity from signin | 3 | 3 | 0 | 0 | 5.456 s |

SCENARIOS SUMMARY -- 12 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 21 | launching dsalgo application load Datastructure page | navigate to Time complexity and practice question page | 3 | 3 | 0 | 0 | 4.008 s |
| 22 | launching dsalgo application load Array page | navigate to Arrays in Python from signin | 3 | 3 | 0 | 0 | 3.962 s |
| 23 | launching dsalgo application load Array page | navigate to Arrays in Python and open editior | 3 | 0 | 1 | 2 | 0.416 s |
| 24 | launching dsalgo application load Array page | navigate to Arrays using List from signin | 3 | 0 | 1 | 2 | 3.453 s |
| 25 | launching dsalgo application load Array page | Open editor from Arrays using List page | 3 | 0 | 1 | 2 | 0.071 s |
| 26 | launching dsalgo application load Array page | navigate to Basic Operations in List from signin | 3 | 0 | 1 | 2 | 0.158 s |
| 27 | launching dsalgo application load Array page | Open editor from Basic Operations in List page | 3 | 0 | 1 | 2 | 0.208 s |

SCENARIOS SUMMARY -- 13 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 28 | launching dsalgo application load Array page | navigate to Applications of Array from signin | 3 | 0 | 1 | 2 | 0.169 s |
| 29 | launching dsalgo application load Array page | Open editor from Applications of Array page | 3 | 0 | 1 | 2 | 0.070 s |
| 30 | launching dsalgo application load Array page | Launching Practice Questions page of an dsalgo project | 3 | 0 | 1 | 2 | 0.129 s |
| 31 | launching dsalgo application load Array page | Launching Search array link of an dsalgo project | 3 | 0 | 1 | 2 | 0.059 s |
| 32 | launching dsalgo application load Array page | Launching Max Consecutive Ones link of an dsalgo project | 3 | 0 | 1 | 2 | 0.049 s |
| 33 | launching dsalgo application load Array page | Launching Find Numbers with Even Number of Digits link of an dsalgo project | 3 | 0 | 1 | 2 | 0.056 s |
| 34 | launching dsalgo application load Array page | Launching Squares of a Sorted Array link of an dsalgo project | 3 | 0 | 1 | 2 | 0.049 s |

SCENARIOS SUMMARY -- 14 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------|--|---|---|---|---|----------|
| 35 | User Testing Linkedlist page | navigate to Introduction in Linked List page from signin | 3 | 0 | 1 | 2 | 0.039 s |
| 36 | User Testing Linkedlist page | navigate to Introduction and open edition | 3 | 0 | 1 | 2 | 0.071 s |
| 37 | User Testing Linkedlist page | navigate to Creating Linked List from signin | 3 | 0 | 1 | 2 | 0.027 s |
| 38 | User Testing Linkedlist page | Open editor from Creating Linked List page | 3 | 0 | 1 | 2 | 0.056 s |
| 39 | User Testing Linkedlist page | navigate to Types of Linked List from signin | 3 | 0 | 1 | 2 | 0.069 s |
| 40 | User Testing Linkedlist page | Open editor from Types of Linked List page | 3 | 0 | 1 | 2 | 0.040 s |
| 41 | User Testing Linkedlist page | navigate to Implement Linked List in Python from signin | 3 | 0 | 1 | 2 | 0.045 s |
| 42 | User Testing Linkedlist page | Open editor from Implement Linked List in Python page | 3 | 0 | 1 | 2 | 0.025 s |

SCENARIOS SUMMARY -- 15 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 43 | User Testing Linkedlist page | navigate to Traversal from signin | 3 | 0 | 1 | 2 | 0.058 s |
| 44 | User Testing Linkedlist page | Open editor from Traversal page | 3 | 0 | 1 | 2 | 0.013 s |
| 45 | User Testing Linkedlist page | navigate to Insertion from signin | 3 | 0 | 1 | 2 | 0.022 s |
| 46 | User Testing Linkedlist page | Open editor from Insertion page | 3 | 0 | 1 | 2 | 0.023 s |
| 47 | User Testing Linkedlist page | navigate to Deletion from signin | 3 | 0 | 1 | 2 | 0.044 s |
| 48 | User Testing Linkedlist page | Open editor from Deletion page | 3 | 0 | 1 | 2 | 0.090 s |
| 49 | Testing the stack page of the DS Algo application | The user should be on the stack page | 3 | 0 | 1 | 2 | 0.015 s |
| 50 | Testing the stack page of the DS Algo application | The user is able to navigate to "operations in stack" page | 3 | 0 | 1 | 2 | 1.023 s |
| 51 | Testing the stack page of the DS Algo application | The user is able to navigate to page having tryeditor from operations in stack page | 5 | 0 | 1 | 4 | 1.018 s |

SCENARIOS SUMMARY -- 16 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 52 | Testing the stack page of the DS Algo application | The user is presented with error message for invalid python code for operations in stack page | 4 | 0 | 1 | 3 | 2.022 s |
| 53 | Testing the stack page of the DS Algo application | The user is able to navigate to stack page and click on "Implementation " link | 3 | 0 | 1 | 2 | 2.022 s |
| 54 | Testing the stack page of the DS Algo application | The user is able to navigate to page having tryeditor from Implementation page | 5 | 0 | 1 | 4 | 1.014 s |
| 55 | Testing the stack page of the DS Algo application | The user is presented with error message for invalid code for Implementation page | 3 | 0 | 1 | 2 | 2.019 s |
| 56 | Testing the stack page of the DS Algo application | The user is able to navigate to stack page and click on "Applications " link | 3 | 0 | 1 | 2 | 2.020 s |
| 57 | Testing the stack page of the DS Algo application | The user is able to navigate to page having tryeditor from Applications page | 5 | 0 | 1 | 4 | 1.020 s |

SCENARIOS SUMMARY -- 17 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 58 | Testing the stack page of the DS Algo application | The user is presented with error message for invalid code in tryEditor page for Applications page | 3 | 0 | 1 | 2 | 2.025 s |
| 59 | Testing the stack page of the DS Algo application | The user is able to navigate to "practice Questions" in stack page | 3 | 0 | 1 | 2 | 0.006 s |
| 60 | User to sign in the dsalgo application and test Queue page | user is logged in into the dsalgo project to test Queue page | 3 | 0 | 1 | 2 | 0.010 s |
| 61 | User to sign in the dsalgo application and test Queue page | The user is able to navigate to Implementation of Queue in Python link page | 3 | 0 | 1 | 2 | 0.007 s |
| 62 | User to sign in the dsalgo application and test Queue page | The user should be directed to editor page with run button to test python code | 5 | 0 | 1 | 4 | 0.007 s |
| 63 | User to sign in the dsalgo application and test Queue page | The user is presented with error message for invalid code in Editor for Implementation of queue page | 4 | 0 | 1 | 3 | 0.009 s |


SCENARIOS SUMMARY -- 18 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 64 | User to sign in the dsalgo application and test Queue page | The user is able to navigate to queue page and click on Implementation using collections deque link | 3 | 0 | 1 | 2 | 2.016 s |
| 65 | User to sign in the dsalgo application and test Queue page | The user should be directed to editor page with run button to test python code from Implementation using collections * | 5 | 0 | 1 | 4 | 0.010 s |
| 66 | User to sign in the dsalgo application and test Queue page | The user is presented with error message for invalid code in Editor for Implementation using collections page | 4 | 0 | 1 | 3 | 0.007 s |
| 67 | User to sign in the dsalgo application and test Queue page | User is able to navigate to queue page and click on Implementation using array link | 3 | 0 | 1 | 2 | 2.015 s |
| 68 | User to sign in the dsalgo application and test Queue page | User should be directed to editor page with run button to test python code from Implementation using array link | 5 | 0 | 1 | 4 | 0.021 s |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY -- 19 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 69 | User to sign in the dsalgo application and test Queue page | The User is presented with error message for invalid code in Editor for Implementation using array page | 4 | 0 | 1 | 3 | 0.009 s |
| 70 | User to sign in the dsalgo application and test Queue page | User is able to navigate to queue page and click on Queue Operations link | 3 | 0 | 1 | 2 | 2.014 s |
| 71 | User to sign in the dsalgo application and test Queue page | The user should be directed to editor page with run button to test python code from Queue Operations link | 5 | 0 | 1 | 4 | 0.010 s |
| 72 | User to sign in the dsalgo application and test Queue page | The User is presented with error message for invalid code in Editor for Queue Operations page | 4 | 0 | 1 | 3 | 0.030 s |
| 73 | User to sign in the dsalgo application and test Queue page | User is able to navigate to Queue page and click on Practice Questions | 3 | 0 | 1 | 2 | 0.016 s |
| 74 | User to sign in the dsalgo application and test Graph page | user is logged in into the dsalgo project to test Graph page | 3 | 0 | 1 | 2 | 0.021 s |

SCENARIOS SUMMARY -- 20 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 75 | User to sign in the dsalgo application and test Graph page | User is able to navigate to graph page | 3 | 0 | 1 | 2 | 0.022 s |
| 76 | User to sign in the dsalgo application and test Graph page | User should be directed to editor page with run button to test python code | 5 | 0 | 1 | 4 | 0.033 s |
| 77 | User to sign in the dsalgo application and test Graph page | User is presented with error message for invalid code in Editor for graph link page | 4 | 0 | 1 | 3 | 0.042 s |
| 78 | User to sign in the dsalgo application and test Graph page | User is able to navigate to graph page and click on graph representations | 3 | 0 | 1 | 2 | 2.064 s |
| 79 | User to sign in the dsalgo application and test Graph page | User should be directed to editor page with run button to test python code from graph representations | 5 | 0 | 1 | 4 | 0.011 s |
| 80 | User to sign in the dsalgo application and test Graph page | The user is presented with error message for invalid code in Editor for graph representations | 4 | 0 | 1 | 3 | 0.011 s |

SCENARIOS SUMMARY -- 21 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|---|---|---|---|---|----------|
| 81 | | User is able to navigate tograph representations page and | 3 | 0 | 1 | 2 | 0.011 s |
| | and test Graph page | click on Practice Questions | | | | | |

To launching dsalgo application and to test Home page


| PASSED | DURATION - 13.359 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 4 | | Total - 13 | |
| / 9:50:00.386 PI | M // 9:50:13.745 PM / | Pass - 4 | 4 | Pass - 13 | 13 |
| | | Fail - 0 | | Fail - 0 | 13 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Launching home page of an dsalgo project




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens DS Algo portal link | PASSED | 0.841 s |
| 2 | When User clicks Get Started button | PASSED | 0.527 s |
| 3 | Then User will be redirected to homepage | PASSED | 0.285 s |

From Home page user tries to click on dropdown without loggin in




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is in Home page | PASSED | 0.190 s |
| 2 | When User clicks on Data Structures dropdown | PASSED | 0.001 s |
| 3 | And Select Array option | PASSED | 3.480 s |
| 4 | Then User to get warning message to login | PASSED | 0.045 s |

From Home page user clicks on signin link




| # | Step / Hook Details | Status | Duration |
|---|---------------------------------|--------|----------|
| 1 | Given User in Home page | PASSED | 0.249 s |
| 2 | When User clicks on signin link | PASSED | 0.394 s |
| 3 | Then User to go to login page | PASSED | 0.048 s |

From Home page user clicks on Register




| # | Step / Hook Details | Status | Duration |
|---|-------------------------------------|--------|----------|
| 1 | Given User is in Home page | PASSED | 0.227 s |
| 2 | When User clicks on register link | PASSED | 0.248 s |
| 3 | Then User to open Registration page | PASSED | 0.027 s |

Validating Register page



The user is presented with error message for empty fields below Username textbox




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.210 s |
| 2 | When The user clicks "Register" button with all fields empty | PASSED | 0.130 s |
| 3 | Then It should display an error message "Please fill out this field." below Username textbox | PASSED | 0.249 s |

The user is presented with error message for empty fields below Password textbox

| PASSED DURATION - 0.767 s | 0.6 Steps |
|--------------------------------------|--------------------------|
| / 9:50:14.483 PM // 9:50:15.250 PM / | Total - 3 Pass - 3 |
| Validating Register page | - 02 - Fail - 0 Skip - 0 |
| @Test_suit_register_03 @register | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.415 s |
| 2 | When The user clicks "Register" button after entering username with other fields empty | PASSED | 0.177 s |
| | username MajestyPalm1 | | |
| 3 | Then It should display an error message "Please fill out this field." below Password textbox | PASSED | 0.167 s |

The user is presented with error message for empty fields below confirm Password textbox




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.197 s |
| 2 | When The user clicks "Register" button after entering "username" and "password" with Password Confirmation field empty | PASSED | 0.270 s |
| | username password MajestyPalm1 testpassword | | |
| 3 | Then It should display an error message "Please fill out this field." below Password Confirmation textbox | PASSED | 0.105 s |

The user is presented with error message for invalid username




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.204 s |
| 2 | When The user enters a "username" with characters other than Letters, digits and "@/./+/-/_" | PASSED | 0.406 s |
| | usernamepasswordpassword confirmation&**&**&testpassword | | |
| 3 | Then It should display an error message "Please enter a valid username" | PASSED | 0.043 s |

The user is presented with error message for password mismatch




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.239 s |
| 2 | When The user clicks "Register" button after entering valid "username" and different passwords in "password" and "password confirmation" fields | PASSED | 0.539 s |
| | usernamepasswordpassword confirmationMajestyPalm1testpasswordtestpassword1 | | |
| 3 | Then It should display an error message "password_mismatch:The two password fields didn't match." | PASSED | 0.039 s |

The user is presented with error message for password with characters less than 8




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.220 s |
| 2 | When The user enters a valid "username" and "password" with characters less than 8 | PASSED | 0.448 s |
| | usernamepasswordpassword confirmationMajestyPalm1a1b2c3da1b2c3d | | |
| 3 | Then It should display an error message "Password should contain at least 8 characters" | PASSED | 0.026 s |

The user is presented with error message for password with only numbers




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.178 s |
| 2 | When The user enters a valid "username" and "password" with only numbers | PASSED | 0.437 s |
| | usernamepasswordpassword confirmationMajestyPalm11234567812345678 | | |
| 3 | Then It should display an error message "Password can't be entirely numeric." | PASSED | 0.026 s |

The user is presented with error message for password too similar to your other personal information




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.188 s |
| 2 | When The user enters a valid "username" and "password" similar to username | PASSED | 0.384 s |
| | username password password confirmation MajestyPalm1 testPalm1 testPalm1 | | |
| 3 | Then It should display an error message "password can't be too similar to your other personal information." | PASSED | 0.048 s |

The user is presented with error message for commonly used password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.181 s |
| 2 | When The user enters a valid "username" and commonly used password "password" | PASSED | 0.449 s |
| | usernamepasswordpassword confirmationMajestyPalm1Welcome1Welcome1 | | |
| 3 | Then It should display an error message "Password can't be commonly used password" | PASSED | 0.027 s |

The user redirected to Homepage with valid details




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.166 s |
| 2 | When The user enters a valid "username" and "password" and "password confirmation" | PASSED | 0.433 s |
| | usernamepasswordpassword confirmationMajestyPalm3Majesty@123Majesty@123 | | |
| 3 | Then The user should be redirected to Homepage with the message "New Account Created. You are logged in as <username>"</username> | PASSED | 0.010 s |

The user is presented with error message for existing username




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.212 s |
| 2 | When The user enters a valid existing "username" with "password" and "password confirmation" | PASSED | 0.405 s |
| | usernamepasswordpassword confirmationMajestyPalm3Majesty@123Majesty@123 | | |
| 3 | Then It should display an error message "Username already exists" | PASSED | 0.035 s |

User to sigin



User missed to give credentials

DETAILED SECTION -- 30 -



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is in sigin page regone | PASSED | 0.173 s |
| 2 | When User not giving valid userId regone | PASSED | 0.078 s |
| 3 | And User not giving valid password regone | PASSED | 0.274 s |
| 4 | And User clicks on sigin button regone | PASSED | 0.681 s |
| 5 | Then Error enter valid username & password regone | FAILED | 0.004 s |
| | Step undefined | | |

User failed to give valid username

| FAILED DU | IRATION - 0.532 s | 1 - | | - | | | | | Steps | | |
|---------------------|-------------------|-------|---|---|---|---|---|-----|-----------|---|-----|
| / 9:50:22.862 PM // | 0.50.22 204 DM / | 0.8 | | | | | | | Total - 5 | | |
| 7 9.30.22.802 PW // | 9.50.25.594 PW / | 0.6 | | | | | | | Pass - 1 | | |
| User to sigin | | 0.4 - | | | | | | | | 5 | · _ |
| | | 0.2 - | | | | | | - 1 | Skip - 3 | | |
| @Test_suit_sigin02 | ! | 0 - | 1 | 1 | 3 | A | 5 | | | | |
| | | | | 2 | | 4 | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is in signin page regtwo | PASSED | 0.524 s |
| 2 | When User not giving valid userId regtwo | FAILED | 0.001 s |
| | Step undefined | | |
| 3 | And User giving valid password regtwo | SKIPPED | 0.001 s |
| 4 | And User clicks on sigin button regtwo | SKIPPED | 0.000 s |
| 5 | Then Error no special characters and numbers allowed regtwo | SKIPPED | 0.000 s |


DETAILED SECTION -- 31 --

User failed to give valid password

| FAILED DURATION - 0.717 s | 1 . | 1 1 | | | | Steps | |
|--|-----|-----|---|---|---|-----------|---|
| / 0. F0. 00. 400 PM // 0. F0. 04.4.40 PM / | 0.8 | | | | | Total - 5 | |
| / 9:50:23.423 PM // 9:50:24.140 PM / | 0.6 | | | | | Pass - 1 | |
| User to sigin | 0.4 | | | | | Fail - 1 | 5 |
| | 0.2 | | | | | Skip - 3 | |
| @Test_suit_signin03 | 0 - | | | | | | |
| | | 1 2 | 3 | 4 | 5 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is in signin page regthree | PASSED | 0.710 s |
| 2 | When User giving valid userId regthree | FAILED | 0.001 s |
| | Step undefined | | |
| 3 | And User not giving valid password regthree | SKIPPED | 0.000 s |
| 4 | And User clicks on signin button regthree | SKIPPED | 0.000 s |
| 5 | Then Error enter valid password regthree | SKIPPED | 0.000 s |

user sigin




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is in signin page regfive | PASSED | 0.595 s |
| 2 | When User to give valid userId regfive | FAILED | 0.001 s |
| | Step undefined | | |
| 3 | And User to give valid password regfive | SKIPPED | 0.001 s |
| 4 | And User clicks on signin button regfive | SKIPPED | 0.000 s |
| 5 | Then Validate success message regfive | SKIPPED | 0.000 s |

launching dsalgo application load Datastructure page


| DURATION - 9.492 s | Scenarios | | Steps | |
|-----------------------|-----------|-----------------------------|-----------------------------|--|
| | Total - 2 | | Total - 6 | |
| M // 9:50:34.286 PM / | Pass - 2 | 2 | Pass - 6 | 6 |
| | Fail - 0 | - | Fail - 0 | |
| | Skip - 0 | | Skip - 0 | |
| | | Total - 2 Pass - 2 Fail - 0 | Total - 2 Pass - 2 Fail - 0 | Total - 2 Pass - 2 Fall - 0 Section 103 Total - 2 Pass - 2 Fall - 0 |

navigate to Time complexity from signin



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Datastructure page after logged in | PASSED | 4.015 s |
| 2 | When user clicks "Time complexity" button datastu | PASSED | 1.086 s |
| 3 | Then user should be redirected to Time complexity pagedatastu | PASSED | 0.351 s |

navigate to Time complexity and practice question page




DETAILED SECTION -- 33 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Time complexity page after logged in | PASSED | 1.309 s |
| 2 | When user clicks "Try Here" button in Time complexity page | PASSED | 0.629 s |
| 3 | Then user displayed with a page have an tryEditor with a Run button to test and navigate to practice question page | PASSED | 2.065 s |

launching dsalgo application load Array page


| FAILED | DURATION - 9.646 s | Scenarios | | Steps | |
|-----------------------|--------------------|-----------------------|----|------------------------|----|
| / 9:50:34.330 PM // 9 | 0:50:43.976 PM / | Total - 13 Pass - 1 | 13 | Total - 39 Pass - 3 | 39 |
| | | Fail - 12 Skip - 0 | | Fail - 12 Skip - 24 | |

navigate to Arrays in Python from signin



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Array page after logged in | PASSED | 3.303 s |
| 2 | When user clicks "Arrays in Python" button | PASSED | 0.377 s |
| 3 | Then user should be redirected to "arrays-in-python" page | PASSED | 0.277 s |


navigate to Arrays in Python and open editior



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Arrays in Python page after logged in | FAILED | 0.407 s |
| | org.openqa.selenium.WebDriverException: unknown error: failed to change window state to 'normal', current state is 'maximized' (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659/networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFleInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDrive | FAILED | 0.407 s |
| | at ?.user is in Arrays in Python page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array. | | |
| | feature:12) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Try Here" button in Arrays in Python page | SKIPPED | 0.000 s |
| 3 | Then user should be redirected to a page having an tryEditor with a Run button to test | SKIPPED | 0.000 s |

DETAILED SECTION -- 35 --


navigate to Arrays using List from signin



| # | Step / Hook Details | Status | Duration |
|---|---|--------|-----------------|
| 1 | Given user is in Array page after logged in | FAILED | 3.422 s |
| | Given user is in Array page after logged in org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01ca657ad835a913776e52da, findElement {using=xpath, value=//a[@href='array]]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}), goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57659/devtoo, se.cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01ca657ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:300) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.execute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.ElementLocationsElement(FloementLocation.java:53) at org.openqa.selenium.remote.ElementLocationsElemen | | 2 011 0101 0111 |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy38.click(Unknown Source) | | |
| | at page_objects.HomePage.btnArrayGetstarted_Click(HomePage.java:73) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:43) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:18) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Arrays using List" button | SKIPPED | 0.000 s |
| 3 | Then user should b9e redirected to "arrays-using-list" page | SKIPPED | 0.004 s |


Open editor from Arrays using List page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Arrays using List page after logged in | FAILED | 0.044 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.177 (65ed616c68e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Circonstructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.iava:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_arrays_using_list_page_after_logged_in(Array_Stepdef.java:118) at ?.user is in Arrays using List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array. feature:24) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Try Here" button in Arrays using List page | SKIPPED | 0.005 s |
| 3 | Then user should be redirected to a page having an tryEditor with a Run button to test | SKIPPED | 0.005 s |


navigate to Basic Operations in List from signin



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Array page after logged in | FAILED | 0.148 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\appData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.etervice.DriverCommandExecutor.java:184) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:30) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Basic Operations in List" button | SKIPPED | 0.004 s |
| 3 | Then user should be redirected to "basic-operations-in-lists" page | SKIPPED | 0.002 s |


Open editor from Basic Operations in List page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Basic Operations in List page after logged in | FAILED | 0.184 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: 'd4d020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdpl ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_basic_operations_in_list_page_after_logged_in(Array_Stepdef.java:136) at ?.user is in Basic Operations in List page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:36) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Try Here" button in Arrays using List page | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to a page having an tryEditor with a Run button to test | SKIPPED | 0.001 s |


navigate to Applications of Array from signin



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Array page after logged in | FAILED | 0.150 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\appData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:42) | | |
| 2 | * Not displayable characters are replaced by '?'. When user clicks "Applications of Array" button | SKIPPED | 0.004 s |
| 3 | Then user should be redirected to "applications-of-array" page | SKIPPED | 0.005 s |


Open editor from Applications of Array page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Applications of Array page after logged in | FAILED | 0.058 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_applications_of_array_page_after_logged_in(Array_Stepdef.java:149) at ?.user is in Applications of Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:48) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Try Here" button in Applications of Arrays page | SKIPPED | 0.000 s |
| 3 | Then user should be redirected to a page having an tryEditor with a Run button to test | SKIPPED | 0.000 s |


Launching Practice Questions page of an dsalgo project



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Array page after logged in | FAILED | 0.108 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_array_page_after_logged_in(Array_Stepdef.java:39) at ?.user is in Array page after logged in(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:54) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Practice Questions" button | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to "practice" page | SKIPPED | 0.004 s |


Launching Search array link of an dsalgo project



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Practice page | FAILED | 0.028 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) | Gtatao | Duration |
| | at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:60) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Search the array" link | SKIPPED | 0.009 s |
| 3 | Then user should be redirected to "Question" page contains questions,an tryEditor to write code with Run and Submit buttons | SKIPPED | 0.011 s |


Launching Max Consecutive Ones link of an dsalgo project



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Practice page | FAILED | 0.025 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | | |
| | at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) | | |
| | at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:66) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Max Consecutive Ones" link | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to "Question" page contains questions,an tryEditor to write code with Run and Submit buttons | SKIPPED | 0.008 s |


Launching Find Numbers with Even Number of Digits link of an dsalgo project



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Practice page | FAILED | 0.042 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | 94dee4fb01cea57ad835a913776e52da | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | | |
| | at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) | | |
| | at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:72) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Find Numbers with Even Number of Digits" link | SKIPPED | 0.005 s |
| 3 | Then user should be redirected to "Question" page contains questions, an tryEditor to write code with Run and Submit buttons | SKIPPED | 0.004 s |


Launching Squares of a Sorted Array link of an dsalgo project




| # | # Step / Hook Details | Status | Duration |
|---|--|---|----------|
| 1 | 1 Given user is in Practice page | FAILED | 0.018 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'WindowSignor' amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsectorowserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6cto:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnaltopageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdp setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandled | dows 11', os.arch: ureCerts: false, e8e, userDataDir: bled: false, Version: 110.0.5481.178, | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | | |
| | at step_definitions.Array_Stepdef.user_is_in_practice_page(Array_Stepdef.java:167) at ?.user is in Practice page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/05_Array.feature:78) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks "Squares of a Sorted Array" link | SKIPPED | 0.000 s |
| 3 | Then user should be redirected to "Question" page contains questions, an tryEditor to write code with Run and Submit buttons | SKIPPED | 0.001 s |

User Testing Linkedlist page




navigate to Introduction in Linked List page from signin



DETAILED SECTION -- 47 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Linked List page after logged in | FAILED | 0.015 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptlinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c8e, userDataDir: C:\Users\karth\AppData\kloca\}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/llocalhost:57659/devtoo, se:cdp\Version: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:355) a | | |
| 2 | * Not displayable characters are replaced by '?'. When The user clicks "Introduction" button | SKIPPED | 0.003 s |
| _ | | | |
| 3 | Then user should be redirected to "Introduction" page | SKIPPED | 0.001 s |


navigate to Introduction and open editior



DETAILED SECTION -- 48 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Introduction page after logged in | FAILED | 0.022 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:USerslkarth\AppDataLl.oca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad} 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definit | | |
| 2 | When user clicks "Try Here" button in Introduction page | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to Introduction tryEditor with a Run button to test | SKIPPED | 0.000 s |


navigate to Creating Linked List from signin



DETAILED SECTION -- 49 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Linked List page after logged in | FAILED | 0.014 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4tb01cea57ad835a913776e52da, get (url=https://dsportalapp.herokuapp.com/login]] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: (chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:USersikarthAppDataLoca), goog:chromeOptions: (debuggerAddress: localhost:57659), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:argeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:295) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:295) at org.openqa.selenium.remote.RemoteWebDr | | |
| 2 | When The user clicks "Creating Linked List" button | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to "Creating-Linked-List" page | SKIPPED | 0.003 s |


Open editor from Creating Linked List page



DETAILED SECTION -- 50 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Creating Linked List after logged in | FAILED | 0.039 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:USerslkarthAppDataLoca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Linkedlist_stepdef.user_is_in_creating_linked_list_page_after | | |
| 2 | When user clicks "Try Here" button in Creating Linked List Page | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to Creating Linked List tryEditor with a Run button to test | SKIPPED | 0.005 s |


navigate to Types of Linked List from signin



DETAILED SECTION -- 51 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Linked List page after logged in | FAILED | 0.054 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:USerslkarth\appDataLl.oca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Linkedlist_stepdef.user_is_in_linked_list_page_after_logged_in(Linkedlist_stepdef.java:44) at | | |
| 2 | When The user clicks "Types of Linked List " button | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to "Types-of-Linked-List" page | SKIPPED | 0.001 s |


Open editor from Types of Linked List page



DETAILED SECTION -- 52 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Types of Linked List page after logged in | FAILED | 0.032 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4tb01cea57ad835a913776e52da, get (url=https://dsportalapp.herokuapp.com/login]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:UserskarthNapDataLoca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:295) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_def | | |
| 2 | When user clicks "Try Here" button in Types of Linked List page | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to a page Types of Linked List an tryEditor with a Run button to test | SKIPPED | 0.000 s |


navigate to Implement Linked List in Python from signin



DETAILED SECTION -- 53 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Linked List page after logged in | FAILED | 0.020 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: CXUSers\karth\ppData\Loca), goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at ste | | |
| 2 | When The user clicks "Implement Linked List in Python" button | SKIPPED | 0.000 s |
| 3 | Then user should be redirected to "Implement-Linked-List-in-Python" page | SKIPPED | 0.001 s |

Open editor from Implement Linked List in Python page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Implement Linked List in Python after logged in | FAILED | 0.015 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:USerskarth\appDataLl.oca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Linkedlist_stepdef.user_is_in_implement_linked_list_in_python_after_logged_in(Linkedlist_stepde | | |
| 2 | When user clicks "Try Here" button in Implement Linked List in Python page | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to a page Implement Linked List an tryEditor with a Run button to test | SKIPPED | 0.000 s |


navigate to Traversal from signin



DETAILED SECTION -- 55 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Linked List page after logged in | FAILED | 0.040 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get (unl=https://dsportalapp.herokuapp.com/login]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:UsersikarthAppDataLoca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance{DirectConstructorHandleAccessor.java:67} at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Linkedlist_stepdef.user_is_in_linked_list_page_after_logged_in(Linked | | |
| 2 | When The user clicks "Traversal" button | SKIPPED | 0.002 s |
| 3 | Then user should be redirected to "Traversal" page | SKIPPED | 0.001 s |


Open editor from Traversal page



DETAILED SECTION -- 56 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Traversal after logged in | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptlinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c8e, userDataDir: C:\Users\karth\AppData\Loca\}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/llocalhost:57659/devtoo, se:cdp\Version: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:235) at org.openqa.selenium.remote.RemoteWebDriver.ge | | |
| 2 | * Not displayable characters are replaced by '?'. When The user clicks "Try Here" button in Traversal page | SKIPPED | 0.000 s |
| 3 | Then user should be redirected to a page Traversal tryEditor with a Run button to test | SKIPPED | 0.001 s |
| | | 4 | 1 |


navigate to Insertion from signin



DETAILED SECTION -- 57 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Linked List page after logged in | FAILED | 0.011 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4tb01cea57ad835a913776e52da, get (url=https://dsportalapp.herokuapp.com/login]] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:Userskarth\ppDataLoca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://locabbst:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Linkedlist_stepdef.user_is_in_linked_list_page_after_logged_in(Linkedlist_stepdef.java:44) at ?user | | |
| 2 | When The user clicks "Insertion" button | SKIPPED | 0.003 s |
| 3 | Then user should be redirected to "Insertion" page | SKIPPED | 0.000 s |


Open editor from Insertion page



DETAILED SECTION -- 58 --

| # | Step / Hook Details | Status | Duration |
|---|---|------------|----------|
| 1 | Given user is in Insertion after logged in | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptlinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.176 (65ed616c8e, userDataDir: C:\Users\karth\AppData\kloca), goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/llocalhost:57659/devtoo, se:cdp\Version: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Linkedlist_stepdef.user_is_in_insertion_after_logged_in(Linkedli | | |
| 2 | * Not displayable characters are replaced by '?'. When The user clicks "Try Here" button in Insertion page | SKIPPED | 0.000 s |
| 3 | Then user should be redirected to insertion tryEditor page to Run button to test | SKIPPED | 0.000 s |
| | Their user should be redirected to insertion try-cattor page to real button to test | JOINI I LD | 0.000 3 |


navigate to Deletion from signin



DETAILED SECTION -- 59 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Insertion after logged in | FAILED | 0.019 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ddee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed61666e8e, userDataDir: C:Users!karth\AppDataLoca}), goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:true] Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:254) at ?user is in Insertion after logged in(filite/Il/C: | PAILLD | 0.019 \$ |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks "Deletion" button | SKIPPED | 0.000 s |
| 3 | Then user should be redirected to "Deletion" page | SKIPPED | 0.000 s |

Open editor from Deletion page



DETAILED SECTION -- 60 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Deletion after logged in | FAILED | 0.032 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.177 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.exprice.DriverCommandExecutor.execute(HttpCommandExecutor.java:144) at org.openqa.selenium.remote.exprice.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver | | |
| 2 | When The user clicks "Try Here" button in Deletion page | SKIPPED | 0.001 s |
| 3 | Then user should be redirected to Deletion tryEditor to Run button to test and Submit button | SKIPPED | 0.009 s |

Testing the stack page of the DS Algo application




The user should be on the stack page

DETAILED SECTION -- 61 --




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user landed on the home page after logged in | FAILED | 0.011 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4tb01cea57ad835a913776e52da, get (url=https://dsportalapp.herokuapp.com/login]}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:USerslkarth\appDataLoca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:256) at step_defini | | |
| 2 | When The user selects the stack option from the dropdown menu or clicks on Get Started button under Stack | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to stack page | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the stack page | FAILED | 1.016 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0.1, java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.chromeDriver Command: [94dee4fb01cea57ad835a913776e52da, gertTitle (§] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: (chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca\), goog:chromeOptions: (debuggerAddress: localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.evrice.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.evceute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote. | | |
| 2 | * Not displayable characters are replaced by '?'. When The user clicks on the operations in the stack link | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to operations in stack page | SKIPPED | 0.000 s |

DETAILED SECTION -- 63 --


The user is able to navigate to page having tryeditor from operations in stack page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the operations in stack page | FAILED | 1.014 s |
| 1 | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | FAILED | 1.014 S |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.Stackpage.getstackPageTitle(Stackpage.java:90) | | |
| | at step_definitions.Stack_stepdef.the_user_is_on_the_operations_in_stack_page(Stack_stepdef.java:88) | | |
| | at ?.The user is on the operations in stack page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:18) * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks on Try here button for operations in stack page | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | Then The user should be redirected to page having an tryEditor with a Run button for operations in stack page | SKIPPED | 0.000 s |
| 4 | And The user enter the valid python code in tryeditor page and click on Run button | SKIPPED | 0.001 s |
| 5 | Then The user is presented with result for operations in stack | SKIPPED | 0.001 s |


The user is presented with error message for invalid python code for operations in stack page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page for operations in stack page | FAILED | 2.019 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ddee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:Users!WarthNappDatalLoca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.r | TAILLD | 2.013 3 |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at step_definitions.Stack_stepdef.the_user_is_on_the_try_editor_page_for_operations_in_stack_page(Stack_stepdef.java:136) at ?.The user is on the tryEditor page for operations in stack page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:27) * Not displayable characters are replaced by '?'. | | |
| 2 | When The user enter the invalid python code for operations in stack page | SKIPPED | 0.000 s |
| 3 | And The user click on the run button for operations in stack page | SKIPPED | 0.000 s |
| 4 | Then The user will get an error message for operations in stack page | SKIPPED | 0.000 s |

The user is able to navigate to stack page and click on "Implementation " link




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is in editor page and navigates to the stack page for implementation page | FAILED | 2.019 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/stack/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdx.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) | | |

DETAILED SECTION -- 66 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java.535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java.296) | | |
| | at page_objects.Stackpage.navigateTostackPage(Stackpage.java:96) at step_definitions.Stack_stepdef.the_user_is_in_editor_page_and_navigates_to_the_stack_page_for_implementation_page(Stack_stepdef. | | |
| | java:170) | | |
| | at ?.The user is in editor page and navigates to the stack page for implementation page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07 Stack.feature:34) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks on the Implementation link | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to Implementation page | SKIPPED | 0.000 s |


The user is able to navigate to page having tryeditor from Implementation page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Implementation page | FAILED | 1.010 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44d020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) | | |
| | at page_objects.Stackpage.getstackPageTitle(Stackpage.java:90) | | |
| | at step_definitions.Stack_stepdef.the_user_is_on_the_implementation_page(Stack_stepdef.java:189) | | |
| | at ?.The user is on the Implementation page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/07_Stack.feature:40) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks on Try here button for Implementation page | SKIPPED | 0.001 s |
| 3 | Then The user should be redirected to page having an tryEditor with a Run button and enter valid python code for | SKIPPED | 0.000 s |
| | Implementation page | | |
| 4 | And The user click on the run button for implementation page | SKIPPED | 0.000 s |
| 5 | Then The user is presented with result for implementation page | SKIPPED | 0.001 s |


The user is presented with error message for invalid code for Implementation page



| | # Step / Hook Details | Status | Duration |
|---|---|-----------------|----------|
| 1 | Given The user is on the tryEditor page for Implementation page | FAILED | 2.016 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not followed (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.a' 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDatack) (C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, | arch: false, | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 94dee4fb01cea57ad835a913776e52da | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | | |
| | at page_objects.Stackpage.navigateTryEditor(Stackpage.java:118) | | |
| | at step_definitions.Stack_stepdef.the_user_is_on_the_try_editor_page_for_implementation_page(Stack_stepdef.java:233) | | |
| | at ?.The user is on the tryEditor page for Implementation page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/ | | |
| | 07_Stack.feature:48) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user enter the invalid python code in tryeditor page and click run button for Implementation page | SKIPPED | 0.002 s |
| 3 | Then The user will get an error message for Implementation page | SKIPPED | 0.001 s |

The user is able to navigate to stack page and click on "Applications " link




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is in tryeditor page and navigates to stack page for application page | FAILED | 2.018 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |

DETAILED SECTION -- 69 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| # | [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/stack/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:\localhost:57659/devtoo, se:cdp\Version: 110.0.5481.178, set\VindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at spage_objects.Stackpage.navigateTostackPage(Stackpage.java:96) at seg_odefinitions.Stack_stepdef.the_user_is_in_tryeditor_page_and_navigates_to_stack_page_for_application_page(Stack_stepdef. java:262) at ?.The user is in tryeditor page and navigates to stack page for applicat | Status | Duration |
| | resources/features/07_Stack.feature:54) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks on the Applications link | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to Applications page | SKIPPED | 0.000 s |


The user is able to navigate to page having tryeditor from Applications page



DETAILED SECTION -- 70 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the Applications page | FAILED | 1.015 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: '194dee4fb01cea57ad835a913776e52da, getTitle {} (Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (Sed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca); goog.chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se::dcp: ws://localhost:57659/devtoo, se::dcp\Version: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, vebauthn:extension:credBlob: true, vebauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.emote.ethttpCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote | | |
| 2 | * Not displayable characters are replaced by '?'. When The user clicks on Try here button for for Applications page | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to page having an tryEditor with a Run button and enter python code for Applications page | SKIPPED | 0.000 s |
| 4 | And user click on run button for applications page | SKIPPED | 0.000 s |
| 5 | Then The user is presented with the result for applications page | SKIPPED | 0.001 s |


The user is presented with error message for invalid code in tryEditor page for Applications page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page for Applications page | FAILED | 2.022 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0.5481.178', oliver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get (url=https://dsportalapp.herokuapp.com/tryEditor] (2apabilities facceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\USers\karth\AppData\Loca], goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExsecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.Remot | | |
| 2 | * Not displayable characters are replaced by '?'. When The user enter the invalid python code in tryeditor and clickon run button for Applications page | SKIPPED | 0.000 s |
| _ | | | |
| 3 | Then The user will get an error message for Applications page | SKIPPED | 0.001 s |

DETAILED SECTION -- 72 --


The user is able to navigate to "practice Questions" in stack page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is in tryeditor page and navigates to applications page | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 'gddee4fb01cea57ad835a913776e52da, get (url-https://dsportalapp.herokuapp.com/stack/stack-applications/] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:Usersikarth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}/ networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor | | |
| 2 | When The user clicks on the practice Questions button | SKIPPED | 0.000 s |
| 3 | Then The user should be directed to practice questions | SKIPPED | 0.000 s |
| | Then the user should be directed to practice questions | SKIPPED | 0.000 5 |

DETAILED SECTION -- 73 --

User to sign in the dsalgo application and test Queue page




user is logged in into the dsalgo project to test Queue page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is logged into the home page | FAILED | 0.005 s |
| 1 | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) | TAILED | 0.000 3 |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Queue_stepdef.user_is_logged_into_the_home_page(Queue_stepdef.java:43) at ?.user is logged into the home page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:6) * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks on get started button or dropdown for queue | SKIPPED | 0.001 s |
| 3 | Then user directed to the queue page | SKIPPED | 0.001 s |


The user is able to navigate to Implementation of Queue in Python link page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user in queue page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) | | |
| | at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) | | |
| | at step_definitions.Queue_stepdef.the_user_in_queue_page(Queue_stepdef.java:66) | | |
| | at ?.The user in queue page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:12) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When user clicks on Implementation of Queue in Python link page | SKIPPED | 0.000 s |
| 3 | Then user should be directed to Implementation of Queue in Python link page | SKIPPED | 0.000 s |


The user should be directed to editor page with run button to test python code



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is in Implementation of queue in python link page | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) | | |
| | at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) | | |
| | at step_definitions.Queue_stepdef.the_user_is_in_implementation_of_queue_in_python_link_page(Queue_stepdef.java:87) | | |
| | at ?.The user is in Implementation of queue in python link page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/ | | |
| | 08_Queue.feature:18) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks on Tryhere link for Implementation of queue in python | SKIPPED | 0.000 s |
| 3 | Then The user navigates to Editor page to enter valid python code for Implementation of queue in python | SKIPPED | 0.001 s |
| 4 | And user clicks on the run button for Implementation of queue in python | SKIPPED | 0.000 s |
| 5 | Then The user is presented with the result after run button is clicked for Implementation of queue in python | SKIPPED | 0.000 s |


The user is presented with error message for invalid code in Editor for Implementation of queue page



| | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| 1 | | Given The user is in a page having an Editor with a Run button to test for Implementation of queue in python | FAILED | 0.005 s |
| | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 94dee4fb01cea57ad835a913776e52da | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:333) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | | |
| | at org.openqa.selemann.remote.remote.webbnver.get(remote.webbnver.java.236) at page_objects.QueuePage.navigateToEditorUrl(QueuePage.java:145) | | |
| | at step definitions.Queue stepdef. | | |
| | the_user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_implementation_of_queue_in_python(Queue_stepdef.java:135) at ?.The user is in a page having an Editor with a Run button to test for Implementation of queue in python(file:///C:/Users/karth/Dsalgo_The- | | |
| | Xpathers/src/test/resources/features/08_Queue.feature:26) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user enters invalid python code for Implementation of queue in python | SKIPPED | 0.000 s |
| 3 | And clicks run button for Implementation of queue | SKIPPED | 0.001 s |
| 4 | Then The user gets an error message for Implementation of queue | SKIPPED | 0.000 s |

The user is able to navigate to queue page and click on Implementation using collections deque link




| 7 | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| 1 | | Given User in editor page and navigates to the queue page for Implementation using collections deque link | FAILED | 2.012 s |
| L | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |

DETAILED SECTION -- 78 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| # | Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: "Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [9ddee4fb01cea57ad835a913776e52da, get [url=https://dsportalapp.herokuapp.com/queue/] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:Usersikarth/AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdp/version: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor:handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:535) at org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:2535) at org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:2535) at org.openga.selenium.get.RemoteWebDriver | Status | Duration |
| 2 | When User clicks on Implementation using collections deque link | SKIPPED | 0.000 s |
| 3 | Then User should be redirected to Implementation using collections deque page | SKIPPED | 0.000 s |


The user should be directed to editor page with run button to test python code from Implementation using collections delque link



DETAILED SECTION -- 79 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User in implementation using collections page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44.020c3b7' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: CXUserslkarthAppData\to.ca}, goog:chromeOptions: {debuggerAddress: localhost:57659/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoc, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.se | | |
| 2 | When User clicks on Tryhere link for collections page | SKIPPED | 0.001 s |
| 3 | Then User navigates to Editor page to enter valid python code for collections page | SKIPPED | 0.001 s |
| 4 | And User clicks on the run button for collections page | SKIPPED | 0.000 s |
| 5 | Then The user is presented with the result after run button is clicked for collections page | SKIPPED | 0.001 s |


The user is presented with error message for invalid code in Editor for Implementation using collections page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is in a page having an Editor with a Run button to test for collection page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0.5481.178) Build info: version: '44.7.2', revision: '4d4020c3b7' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0.5481.178, ohrome: (chromedriverVersion: ChromeDriver Command: [94dee4t601cea57ad835a913776e52da, get (url=https://daportalapp.herokuapp.com/tryEditor] (2apabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: (chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:Usersikarth\appDataLloca}, goog:chromeOptions: (debuggerAddress: localhost:57659], networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at | | 0.0043 |
| | resources/features/08_Queue.feature:47) * Not displayable characters are replaced by '?'. | | |
| 2 | When User enters invalid python code in Editor for collections page | SKIPPED | 0.000 s |
| 3 | And clicks run button for collection page link | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then The user gets an error message for collection page | SKIPPED | 0.000 s |


User is able to navigate to queue page and click on Implementation using array link



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User in editor page and navigates to the queue page for Implementation using array link | FAILED | 2.007 s |
| 1 | org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/queue/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remo | FAILED | 2.007 s |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | test/resources/features/08_Queue.feature:54) * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks on Implementation using array link | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to Implementation using array page | SKIPPED | 0.006 s |


User should be directed to editor page with run button to test python code from Implementation using array link



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User in Implementation using array link | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: (chromedriverVersion: 110.0.5481.77 (65ed616c8e, userDatabir: C'Userslkarth\AppDatalLoca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhanddePromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.evice.DriverCommandExecutor.evecute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.evecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.evecute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) at step_definitions.Queue_stepdef.user_in_implementation_using_array_link(Queue_stepdef.java:291) at ?.User in Implementation using array link(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:60) * Not displayable characters are replaced by '?'. | | |
| 2 | When User clicks on Tryhere link from Implementation using array link | SKIPPED | 0.003 s |
| 3 | Then User navigates to Editor page to enter valid python code for array link | SKIPPED | 0.000 s |
| 4 | And User clicks on the run button for array link | SKIPPED | 0.001 s |
| 5 | Then User is presented with the result after run button is clicked for array link | SKIPPED | 0.004 s |


The User is presented with error message for invalid code in Editor for Implementation using array page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is in a page having an Editor with a Run button to test for array page | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at page_objects.QueuePage.navigateToEditorUrl(QueuePage.java:145) at step_definitions.Queue_stepdef.user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_array_page(Queue_stepdef.java:336) at ?.User is in a page having an Editor with a Run button to test for array page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:68) * Not displayable characters are replaced by '?'. | | |
| 2 | When User enters invalid python code in Editor for array page. | SKIPPED | 0.000 s |
| 3 | And clicks run button for array page | SKIPPED | 0.000 s |
| 4 | Then The user gets an error message for array page | SKIPPED | 0.000 s |


User is able to navigate to queue page and click on Queue Operations link



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User in editor page and navigates to the queue page for Queue Operations link | FAILED | 2.010 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/queue/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | | |
| | at page_objects.QueuePage.navigateToQueuePage(QueuePage.java:152) | | |
| | at step_definitions.Queue_stepdef.user_in_editor_page_and_navigates_to_the_queue_page_for_queue_operations_link(Queue_stepdef. | | |
| | java:372) | | |
| | at ?.User in editor page and navigates to the queue page for Queue Operations link(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/ | | |
| | resources/features/08_Queue.feature:75) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks on Queue Operations link | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to Queue Operations page | SKIPPED | 0.000 s |

The user should be directed to editor page with run button to test python code from Queue Operations link




| # | # Step / Hook Details | Status | Duration |
|---|--|------------------------|----------|
| 1 | 1 Given User in Queue Operations link | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11' 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browser' 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca. goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, pla | , os.arch: Version:}, | |

DETAILED SECTION -- 86 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| # | Step / Hook Details WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | Status | Duration |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) at page_objects.QueuePage.getQueuePageTitle(QueuePage.java:85) | | |
| | at step_definitions.Queue_stepdef.user_in_queue_operations_link(Queue_stepdef.java:392) at ?.User in Queue Operations link(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/08_Queue.feature:81) * Not displayable characters are replaced by '?'. | | |
| 2 | When User clicks on Tryhere link from Queue Operations link | SKIPPED | 0.001 s |
| 3 | Then User navigates to Editor page to enter valid python code for Queue Operations link | SKIPPED | 0.000 s |
| 4 | And User clicks on the run button for Queue Operations link | SKIPPED | 0.000 s |
| 5 | Then User is presented with the result after run button is clicked for Queue Operations link | SKIPPED | 0.000 s |


The User is presented with error message for invalid code in Editor for Queue Operations page



DETAILED SECTION -- 87 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is in a page having an Editor with a Run button to test for Queue Operations page | FAILED | 0.019 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4th01cea57ad835a913776e52da, get furl=https://dosportalapp.herokuapp.com/tryEditorj] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:Usersikarth\AppDatal\Loca}}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy: Proxy(), se:cdp: ws:/localhost:57659/devtoo, se:cdp/version: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 94dee4fb01ca57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverComman | | |
| 2 | When User enters invalid python code in Editor for Queue Operations page | SKIPPED | 0.000 s |
| 3 | And clicks run button for Queue Operations page | SKIPPED | 0.001 s |
| 4 | Then The user gets an error message for Queue Operations page | SKIPPED | 0.000 s |


User is able to navigate to Queue page and click on Practice Questions




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is in Editor page and navigates to Queue operation page | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0, java version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get (url-https://dsportalapp.herokuapp.com/queue/Queue(Opt)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:Usersikarth/AppDatal\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy; Proxy(), se:cdp: ws:f\/localhost:57659\/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy; Proxy(), se:cdp: ws:f\/localhost:57659\/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy; Proxy(), se:cdp: ws:f\/localhost:57659\/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy; Proxy(), se:cdp: ws:f\/localhost:57659\/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy; Proxy(), se:cdp: ws:f\/localhost:57659\/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: Vindounds: fireflexibility: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.denableAccessor.newInstance(DirectConstructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponse | | |
| 2 | When User clicks on Practice Questions | SKIPPED | 0.001 s |
| 3 | Then User is directed to Practice page | SKIPPED | 0.000 s |

DETAILED SECTION -- 89 --

User to sign in the dsalgo application and test Graph page



user is logged in into the dsalgo project to test Graph page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given After signin user is in home page | FAILED | 0.015 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.05481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jaki.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.briverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |

DETAILED SECTION -- 90 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at step_definitions.Graph_stepdef.after_signin_user_is_in_home_page(Graph_stepdef.java:41) at ?.After signin user is in home page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:6) * Not displayable characters are replaced by '?'. | | |
| 2 | When User clicks on get started button or dropdown for graph | SKIPPED | 0.000 s |
| 3 | Then user directed to the graph page | SKIPPED | 0.000 s |


User is able to navigate to graph page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User in graph page | FAILED | 0.020 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jaka.lang.reflect.CirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.ChlttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:301) | | |
| | at page_objects.GraphPage.getGraphPageTitle(GraphPage.java:70) | | |
| | at step_definitions.Graph_stepdef.user_in_graph_page(Graph_stepdef.java:65) | | |
| | at ?.User in graph page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:12) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User clicks on graph link button | SKIPPED | 0.001 s |
| 3 | Then User should be directed to graph link page | SKIPPED | 0.000 s |

User should be directed to editor page with run button to test python code




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is in graph link page | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |

DETAILED SECTION -- 92 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:301) at page_objects.GraphPage.getGraphPageTitle(GraphPage.java:70) at step_definitions.Graph_stepdef.user_is_in_graph_link_page(Graph_stepdef.java:85) at ?.User is in graph link page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:18) * Not displayable characters are replaced by '?'. | | |
| 2 | When User clicks on Tryhere link for graph link page | SKIPPED | 0.000 s |
| 3 | Then User navigates to Editor page to enter valid python code for graph link page | SKIPPED | 0.007 s |
| 4 | And User clicks on the run button for graph link page | SKIPPED | 0.001 s |
| 5 | Then User is presented with the result after run button is clicked for graph link page | SKIPPED | 0.001 s |


User is presented with error message for invalid code in Editor for graph link page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is in a page having an Editor with a Run button to test for graph link page | FAILED | 0.034 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 94dee4fb01cea57ad835a913776e52da | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | | |
| | at page_objects.GraphPage.navigateToGraphEditorUrl(GraphPage.java:128) | | |
| | at step_definitions.Graph_stepdef.user_is_in_a_page_having_an_editor_with_a_run_button_to_test_for_graph_link_page(Graph_stepdef. | | |
| | java:138) | | |
| | at ?.User is in a page having an Editor with a Run button to test for graph link page(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/ | | |
| | resources/features/09_graph.feature:26) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User enters invalid python code for graph link page | SKIPPED | 0.000 s |
| 3 | And clicks run button for graph link page | SKIPPED | 0.000 s |
| 4 | Then The user gets an error message for graph link page | SKIPPED | 0.000 s |

User is able to navigate to graph page and click on graph representations




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User in editor page and navigates to the graph page for graph representations | FAILED | 2.060 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: | | |

DETAILED SECTION -- 94 --

| # | Step / Hook Details | Status | Duration |
|---|---|-----------|----------|
| | 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/graph/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.17 (65ed616c68e, userDataDir: C:\Usersikarth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdp\version: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.cdecode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:255) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:256) at page_objects.GraphPage.navigateTographPage(GraphPage.java:135) at step_definitions.Graph_stepdef.user_in_editor_page_and_navigates_to_the_graph_page_for_graph_representations(Graph_stepdef.java:169) at 2.User i | | |
| 2 | When User clicks on graph representations link | SKIPPED | 0.000 s |
| 3 | Then User should be redirected to graph representations | SKIPPED | 0.000 s |
| | Then oder should be redirected to graph representations | OKII I LD | 0.000 0 |


User should be directed to editor page with run button to test python code from graph representations



DETAILED SECTION -- 95 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is in graph representations | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy38.click(Unknown Source) at page_objects.GraphPage.clickOngraphrepresentations(GraphPage.java:141) | | |
| | at step_definitions.Graph_stepdef.user_is_in_graph_representations(Graph_stepdef.java:189) | | |
| | at ?.User is in graph representations(file:///C:/Users/karth/Dsalgo_The-Xpathers/src/test/resources/features/09_graph.feature:39) * Not displayable characters are replaced by '?'. | | |
| 2 | When User clicks on Tryhere link for graph representations | SKIPPED | 0.000 s |
| 3 | Then User navigates to Editor page to enter valid python code for graph representations | SKIPPED | 0.001 s |
| 4 | And User clicks on the run button for graph representations | SKIPPED | 0.001 s |
| 5 | Then The user is presented with the result after run button is clicked for graph representations | SKIPPED | 0.000 s |


The user is presented with error message for invalid code in Editor for graph representations



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is in a page having an Editor with a Run button to test for graph representations | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: '[94dee48f01cea57ad835a913776e52da, get (url-https://dsportalapp.herokuapp.com/tryEditor]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: CXUsersikarth\appDatal\Loca), goog:chromeOptions: {debuggerAddress: localhost:57659/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:235) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) at pa | | |
| 2 | When User enters invalid python code in Editor for graph representations | SKIPPED | 0.000 s |
| 3 | And clicks run button for graph representations | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then The user gets an error message for graph representations | SKIPPED | 0.000 s |

User is able to navigate tograph representations page and click on Practice Questions



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is in Editor page and navigates to graph representations page | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d020c3b7' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94dee4fb01cea57ad835a913776e52da, get {url=https://dsportalapp.herokuapp.com/graph/representations/]} Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77} (65ed616c6e8e, userDataDir: C:\Users\karth\AppData\Loca}), goog:chromeOptions: {debuggerAddress: localhost:57659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57659/devtoo, se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 94dee4fb01cea57ad835a913776e52da at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.execute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:296) | PAILLD | 0.007 \$ |

DETAILED SECTION -- 98 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User clicks on Practice Questions from graph representations page | SKIPPED | 0.000 s |
| 3 | Then User is directed to the Practice page | SKIPPED | 0.000 s |