[scan 446]

$$
\begin{array}{lcc}
\text{dimension } 3 & \begin{array}{c}\underline{\mathrm{Cent}}(\mathcal{M}^{\circ}_{\rho,\sigma}) = R^{\circ}_{\rho,\sigma} \\ \simeq ST_\rho \times ST_\sigma \times G_m \\ \uparrow \\ \underline{\mathrm{Cent}}(\mathcal{M}_{\rho,\sigma}) \cap \mathcal{M}^{\circ}_{\rho,\sigma} \\ = ST_\rho \times \mu_2 \times G_m\end{array} & \begin{array}{c}\xhookrightarrow[(\text{quotient } \mu_2\times\mu_2)]{} \\ \\ \xhookrightarrow[(\text{quotient } \mu_2)]{}\end{array} \begin{array}{c} R_{\rho,\sigma} \\ \simeq S'T_\rho \times SN'_\sigma \times G_m \\ \uparrow \\ \underline{\mathrm{Cent}}(\mathcal{M}_{\rho,\sigma}) \\ \simeq S'T_\rho \times \mu_2 \times G_m)\end{array} \quad \text{dimension } 3 \\
\text{dimension } 2 & & & \text{dimension } 2
\end{array}
$$

[scan 525]

$$\begin{array}{ccccccccc}
1 & \longrightarrow & \mathrm{Sl}(2,\mathbb{Z})^{\wedge} & \longrightarrow & N^{\sim}_{1,1} & \longrightarrow & \Gamma^{\sim}_{\mathbb{Q}} & \longrightarrow & 1 \\
 & & \downarrow{\scriptstyle \text{epimorphism}} & & \downarrow{\scriptstyle \text{epimorphism}} & & \chi\downarrow{\scriptstyle \text{epimorphism}} & & \\
1 & \longrightarrow & \mathrm{Sl}(2,\widehat{\mathbb{Z}}) & \longrightarrow & \mathrm{Gl}(2,\widehat{\mathbb{Z}}) & \longrightarrow & \widehat{\mathbb{Z}}^{*} & \longrightarrow & 1
\end{array}$$

[scan 619]


$\mathcal{M}^!{}[0] = Z^!_{\rho,\sigma}$
canonical
$\gamma_{\rho,\sigma} = Z^!_{\rho,\sigma}/L_0^\Pi$
homomorphism (130)
$N^*_\rho/\{\pm 1\}$
canonical
$(u,a,b)\mapsto u$
canonical
(passage to the quotient)
$S_0\Gamma^!_{\rho,\sigma}$
$S_0\Gamma_{\rho,\sigma}$
(without !)
inclusion
inclusion
$S_0^\Pi\Gamma^!_{\rho,\sigma}$
N^*_ρ

[scan 545]

$$M_{\rho,\sigma}[0] \xrightarrow{\varepsilon_{2,3}:x\longmapsto(\varepsilon_2(\chi(x)),\varepsilon_3(\chi(x)))} \{\pm 1\}\times\{\pm 1\}$$