

Restrained source and translation apparatus

Source: authority physical page 1, printed page 99. The seminar running header, leaf code 477-01, and date line are excluded from the language body; the title, bracketed attribution, Deligne byline, and opening are retained. Publication context: Séminaire Bourbaki, 28e année, 1975/76, no 477, February 1976. Pierre Deligne is the sole author; M. R. Herman is the subject/source attribution. The English title renders d'après as “after.”

Prompt P01; session S01; authority page 1; printed page 99; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 2, printed page 100; leaf code and folio are excluded. The unnumbered theorem and the heading “Terminologie et notations” are retained. Pixel replay confirms the source spelling “norme höldérienne d’exposant β ”; the inherited malformed TeX string $h^{\{o\}}$ ldérienne is rejected under fault gate F09. In English, réduites is rendered as “convergens.”

Prompt P01; session S01; authority page 2; printed page 100; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 3, printed page 101; leaf code and folio are excluded. This page introduces the notation R_s , V , α , μ , h , h_n , and f_n and begins §1. Pixel replay confirms the displayed source reading $\mu = dh$.

Prompt P01; session S01; authority page 3; printed page 101; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 4, printed page 102; leaf code and folio are excluded. Corollary 1.2 is replayed with q terms, $i = 0, \dots, q-1$, exactly as shown in the authority. Measure notation μ is retained without editorial substitution.

Prompt P01; session S01; authority page 4; printed page 102; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 5, printed page 103; leaf code and folio are excluded. The page contains the end of §1 and the opening of §2. Equation numbers (1.7.1)–(1.7.3) and (2.1.1)–(2.1.2) are retained.

Prompt P01; session S01; authority page 5; printed page 103; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 6, printed page 104; leaf code and folio are excluded. Pixel replay confirms that (2.2.1) has the unsquared left side $\|D\psi\|_\infty$ and a square-root right side. Theorem 2.3 begins on this page and continues onto physical page 7; P01 does not complete the continued statement.

Prompt P01; session S01; authority page 6; printed page 104; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 7, printed page 105; leaf code and folio are excluded. The page begins with the continuation of Theorem 2.3 from physical page 6. Mandatory fault gate F01 was replayed directly from the pixels: the bound is $\|D^2 f^q\|_\infty \leq B q^{1/2} \sup_{i < q} \|Df^i\|_\infty$, and the stated gain is $\sqrt{q}$ rather than q . The inherited squared-supremum-over- q formula and q -versus- q^2 explanation are rejected. The page then opens §3 and includes Proposition 3.1 and Reminder 3.2.

Prompt P02; session S02; authority page 7; printed page 105; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 8, printed page 106; leaf code and folio are excluded. The page completes the Weyl argument, states Theorem 3.3, derives formula (3.3.1), and states Lemmas 3.4–3.5. The subscripted conjugate f_n is kept distinct from the iterate f^n throughout.

Prompt P02; session S02; authority page 8; printed page 106; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 9, printed page 107; leaf code and folio are excluded. The variation estimate, Theorem 3.6, the Chacon–Ornstein application, and the definition of ψ_n are retained. The printed cross-reference “Le théorème 3.1 résulte...” is preserved without editorial emendation.

Prompt P02; session S02; authority page 9; printed page 107; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 10, printed page 108; leaf code and folio are excluded. Lemma 3.7, the limit $-\frac{1}{2}\psi$, the numerator $\Sigma D^2 f^i$, the coefficients λ_{ij} , and the A_n+B_n estimate are replayed from the pixels. The displayed occurrences of $(\psi-\psi_i)$ are retained exactly as printed; no mathematical normalization is imposed.

Prompt P02; session S02; authority page 10; printed page 108; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 11, printed page 109; leaf code and folio are excluded. The page completes the A_n/B_n argument, gives Lemma 3.8, Supplement 3.9, Remark 3.10, and opens §4. Its final open parenthesis in 4.1 is retained and continued on physical page 12.

Prompt P02; session S02; authority page 11; printed page 109; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 12, printed page 110; leaf code and folio are excluded. The page continues 4.1, retains the initial-value matrix, equations (4.1.1)–(4.1.6), paragraph 4.2.1, and the opening clause of 4.2.2. In the English layer, réduite is rendered as “convergent.” The sentence begun at (4.2.2) remains open at this page boundary.

Prompt P02; session S02; authority page 12; printed page 110; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 13, printed page 111; leaf code and folio are excluded. The page completes 4.2.2 and gives 4.3 with the triple-bar nearest-integer notation and the native arrangements (4.3.1) and (4.3.4). The source's primed indexing is retained literally: p'_n/q'_n is defined, while the plotted label and (4.3.5) use the printed $n+1$ subscripts. No inherited normalization was applied.

Prompt P03; session S03; authority page 13; printed page 111; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 14, printed page 112; leaf code and folio are excluded. Definition 4.4 and Proposition 4.5 are replayed literally, including the printed condition $n \geq 2^{(N/2)}$, the bound $\|D^N f\|_\infty \leq C^{(dV)} \cdot N^{(DdV)}$, and the asymptotic frequency $\int_{[x^N-1=k]} \nu \sim 1/k^2$. The inherited candidate's substituted exact frequency formula and altered proposition are rejected.

Prompt P03; session S03; authority page 14; printed page 112; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 15, printed page 113; leaf code and folio are excluded. Two positional diagrams are preserved by authority-only raw crops P15-A01 and P15-A02 plus separately hashed presentation derivatives. Their horizontal order, labels, braces, arrow, and relation to the surrounding §5 argument are retained. Theorem 5.2 begins on this page and continues on physical page 16.

Prompt P03; session S03; authority page 15; printed page 113; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 16, printed page 114; leaf code and folio are excluded. Positional diagrams P16-A01 and P16-A02 preserve the $r=3$ and $r=3,s=2$ arrangements. Mandatory gate F02 confirms $x^{(1-\varepsilon)} < r/s < x$. Mandatory gate F03 restores the full quotient $(\sum_{i=0}^{s-1} e^{iV})/(\sum_{i=0}^{r-1} e^{-iV}) \leq (s/r)^{(1-\varepsilon)}$. The inherited flattened diagrams and formulas are rejected.

Prompt P03; session S03; authority page 16; printed page 114; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 17, printed page 115; leaf code and folio are excluded. The page completes the sketch of Theorem 5.2, including the two-case brace, the restricted products, B_n , and Remarks 5.3–5.4. The source's indices and inequality directions are retained without mathematical normalization.

Prompt P03; session S03; authority page 17; printed page 115; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 18, printed page 116; leaf code and folio are excluded. The page contains §6, Theorem 6.1, and the opening of §7. Mandatory gate F10 confirms the French phrase “norme höldérienne”; the malformed inherited TeX string is rejected. The $q_n^{(1/2)}$ second-derivative estimate and the $-1/4+\varepsilon$ exponents are replayed from the pixels.

Prompt P03; session S03; authority page 18; printed page 116; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 19, printed page 117; leaf code and folio are excluded. The page completes 7.1, including (7.1.3)–(7.1.5), and opens 7.2. The final printed product identity contains $(\varphi_1(\mathbf{x}) - \varphi_2(\mathbf{x}))\varphi_2(\mathbf{y})$; it is retained literally in both language layers rather than silently corrected.

Prompt P04; session S04; authority page 19; printed page 117; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 20, printed page 118; leaf code and folio are excluded. The page gives (7.2.3), Propositions 7.3 and 7.5, (7.4.1), and the opening of §8 and Theorem 8.1. The continued-fraction sum is printed with a_{i+1} , without an added +1, and is retained as such.

Prompt P04; session S04; authority page 20; printed page 118; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 21, printed page 119; leaf code and folio are excluded. The page completes the §8 estimate and gives §9, Theorems 9.1–9.2. Mandatory fault F08 is resolved from the pixels: Theorem 9.1 has $C^{(r-1-\varepsilon)}$, with no extra $-\beta$. The Diophantine bound in 9.2 is $q^{(-\theta)}$, while the neighborhood and solution exponents use θ' .

Prompt P04; session S04; authority page 21; printed page 119; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 22, printed page 120; leaf code and folio are excluded. This page completes the proof of 9.1 and the work's prose. The large blank remainder is excluded from both language bodies. The symbols α , θ , θ' , and λ are retained according to the printed argument.

Prompt P04; session S04; authority page 22; printed page 120; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.

Restrained source and translation apparatus

Source: authority physical page 23, printed page 121; leaf code and folio are excluded. Bibliography [1]–[4] is retained, including the printed page ranges 213–284 and 499–535 and the original-language titles. The terminal blank remainder after the bibliography is excluded from both language bodies.

Prompt P04; session S04; authority page 23; printed page 121; disposition: INCLUDE_WORK_WITH_COPY_MATTER_EXCLUSIONS.