

MATHEMATICAL PAPERS.

LONDON : C. J. CLAY AND SONS,
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,
AVE MARIA LANE.

Glasgow : 263, ARGYLE STREET.

Leipzig : F. A. BROCKHAUS.
New York : THE MACMILLAN CO.

*[Frontispiece : portrait of Professor Cayley,
reproduction by A. G. Dew-Smith, 1885.]*

THE COLLECTED
MATHEMATICAL PAPERS

OF

ARTHUR CAYLEY, Sc.D., F.R.S.,
LATE SADLERIAN PROFESSOR OF PURE MATHEMATICS IN THE
UNIVERSITY OF CAMBRIDGE.

VOL. XI.

CAMBRIDGE :
AT THE UNIVERSITY PRESS.
1896

[All Rights reserved.]

CAMBRIDGE :
PRINTED BY J. AND C. F. CLAY,
AT THE UNIVERSITY PRESS.

ADVERTISEMENT.

THE present volume contains 93 papers numbered 706 to 798, published, with the exception of one series, for the most part in the years 1878 to 1883. This series is constituted by the articles which Professor Cayley wrote for the *Encyclopædia Britannica* between the years 1878 and 1888; it seemed desirable to place these together in the same volume, in spite of the departure from the chronological arrangement which governs the sequence of the papers in the volumes generally. The Syndics of the University Press desire to acknowledge their obligation to Messrs Adam and Charles Black, Publishers of the ninth Edition of the *Encyclopædia Britannica*, for their courteous consent in allowing these articles to be included in the *Collected Mathematical Papers*. Exact references to the volumes, from which the articles are extracted, will be found in the Table of Contents.

The frontispiece to the present volume is a reproduction by Mr A. G. Dew-Smith, of Trinity College, of a photograph of Professor Cayley which he made in the year 1885. The Syndics of the Press desire to acknowledge their obligation to Mr Dew-Smith.

The Table for the eleven volumes is

Vol.	I.	Numbers	1 to 100,
„	II.	„	101 to 158,
„	III.	„	159 to 222,
„	IV.	„	223 to 299,
„	V.	„	300 to 383,
„	VI.	„	384 to 416,
„	VII.	„	417 to 485,
„	VIII.	„	486 to 555,
„	IX.	„	556 to 629,
„	X.	„	630 to 705,
„	XI.	„	706 to 798.

A. R. FORSYTH.

21 November, 1896.

CONTENTS.

[An Asterisk means that the paper is not printed in full.]

	PAGE
706. <i>On the distribution of electricity on two spherical surfaces</i>	1
Phil. Mag., Ser. 5, t. v. (1878), pp. 54—60	
707. <i>On the colouring of maps</i>	7
Geogr. Soc. Proc., t. i. (1879), pp. 259—261	
708. <i>Note sur la théorie des courbes de l'espace</i>	9
Assoc. Franç., Compt. Rend., t. ix. (1880), pp. 135—139	
709. <i>On the number of constants in the equation of the surface</i> <i>$PS - QR = 0$</i>	14
Tidsskrift for Mathematik, Ser. 4, t. iv. (1880), pp. 145—148	
710. <i>On a differential equation</i>	17
Collectanea Mathematica, in memoriam Dominici Chelini, (Milan, Hoepli, 1881), pp. 17—26	
711. <i>On a diagram connected with the transformation of elliptic</i> <i>functions</i>	26
British Association Report, 1881, p. 534	
712. <i>A partial differential equation connected with the simplest case</i> <i>of Abel's theorem</i>	27
British Association Report, 1881, pp. 534, 535	
713. <i>Addition to Mr. Rowe's "Memoir on Abel's theorem"</i>	29
Phil. Trans., t. clxxii. (1881), pp. 751—758	

	PAGE
714. <i>Various notes</i>	37
Messenger of Mathematics, t. vii. (1878), pp. 69; 115; 124; 125	
715. <i>Note on a system of algebraical equations</i>	39
Messenger of Mathematics, t. vii. (1878), pp. 17, 18	
716. <i>An illustration of the theory of the ϑ-functions</i>	41
Messenger of Mathematics, t. vii. (1878), pp. 27—32	
717. <i>On the triple theta-functions</i>	47
Messenger of Mathematics, t. vii. (1878), pp. 48—50	
718. <i>Addition to Mr. Genese's paper "On the theory of envelopes"</i> .	50
Messenger of Mathematics, t. vii. (1878), pp. 62, 63	
719. <i>Suggestion of a mechanical integrator for the calculation of</i> <i>$\int (X dx + Y dy)$ along an arbitrary path</i>	52
Messenger of Mathematics, t. vii. (1878), pp. 92—95; British Association Report, 1877, pp. 18—20	
720. <i>Note on Arbogast's method of derivations</i>	55
Messenger of Mathematics, t. vii. (1878), p. 158	
721. <i>Formulæ involving the seventh roots of unity</i>	56
Messenger of Mathematics, t. vii. (1878), pp. 177—182	
722. <i>A problem in partitions</i>	61
Messenger of Mathematics, t. vii. (1878), pp. 187, 188	
723. <i>Various notes</i>	63
Messenger of Mathematics, t. viii. (1879), pp. 45, 46; 126; 127	
724. <i>On the deformation of the model of a hyperboloid</i>	66
Messenger of Mathematics, t. viii. (1879), pp. 51, 52	
725. <i>New formulæ for the integration of $\frac{dx}{\sqrt{X}} + \frac{dy}{\sqrt{Y}} = 0$</i>	68
Messenger of Mathematics, t. viii. (1879), pp. 60—62	
726. <i>A formula by Gauss for the calculation of $\log 2$ and certain</i> <i>other logarithms</i>	70
Messenger of Mathematics, t. viii. (1879), pp. 125, 126	

	PAGE
727. <i>Equation of the wave-surface in elliptic coordinates</i>	71
Messenger of Mathematics, t. viii. (1879), pp. 190, 191	
728. <i>A theorem in elliptic functions</i>	73
Proc. Lond. Math. Soc., t. x. (1879), pp. 43—48	
729. <i>On a theorem relating to conformable figures</i>	78
Proc. Lond. Math. Soc., t. x. (1879), pp. 143—146	
730. [<i>Addition to Mr. Spottiswoode's paper "On the twenty-one coordinates of a conic in space"</i>]	82
Proc. Lond. Math. Soc., t. x. (1879), pp. 194—196	
731. <i>On the binomial equation $x^p - 1 = 0$; trisection and quarti- section</i>	84
Proc. Lond. Math. Soc., t. xi. (1880), pp. 4—17	
732. <i>A theorem in spherical trigonometry</i>	97
Proc. Lond. Math. Soc., t. xi. (1880), pp. 48—50	
733. <i>On a formula of elimination</i>	100
Proc. Lond. Math. Soc., t. xi. (1880), pp. 139—141	
734. <i>On the kinematics of a plane</i>	103
Quart. Math. Journ., t. xvi. (1879), pp. 1—8	
735. <i>Note on the theory of apsidal surfaces</i>	111
Quart. Math. Journ., t. xvi. (1879), pp. 109—112	
736. <i>Application of the Newton-Fourier method to an imaginary root of an equation</i>	114
Quart. Math. Journ., t. xvi. (1879), pp. 179—185	
737. <i>On a covariant formula</i>	122
Quart. Math. Journ., t. xvi. (1879), pp. 224—226	
738. <i>Note on a hypergeometric series</i>	125
Quart. Math. Journ., t. xvi. (1879), pp. 268—270	
739. <i>Note on the octahedron function</i>	128
Quart. Math. Journ., t. xvi. (1879), pp. 280, 281	

	PAGE
740. <i>On certain algebraical identities</i>	130
Quart. Math. Journ., t. xvi. (1879), pp. 281, 282	
741. <i>On a theorem of Abel's relating to a quintic equation</i>	132
Camb. Phil. Soc. Proc., t. iii. (1880), pp. 155—159	
742. <i>On the transformation of coordinates</i>	136
Camb. Phil. Soc. Proc., t. iii. (1880), pp. 178—184	
743. <i>On the Newton-Fourier problem</i>	143
Camb. Phil. Soc. Proc., t. iii. (1880), pp. 231, 232	
744. <i>Table of $\Delta^{m0n} \div \Pi(m)$ up to $m = n = 20$</i>	144
Camb. Phil. Trans., t. xiii. (1883), pp. 1—4	
745. <i>On the Schwarzian derivative, and the polyhedral functions</i>	148
Camb. Phil. Trans., t. xiii. (1883), pp. 5—68	
*746. <i>Higher Plane Curves</i>	217
Salmon's Higher Plane Curves, (3rd ed., 1879), Preface	
747. <i>Note on the degenerate forms of curves</i>	218
Salmon's Higher Plane Curves, (3rd ed., 1879), pp. 383—385	
748. <i>On the bitangents of a quartic</i>	221
Salmon's Higher Plane Curves, (3rd ed., 1879), pp. 387—389	
*749. <i>Solid Geometry</i>	224
Salmon's Treatise on the analytic geometry of three dimensions, (3rd ed., 1874), Preface	
750. <i>On the theory of reciprocal surfaces</i>	225
Salmon's Treatise on the analytic geometry of three dimensions, (3rd ed., 1874), pp. 539—550	
751. <i>Note on Riemann's paper "Versuch einer allgemeinen Auffass- ung der Integration und Differentiation," Werke, pp. 331—344</i>	235
Mathematische Annalen, t. xvi. (1880), pp. 81, 82	
752. <i>On the finite groups of linear transformations of a variable; with a correction</i>	237
Mathematische Annalen, t. xvi. (1880), pp. 260—263; 439, 440	
753. <i>On a theorem relating to the multiple theta-functions</i>	242
Mathematische Annalen, t. xvii. (1880), pp. 115—122	

	PAGE
754. <i>On the connection of certain formulæ in elliptic functions</i> ...	250
Messenger of Mathematics, t. ix. (1880), pp. 23—25	
755. <i>On the matrix $\begin{pmatrix} a, & b \\ c, & d \end{pmatrix}$, and in connection therewith</i> <i>the function $\frac{ax+b}{cx+d}$</i>	252
Messenger of Mathematics, t. ix. (1880), pp. 104—109	
756. <i>A geometrical construction relating to imaginary quantities</i> ..	258
Messenger of Mathematics, t. x. (1881), pp. 1—3	
757. <i>On a Smith's Prize question, relating to potentials</i>	261
Messenger of Mathematics, t. xi. (1882), pp. 15—18	
758. <i>Solution of a Senate-House problem</i>	265
Messenger of Mathematics, t. xi. (1882), pp. 23—25	
759. <i>Illustration of a theorem in the theory of equations</i>	268
Messenger of Mathematics, t. xi. (1882), pp. 111—113	
760. <i>Reduction of $\int \frac{dx}{(1-x^2)^{\frac{1}{3}}}$ to elliptic integrals</i>	270
Messenger of Mathematics, t. xi. (1882), pp. 142, 143	
761. <i>On the theorem of the finite number of the covariants of a</i> <i>binary quantic</i>	272
Quart. Math. Journ., t. xvii. (1881), pp. 137—147	
762. <i>On Schubert's method for the contacts of a line with a surface</i>	281
Quart. Math. Journ., t. xvii. (1881), pp. 244—258	
763. <i>On the theorems of the 2, 4, 8, and 16 squares</i>	294
Quart. Math. Journ., t. xvii. (1881), pp. 258—276	
764. <i>The binomial equation $x^p - 1 = 0$; quinquisection</i>	314
Proc. Lond. Math. Soc., t. xii. (1881), pp. 15, 16	
765. <i>On the flexure and equilibrium of a skew surface</i>	317
Proc. Lond. Math. Soc., t. xii. (1881), pp. 103—108	
766. <i>On the geodesic curvature of a curve on a surface</i>	323
Proc. Lond. Math. Soc., t. xii. (1881), pp. 110—117	

	PAGE
767. <i>On the Gaussian theory of surfaces</i>	331
Proc. Lond. Math. Soc., t. xii. (1881), pp. 187—192	
768. <i>Note on Landen's theorem</i>	337
Proc. Lond. Math. Soc., t. xiii. (1882), pp. 47, 48	
769. <i>On a formula relating to elliptic integrals of the third kind</i> ..	340
Proc. Lond. Math. Soc., t. xiii. (1882), pp. 175, 176	
770. <i>On the 34 concomitants of the ternary cubic</i>	342
American Journal of Mathematics, t. iv. (1881), pp. 1—15	
771. <i>Specimen of a literal table for binary quantics, otherwise a partition table</i>	357
American Journal of Mathematics, t. iv. (1881), pp. 248—255	
772. <i>On the analytical forms called trees</i>	365
American Journal of Mathematics, t. iv. (1881), pp. 266—268	
773. <i>On the 8-square imaginaries</i>	368
American Journal of Mathematics, t. iv. (1881), pp. 293—296	
774. <i>Tables for the binary sextic</i>	372
American Journal of Mathematics, t. iv. (1881), pp. 379—384	
775. <i>Tables of covariants of the binary sextic</i>	377
Written in 1894 : now first published.	
776. <i>On the Jacobian sextic equation</i>	389
Quart. Math. Journ., t. xviii. (1882), pp. 52—65	
777. <i>A solvable case of the quintic equation</i>	402
Quart. Math. Journ., t. xviii. (1882), pp. 154—157	
778. [<i>Addition to Mr. Hudson's paper "On equal roots of equations"</i>] ..	405
Quart. Math. Journ., t. xviii. (1882), pp. 226—229	
779. [<i>Note on Mr. Jeffery's paper "On certain quartic curves, which have a cusp at infinity, whereat the line at infinity is a tangent"</i>]	408
Proc. Lond. Math. Soc., t. xiv. (1883), p. 85	

	PAGE
780. [<i>Addition to Mr. Hammond's paper "Note on an exceptional case in which the fundamental postulate of Professor Sylvester's theory of tamisage fails"</i>]	409
Proc. Lond. Math. Soc., t. xiv. (1883), pp. 88—91	
781. <i>On the automorphic transformation of the binary cubic function</i>	411
Proc. Lond. Math. Soc., t. xiv. (1883), pp. 103—108	
782. <i>On Monge's "Mémoire sur la théorie des déblais et des remblais"</i>	417
Proc. Lond. Math. Soc., t. xiv. (1883), pp. 139—142	
783. <i>On Mr. Wilkinson's rectangular transformation</i>	421
Proc. Lond. Math. Soc., t. xiv. (1883), pp. 222—229	
784. <i>Presidential Address to the British Association, Southport, September 1883</i>	429
British Association Report, 1883, pp. 3—37	
785. <i>Curve</i>	460
Encyclopædia Britannica, 9th ed., t. vi. (1878), pp. 716—728	
786. <i>Equation</i>	490
Encyclopædia Britannica, 9th ed., t. viii. (1878), pp. 497—509	
787. <i>Function</i>	522
Encyclopædia Britannica, 9th ed., t. ix. (1879), pp. 818—824	
788. <i>Galois</i>	543
Encyclopædia Britannica, 9th ed., t. x. (1879), p. 48	
789. <i>Gauss</i>	544
Encyclopædia Britannica, 9th ed., t. x. (1879), p. 116	
790. <i>Geometry (analytical)</i>	546
Encyclopædia Britannica, 9th ed., t. x. (1879), pp. 408—420	
791. <i>Landen</i>	583
Encyclopædia Britannica, 9th ed., t. xiv. (1882), p. 271	
792. <i>Locus</i>	585
Encyclopædia Britannica, 9th ed., t. xiv. (1882), pp. 764, 765	

	PAGE
793. <i>Monge</i>	586
Encyclopædia Britannica, 9th ed., t. xvi. (1883), pp. 738, 739	
794. <i>Numbers (partition of)</i>	589
Encyclopædia Britannica, 9th ed., t. xvii. (1884), p. 614	
795. <i>Numbers (theory of)</i>	592
Encyclopædia Britannica, 9th ed., t. xvii. (1884), pp. 614—624	
796. <i>Series</i>	617
Encyclopædia Britannica, 9th ed., t. xxi. (1886), pp. 677—682	
797. <i>Surface</i>	628
Encyclopædia Britannica, 9th ed., t. xxii. (1887), pp. 668—672	
798. <i>Wallis (John)</i>	640
Encyclopædia Britannica, 9th ed., t. xxiv. (1888), pp. 331, 332	
<i>Portrait</i>	<i>To face Title.</i>

CLASSIFICATION.

ANALYSIS.

Calculation of $\log 2$; 726.
Series, 796.
Prime roots of unity, 721.
8-square imaginaries, 773.
Squares, theorems of 2, 4, 8, 16; 763.
Difference-table for $\Delta^m 0^n \div \Pi(m)$; 744.
Equations, theory of, 736, 741, 743, 759, 776, 777, 778, 786.
Numbers, theory of, 731, 764, 795.
Partitions, 722, 771, 794.
Trees, 772.
Matrices, 755.
Elimination, 733.
Transformation of cubic function, 781.
Covariantive forms and tables, 737, 761, 770, 774, 775, 780.
Fractional differentiation, 751.
Mechanical integrator, 719.
Differential Equations, 725.
Schwarzian derivative, 745.
Hypergeometric series, 710, 738.
Finite groups, 752.
Polyhedral functions, 739, 745.
Elliptic functions, 728, 740, 754, 760, 768, 769.
Transformation of elliptic functions, 711.
Abel's theorem, 712, 713.
Theta Functions, 716, 717, 753.
Function, 787.
Conformal representation, 729.

GEOMETRY.

Analytical geometry in general, 790, 792, 797.
Plane Curves, 746*, 785.
Degenerate forms of curves, 747.
Quartic Curves, 748, 779.
Déblais et remblais, 782.
Tortuous curves, 708, 785.
Geodesic curvature, 766.
Theory of surfaces, general, 709, 749*, 767.
Transformation of coordinates, 742, 783.
Reciprocal surfaces, 750.
Wave-surface, 727.
Apsidal surfaces, 735.
Deformation and flexure of surfaces, 724, 765.
Hypergeometry, 730.
Schubert's numerative geometry, 762.

VARIOUS SUBJECTS.

Spherical Trigonometry, 732.
Kinematics of a plane, 734.
Maps, colouring of, 707.
Electricity, distribution of, on spherical surfaces, 706.
Potential, 757.
Presidential Address to the British Association, 784.
Biographical articles ; Galois, 788. Gauss, 789. Landen, 791. Monge, 793. Wallis (John), 798.

MISCELLANEOUS.

714, 715, 718, 720, 723, 756, 758.

706.

ON THE DISTRIBUTION OF ELECTRICITY ON TWO SPHERICAL SURFACES.

[From the *Philosophical Magazine*, vol. v. (1878), pp. 54—60.]

IN the two memoirs “Sur la distribution de l’électricité à la surface des corps conducteurs,” *Mém. de l’Inst.* 1811, Poisson considers the question of the distribution of electricity upon two spheres : viz. if the radii be a , b , and the distance of the centres be c (where $c > a + b$, the spheres being exterior to each other), and the potentials within the two spheres respectively have the constant values h and g , then—for Poisson’s $f\left(\frac{x}{a}\right)$ writing $\phi(x)$, and for his $F\left(\frac{x}{b}\right)$ writing $\Phi(x)$ —the question depends on the solution of the functional equations

$$a\phi(x) + \frac{b^2}{c-x}\Phi\left(\frac{b^2}{c-x}\right) = h,$$

$$\frac{a^2}{c-x}\phi\left(\frac{a^2}{c-x}\right) + b\Phi(x) = g,$$

where of course the x of either equation may be replaced by a different variable.

It is proper to consider the meaning of these equations : for a point on the axis, at the distance x from the centre of the first sphere, or say from the point A , the potential of the electricity on this spherical surface is $a\phi x$ or $\frac{a^2}{x}\phi\left(\frac{a^2}{x}\right)$, according as the point is interior or exterior ; and, similarly, if x now denote the distance from the centre of the second sphere (or, say, from the point B), then the potential of the electricity on this spherical surface is $b\Phi x$ or $\frac{b^2}{x}\Phi\left(\frac{b^2}{x}\right)$, according as the point is interior or exterior ; $\phi(x)$ is thus the same function of