

Language-manager fleet and public archive map

Methodology sidecar v0.12 | frozen snapshot of eight active language lanes | 18 July 2026

Reader warning. This is a map of genuine working outputs and their evidence levels. A complete microtranche is not a complete language edition; a successful build is not native review; and a source-reconciled reader is not a critical edition.

Three public homes

Noether: [10.5281/zenodo.21423112](https://zenodo.org/record/21423112)

SGA 5 and SGA 6: [10.5281/zenodo.21422245](https://zenodo.org/record/21422245)

Interlanguage methodology: [10.5281/zenodo.21124403](https://zenodo.org/record/21124403)

GitHub: github.com/KokunoYumeto/modern-latex-manuscripts

The public archive is designed so that a machine failure on the working PC does not erase the meaningful work. Full readers, editable packages, evidence ledgers, and conservative status notes are pushed to Zenodo and mirrored on GitHub when they form a reproducible checkpoint.

Public payloads

The author and seminar records carry reader-facing texts. This sidecar carries cross-language methodology, provenance, manager state, and the small bounded experiments that do not belong on a single author record.

Public record	What a reader gets	Current boundary
Noether 10.5281/zenodo.21423112	German R823 source control; English working reader; source-reconciled Spanish and French readers; paired-script InterSlavic readers; bounded CJK, RTL, and Indonesian units.	Working corpus. Not a critical edition or universal mathematical certification.
SGA 5 and SGA 6 10.5281/zenodo.21422245	French workpasses; 309-page SGA 5 English working translation; corrected 381-page layered SGA 6 English reader; bounded SGA 6 Spanish tranche.	Authority layers and known weaknesses are retained. Not critical editions.
Interlanguage 10.5281/zenodo.21124403	Source-body baselines, automata and term ledgers, research handoffs, normalization evidence, release gates, and this manager snapshot.	Methodology and evidence sidecar; actual full readers live on author or series records.

Large bodies are not duplicated in v0.12. Earlier numbered Interlanguage ZIPs already preserve the multi-gigabyte source corpora. The new package adds the current map and manager layer.

Classification vocabulary

Source-reconciled working reader means the declared source units and artifact bindings pass the recorded checks. **Bounded working translation** means only the named unit is covered. **Review draft** means the text builds but language or domain review remains open. **Control infrastructure** means ledgers, source maps, or workflow evidence rather than a translation body.

Fleet state: established lanes

These lanes already have substantial reader bodies or completed bounded units in the public archive. Their unresolved gates are shown alongside the substantive work.

Lane	Substantive state	Classification
English / Germanic	SGA 5 English and layered full-range SGA 6 English are public. Noether English remains an inherited working reader requiring continued checking.	Public working editions with source, build, and audit evidence. Inherited or OCR-derived layers remain identified.
Romance	Noether Spanish and French R823 readers are public. SGA 6 Spanish has one bounded tranche. SGA 5 Spanish is active and partial.	Source-reconciled working readers, not native-language certification. The moving SGA 5 workpass is not sealed here.
Slavic / Interslavic	Noether Interslavic has 221 Latin-script and 221 Cyrillic-script units. A bounded Paper 6 Slavic tranche also exists.	Reproducible normalized working corpus; no community or native-speaker certification.
CJK	Full inherited Simplified Chinese and Japanese readers exist. Current R823 Papers 26 and 36 exist in Chinese, Japanese, and Korean.	Real cumulative readers plus bounded R823 units. Full readers are not certified as wholly synchronized to R823; Korean is bounded.

Fleet state: developing lanes

These lanes are earlier in production. The manager snapshot preserves useful work without promoting it beyond its actual review state.

Lane	Substantive state	Classification
Arabic / Persianate / RTL	Current Noether Paper 6 opening units exist in Arabic and Iranian Persian, with TeX, PDFs, decision records, and bidi checks.	Compiled bounded working translations. External and native review remain open.
Turkic	A substantial source and evidence corpus is indexed. Three one-page Hefferon review drafts build in Kyrgyz, Uyghur, and Uzbek.	Manager consolidation plus explicitly unreviewed buildable drafts. The publication-candidate folder remains empty.
Africa / Horn / West	A 113-word OpenStax excerpt has separate Somali and Oromo TeX/PDF microtranches, source notes, terminology records, and QA.	Technically complete microtranches; unreviewed and not a readiness claim.
Malay / SEA / Pacific	Noether Paper 36 has a complete current Indonesian working translation with source and terminology evidence.	One-page source-reconciled working translation; no native review and no Malay continuation yet.

Moving work excluded from the sealed snapshot: the SGA 5 Spanish workpass and SGA 6 French audit workpass were actively changing at capture time. They remain live production lanes and will be published at their next stable, reproducible checkpoint.

Inside the v0.12 manager ZIP

The compact ZIP has one root, a complete file manifest, SHA-256 checksums, and four small classes of actual working output:

1. Somali and Oromo: separate OpenStax prealgebra microtranches with translated TeX, one-page PDFs, source note, terminology/adverse ledger, build results, extraction check, and visual QA.

2. Arabic and Iranian Persian: the current Noether Paper 6 opening tranche with exact segment scope, TeX, one-page PDFs, typed decisions, bidi invariants, source-use record, terminology note, and render evidence.

3. Indonesian: complete Noether Paper 36 TeX plus the exact R823 source block, segment map, terminology/adverse ledger, build results, and render check.

4. Kyrgyz, Uyghur, and Uzbek: Hefferon vector-operations review drafts with two-pass XeLaTeX builds, one-page PDFs, text extraction, render QA, and explicit open review gates.

Manager controls

The ZIP also freezes the stable control directories for all eight lanes: work registries, source floors, evidence graphs, cohort trees, terminology and adverse ledgers, drift audits, build handoffs, release ledgers, continuation cursors, and public-state baselines. These files are operational evidence, not replacement translation bodies.

Correction route: GitHub issues and pull requests are the preferred way to propose better scans, corrected TeX, terminology evidence, or status corrections.

Evidence boundary

Every status word in this archive is scoped. A complete Paper 36 translation is complete for that paper, not for an author corpus. A full-range layered SGA reader covers the range, but individual layers can still carry inherited transcription or compression risk. A 35-check release gate binds the checks it declares; it does not prove semantic perfection.

OCR and VLM outputs are source witnesses, locators, and omission detectors unless a later source audit promotes their content. Rendered PDFs prove that TeX builds and pages can be inspected; they do not prove that every symbol matches the scan.

No file in this v0.12 release is claimed as peer reviewed, universally mathematically correct, or critically complete. Native-language and domain review remain visible open gates where they have not occurred.

Archive policy: meaningful reproducible checkpoints are published, not left indefinitely in a private staging folder. Actively changing work is withheld only until its files, scope, and evidence can be frozen coherently.

Persistent identifiers

Interlanguage concept DOI: [10.5281/zenodo.21124403](https://doi.org/10.5281/zenodo.21124403)

Noether concept DOI: [10.5281/zenodo.20412587](https://doi.org/10.5281/zenodo.20412587)

SGA concept DOI: [10.5281/zenodo.20410947](https://doi.org/10.5281/zenodo.20410947)

Workflow concept DOI: [10.5281/zenodo.20461174](https://doi.org/10.5281/zenodo.20461174)