

Register and Corrections

The Roman numerals denote the volume, the Arabic numerals the page.

- Abelian equations I, 533.
- cubic II, 107.
- biquadratic II, 110.
- groups I, 476, 536; II, 6, 32.
- fields II, 588, 648.
- Derived functions I, 52.
- Absolute norm II, 502, 536.
- Absolute value of an imaginary number I, 18.
- of a functional II, 501.
- Countable sets II, 745.
- Addition I, 14.
- Adjunction I, 451.
- Similar substitutions II, 154.
- Equivalent functionals II, 552.
- numbers I, 371.
- numbers and functionals in the quadratic field II, 610.
- Affect I, 480.
- Algebraic functions II, 526.
- fields I, 455; II, 527.
- numbers II, 489.
- Algorithm of the greatest common divisor for numbers I, 2.
- for integral functions I, 34.
- Alternating group I, 496, 600.
- on five letters II, 138, 280.
- function I, 496.
- Arithmetic progressions I, 47.
- Aronhold systems of bitangents II, 367.
- Associated functionals II, 510.
- Associated numbers I, 586.
- Solution of equations by radicals I, 595.
- Axes of a ternary substitution group II, 438.
- Bases of the functionals II, 532, 581.
- of the ideals II, 550.
- Basis of an Abelian group II, 33.
- of an algebraic field II, 528.
- of the natural logarithm system II, 752.
- Basis form of a functional II, 535.
- of zero II, 535.
- in the quadratic field II, 604, 608.
- Removal of the second term of an equation I, 114.
- Bernoulli's approximation method for solving equations I, 341.
- Bertrand's theorem on bounds for the index of permutation groups II, 143.
- Bezout's theorem I, 161.
- Bezoutiant I, 225, 265.
- and reality of roots I, 252.
- Binomial theorem I, 42.
- Binomial coefficients I, 42.
- Binary forms I, 189.
- linear substitution II, 191.
- Biquadratic Abelian equations II, 110.
- Biquadratic forms I, 199.
- equations I, 119, 201, 528; II, 319.
- cyclotomic fields II, 101.
- Bring-Jerrard form of the equation of the fifth degree I, 176, 233.
- Brioschi normal form of the equation of the fifth degree I, 236.
- Fractions I, 10.
- Literal calculation I, 20.
- Budan-Fourier theorem I, 299.
- Canonical form of the ternary cubic form II, 332.
- Cardan formula I, 116.
- Descartes' (Harriot's) theorem on the number of real roots I, 308.
- Casus irreducibilis of cubic equations I, 608.
- Cayley's expression of Cardan's formula I, 118.
- Characters of an Abelian group II, 44.
- Characteristic of a system of functions I, 285.
- Classes of functionals II, 553.
- ideals II, 553.
- quadratic forms I, 400.
- quadratic irrational numbers I, 383.
- Class number of an algebraic field II, 554.
- in the field of eighth roots of unity II, 717.
- Class number formula II, 702.
- in the cyclotomic field II, 705.
- in the real cyclotomic field II, 711.
- in the field of the 2^n -th roots of unity II, 719.
- Class-number factors II, 716.
- Class-number factor A II, 722.
- B II, 726.
- Commutative groups I, 476; II, 6.
- Commutative normal divisors of a metacyclic group II, 27.
- Complexes of bitangents II, 357.
- Complex roots (their enclosure) I, 292.
- numbers I, 18.
- Gaussian I, 585.
- Complex pairs, complex triples II, 363.
- Composition in a group II, 3.
- of parts II, 12.
- of quadratic irrational numbers II, 613.
- of permutations I, 474.
- of substitutions I, 470.

- of linear substitutions II, 153.
- Composition series of a group II, 17.
- Configuration of the ternary substitution group of degree 168 II, 451.
- Congruence of numbers I, 358, 368; II, 539.
- Congruences of the first degree I, 368.
- in algebraic fields II, 542.
- Congruence group II, 250.
- Congruence field II, 245.
- of the second degree II, 259.
- Congruence roots I, 426.
- Conjugate functions I, 505.
- groups I, 506; II, 10.
- fields I, 460; II, 493.
- logarithms II, 672.
- poles of a linear substitution group II, 201.
- Constancy of the index series II, 18.
- Contragredient groups II, 480.
- transformations II, 157, 478.
- Contravariants II, 480.
- Covariants I, 187.
- of ternary forms II, 327.
- of ternary cubic forms II, 333.
- Cubic Abelian equations II, 107.
- binary forms I, 192.
- ternary forms II, 331.
- equations I, 116, 522.
- trigonometric solution I, 349.
- cyclotomic fields II, 93.
- Algebraic curves II, 324.
- Cyclic functions I, 531, 538.
- equations I, 538.
- groups I, 476.
- of linear substitutions II, 209.
- Cyclic groups in the congruence field II, 269, 275.
- permutations I, 476, 493.
- Dedekind ideals II, 547.
- Dedekind's theorem on the field discriminant II, 578.
- Derived functions I, 51.
- Derivative of a product I, 54.
- of functions of several variables I, 59.
- Determinants I, 68.
- bordered I, 81.
- from subdeterminants I, 97.
- Determinant of a system of linear equations I, 84.
- of a quadratic form I, 180.
- Dense sets I, 4.
- Dihedral group II, 210.
- in the congruence field II, 276.
- Differential quotients I, 54, 60.
- Differences I, 46.
- Difference product of the n -th roots of unity I, 423.
- Dirichlet's theorem on units II, 670.
- Discrete sets I, 4.
- Discriminant I, 150.
- of the cubic form I, 37, 153, 193.
- of the biquadratic form I, 155, 200.
- of quadratic irrational numbers I, 378; II, 602.
- of the cyclotomic equation for a prime degree I, 421.
- of an algebraic curve II, 325.
- of an algebraic field II, 529.
- of the cyclotomic field II, 619, 643.
- Discriminants in an algebraic field II, 528.
- Discriminant surface I, 249.
- Division of numbers I, 1.
- of integral functions I, 28.
- Divisors of an Abelian group II, 48.
- of a group I, 476, 501; II, 7.
- Rotations II, 186.
- Rotation group II, 189.
- Triangular coordinates II, 322.
- Double points of a curve II, 326.
- Bitangents II, 327.
- of a curve of fourth order II, 351.
- Intersection of groups I, 510; II, 9.
- Proper and improper equivalence I, 371.
- Proper and improper orthogonal substitutions II, 195.
- Simple groups I, 511; II, 136.
- of degree 60 II, 138.
- Abelian fields II, 649.
- Simplicity of the alternating group I, 600.
- congruence groups II, 254.
- Identity of a group II, 5.
- Units I, 399.
- in the field $R(i)$ I, 586.
- in algebraic fields II, 510.
- in the real cyclotomic field II, 645.
- in the field of eighth roots of unity II, 718.
- independent II, 677.
- fundamental system II, 682.
- Roots of unity I, 114, 408.
- third I, 118.
- primitive I, 411.
- in cyclotomic fields II, 638.
- in the congruence field II, 260.
- Elimination from linear equations I, 87.
- from higher equations I, 157, 159.
- from several equations I, 161.
- Final equation I, 157.
- Finite groups II, 4.
- linear substitution groups II, 195.
- Finiteness of the invariant system of a linear group II, 169.
- Opposite elements of a group II, 5.
- Euler's theorem on homogeneous functions I, 62.
- Exponent system of units II, 679.

- Exponent system of numbers II, 685.
 Exponential functions II, 752.
 Factors of integral functions I, 39, 103.
 — of natural primes in algebraic fields II, 576.
 Fermat theorem I, 427; II, 55.
 — in the congruence field II, 247.
 — in algebraic fields II, 544.
 Forms I, 58.
 Form problem of the linear substitution group II, 175.
 Form system of the cubic form I, 196.
 — of the biquadratic form I, 203, 206.
 Integral functions I, 23.
 — decomposition into linear factors I, 103.
 — decomposition into prime functions I, 164, 452; II, 495.
 — homogeneous I, 56.
 — in a field I, 452; II, 520.
 Function congruences II, 243.
 Functional determinants I, 185.
 Functionals II, 499.
 Functional classes II, 552.
 Frobenius theorems on groups II, 129, 134.
 Fundamental theorem of algebra I, 121, 127, 296.
 Fundamental systems of units II, 681.
 — of normal units II, 731.
 Galois group I, 477, 511; II, 588.
 — resolvents I, 467.
 — field I, 465; II, 588.
 Integral functions of one variable I, 23.
 — of several variables I, 24.
 — in a field II, 520.
 — algebraic numbers II, 491.
 — functionals II, 504.
 Gauss sums I, 575.
 Fractional functions I, 32.
 Ordered sets I, 4.
 Weight of an invariant I, 187.
 Lattice II, 561.
 Equations I, 101.
 — linear homogeneous I, 81.
 — linear non-homogeneous I, 89.
 — of the third degree I, 116, 118, 522.
 — of the fourth degree I, 119, 201, 528.
 — of the fifth degree I, 233, 621; II, 404.
 — of the seventh degree II, 476, 481.
 Degree of a group I, 472, 475; II, 4.
 — of an element of a group II, 10.
 — of a permutation I, 500.
 — of a prime ideal and prime functional II, 516.
 Graffe's method of approximate solution of an equation I, 344.
 Bounds I, 121.
 Greatest common divisor of numbers I, 2.
 — of integral functions I, 34.
 — of groups I, 510.
 — of functionals II, 512, 519.
 Greatest normal divisor of a group II, 17.
 Fundamental curve of the group G_{168} II, 456.
 Fundamental forms of the polyhedron groups II, 205.
 — cyclic groups II, 210.
 — dihedral groups II, 210.
 — tetrahedron group II, 214.
 — octahedron group II, 216, 218.
 — icosahedron group II, 221, 230.
 Fundamental ideal II, 579, 593.
 Fundamental number of a field II, 529.
 Group (general) II, 3.
 — of the bitangent equation II, 380.
 — of the triple equations II, 344.
 — of the tetrahedron II, 212.
 — of the octahedron II, 216.
 — of the icosahedron II, 220.
 — of an equation I, 477.
 — of a normal field II, 588.
 — of the cyclotomic fields II, 68.
 — of an ideal in the normal field II, 589.
 — of the ideal classes II, 557.
 — of the 168th degree II, 282, 433.
 Groups, Abelian I, 476, 536; II, 6.
 — finite II, 4.
 — of permutations I, 475.
 — of substitutions I, 472.
 — of degree p^n II, 127.
 — of degree pq II, 141.
 — of linear substitutions II, 152.
 — of orthogonal substitutions II, 184.
 — of linear fractional substitutions II, 189, 195.
 Group characters II, 44.
 Group table II, 115.
 Half-metacyclic groups I, 616.
 Principal axes of a ternary linear substitution II, 441.
 — of the group G_{168} II, 444.
 Principal equation of the fifth degree I, 175, 230.
 Principal series II, 24.
 Principal subdeterminants I, 256.
 Hermite's solution of Sturm's problem I, 280.
 Hessian curve II, 330.
 — determinant I, 186.
 Hesse-Cayley designation of the bitangents II, 369.
 Hilbert theorem II, 165.
 Homogeneous functions I, 56.
 Ideals II, 547.
 Ideal numbers according to Kummer II, 551.
 Identical group I, 496.
 — substitution II, 152.
 Icosahedral equation II, 232, 418.

- Icosahedral group II, 220, 279.
 Icosahedral invariants II, 232.
 Icosahedral resolvents II, 422, 426.
 Imaginary numbers I, 17.
 Imaginary form of the linear congruence group II, 266.
 Imaginary congruence field of the second degree II, 259.
 Imaginary quadratic irrational numbers I, 379.
 Imprimitive groups I, 483, 516.
 — fields I, 460, 483.
 Index of an invariant II, 163.
 — of a divisor of a group I, 502; II, 8.
 Index moduli II, 61.
 Index series of a group II, 17.
 Indices I, 431.
 — of the elements of a group II, 44.
 — modulo an odd prime power II, 54.
 — modulo a power of 2 II, 58.
 Invariants I, 186.
 — of a finite linear substitution group II, 161.
 — absolute and relative II, 162, 177.
 — in the wider sense II, 179.
 — of ternary forms II, 328.
 — of curves of third order II, 337.
 — of the group G_{168} II, 453, 461.
 Invariant curves II, 454.
 Inverse substitution II, 155.
 Irrational ratios I, 10.
 — numbers I, 12, 370.
 Irreducibility I, 453.
 — of pure equations I, 607.
 — of the cyclotomic equation I, 417; II, 768.
 Isomorphic groups I, 477; II, 6.
 Isomorphism (multistage) II, 15.
 Jacobi's estimate of the number of roots between two bounds I, 311.
 Jordan's theorem on composite groups II, 18.
 Continued fractions I, 358.
 — for equivalent numbers I, 374.
 Chains of principal subdeterminants I, 257.
 — Sturm chains I, 272.
 Least common multiple of numbers I, 3.
 — of functionals II, 519.
 — of groups II, 29.
 Field I, 449; II, 493.
 Spherical functions I, 273.
 Kummer theorem on resolvents II, 632.
 Cyclotomic equation I, 422, 554.
 Cyclotomic field II, 67.
 — with given group II, 79.
 — of prime-power degree II, 617.
 Cyclotomy I, 408, 554.
 Crystallographic groups II, 241.
 Lagrange theorem on functions admitting the permutations of a group I, 508.
 Laguerre theorems for equations with only real roots I, 322.
 Legendre symbol I, 441.
 Linear congruence groups I, 611; II, 250, 302.
 — homogeneous II, 303.
 — real II, 261.
 — imaginary form II, 266.
 — of degree 168 II, 282.
 — binary for modulus 3 II, 305.
 — ternary for modulus 2 II, 306.
 Linear fractional substitutions II, 189.
 Linear functions I, 30.
 Linear equations I, 81.
 Linear transformation I, 178.
 Linear substitutions I, 178, 371; II, 151.
 Lüroth theorem II, 404.
 Manifold I, 4.
 Matrix I, 82.
 Set I, 4.
 Measurable set I, 8.
 Metacyclic equations I, 597; II, 292.
 — of prime degree I, 609.
 — of the fifth degree I, 621, 648.
 — of the sixth degree II, 296.
 — of the eighth degree II, 314.
 — of the ninth degree II, 305.
 Metacyclic groups I, 598; II, 27.
 — functions I, 617, 635.
 Minimal basis of a field II, 529.
 — of the cyclotomic field II, 620.
 — of a quadratic field II, 603.
 Minimum I, 122.
 — of a quadratic form II, 559.
 — of the fundamental number of a field II, 569.
 Modulus I, 358.
 Multiplicative substitutions II, 152.
 Multiplication of numbers I, 14.
 — of determinants I, 92.
 — of trigonometric functions I, 433.
 Convergents of a continued fraction I, 362.
 Approximation method for computing roots by regula falsi I, 331.
 — for computing roots by Daniel Bernoulli I, 341.
 — Graffe I, 344.
 — Newton I, 335.
 — by continued fractions I, 401.
 Approximation method for solving trinomial equations I, 352.
 Natural irrationalities I, 516.
 Cosets I, 502; II, 8.
 Negative numbers I, 16.

- Ninth roots of unity I, 582.
 Newton formulas for the power sums I, 142.
 Newton rule for estimating roots I, 305.
 Non-metacyclic equations I, 603.
 Norm I, 461; II, 494, 498.
 — absolute II, 502, 538.
 — of Gaussian complex numbers I, 586.
 — of an ideal II, 551.
 — of a field I, 465.
 — of a quadratic irrational number I, 377.
 Normal units in the cyclotomic field II, 729.
 Normal forms of the linear substitution groups II, 181.
 Normal equation I, 465.
 Normal field I, 464; II, 588.
 Normal divisor of a group I, 511; II, 11.
 Zero I, 16.
 Upper bound for the roots I, 316.
 Octahedron group II, 216.
 — in the congruence field II, 277.
 Orthogonal substitution II, 184.
 Partial discriminant II, 597.
 Partial fundamental ideal II, 585, 597.
 Partial norm II, 584.
 Partial trace II, 585.
 Partial resolvents I, 512.
 Pell equation I, 395.
 Period of a permutation I, 500.
 Periods of cyclotomy I, 557, 579; II, 74.
 — of the roots of a cyclic equation I, 545.
 — of the reduced numbers I, 388.
 Periodic continued fractions I, 387.
 Permutations I, 64, 473, 500.
 — their analytic representation I, 613; II, 299.
 — of first and second kind I, 65, 496.
 Permutation groups I, 475, 489; II, 117.
 — of degree 168 on seven letters II, 473.
 Polars I, 188.
 Poles of linear fractional substitutions II, 196.
 — of a group II, 198.
 — in the congruence field II, 274.
 — of a ternary group II, 438.
 Polyhedron groups II, 202.
 — of the second kind II, 234.
 — in the congruence field II, 273.
 Polynomial coefficients I, 51.
 Polynomial theorem I, 50.
 Positive units in the cyclotomic field II, 742.
 Power residues I, 430.
 Power sums I, 140.
 Primary divisors of a cyclotomic field II, 71.
 — of an Abelian group II, 72.
 Prime factors of the numbers of an algebraic field II, 523.
 — of natural prime numbers II, 576.
 — of cyclotomic resolvents II, 635.
 Prime functionals II, 515, 576.
 — relative II, 514.
 Prime ideals II, 550.
 — in the quadratic field II, 604.
 — in the relatively normal field II, 588.
 — in the divisors of a normal field II, 599.
 — in the cyclotomic fields II, 619, 622.
 — in the real cyclotomic field II, 643.
 Primitive congruence roots I, 428; II, 546.
 — roots of unity I, 410.
 — functions I, 25; II, 497.
 — roots of prime numbers I, 429.
 — of squares of primes II, 57.
 — of prime functionals II, 546.
 — of prime ideals II, 591.
 — of a congruence field II, 248.
 Primitive and imprimitive characters in cyclotomic fields II, 720.
 Primitive groups I, 484.
 Primitive fields I, 463.
 Primitive form problems II, 180.
 Prime numbers I, 1.
 — relative I, 359.
 — in the field $R(i)$ I, 587.
 — in the field of third roots of unity I, 593.
 Squares in the congruence field II, 248.
 Quadratic forms I, 179.
 — equations I, 116.
 — irrational numbers I, 377.
 — residues I, 444.
 — fields II, 601.
 Squaring of the circle II, 760.
 Rational roots of an equation I, 403.
 Rational numbers I, 12.
 Rational ratio I, 10.
 Domain of rationality I, 452.
 Space of n dimensions II, 560.
 Reality of roots I, 241.
 — for quadratic and cubic equations I, 243.
 — for biquadratic equations I, 246.
 — for cyclic equations I, 551.
 — for metacyclic equations I, 647.
 — of the bitangents of a curve of fourth order II, 391.
 Reality conditions of the orthogonal group II, 193.
 Reality relations of the inflection points of a curve of third order II, 340.
 — for triple equations II, 348.
 Operations of calculation I, 1.
 Calculating with integral functions I, 24.
 — with numbers I, 14.
 Reciprocity law of quadratic residues I, 443.

- Reducible and irreducible functions I, 453.
- modulo a prime modulus II, 243.
- Reducible and irreducible equations I, 404, 482.
- Reduced numbers I, 380, 384.
- units II, 680.
- Real cyclotomic fields II, 641.
- Real radicals I, 606.
- Regula falsi I, 334.
- Regular fields II, 188.
- Regulator of a system of units II, 678, 729.
- of the field II, 682.
- Pure equations I, 109.
- Series II, 694.
- Relatively prime numbers I, 2.
- prime functionals II, 514.
- Relative norm II, 584.
- Relative trace II, 585.
- Resolvents I, 511.
- of the biquadratic equation I, 120.
- Resolvents of the composition series II, 289.
- of equations of seventh degree II, 476.
- of equations of eighth degree II, 308.
- of the group G_{168} II, 466, 473.
- of the icosahedral equation II, 419.
- in cyclotomy I, 564; II, 63, 651.
- of Lagrange I, 542.
- for metacyclic equations I, 631.
- with a parameter II, 404.
- Remainder of division by integral functions I, 28.
- Residue system I, 359; II, 541.
- Resultants I, 156.
- Resultant of two quadratic functions I, 36, 158.
- Rolle theorem on the number of real roots I, 319.
- Secular equation I, 276.
- Complete quotients of a continued fraction I, 361.
- Cut I, 5.
- Seven-systems of bitangents II, 367.
- Seventeen-gon I, 568.
- Singular points of a curve II, 325.
- Trace I, 461; II, 494.
- Steiner complexes of bitangents II, 357.
- Continuity I, 5.
- of integral functions I, 105.
- of roots I, 132.
- Sturm functions I, 279.
- chains I, 271.
- Sturm problem I, 270.
- Linear substitution I, 92, 372; II, 151.
- of ratios II, 158.
- Substitutions of a normal field I, 468; II, 588.
- Substitution determinant I, 92, 178.
- Sylow theorems II, 121, 125.
- Symmetric determinants I, 69.
- functions I, 138, 144, 147.
- fundamental functions I, 139.
- group I, 492.
- Symmetric group, its normal divisors I, 602.
- Szyzygetic and azygetic systems of bitangents II, 362.
- complexes of bitangents II, 366.
- Tangents of a curve II, 326.
- Taylor expansion I, 59.
- Ternary forms II, 322.
- linear groups of degree 168 II, 433.
- congruence group of degree 168 II, 475.
- Tetrahedron group II, 212.
- in the congruence field II, 276.
- Divisibility of integral functions I, 32.
- of integral functionals II, 509.
- of whole numbers II, 510.
- Divisors of whole numbers I, 1.
- of whole numbers, greatest common I, 359.
- of integral functions I, 27; II, 497.
- of integral functions, greatest common I, 34.
- of a group I, 476, 501; II, 7.
- of the icosahedral group II, 227.
- of a field I, 450.
- of the linear congruence group II, 271.
- Relatively prime numbers I, 2, 359.
- functions I, 35.
- functionals II, 514.
- Partial denominator of a continued fraction I, 361.
- Division of the angle I, 435.
- Total resolvents I, 512.
- Law of inertia of quadratic forms I, 183, 255.
- Transcendental functions for solving the icosahedral equation II, 429.
- Transcendental numbers II, 745.
- Transcendence of the number e II, 751.
- of the number π II, 756.
- Transformation of a group I, 506.
- of the quadratic form into a sum of squares I, 181.
- of forms of the n -th degree I, 185.
- of the cubic equation I, 219.
- Transformation of the equation of the fifth degree I, 230.
- Transformed substitutions II, 156.
- Transitive and intransitive groups I, 482, 506.
- permutation group of index 6 on six letters I, 628.
- Transposed substitutions II, 156.
- Transpositions I, 65, 492.
- Trigonometric solution of pure equations I, 111.
- of cubic equations I, 349.
- Trinomial equations I, 352.
- Triple equations II, 342.
- Triple systems II, 310.
- Tschirnhausen transformation I, 170, 210.

- of the cubic equation I, 219.
- Invertible periods I, 391.
- Unknown I, 20.
- Indeterminate equations I, 365.
- Infinite roots of an equation I, 136.
- Infinity of integral rational functions I, 104.
- Unicursal curves II, 416.
- Subdeterminants I, 72.
- higher I, 77.
- complementary I, 79.
- Uncountable sets II, 748.
- Original functions I, 25.
- Variable in the theory of fields II, 499.
- Ratios I, 10.
- Related numbers and functionals II, 631.
- Complete residue system I, 359; II, 541.
- Complete systems of bitangents II, 367.
- Volume II, 561, 690.
- Sign change of integral functions I, 107.
- Inflection points II, 326.
- Inflection tangents II, 326.
- of a curve of third order II, 331.
- Wilson theorem I, 428.
- Division of the angle I, 551, 609.
- Duplication of the cube I, 609.
- Roots of equations I, 101.
- of equations of odd degree I, 109.
- of pure equations I, 109.
- of metacyclic equations I, 638.
- rational I, 403.
- Number I, 1, 12.
- of the terms of a homogeneous function I, 58.
- of permutations I, 64.
- Number classes modulo a composite modulus II, 60.
- Number sequences I, 15.
- Number field I, 449; II, 527.
- Sign change and sign sequence I, 262.
- Reducible and irreducible functions of several variables I, 164.
- Decomposition of integral functions into linear factors I, 102.
- of groups into cosets I, 502; II, 8.
- according to two divisors II, 120.
- Composite Abelian fields II, 649.
- Composition of linear substitutions I, 372; II, 153.
- of substitutions of a normal field I, 470.
- of permutations I, 473.
- Two-sided numbers I, 390.

Corrections to the First Volume.

Page 93, line 6 from below	read $B_n^{(0)}$ instead of $B^{(0)}$.
117, formula (10)	read $\sqrt{\frac{p}{2} + \sqrt{R}}$ instead of $\sqrt{-\frac{p}{2} + \sqrt{R}}$.
158, formula (14), right side	interchange m and n .
172, formula (14)	read $n - 1$ instead of $n + 1$.
185, line 9 from above	read ψ' instead of ψ .
190, line 11 from below	read a'_1 instead of $(n - 1)a'_1$.
194, line 7 from below	read $+9$ instead of -9 .
200, line 7 from below	read §. 61 instead of §. 67.
202, line 3 from below	read u instead of v_i in both formulae.
213, line 6 from below	read $\Phi(r, k)$ instead of $\Phi(r, k)$.
221, line 12 from below	read $\frac{2}{9}$ instead of $\frac{2}{3}$.
222, lines 4, 5 from below	read $+q_0 - q_0$ instead of $-q_0 + q_0$.
233, lines 4, 7 from above	read $\frac{1}{5}D$ instead of $5D$.
236, line 12 from above	read $5c^2$ instead of $-5c^2$.
251, line 10 from above	read $-\sqrt{3}$ instead of $\sqrt{3}$.
268, line 5 from below	read $\frac{1}{5}D$ instead of D .
282, formula (2)	read f_5 instead of f .
318, line 2 from below	read $F(z)$ instead of $F(x)$.
332, formula (5)	read $f(\beta)-$ instead of $f(\beta)+$.
334, line 6 from below	read 0.00164 instead of 0.0164.
344, line 6 from below, formula	read $a_n > \varphi(a_n)$ and $\varphi(a_n)$ instead of $a_m \varphi(a_m)$ and $\varphi(a_m)$.
357, line 3 from below	read 6 instead of 5.
378, 379, formulae (13), (14)	replace a_1, b_1, c_1 by $\pm a_1, \pm b_1, \pm c_1$, and choose the sign so that q becomes positive.
402, lines 6, 7 from below	interchange $a_4 = 1$ and $a_3 = 2$.
—, line 4 from below	read 9083 instead of 9183.
419	compare with the first addendum to the second volume.
423, line 15 from above	read $\frac{(n-1)(n-2)}{2}$ instead of $\frac{n-1}{2}$.
—, line 24 from above	read $\frac{1}{2} \left(\frac{(n-1)(n-2)}{2} - \frac{n-1}{2} \right) = \frac{(n-1)(n-3)}{4} \equiv 0 \pmod{2}$.
423, line 3 from below	read $(-1)^{\frac{(n-1)(n-3)}{4}} = +1$ instead of $(-1)^{\frac{n-1}{2}}$.
424, formula (14)	read $P = i^{\frac{n-1}{2}} n^{\frac{n-3}{2}} \sqrt{n}$.
436, lines 3, 22 from above	read $\frac{m}{n}$ instead of n .
482, line 8 from below	interchange transitive and intransitive.
502, line 18 from above	read n_1 instead of n .
504, line 9 from below	read k_{q-1} instead of $k_{\nu-1}$.
514, line 5 from below	read $\mathfrak{g}_1$ instead of $\mathfrak{G}_1$.
531, line 11 from above	read y_1 instead of y'_1 .
540, formula (10)	read $\gamma e - 1$ instead of $\gamma e_1 - 1$.
544, line 15 from above	read $mB_k = \lambda^{-1}(\varepsilon, a)^k (\varepsilon h, a)^k (\varepsilon h^2, a)^k \dots$.
—, line 23 from above	read e^2 instead of e .
551, line 15 from above	read a^k instead of (ck) .
592, line 8 from below	read: which is fulfilled only for $b = 0, a = \pm 1$, or $a = 0, b = \pm 1$, or $a = b = \pm 1$.
612, line 12 from above	read $1 - a$ instead of $a - b$.
618, line 1 from below	read c_1 instead of C_1 .
623, line 6 from below	read a_6 instead of a_G .

- 636, lines 18, 21 from above read $-g^{n-1} + 1$ instead of $g^{n-1} - 1$.
- 639, lines 10, 27 from above read $n - 2, n - 3$ instead of $n - 1, n - 2$.
- 641, line 1 from above read (6) instead of (5).
- 646, line 11 from above read rational in $R(t_0)$ instead of rational.
- , lines 14, 19, 22, 26 from above read $R(t_0)$ instead of R .
- , lines 17, 18 from above delete beginning with “All quantities”.
- , lines 1, 2 from below delete beginning with “the others”.
- 653, line 4 from above read $-A_2rq$ instead of $+A_2rq$.
- , line 5 from above read $+A_2q'$ instead of $-A_2q'$.

Corrections to the Second Volume.

- Page 15, line 19 from above read N instead of P .
- 16, lines 12, 13 from above interchange P and Q .
- 21, line 19 from above read (17) instead of (13).
- 26, line 17 from above read §. 6, 4 instead of §. 6, 2.
- 569, line 5 from below in the exponent read $n - r$ instead of $\mu - r$.
- 592, lines 6, 3 from below read $\gamma^{p^{-1}}$ instead of $\gamma^{p^{r-1}}$.