

```

<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
e0JMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rpP48ckxlpbzKgwra6" crossorigin="an
onymous">
    <link href="css/main.css" rel="stylesheet">

    <title>food is life!</title>
  </head>
  <body>

    <nav class="navbar navbar-expand-md">
      <a class="navbar-brand" href="#"></a>
      <button class="navbar-toggler navbar-dark" type="button" data-
toggle="collapse" data-target="#main-navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="main-navigation">
        <ul class="navbar-nav">
          <li class="nav-item">
            <a class="nav-link" href="index.html">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="form.html">Contact</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="page.html">Pagination</a>
          </li>
        </ul>
      </div>
    </nav>

    <a href="order.html"><button>ORDER HERE</button></a>

    <div class="container-fluid">
      <p> Welcome to Ming's Diner. Here you can get the classic
      taste of the Far East in your choice of a elegant dining
      experience or delivered right to your door.

```

```

    </p>
    <span class="glyphicon glyphicon-pencil"></span>

    <p class="text-
center">The list below shows the different version of Bootstrap so far. <span cla
ss="glyphicon glyphicon-list-alt"></span></p>

    <ul class="list-group">
    <li class="list-group-item">v1.x</li>
    <li class="list-group-item">v2.x</li>
    <li class="list-group-item">v3.x</li>
    <li class="list-group-item">v4.x</li>
    </ul>

    <p class="text-center bg-
info"> The main features of Ming's Diner is, it is very simple and easy to use, h
uge JavaScript plugins are available, easily design mobile friendly website.</p>

</div>

<div class="row">
    <div class="col">Eat</div>
    <div class="col">Pray</div>
    <div class="col">Love</div>
</div>

<div id="carouselExampleSlidesOnly" class="carousel slide" data-bs-
ride="carousel">
    <div class="carousel-inner">
    <div class="carousel-item active">
    
    </div>
    <div class="carousel-item">
    
    </div>
    <div class="carousel-item">
    
    </div>
    </div>
</div>

<div class="container-fluid">
    <h2></h2>
    <table class="table table-bordered table-striped">

```

```

        <thead>
        <tr>
            <th>Features of Ming:</th>
        </tr>
        </thead>
        <tbody>
        <tr>
            <td>Easy to Use</td>
        </tr>
        <tr>
            <td>Mobile Friendly</td>
        </tr>
        <tr>
            <td>Prestyled Components</td>
        </tr>
        </tbody>
    </table>
</div>
<div class="container-fluid">
    <p class="text-
left">Lets take a look at the components of bootstrap:</p>
    <h1>CSS<span class="badge badge-secondary">Quoted</span></h1>
    <p class="text-justify">Copy-
paste the stylesheet link into your head before all other stylesheets to load our
CSS.</p>
    <h2>JS <span class="badge badge-secondary">Quoted</span></h2>
    <p class="text-
justify">Many of our components require the use of JavaScript to function. Specif
ically, they require jQuery, Popper.js, and our own JavaScript plugins. Place the
following scripts near the end of your pages, right before the closing bodytag,
to enable them. jQuery must come first, then Popper.js, and then our JavaScript p
lugins.We use jQuery's slim build, but the full version is also supported.</p>
</div>
<div class="card">
    <div class="card-header">Author</div>
    <div class="card-
body">The article was contributed by Tim</div>
    <a href="https://www.sitesbay.com/bootstrap/bootstrap-
features-of-bootstrap" class="card-footer btn btn-outline-primary stretched-
link">View References</a>
</div>
<!-- Footer -->
<footer class="page-footer font-small indigo">

    <!-- Copyright -->

```

```
        <div class="footer-copyright text-center py-3">This is the footer section where you can put the address and copyright details
        . @ 2018 Copyright:

        </div>
        <!-- Copyright -->

    </footer>
    <!-- Footer -->

    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-
b5kHyXgcpbZJJO/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" crossorigin="an
onymous"></script>
    <script src="https://code.jquery.com/jquery-
3.3.2.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="an
onymous"></script>

</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>

  <title>Web Development Blog</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
BmbxuwPwQa21c/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="an
onymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-
b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" crossorigin="an
onymous"></script>
  <script src="https://code.jquery.com/jquery-
3.3.2.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="an
onymous"></script>

</head>
<body>

  <nav class="navbar navbar-expand-md">

    <button class="navbar-toggler navbar-dark" type="button" data-
toggle="collapse" data-target="#main-navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="main-navigation">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="index.html">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="form.html">Contact</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="page.html">Pagination</a>
        </li>
      </ul>
    </div>
  </nav>
</body>
</html>
```

```

        </li>
    </ul>
</div>
</nav>

<form action="odermade.html">
    <div class="form-group">
        <label> Contact Info:</label>
        <input type="text" class="form-control" placeholder="Contact Info">
    </div>
    <div class="form-group">
        <label>Card Info:</label>
        <input type="number" id="quantity" name="quantity" min="1000" max="9999">
        <input type="number" id="quantity" name="quantity" min="1000" max="9999">
        <input type="number" id="quantity" name="quantity" min="1000" max="9999">
        <input type="number" id="quantity" name="quantity" min="1000" max="9999">
    </div>
    <div class="form-group">
        <label>Order Here:</label>
        <textarea class="form-control">
        </textarea>
    </div>
    <button type="submit">Submit</button>
</form>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-
b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9F0nJ0" crossorigin="an
onymous"></script>
<script src="https://code.jquery.com/jquery-
3.3.2.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="an
onymous"></script>

</body>
</html>

```

```
<!DOCTYPE html>
<html>
  <head>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-e0JMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rP48ckxlpbzKgwra6" crossorigin="anonymous">
    <link href="css/main.css" rel="stylesheet">
  </head>
  <body>
    <nav class="navbar navbar-expand-md">
      <a class="navbar-brand" href="#">
        <button class="navbar-toggler navbar-dark" type="button" data-toggle="collapse" data-target="#main-navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="main-navigation">
          <ul class="navbar-nav">
            <li class="nav-item">
              <a class="nav-link" href="index.html">Home</a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="form.html">Contact</a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="page.html">Pagination</a>
            </li>
          </ul>
        </div>
      </a>
    </nav>
    <h1 style="color: crimson; text-align: center;">
      Your information was recieved!
    </h1>
  </body>
</html>
```

```
.carousel-slide {  
  margin-left: auto;  
  margin-right: auto;  
  width: 350px;  
  height: 350px;  
}
```



```
<!DOCTYPE html>
<html lang="en">
<head>

  <title>Web Development Blog</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">


  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
BmbxUwPQa21c/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWloflfl1" crossorigin="an
onymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-
b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" crossorigin="an
onymous"></script>
  <script src="https://code.jquery.com/jquery-
3.3.2.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="an
onymous"></script>

</head>
<body>

  <nav class="navbar navbar-expand-md">
    <a class="navbar-brand" href="#"></a>
    <button class="navbar-toggler navbar-dark" type="button" data-
toggle="collapse" data-target="#main-navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="main-navigation">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="index.html">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="form.html">Contact</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="page.html">Pagination</a>
        </li>
      </ul>
    </div>
  </nav>
```

```
        </li>
    </ul>
</div>
</nav>

<form action="odermade.html">
    <div class="form-group">
        <label> Enter Name:</label>
        <input type="text" class="form-control" placeholder="Your Name">
    </div>
    <div class="form-group">
        <label>Enter Email:</label>
        <input type="email" class="form-control" placeholder="xxx@xxxx.com">
    </div>
    <div class="form-group">
        <label>Your Comment:</label>
        <textarea class="form-control">
        </textarea>
    </div>
    <button type="submit">Submit</button>
</form>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-
b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" crossorigin="an
onymous"></script>
<script src="https://code.jquery.com/jquery-
3.3.2.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="an
onymous"></script>

</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="an
onymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-
b5kHyXgcpbZJO/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" crossorigin="an
onymous"></script>
  <script src="https://code.jquery.com/jquery-
3.3.2.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="an
onymous"></script>

</head>
<body>

  <p>Pagination is used to divide a document into different pages with numbers.
</p>
  <nav aria-label="Pagination Demo">
    <ul class="pagination">
      <li class="page-item"><a class="page-link" href="#">Previous</a></li>
      <li class="page-item"><a class="page-link" href="index.html">1</a></li>
      <li class="page-item"><a class="page-link" href="form.html">2</a></li>
      <li class="page-item"><a class="page-link" href="page.html">3</a></li>
      <li class="page-item"><a class="page-link" href="#">Next</a></li>
    </ul>
  </nav>

</body>
</html>
```