



COMPANY PROFILE

Established in 2011, Techmech is the largest manufacturer of industrial overhead cranes in India. Our customers advocate Techmech as a solution provider they can count on every single time. Efficient, trusted solutions and commitment have made customers come to us time and again.

Techmech has developed the skill to combine design, engineering and process requirements for a myriad of industries and geographies. In our 11 years of existence, we have supplied many material handling equipments all over India for practically every industrial application. We are extremely proud of our contribution to the economic development in real sense.

Our strong engineering backbone is supported by equally capable manufacturing facilities, our engineering team 6+ design engineers is in constant pursuit of innovative solutions that can improve the productivity of our customers. Our state of the art manufacturing plant in Hyderabad is one of the largest EOT crane manufacturing facilities in India, capable of delivering many equipments annually adhering to Indian standards, quality assurance practices. It is spread over 10000sqm with a covered area of 5000sqm and can accommodate cranes of various types and sizes.

An array of products and solutions like Overhead EOT Cranes, Gantry/Goliath Cranes, Under Slung/Hanger Cranes, Electric Wire rope Hoists (Monorail Hoists), Jib Cranes, Circular and Specialized Cranes, Tandom Operated Cranes, Gate lifting hoists, Screw hoists, Electric winches, Tunnel applications, Bogi turn table, Grab cranes, Transfer trolleys, Elevators/goods lifts, Complete storage solutions division and under hook complete lifting and material handling solution, specialized and customized fabrications as per client's requirements.

We seek to add value to your business by offering you the cutting edge of technologically advanced and best in class quality products, super fast deliveries, unmatched pre and post sales services and system integration capabilities.

OUR PRESENCE

We have long standing relations with companies in all over India. It is our reputation for prompt service, value for money and high quality goods that forged these relations. Many more projects are coming up though out the India which will mark the presence of Techmech Cranes in the coming years

QUALITY CONTROL



Techmech Cranes is committed to continual improvements in customer satisfaction by delivering engineered quality products at agreed times with timely and effective service backup.

Techmech Cranes also aims to achieve continual improvements in the effectiveness of the Quality Management System by setting quality objectives and satisfying applicable requirements of the stakeholders.

MISSION

To be a sales and service organization per excellence, dedicated to ensuring customer delight in all orders and projects that we undertake and to set a benchmark for products and solutions, value add capabilities, working systems, customer satisfaction in our field of work and expertise.

VALUES

We live by the motto “where there is a problem, there is solution”. Our values trust, ownership customer focus and growth impel everyone at Techmech in one direction, which of continuous progress in terms of profit, customer service and excellence.

DOUBLE GIRDER EOT CRANES



Techmech Cranes offers a wide range of Double Girder EOT Cranes that confirm to various Indian Standards. Engineered precisely and designed specifically, these cranes are renowned for delivering optimal output and with smooth functioning capabilities, make the task of loading, unloading and movement of material effortless and unproblematic, while preventing any kind of damage to the material.

Standard Advantages of Double Girder EOT Cranes:

- Uncomplicated installation, trouble-free maintenance, dependable and optimum hoisting capacity.
- Utmost rigidity with least possible dead weight, compact dimensions and superior efficiency to conserve power.
- Jerk free and smooth performance.

Standards	IS 3177, IS 807
Capacity	Up to 250 Tons.
Span	Up to 65 Meters.
Lift	Up to 200 Meters.

DOUBLE GIRDER GANTRY/GOLIATH CRANES



With a repute of manufacturing and supplying Gantry Cranes of varying sizes over years, Techmech Cranes has acquired a widely diversified client base. Predominantly used in outdoor yard they are also utilized in indoor operations, they offer distinctive lifting flexibility. They are highly adaptable cranes that are used in a wide variety of purposes across every field.

Our Gantry cranes are manufactured with high load bearing capacities and come in varying sizes. These cranes are used across various areas such as Irrigation projects, Dams and Scrap Yards, Tunnel, Shipping yards, Ship Building industries, Construction sites & etc...

Their low maintenance designs and cost effective operations allow for very heavy duty operating hours.

Standards	IS 3177, IS 807
Capacity	Up to 250 Tons.
Span	Up to 80 Meters.
Lift	Up to 250 Meters.

SINGLE GIRDER EOT CRANES



Single Girder Cranes are generally used in production units and warehouses where maybe a constraint space. These overhead or under slung cranes can be fitted across different floor areas according to the need of productivity.

Techmech Cranes Single Girder Cranes offer the following Advantages

- Light weight and compact construction
- High stability and very low dead weight
- Cost Effective solutions for optimum utilization of space
- Low Load on the crane runway and the building structure
- Maximum Hook Approach

Standards	IS 3177, IS 807, IS 3938
Capacity	Up to 25 Tons.
Span	Up to 40 Meters.
Lift	Up to 30 Meters.

SEMI GANTRY CRANES



Semi gantry cranes are used in workshops where part utilization of the shop bay is required, in such a profile, one end-carriage of the rail travels on regular gantry rail while the opposite end-carriage travels on a rail that is mounted either on the ground or at a lower elevation.

We design and build these crane systems in different sizes and with varied load bearing capacities according to our client's specifications. Minimal time is required to assemble these cranes, resulting in low costs for erection and commissioning.

Standards	IS 3177, IS 807, IS 800
Capacity	Up to 100 Tons.
Span	Up to 40 Meters.
Lift	Up to 20 Meters.

SEMI EOT CRANES

Semi EOT cranes are generally used in workshops and warehouses for lifting and transporting heavy loads. Techmech Cranes range of Semi EOT Cranes are known for their high load bearing capacity, long working life and resistivity to abrasion and corrosion.

Semi EOT Cranes Standard Advantages for Semi EOT Cranes

- Reliable performance.
- Low maintenance.
- Application specific design.

Standards	IS 3177, IS 807, IS 800
Capacity	Up to 100 Tons.
Span	Up to 40 Meters.
Lift	Up to 20 Meters.

UNDER SLUNG / HANGER CRANES



Under slung crane is one type of overhead cranes, which is used for light material handling. Features of under slung overhead crane are installed on the roof of the workplace without bracket, saving space and lowering cost.

Standards	IS 3177, IS 807, IS 3938
Capacity	Up to 25 Tons.
Span	Up to 75 Meters.
Lift	Up to 30 Meters.

JIB CRANES



Jib cranes are an indispensable part of any workstation. They assist workforces in reducing efforts and doubling the workflow. They can handle unit loads, they are highly flexible and they assist in loading and unloading materials on the floor.

There are primarily two types of Jib cranes

Wall mounted Jib Cranes.

Column / pillar mounted Jib Cranes.

Jib cranes are made according to our client's workspace layout and are customized to ensure that they provide optimal performance in the long run.

Standards	IS 3177, IS 807, IS 15419
Capacity	Up to 10 Tons.
Arm Length	Up to 10 Meters.
Radius	180/360 Degrees
Lift	Up to 10 Meters.

FLAMEPROOF CRANES

Flameproof cranes are mostly used in areas where the crane is exposed to explosive gases. All parts of the crane system are forged from the highest quality raw materials to deliver time-tested performance. The drive in our flameproof cranes consists of flameproof motor, brakes, switches, control panels and push buttons. All electrical fittings are also flameproof and are suitable for Gas groups I, II A and II B.

Flameproof/Explosion protected technology is used in many industries such as Chemical and petro-chemical, mining, power generation, food and pharmaceutical industries, etc.

Standards	IS 3177, IS 807, IS 3938
Capacity	Up to 50 Tons.
Span	Up to 35 Meters.
Lift	Up to 20 Meters.

ELECTRIC HOISTS



Techmech Cranes manufactures a full range of precision-engineered Electric Hoists consisting of chain hoists and wire rope hoists.

Powered by our dedication to quality and utility, our entire range focuses on providing load capacities, headroom requirements, hooking arrangements and lift heights depending on our customer's requirements.

We also make available electric trolleys with our hoists.

Standards	IS 3938, IS 807
Capacity	Up to 60 Tons.
Lift	Up to 250 Meters.

ELECTRIC WINCH



- Capacity - 0.1 Ton to 50 Ton.
- Wire rope speed - 0.1 Mtr/Min. To 50 M/Min.
- Mounting - Foot type.
- Gear Box- Worm Planetary Self locking type.
- Rope Length - as per customer requirement.

CURVED ELECTRIC HOISTS




Techmech Cranes manufactures a full range of precision-engineered Curved Hoists consisting of wire rope hoists.

Powered by our dedication to quality and utility, our entire range focuses on providing load capacities, headroom requirements, hooking arrangements and lift heights depending on our customer's requirements.

We also make available electric curved trolleys with our hoists.

Standards	IS 3938, IS 807
Capacity	Up to 60 Tons.
Lift	Up to 250 Meters.

TRANSFER TROLLEYS




Transfer cars/trolleys are generally used to transfer scrap, Sponge Iron, steel, ladle and other such materials. They are also expected to perform a variety of tasks such as tilting, steering and so on. They are continually exposed to heavy loads, dust, heat and a variety of such factors and thereby we design them such that they are reliable, sturdy and maintenance free.

Techmech Cranes, the entire range of transfer cars and trolleys are designed to ensure that they can be used in any given set of conditions. We manufacture trolleys that have varying ranges of capacities extending up to 200 Tons.

Standards	IS 3177, IS 4137
Capacity	Up to 200 Tons.

CIRCULAR CRANES



Circular Cranes are suitable for locations where the gantry girder & runway rail are to be mounted on Circular structure and the crane runs on circular path. End carriages for these types of cranes are specially designed facilitating smooth running. These type of cranes find their applications in Petrochemical Industries, Pump houses, Sponge Iron Plants, Etc...

Standards	IS 3177, IS 807
Capacity	Up to 100 Tons.
Span	Up to 30 Meters.
Lift	Up to 30 Meters.

HOT CRANES



Hand Operated Overhead Travelling Cranes are highly versatile and relatively compact compared to other models of cranes. They are highly useful in workshops and plants where the space is constrained.

We design these in varying sizes and capacities. Since their average usage is very high, we design every part carefully to ensure their performances in the long run.

Standards	IS 3177, IS 807
Capacity	Up to 40 Tons.
Span	Up to 30 Meters.
Lift	Up to 30 Meters.

FREIGHT ELEVATORS/GOODS LIFTS



Freight elevators are designed to move goods and materials throughout a building. Compared to passenger elevators, freight cars travel at slower speeds, can carry much heavier loads and are designed to withstand tougher working conditions.

Techmech Cranes Major Features of Freight Elevator/goods Lifts

Raising & lowering of the carriage shall be provided by a wire rope pulley with rope drum arrangement connected to an efficient gear reducer and motor assembly.

Electrical control will be provided at all levels.

Upward travel of the carriage will begin by depressing a control button, which activates the Reducer and releases the brake. Travel is limited by floor limit switch when the switch is tripped, the reducer shunt off and the brake engages.

Downward travel of the carriage will be by depressing a control button, which activates the motor reducer in the reverse direction and releases the brake. Travel is limited by a floor level limit switch, when the switch is tripped, the reducer shuts off and the brake engages.

Overload – shall be prevented by a relay that measures the motor current drawn. If the current exceeds the amount required moving the maximum load, it will shut the unit down and engage the brake. Even in the case of power failure, the brake will engage since it is of failsafe shoe type.

Access for loading and un-loading shall be by collapsible type doors, which are electrically inter-locked with carriage movement. The interlock will positively prevent carriage movement if any gate is not fully closed.

Techmech Cranes Advantages with an Elevator

The Elevator offered by us – specifically following a feature which makes the unit SAFE, RELIABLE & practically maintenance free:

The Elevator deploys 4 no's of independent wire ropes. This is called as an ANTI FALL ARRANGEMENT that if one rope fails cage cannot come down.

Independent Hanging rope design unit ensures rope does not jump from pulley system.

The access doors provided on each floor are electrically inter-locked with the carriage movement.

And hence if any of the doors are not closed the carriage cannot move.

Elevator top machinery operated through Variable frequency drive which will control the motor speeds and smooth start and stops.

SERVICE AND MAINTENANCE

Our team of experts can assess, repair and rectify any crane in the country.

Techmech Cranes offers the complete spectrum of engineering services for cranes with total design, fabrication and installation.

We also provide cost estimates and contracting services for repairs, modification, refurbishment and enhancement of the crane capacities.

We handle Crane Engineering tasks for other brands of cranes as well.

Our turnkey services in this regard include field consultation, inspections, calculations,

feasibility analysis, reports, designs, drawings, reverse engineering, fabrication and machining, field supervision, etc.

Techmech Cranes offers customized services 24/7 throughout the year.

Our service engineers guide the customers towards the safest and most economical

solutions, whether it is a standard crane system or a crane system requiring specialized engineering.

Our highly skilled technicians provide our customers with service on any type of

industrial equipment. The service and follow up measures ensure that our products deliver the best performances. It is of primordial importance to us that we maintain customer satisfaction on a continuous basis.

We offer a variety of preventive maintenance programs for most makes and types of lifting equipment.

A thorough set of inspections and analyses is carried out by our servicing team who then provide inputs for optimizing product performance while keeping costs and loads balanced.

Our Preventative Maintenance Programs are developed to ensure maximum uptime in your facility.

KEY FEATURES:

- 24/7 on call breakdown service.
- Availability of genuine spare parts.
- Crane Inspection/Health checkup.
- Preventive maintenance and overhauling.
- Modification and Relocation of Cranes.
- Annual Maintenance Contracts.

Kindly contact us regarding any questions you may have about installation, servicing and optimizing your material handling equipment.



TECHMECH CRANES INDIA PVT LTD

📍 SY NO 819/PART, KISTAPUR ROAD, MEDCHAL,
HYDERABAD - 501 401, TELANGANA STATE, INDIA

☎ TEL: +91 95535 07110 / 9440247110

✉ Mail: info@techmechcranes.com

🌐 www.techmechcranes.com



TECHMECH CRANES

TRUST TO LIFT



TECHMECH CRANES INDIA PVT LTD

SY. NO. 819/PART, KISTAPUR ROAD,
MEDCHAL, HYDERABAD - 501401,
TELANGANA STATE, INDIA. Phone : +91 9440247110

✉ info@techmechcranes.com | www.techmechcranes.com

COMPANY PROFILE

TECHMECH is constantly developing and designing products, equipments and components, always related to the handling and of bulk product and waste. TECHMECH provides optimum, cost-effective solutions for all handling problems. High tensile steels, wear resistant steels and advanced bearing technology enable us to design extremely productive, light weight and durable grab mechanism.

MECHANICAL GRAB

Mechanical grab bucket types include double rope and four rope systems. This grab bucket is perfect for cranes with hoisting drums, useful for handling bulk cargo. To manufacture our mechanical grabs, we use highly wear resistant steels like Hardox400, Hardox500. Mechanical grab bucket includes both orange peel and clamshell type.

CLAMSHELL TWO ROPE TYPE MECHANICAL GRAB BUCKET



CLAMSHELL FOUR ROPE TYPE MECHANICAL GRAB BUCKET



ORANGE PEEL ROPE TYPE MECHANICAL GRAB BUCKET



ELECTRO HYDRAULIC GRAB

TECHMECH offers electro-hydraulic grab buckets with high power to ensure a good penetration and good filling of the buckets. The grab hydraulic cylinders are fitted with replaceable piston rod protections and are hydraulically cushioned. Electro-hydraulic grab bucket includes both orange peel and clamshell type.

CLAMSHELL ELCTRO-HYDRAULIC GRAB BUCKET



ORANGE PELL ELCTRO-HYDRAULIC GRAB BUCKET



REMOTE CONTROL GRAB

TECHMECH remote control grab buckets use wireless transmitters than can operate up to a maximum distance of 100 meters from the grab receiver. The remote control grab's batteries last for roughly 30 days.

