Data Request Tables

1. Data Source 1: Account Registration, KYC and Customer details

Column name	Data type	Example	Additional information
Customer ID	String, identifier	CUST0001842	Unique, consistent identifier used to join records across all supplied datasets. Do not provide names or unnecessary direct identifiers.
Registration date	Datetime	2026-07-14 09:32:18	Date and time the account was registered. Use YYYY-MM-dd - HH:mm:ss.
Registration channel	String, categorical	Mobile app	Specify the channel through which registration started/completed, e.g., mobile app or web, where available.
Acquisition channel	String, categorical	Paid social	Marketing source/channel associated with the registration.
KYC start date	Datetime	2026-07-14 09:35:42	Date and time KYC was initiated; null if never started.
KYC completion date	Datetime	2026-07-14 09:47:11	Date and time KYC was completed; null if incomplete.
KYC status	String, categorical	Completed	Use controlled values such as Not started, In progress, Completed, Failed, or Rejected.
KYC steps completed	Integer	5	Number of onboarding/KYC steps completed. Provide the total number of steps in the data dictionary.
Onboarding abandonment step	String, categorical	Proof of identity	The last onboarding step reached before abandonment; null if onboarding was completed.
Age	Integer	29	Age at registration, in completed years.
Region	String, categorical	Gauteng	Use the client's standard region/province categories consistently.
Investment goal	String, categorical	Long-term growth	Stated investment goal captured at sign-up; provide all valid categories.
Risk appetite	String, categorical	Moderate	Stated risk appetite captured at sign-up; provide all valid categories.

2. Data source 2: App and Web behaviour data

Column name	Data type	Example	Additional information
Session ID	String, identifier	SES0098321	Unique session identifier. Must link to Customer ID.
Session start	Datetime	2026-07-14 09:31:02	Timestamp when the app/web session started.
Session duration	Numeric, decimal	8.5	Duration in minutes; non-negative.
Platform	String, categorical	iOS	Operating platform/device category, where available.
Screen viewed	String, categorical	Deposit	Screen or feature accessed during the session.
Screen views	Integer	14	Number of screens/views recorded for the customer/session.
Feature used	String, categorical	Portfolio	Feature interacted with, where available.
Onboarding step	String, categorical	Bank account linking	Specific onboarding step accessed.
Abandonment flag	Boolean	True	Whether the customer abandoned the onboarding journey at that event/step.
Event timestamp	Datetime	2026-07-14 09:44:03	Timestamp for each behavioural event; retain

Column name	Data type	Example	Additional information
			event-level records where possible.

3. Data Source 3: Account, Funds and activation Information

Column name	Data type	Example	Additional information
First deposit date	Datetime	2026-07-16 14:22:10	Date/time of first successful deposit; null for never-funded accounts.
First deposit date	Datetime	21500.00	Amount of first deposit in Rands and non negative amounts
Deposit count	Integer	3	Number of successful deposits during the period
Total deposited	Numerical decimal	300000.00	Total successful deposits in rand during the requested observation period.
Withdrawal count	Integer	0	Number of successful withdrawals during the observation period
Account balance	Numeric, decimal	3200.00	Balance at the specified reporting/event date; retain timestamp if supplied
Activation flag	Boolean	True	Target variable: True if the client meets STADIOEquities' agreed activation definition within the defined activation window; otherwise False.
Activation date	Datetime	2026-07-16 14:22:10	Date/time the agreed activation criterion was first met
Days to first deposit	Integer	2	Number of calendar days from registration to first successful deposit. Derive consistently from registration and first-deposit timestamps.

4. Data source 4: Marketing engagement

Column name	Data type	Example	Additional information
Campaign ID	String, identifier	CMP2026071	Unique campaign identifier.
Campaign channel	String, categorical	Email	Channel used for the campaign/nudge.
Campaign date	Datetime	2026-07-15 08:00:00	Date/time campaign communication was sent.
Message type	String, categorical	Onboarding reminder	Type/purpose of message.
Message sent	Boolean	True	Whether the communication was successfully sent.
Message opened	Boolean	True	Whether the communication was opened, where measurable.
Link clicked	Boolean	False	Whether a link/action in the communication was clicked.
Nudge response	Boolean	True	Whether the customer completed the intended action following the nudge, where this is tracked.
Acquisition cost	Numeric, decimal	180.00	Cost attributed to acquiring the account, in rand. Provide the allocation methodology.

5. Data source 5: Data quality, metadata and observation

Column name	Data type	Example	Additional information
Record timestamp	Datetime	2026-07-14 09:44:03	Timestamp showing when the record/event was captured
Source system	String, categorical	App analytics	Identify the originating system/source for each record.
Record status	String, categorical	Active	Specify valid statuses and how deleted/corrected records are represented.
Missingness reason	String, categorical	Not Applicable	Where possible, distinguish genuinely unavailable/not

			applicable values from system missingness.
Data extraction date	Datetime	2026-09-14 09:44:03	Date/time the extract was generated.
Data dictionary	String/document	Activation_flag definition	Provide definitions, valid values, units, business rules, source systems, and known limitations for all fields.