

Powerdot Example #2

Your name

January 18, 2012

An Overview

- An Overview

Our First Section

Our First Section

- An Overview

Our First Section

- The Big Theorem
- Trying out Overlays

Our First Section

The Big Theorem

- An Overview

Our First Section

- The Big Theorem
- Trying out Overlays

For this example I'm using the `fyma` style

The Big Theorem

- An Overview

Our First Section

- The Big Theorem
- Trying out Overlays

For this example I'm using the `fyma` style with the green palette.

- An Overview

Our First Section

- The Big Theorem
- Trying out Overlays

The Big Theorem

For this example I'm using the `fyma` style with the green palette.

I skipped 0.5 inches there.

Trying out Overlays

- An Overview

Our First Section

- The Big Theorem
- Trying out Overlays

We used

Here is the easiest matrix in the world to type:

$$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix} \quad (1)$$

Trying out Overlays

- An Overview

Our First Section

- The Big Theorem
- Trying out Overlays

We used `pause` on the previous slide, not here though. Here we only use `onslide`.

Trying out Overlays

- An Overview

Our First Section

- The Big Theorem
- Trying out Overlays

Here is the easiest matrix in the world to type:

$$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix} \quad (1)$$