```
using System;
using System.Collections.Generic;
using System.Data;
using System.Data.Entity;
using System.Linq;
using System.Net;
using System.Web;
using System.Web.Mvc;
using WebAppSchool2.Models;
namespace WebAppSchool2.Controllers
    public class SchoolsController : Controller
        private SchoolmangeEntities db = new SchoolmangeEntities();
        // GET: Schools
        public ActionResult Index()
            return View(db.Schools.ToList());
        }
        // GET: Schools/Details/5
        public ActionResult Details(int? id)
            if (id == null)
            {
                return new HttpStatusCodeResult(HttpStatusCode.BadRequest);
            School school = db.Schools.Find(id);
            if (school == null)
                return HttpNotFound();
            }
            return View(school);
        }
        // GET: Schools/Create
        public ActionResult Create()
            return View(new School());
        }
        // POST: Schools/Create
        // To protect from overposting attacks, enable the specific properties you
want to bind to, for
        // more details see https://go.microsoft.com/fwlink/?LinkId=317598.
        [HttpPost]
        [ValidateAntiForgeryToken]
        public ActionResult Create([Bind(Include = "S_id,S_name,S_class,S_subject")]
School school)
        {
            if (ModelState.IsValid)
                db.Schools.Add(school);
                db.SaveChanges();
                return RedirectToAction("Index");
            }
```

```
return View(school);
        }
        // GET: Schools/Edit/5
        public ActionResult Edit(int? id)
            if (id == null)
            {
                return new HttpStatusCodeResult(HttpStatusCode.BadRequest);
            School school = db.Schools.Find(id);
            if (school == null)
                return HttpNotFound();
            return View(school);
        }
        // POST: Schools/Edit/5
        // To protect from overposting attacks, enable the specific properties you
want to bind to, for
        // more details see https://go.microsoft.com/fwlink/?LinkId=317598.
        [HttpPost]
        [ValidateAntiForgeryToken]
        public ActionResult Edit([Bind(Include = "S_id,S_name,S_class,S_subject")]
School school)
        {
            if (ModelState.IsValid)
                db.Entry(school).State = EntityState.Modified;
                db.SaveChanges();
                return RedirectToAction("Index");
            }
            return View(school);
        }
        // GET: Schools/Delete/5
        public ActionResult Delete(int? id)
            if (id == null)
            {
                return new HttpStatusCodeResult(HttpStatusCode.BadRequest);
            School school = db.Schools.Find(id);
            if (school == null)
                return HttpNotFound();
            return View(school);
        }
        // POST: Schools/Delete/5
        [HttpPost, ActionName("Delete")]
        [ValidateAntiForgeryToken]
        public ActionResult DeleteConfirmed(int id)
            School school = db.Schools.Find(id);
```

```
db.Schools.Remove(school);
   db.SaveChanges();
   return RedirectToAction("Index");
}

protected override void Dispose(bool disposing)
{
   if (disposing)
   {
      db.Dispose();
   }
   base.Dispose(disposing);
}
```