瓦特智能物料柜源头厂家

抖音号：wateiot

TikTok QR Code

WeChat Official Account QR Code

Follow Watt Intelligence for more information....

CONTACT US

Official website:www.omgwate.com

Jiangsu Branch: Boyunhui Smart Park, Wujin District, Changzhou City, Jiangsu Province

Hebei Branch: North side of the intersection of Shaofeng Road and Fuyang North Street, Xinxing Industrial Park, Jize County, Handan City, Hebei Province

Guangdong Office: 5L, Building A, Hangcheng Smart Security Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen

Enable Enterprises

Worldwide to Get Suitable Intelligent Warehouses

Cost Saving| Trouble Saving| Labor Saving

Customer-Centric

Focus | Excellence | Striving | Win-Win | Breakthrough

WATE – Wate Technology

CONTENTS

company profile..... 02

Intelligent Tool Cabine 04

Smartdrawerlinearsidecompartment.....06

intelligent tool consumables management.....24

industry scenario.....33

CustomerOn-SiteCase..... 35

Service Support..... 39

COMPANY PROFILE

Watt Technology specializes in intelligent, informatized and digital warehousing automation equipment, as well as intelligent manufacturing service providers integrating software R&D and production.

The company owns production bases and has built a complete industrial chain from R&D and production to finished equipment. It holds core patents, software copyrights and other intellectual property rights, including mechanical processing, sheet metal processing, circuit control, system software and digital cloud service.

To better serve customers nationwide and reduce user costs, the company takes full advantage of geographical strengths and expands its layout nationwide. With R&D center in Shenzhen, production base in Hebei, and branches in Jiangsu, Shandong, Ningbo, Qingdao, Zhengzhou, Chengdu and Chongqing, we provide comprehensive and efficient support services for customers across the country.

Watt Technology firmly believes that upgrading material management to intelligence is an irresistible trend for all industries. Informatization and digitalization will penetrate every link. We keep close communication with customers and provide customized exclusive services, to help all enterprises around the world own their proper intelligent warehouses.

Leading Technology

Take the lead in applying world-leading technologies such as automated machinery, deep learning and multi-sensor fusion to the real economy

Rich Scenarios

Flexible digital and intelligent solutions can meet the diverse needs across various industries and scenarios.

Quality Assurance

Possesses comprehensive end-to-end industrial chain support capabilities encompassing R&D,manufacturing, and operations.

Customer Trust

It has won extensive trust from foreign-funded enterprises and listed central SOEs, including Parker Hannifin, Schneider Electric, Siemens, Caterpillar, Epiroc and CRRC.

Government Recognition

The company has been honored as a key science and technology enterprise by the provincial governments of Jiangsu, Guangdong, and Hebei, and has received strong support from various government authorities at all levels.

Rapid Growth

Corporate client base has grown exponentially over the past five consecutive years, with our business steadily expanding into an increasing number of industry sectors.

Corporate Strength

20,000 Sq.m. +
Production Base

100 +
staff size

2000 +
Service Firm

100 +
Implementation Partner Organization

200 +
National Service Experts

Authorized Certification

30	10	6	8
Software Copyright	Patent for Utility Models	Design Patent	Registered Trademark

PRODUCT SERIES

Intelligent Tool Cabinet

Product appearance	Technical Specifications	Product Features
	Name: Smart Spiral Line Edge Warehouse Model: L8050C Overall dimensions (length x depth x height): 1250x882x1805(mm) Weight: 370kg Cargo channel capacity: 80 cargo channels Slot capacity: 40 slots + 2 recycling channels Touch operation screen: 21.5 inches, supports facial recognition (high-definition binocular camera), card swiping, printer, standard scanning device, optional material receiving lifting platform device Expandable Tool Retrieval: One master cabinet controls four sub-cabinets. Expansion: Supports combined use with drawer linear edge storage expansion	Super capacity, richfunctions Meet various tool and equipment management needs Support storage for materials in various sizes and forms
	Name: Smart Spiral Line Edge Warehouse Model: L80C Overall dimensions (length x depth x height): 1250x882x1805(mm) Weight: 300kg Cargo channel capacity: 80 cargo channels Slot capacity: 2 recycling channels Touch operation screen: 21.5 inches, supports facial recognition (high-definition binocular camera), card swiping, printer, standard scanning device, optional material receiving lifting platform device Expandable Tool Retrieval: One master cabinet controls four sub-cabinets. Expansion: Supports combined use with drawer linear edge storage expansion	It matches the tooling scale of medium-sized machining enterprises, features rich functionality, and has a capacity of up to 1680 boxes per single device Adapt to the consignment model of dealers
	Name: Intelligent Spiral Line-side Sub-cabinet Model: L80C-F Overall dimensions (length x depth x height): 838x882x1805(mm) Weight: 250kg Cargo channel capacity: 80 cargo channels optional material receiving lifting platform device Expandable: Can be combined with other line-side warehouse main cabinets	It matches the tooling scale of medium-sized machining enterprises, features rich functionality, and has a capacity of up to 1680 boxes per single device Adapt to the consignment model of dealers

Enable Enterprises Worldwide to Get Suitable Intelligent Warehouses

PRODUCT SERIES

Intelligent Tool Cabinet

Product appearance	Technical Specifications	Product Features
	Name: Smart Spiral Line Edge Warehouse Model: L8050 Overall dimensions (length x depth x height): 1236x930x1820(mm) Weight: 380kg Cargo channel capacity: 80 cargo channels Slot capacity: 50 slots Touch operation screen: 21.5 inches, supports face recognition , card swiping, printer, standard scanning device, inventory light device, material receiving lifting platform device, automatic door opening and closing, and mid-section material retrieval Expandable Tool Retrieval: One master cabinet controls four sub-cabinets. Expansion: Supports combined use with drawer linear edge storage expansion	Super capacity, richfunctions Meet various tool and equipment management needs Support storage for materials in various sizes and forms
	Name: Smart Spiral Line Edge Warehouse Model: L80 Overall dimensions (length x depth x height): 896x930x1820(mm) Weight: 280kg Cargo channel capacity: 80 cargo channels Touch operation screen: 21.5 inches, supports face recognition , card swiping, printer, standard scanning device, inventory light device, material receiving lifting platform device, Expandable Tool Retrieval: One master cabinet controls four sub-cabinets. Expansion: Supports combined use with drawer linear edge storage expansion	It matches the tooling scale of medium-sized machining enterprises, features rich functionality, and has a capacity of up to 1680 boxes per single device Adapt to the consignment model of dealers
	Name: Intelligent Spiral Line-side Sub-cabinet Model: L8050E Overall dimensions (length x depth x height): 896x930x1820(mm) Weight: 280kg Cargo channel capacity: 80 cargo channels material receiving lifting platform device, automatic door opening and closing, and mid-section material retrieval Expandable: Can be combined with other line-side warehouse main cabinets	It matches the tooling scale of medium-sized machining enterprises, features rich functionality, and has a capacity of up to 1680 boxes per single device Adapt to the consignment model of dealers

Smart drawer linear side compartment

Product appearance	Technical Specifications	Service Features
	Name: Smart Drawer Line-side Warehouse Model: C80 Overall dimensions (length x depth x height): 1300x680x1735(mm) Weight: 350kg Main cabinet capacity: 80 cargo lanes Sub-cabinet capacity: 100 cargo lanes Product channel size: 68 pieces: 100x345x75 (length x depth x height) mm 8 pieces: 100x345x165 (length x depth x height) mm 4 pieces: 250x345x165 (length x depth x height) mm Touch operation screen: 21.5 inches, supports face recognition, card swiping, printer, scanning device, and surveillance camera Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Meeting the overall storage requirements of multiple varieties, batches, and various forms of materials and tools, satisfying most production needs
	Name: Intelligent weighing drawer line edge warehouse Model: C80P Overall dimensions (length x depth x height): 1300x680x1735(mm) Weight: 450kg Main cabinet capacity: 80 cargo lanes Sub-cabinet capacity: 100 cargo lanes Product channel size: 68 pieces: 90x310x35 (length x depth x height) mm 8 pieces: 90x310x130 (length x depth x height) mm 4 pieces: 240x310x130 (length x depth x height) mm Touch operation screen: 21.5 inches, supports face recognition, card swiping, printer, scanning device, and surveillance camera Measuring range: 0.1g-50kg (configurable according to requirements) Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Meet the needs of managing material storage with various specifications and sizes It can manage materials of multiple varieties and varying weights, with each individual drawer independently controllable. This meets the needs of factories for fine management of high-value materials The drawer size can be customized to accommodate a wider range of diverse integrated material management needs
	Name: Smart Drawer Line Edge Warehouse Model: C300 Overall dimensions (length x depth x height): 1133x680x1246(mm) Weight: 350KG Capacity: 377 cargo lanes Number of storage layers: 8 layers 35 compartments X 1 layer: 160x70x60 (length x depth x height) mm 66 compartments x 2 layers: 126x45x60 (length x depth x height) mm 42 compartments x 5 layers: 126x70x60 (length x depth x height) mm Touch operation screen: 10.1 inches, supports face recognition and card swiping	Large capacity to meet th e material consumption o f multiple varieties Each item has its own des ignated space for precise control

Smart drawer linear side compartment

Product appearance	Technical Specifications	Service Features
	Name: Smart Drawer Line-side Warehouse Model: C100 Overall dimensions (length x depth x height): 1300x680x1735(mm) Weight: 350kg Sub-cabinet capacity: 100 cargo lanes Product channel size: 88 pieces: 100x345x75 (length x depth x height) mm 8 pieces: 100x345x165 (length x depth x height) mm 4 pieces: 250x345x165 (length x depth x height) mm Expandable: Can be combined with other line-side warehouse main cabinets	Meeting the overall storage requirements of multiple varieties, batches, and various forms of materials and tools, satisfying most production needs
	Name: Intelligent weighing drawer line edge warehouse Model: C100P Overall dimensions (length x depth x height): 1300x680x1735(mm) Weight: 450kg Sub-cabinet capacity: 100 cargo lanes Product channel size: 88 pieces: 90x310x35 (length x depth x height) mm 8 pieces: 90x310x130 (length x depth x height) mm 4 pieces: 240x310x130 (length x depth x height) mm Measuring range: 0.1g-50kg (configurable according to requirements) Expandable: Can be combined with other line-side warehouse main cabinets	Meet the needs of managing material storage with various specifications and sizes It can manage materials of multiple varieties and varying weights, with each individual drawer independently controllable. This meets the needs of factories for fine management of high-value materials The drawer size can be customized to accommodate a wider range of diverse integrated material management needs
	Name: Smart Drawer Line-side Storage Model: C325 Overall dimensions (length x depth x height): 1110x360x1570（mm） Weight: 260kg Channel capacity: 325 channels Cargo aisle dimensions: 42x210x42 (length x depth x height) mm Touch operation screen: 13.3 inches, supports facial recognition Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Suitable for managing various types of small-batch materials such as ring gauges, plug gauges, tool chucks, and more Advantages: Wide range of storage options, high efficiency in chute circulation

Smart chute line-side warehouse

Product appearance	Technical Specifications	Service Features
	Name: Smart Chute Line-side Warehouse Model: G13 Overall dimensions (length x depth x height): 985x450x1735(mm) Weight: 160kg Capacity: 13 cargo lanes Cargo aisle dimensions: 280 x 390 x 300 (length x depth x height) mm Touch operation screen: 15.6 inches, supports face recognition and card swiping、Printer, scanning Expandable Tool Retrieval: One master cabinet controls four sub-cabinets. Measuring range: 0.1g-50kg (configurable according to requirements)	Meet the needs of managing material storage for various specifications and sizes. It can manage materials of multiple varieties and varying weights, with each individual chute independently controllable. This meets the need for fine management of high-value materials in factories. The size of the weighing chute can be customized to accommodate a wider range of comprehensive material management needs.
	Name: Smart Chute Line-side Warehouse Model: G23 Overall dimensions (length x depth x height): 2070x450x1810(mm) Weight: 210kg Capacity: 23 cargo lanes Cargo aisle size: 300x390x300 (length x depth x height) mm Touch operation screen: 15.6 inches, supports face recognition, card swiping, printer, and scanning device Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Control of adapting to large-sized materials and tool consumables High weighing and metering accuracy Inventory warning, real-time statistics Regular reporting and efficient inventory checking
	Name: Smart Chute Line-side Warehouse Model: G25 Overall dimensions (length x depth x height): 1768x500x1848（mm） Weight: 230kg Cargo channel capacity: 25 cargo channels Cargo aisle size: 300x480x300 (length x depth x height) mm Touch operation screen: 15.6 inches, supports face recognition and swipingCard, printer (optional), scanning device (optional) Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Control of adapting to large-sized materials and tool consumables High weighing and metering accuracy Inventory warning, real-time statistics Regular reporting and efficient inventory checking

Smart chute line-side warehouse

Product appearance	Technical Specifications	Service Features
	Name: Smart Weighing and Outlet Line Edge Warehouse Model: G24P Overall dimensions (length x depth x height): 1102x500x1813（mm） Weight: 200kg Cargo lane capacity: 24 cargo lanes Cargo aisle dimensions: 248x400x200 (length x depth x height) mm Touch operation screen: 15.6 inches, supports facial recognition, swipe Card, printer (optional), scanning device (optional) Measuring range: 0.1g-50kg (configurable according to requirements) Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	The intelligent chute is equipped with a cargo channel screen independently, which displays information such as material name, model, and inventory in real time. Adapt to the refined control of high-value materials in factories
	Name: Smart Weighing and Outlet Line Edge Warehouse Model: G30P Overall dimensions (length x depth x height): 1350x500x1813（mm） Weight: 240kg Cargo lane capacity: 30 cargo lanes Cargo aisle dimensions: 248x400x200 (length x depth x height) mm Touch operation screen: 15.6 inches, supports facial recognition, swipeCard, printer (optional), scanning device (optional) Measuring range: 0.1g-50kg (configurable according to requirements) Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	The intelligent chute is equipped with a cargo channel screen independently, which displays information such as material name, model, and inventory in real time. Adapt to the refined control of high-value materials in factories
	Name: Smart Weighing and Outlet Line Edge Warehouse Model: G15P Overall dimensions (length x depth x height): 1454x500x1813（mm） Weight: 240kg Cargo lane capacity: 15 cargo lanes Cargo aisle dimensions: 447x400x252 (length x depth x height) mm Measuring range: 0.1g-50kg (configurable according to requirements) Expansion: It can serve as a main cabinet, or be used in combination with other line-side storage cabinets as an auxiliary cabinet for expansion	The intelligent chute is equipped with a cargo channel screen independently, which displays information such as material name, model, and inventory in real time. Adapt to the refined control of high-value materials in factories

Smart chute line-side warehouse

Product appearance	Technical Specifications	Service Features
	Name: Smart Weighing and Outlet Line Edge Warehouse Model: G42P Overall dimensions (length x depth x height): 1304x500x1813（mm） Weight: 280kg Cargo lane capacity: 42 cargo lanes Cargo aisle dimensions: 197x400x160 (length x depth x height) mm Measuring range: 0.1g-50kg (configurable according to requirements) Expansion: It can serve as a main cabinet, or be used in combination with other line-side storage cabinets as an auxiliary cabinet for expansion	The intelligent chute is equipped with a cargo channel screen independently, which displays information such as material name, model, and inventory in real time. Adapt to the refined control of high-value materials in factories
	Name: Smart Weighing and Outlet Line Edge Warehouse Model: G56P Overall dimensions (length x depth x height): 1702x500x1813（mm） Weight: 320kg Cargo lane capacity: 56 cargo lanes Cargo aisle dimensions: 198x400x161 (length x depth x height) mm Measuring range: 0.1g-50kg (configurable according to requirements) Expansion: It can serve as a main cabinet, or be used in combination with other line-side storage cabinets as an auxiliary cabinet for expansion	The intelligent chute is equipped with a cargo channel screen independently, which displays information such as material name, model, and inventory in real time. Adapt to the refined control of high-value materials in factories
	Name: Smart Chute Line-side Warehouse Model: G80 Overall dimensions (length x depth x height): 880x450x1810（mm） Weight: 200kg Cargo channel capacity: 80 cargo channels Cargo aisle dimensions: 98x400x115 (length x depth x height) mm Expansion: It can be used as a main cabinet, or combined with other line-side storage cabinets as an auxiliary one for expansion	Control of adapting to large-sized materials and tool consumables High weighing and metering accuracy Inventory warning, real-time statistics Regular reporting and efficient inventory checking

Smart chute line-side warehouse

Product appearance	Technical Specifications	Service Features
	Name: Smart Chute Line-side Warehouse Model: G118 Overall dimensions (length x depth x height): 1840x510x1760（mm） Weight: 400kg Cargo lane capacity: 118 cargo lanes Cargo aisle dimensions: 100 pieces: 140x400x110 (length x depth x height) mm 18 pieces: 285x400x110 (length x depth x height) mm Touch operation screen: 10.1 inches, supports facial recognition, card swiping, printer, and scanning device Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Control of adapting to large-sized materials and tool consumables High weighing and metering accuracy Inventory warning, real-time statistics Regular reporting and efficient inventory checking
	Name: Smart Main Control Line-side Warehouse Model: Z2 Overall dimensions (length x depth x height): 436x500x1848（mm） Weight: 70kg Carriage capacity: 2 lanes Cargo aisle size: 300x480x300 (length x depth x height) mm Touch operation screen: 15.6 inches, supports face recognition, card swiping, printer (optional), and scanning (optional) Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	The main control cabinet of the intelligent line-side warehouse integrates a control system and an interactive terminal, which can cascade manage multiple sub-cabinets. It comes with two storage bays, supporting material storage and retrieval, and balancing central control and nearby storage.
	Name: Smart Recycling Bin Model: DZHS Overall dimensions (length x depth x height): 750x682x1013（mm） Weight: 70kg Cargo lane capacity: 2 Cargo aisle dimensions: 300×352×150 (length x depth x height) mm Expansion: Supports combined use with intelligent spiral line edge storage and intelligent drawer line edge storage	Verification for tool recycling

Smart tool consumables line-side warehouse

Product appearance	Technical Specifications	Service Features
	Name: Smart Counting Line-side Warehouse Model: J30 Overall dimensions (length x depth x height): 1180x600x1750(mm) Weight: 240kg Capacity: 30 cargo lanes Number of layers: 6 layers Cargo aisle dimensions: 160 x 290 x 160 (length x depth x height) mm Touch operation screen: 10.1 inches, supports face recognition, card swiping, printer, scanning device, surveillance camera Guiding device: cargo track indicator light Measuring range: 0.1g-50kg (configurable according to requirements) Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Open the door to receive, close the door to settle High weighing and metering accuracy Inventory warning, real-time statistics Regular reporting and efficient inventory checking Enterprises that adapt open material control for fine management of enterprise materials Business scenario requirements
	Name: Smart Counting Line-side Warehouse Model: J36 Overall dimensions (length x depth x height): 1419x500x1847(mm) Weight: 330kg Capacity: 36 cargo lanes Number of layers: 6 layers Cargo aisle dimensions: 200 x 340 x 195/165 (length x depth x height) mm Touch operation screen: 10.1 inches, supports face recognition, card swiping, printer, scanning device, surveillance camera Guiding device: cargo track indicator light Measuring range: 0.1g-50kg (configurable according to requirements) Expandable Tool Retrieval: One master cabinet controls four sub-cabinets.	Open the door to receive, close the door to settle High weighing and metering accuracy Inventory warning, real-time statistics Regular reporting and efficient inventory checking Enterprises that adapt open material control for fine management of enterprise materials Business scenario requirements
	Name: Smart RFID Cabinet Overall dimensions (length x depth x height): 1100x600x2000（mm） Weight: 300kg Cargo channel capacity: 5 layers Touch operation screen: 15.6 inches, supports face recognition and card swiping	Suitable for intelligent management, usage cycle recording, calibration reminders, and return reminders of tools, measuring tools, and inspection tools

Multiple types of cabinets can be freely combined to facilitate unified and convenient management of various types of materials, reducing costs and increasing

Smart Spiral Edge Warehouse + Smart Spiral Edge Warehouse Sub-abinet

Smart Counting Line Side Storage Unit +
Smart Counting Line Side Storage Unit (Sub-abinet)

Smart Drawer Side Storage Unit + Smart Drawer Side Storage Sub-abinet

Smart Grid Side Rack + Smart Grid Side Rack Sub-abinet

Smart Helical Edge Storage Unit + Smart Drawer Edge Storage Sub-abinet + Smart Slot Edge Storage Sub-abinet



smart Drawer Side Storage Compartment + Smart Grid Opening Side Storage Compartment (Secondary Cabinet) + Additional Size Configurations

INTELLIGENT TOOL MANAGEMENT

A custom-designedintelligent tool management system for machining factories, helping factories enhance their workshop management capabilities.

- 24 Unattended operation per hour
- Reduce tooling costs by 30%
- Prevent Excess Requisition, Omissi on and False Collection
- Monitor your tool status anytime, anywhere
- Automatically generate tool reports

Traditional Tool Management Is Evolving Into Digital Tool Management

Before

Traditional Tool Management

It's messy and disorganized, making it impossible to find the required tools in a timely manner
Managed by dedicated personnel, with high labor costs

VS

now

One Smart Tool Cabinet Is Enough

A tool cabinet manages all tools neatly, allowing for "picking + returning" in as fast as 10 seconds

Traditional Tool Management Is Evolving Into Digital Tool Management

Before

Prepare knives every day and watch over in three shifts

Unable to prepare tools accurately, encountering situations such as tool breakage and tool change, unable to handle, affecting normal production

VS

Now

24-hour unattended operation, available for use whenever needed

Support employees to quickly receive knives according to their personal needs, equipment needs, and product needs, ensuring seamless handover between day shift and night shift

Traditional Tool Management Is Evolving Into Digital Tool Management

Before

ToolLoss–BorrowedWithoutRepayment

Users often dispose of knives carelessly, demonstrating a weak sense of responsibility regarding the return of weapons; incidents involving misplaced,overlooked, or improperly claimed knives occur from time to time.

VS

now

Automatic recording, traceable at any time

Automatic recording, real-time tracking of tool collection and return status, one-click export of backend records

Back — Records（Matthew Harris）

Operation Type: Please select

Name	Material Code	Channel	Quantity	Operator	Work Order Type	Operation Time
Solenoid Valve	SLV-2401	Smart Recognition Cabinet-1-5	4	Matthew Harris	Replenishment	2026-09-02 14:06:34
Bearing 6202	BEA-6202	Smart Recognition Cabinet-1-2	2	Matthew Harris	Material taking	2026-09-02 13:48:36
Bearing 6202	BEA-6202	Smart Recognition Cabinet-1-5	4	Matthew Harris	Material taking	2026-09-02 13:48:36
Pneumatic Fitting	PNF-0604	Smart Recognition Cabinet-4-4	6	Matthew Harris	Material taking	2026-09-02 13:48:36
Pneumatic Fitting	PNF-0604	Smart Recognition Cabinet-3-3	1	Nicole Clark	Material taking	2026-09-02 13:48:14
Insulated Gloves	ISG-0001	Smart Recognition Cabinet-4-2	4	Nicole Clark	Material taking	2026-09-02 13:48:02
Cable Tie	CBT-1502	Smart Recognition Cabinet-2-1	1	Andrew Robinson	Material taking	2026-09-02 13:47:45
Solenoid Valve	SLV-2401	Smart Recognition Cabinet-4-3	2	Andrew Robinson	Material taking	2026-09-02 13:47:33
Pneumatic Fitting	PNF-0604	Smart Recognition Cabinet-5-2	2	Andrew Robinson	Material taking	2026-09-02 13:47:33
Insulated Gloves	ISG-0001	Smart Recognition Cabinet-4-2	1	Samantha Lee	Material taking	2026-09-02 13:47:09
Solenoid Valve	SLV-2401	Smart Recognition Cabinet-4-3	2	Samantha Lee	Material taking	2026-09-02 13:47:09
Cable Tie	CBT-1502	Smart Recognition Cabinet-2-1	2	Samantha Lee	Material taking	2026-09-02 13:46:53
Cable Tie	CBT-1502	Smart Recognition Cabinet-2-3	2	Samantha Lee	Material taking	2026-09-02 13:46:53
Insulated Gloves	ISG-0001	Smart Recognition Cabinet-2-	2	Christopher King	Material taking	2026-09-02 13:46:34

Enable Enterprises Worldwide to Get Suitable Intelligent Warehouses

Traditional Tool Management Is Evolving Into Digital Tool Management

Before

Severe Waste

Tools that can be ground and repaired are directly scrapped, and it is customary to use new or semi-new tools, resulting in serious waste

VS

now

Trade-in Program

Check in real-time who has the tool, and return the old tool before receiving a new one

Back — Recycling List（Matthew Harris）

Enter material code, name or model — Search

Name	Model	Recipient	Code	Picture	Replenishment Time	Pending Recycle Count	Take Time	Operation
Pneumatic Fitting	6mm×4mm	Matthew Harris	PNF-0604			6	2026-09-02 13:48:36	Recycle
Bearing 6202	15×35×11mm	Matthew Harris	BEA-6202			4	2026-09-02 13:48:36	Recycle
Bearing 6202	15×35×11mm	Matthew Harris	BEA-6202			2	2026-09-02 13:48:36	Recycle
Pneumatic Fitting	6mm×4mm	Nicole Clark	PNF-0604			1	2026-09-02 13:48:14	Recycle
Insulated Gloves	Size L (12kV)	Nicole Clark	ISG-0001			4	2026-09-02 13:48:02	Recycle
Cable Tie	2.5×150mm	Andrew Robinson	CBT-1502			1	2026-09-02 13:47:45	Recycle
Pneumatic Fitting	6mm×4mm	Andrew Robinson	PNF-0604			2	2026-09-02 13:47:33	Recycle
Solenoid Valve	24V DC 0.8MPa	Andrew Robinson	SLV-2401			2	2026-09-02 13:47:33	Recycle
Solenoid Valve	24V DC 0.8MPa	Samantha Lee	SLV-2401			2	2026-09-02 13:47:09	Recycle
Insulated Gloves	Size L (12kV)	Samantha Lee	ISG-0001			1	2026-09-02 13:47:09	Recycle
Cable Tie	2.5×150mm	Samantha Lee	CBT-1502			2	2026-09-02 13:46:53	Recycle
Cable Tie	2.5×150mm	Samantha Lee	CBT-1502			2	2026-09-02 13:46:53	Recycle
Solenoid Valve	24V DC 0.8MPa	Christopher King	SLV-2401			3	2026-09-02 13:46:34	Recycle

Traditional Tool Management Is Evolving Into Digital Tool Management

Before

Manualrecording–conductingphysicalinventorycountsistime-consumingandlabor-intensive.

Manually recording tool usage and conducting inventory checks is both time-consuming and laborious, and the data can be messy and prone to errors

VS

Now

Multi-dimensional flow report, real-time inventory counting

Generate various real-time reports on the flow of people, machines, and objects, with data available and traceability



Traditional Tool Management Is Evolving Into Digital Tool Management

Before

Cost consumption, human-machine efficiency cannot be evaluated

The evaluation of employee efficiency, cost consumption data, tool quality, labor efficiency output, and other data are all subject to subjective judgment, which is neither objective nor scientific

VS

Now

Visual Data Analysis Report –Employee Efficiency Assessment

Employee material ranking evaluation board, real-time calculation and display of daily, weekly, and monthly costs, and data analysis such as human and machine input-output efficiency provide scientific decision-making basis



Special features enhance tool management efficiency

Permission management, quantity control

The number of tools borrowed by employees and not returned reaches a certain threshold
Restrict its further exploitation of others' resources
Employee grouping management, setting up different groups of employees who can receive cutting tools

Urge employees to return the tools in a timely manner
Improve the level of fine management in the workshop to prevent the generation of dead stock





Special features enhance tool management efficiency

Email Alert Notification – Inventory Light Alert

The system automatically schedules the push of tool inventory status, enabling administrators to promptly request procurement and replenishment orders, thereby ensuring that production schedules are met on time.



Special features enhance tool management efficiency

Multi-Functional Cabinet

Public temporary storage: The use of public supplies can be traced back to individuals. Personal temporary storage: It greatly facilitates employees in storing items such as measuring tools and calipers
Personal temporary storage: Provides storage function for personal tools (or personal belongings) collected by individuals
Tool return bin: Materials that exceed the size of the spiral conveyor, such as materials with larger specifications and sizes (tools/instruments, etc.), can be stored and retrieved separately using the tool return bin, with operation records available for inquiry.



Special features enhance tool management efficiency

Grinding and recycling bins

Depending on tool management requirements,
the tool administrator can at any time configure a tool storage cabinet compartment as a sharpening an d recycling compartment.This enables the full utilization of the tool cabinet's management capabilities, offering more flexible and adaptable tool management –allowing you to meet your tool management re quirements at the lowest cost.





Special features enhance tool management efficiency

Cost Reconciliation –Clear and Transparent

The material consumption cost is clear at a glance, and the reconciliation of supplier tool consumption is evident. There are clear accounts for inflows and outflows, eliminating disputes on a daily, weekly, and monthly basis.





INTELLIGENT TOOL CONSUMABLES MANAGEMENT

The intelligent tool/consumable/spare parts management system tailored for manufacturing companies helps factories improve workshop management level

- 24 Unattended operation per hour
- First-In,First-Out real-time warning
- Effective control of quantity and permissions
- There are still records to claim
- Visual statistical reports – all at a glance
- Support corporate culture promotion
- Consumable tools – Precise Recognition
- Diversified materials, one-stop management

Borrow and return as you go, keep track of your transactions

Previous management

Multiple warehouse managers working in 24-hour shifts result in high personnel costs

intelligent management

Simplify workflows by using material management software to automatically handle repetitive data entry tasks, significantly boosting efficiency and freeing employees from repetitive work, allowing them to focus on more valuable activities.

Manage both large and small materials

One-StopManagementforMaterialsof VariousSizesandSpecifications

Both light and heavy items can be placed here

By offering various cabinet types and different storage compartment configurations, the system accommodates materials of diverse specifications and sizes, enabling unified management and centralized inbound/outbound handling.
Inventory inbound and outbound transactions are synchronously uploaded to the digital management platform, enabling automatic calculation and automated data traceability.



Convenient, fast, and easy to operate

Previous management

- Registration takes 60 seconds per submission;
- Frequent requisition registration is troublesome, with missing records and inconsistent sizes

intelligent management

- Materialrequisition&return–completedinjust5–10secondswithautomaticstatisticalrecording;
- Automaticrecordingenablestraceablequeryingoftheissuancedateanduserinformationforcorresponding measuringinstruments;
itgeneratesreal-timeissuanceandreturnrecords,whichcanbequeriedandcannotbemanually altered.



Name	Material Code	Channel	Quantity	Operator	Work Order Type	Operation Time
Solenoid Valve	SLV-2401	Smart Recognition Cabinet-1-5	4	Matthew Harris	Replenishment	2026-09-02 14:06:34
Bearing 6202	BEA-6202	Smart Recognition Cabinet-1-2	2	Matthew Harris	Material taking	2026-09-02 13:48:36
Bearing 6202	BEA-6202	Smart Recognition Cabinet-1-5	4	Matthew Harris	Material taking	2026-09-02 13:48:36
Pneumatic Fitting	PNF-0604	Smart Recognition Cabinet-4-4	6	Matthew Harris	Material taking	2026-09-02 13:48:36
Pneumatic Fitting	PNF-0604	Smart Recognition Cabinet-3-3	1	Nicole Clark	Material taking	2026-09-02 13:48:14
Insulated Gloves	ISG-0001	Smart Recognition Cabinet-4-2	4	Nicole Clark	Material taking	2026-09-02 13:48:02
Cable Tie	CBT-1502	Smart Recognition Cabinet-2-1	1	Andrew Robinson	Material taking	2026-09-02 13:47:45
Solenoid Valve	SLV-2401	Smart Recognition Cabinet-4-3	2	Andrew Robinson	Material taking	2026-09-02 13:47:33
Pneumatic Fitting	PNF-0604	Smart Recognition Cabinet-5-2	2	Andrew Robinson	Material taking	2026-09-02 13:47:33
Insulated Gloves	ISG-0001	Smart Recognition Cabinet-4-2	1	Samantha Lee	Material taking	2026-09-02 13:47:09
Solenoid Valve	SLV-2401	Smart Recognition Cabinet-4-3	2	Samantha Lee	Material taking	2026-09-02 13:47:09
Cable Tie	CBT-1502	Smart Recognition Cabinet-2-1	2	Samantha Lee	Material taking	2026-09-02 13:46:53
Cable Tie	CBT-1502	Smart Recognition Cabinet-2-3	2	Samantha Lee	Material taking	2026-09-02 13:46:53
Insulated Gloves	ISG-0001	Smart Recognition Cabinet-2-	2	Christopher King	Material taking	2026-09-02 13:46:34

Effective control of the number of permissions

Previous management

- Forgottenreturn,difficulttotrace,oftenlost;
- achinventorycountresultedinlossesrangingfromRMB50,000toRMB10000

Intelligent Management

- The system is well-documented and traceable, with an exceptionally low loss rate of measuring tools, equipment, and consumables, down to zero
- Record the time, personnel, and other binding details in detail to prevent disputes
- Employee material requisition permissions and quantity limits can be set to prevent waste, save labor costs, eliminate tool loss, reduce factory management costs, achieve fine management of tools and materials, and reduce capital occupation



First-in, first-out real-time warning

Previous management

• A pile of old materials has accumulated, and new materials have been used up, leading to increased costs and persistently high scrap rates
• Insufficient materials, temporary procurement, employees with nothing to do, and temporary production line shutdowns due to material shortages have greatly impacted

intelligent management

• Implement first-in, first-out (FIFO) for material requisition, giving priority to using old materials to ensure reasonable consumption and facilitate the virtuous cycle of using both new and old materials
• Produce daily production flow sheets and notify production to pay attention to daily inventory consumption; provide real-time inventory alerts and notify warehouse management for replenishment Supplement materials in advance to ensure daily production without downtime or production halts





Visual statistical reports –Clear at a glance –Decision Support

Previous Management

• Monthly statistical reports take a long time to compile, the data is inaccurate, and there is a lag in data;
• Previously, manual registration and Excel search were used for control, which was time-consuming and laborious, and required dedicated personnel for management

intelligent management

• Automatically generate reports, making procurement, verification, and scrap costs clear at a glance;
• The efficiency of requisition has been significantly improved, reducing the time required for report generation, thus eliminating the need for dedicated personnel management



Consumable tools–Precise Recognition

High-Precision Gravity Sensing

Both 1g and 0.1g can be weighed out

Even When Items Are Placed in a Disorganized Manner, Precise Weighing Is Still Possible

Through high-precision gravity sensors, the weight and quantity of materials in the storage aisle are monito red in real-time, and the quantity picked up by employees is calculated in real-time, ensuring that only the n ecessary amount is taken
Synchronously upload to the digital management platform to achieve automatic inventory counting, reduci ng manual counting time, effort, and counting errors

Assist in corporate culture promotion --- enhance employees' sense of belonging

Integrate Corporate Culture Into Frontline Workshops and Production Lines

Real-Time Distribution of Holiday Notices and Internal Corporate Announcements

Companiescanuploadimages,videos,orothermediafilesasneedtopromotevariousaspectsoftheirbusiness

We can integrate with mainstream business system software such as ERP, MES, and WMS

SAP

OA

钉钉 企业微信

DesignedtoMeettheDiverseNeedsofVariousIndustries,ItSupportsSoftware CustomizationasWellastheCustomizedIntegrationofMultipleTypesofSmartHardware



Custom Software Development

System Platform Modular Architecture

face recognition

Electronic Indicative Label

Weighing Sensor



5G Visual Recognition

INDUSTRY SCENARIO

Application Area

精密机械加工

汽车零部件



模具制造

轨道交通

机械设备制造

医疗器械

3C电子

精密零件

教育科研

航天航空

Applicable Materials

CNC cutting tools

jig and fixture

power tool



Molds and Accessories

spare parts

labour protection supplies

fastener

Bearings and seals

Electrical auxiliary materials

Workpiece measuring tools

Medical consumables

office supplies

The common choice of eading enterprises

SIEMENS 西门子 | Schneider Electric 施耐德电气 | SKF | 台达 DELTA | Epiroc | CAT
Parker 美国派克 | 中国中车 CRRC | 上海电气 SHANGHAI ELECTRIC | 哈电集团 | 双环传动 SHUANGHUAN COMPANY | 豪迈集团 HIMILE GROUP
IR Ingersoll Rand | XCMG 徐工集团 | TZ 太原重工股份有限公司 TAIYUAN HEAVY INDUSTRY CO.,LTD | 新誉集团 New United Group | Hengli | YONGGUI
BAOWU 宝武集团 | 坚德利 | BYD 比亚迪汽车 BYD AUTO | DEEPBIT | Wheatstone 江苏惠斯通 | Goldenconn 祥龙股份
中国航空工业集团有限公司 AVIATION INDUSTRY CORPORATION OF CHINA, LTD. | CHALCO 中国铝业股份有限公司 ALUMINUM CORPORATION OF CHINA LIMITED | ZTT 中天科技 | Basic 银宝山新 | 伟创力集团 FLEXTRONICS | 万向集团 WANXIANG GROUP
今创控股 KTK HOLDING | TRATE | MLOPTIC 微莱 | 中国国家铁路集团有限公司 CHINA RAILWAY | WEIMA | CAM 机械科学研究院（集团）
百奥石油 BAIHUA OIL | TMB | 固高科技 GOOGOLTECH | KNORR BREMSE | 恒威 HENGWEI | POWER 华丰动力
郑煤机 | 天马集团 TIANMA GROUP | LiuGong 柳工 | 天石源 | 中粮 COFCO | 东风汽车 DONGFENG MOTOR

Customer On-Site Case

CUSTOMER CASE

-30% Reduced warehousing costs

+40% Enhanced operational efficiency

+50% Data accuracy

A machinery processing enterprise in Henan, established in 1999, boasts 30 years of processing and manufacturing experience, exquisite technology, and top-notch processing equipment. It rigorously ensures processing accuracy, implements digital Manufacturing Execution System (MES), achieves 24-hour monitoring, and serves customers with numerous advantages such as high quality, short delivery time, and comprehensive after-sales service. Amidst the wave of digitalization, it is paying increasing attention to lean tool management



Customer pain points

• Tool requisition takes a long time. To keep up with the production schedule, employees often have to rush to the warehouse to register and collect tools, which the administrator verifies daily data
• The daily inflow and outflow of various cutting tools requires secondary analysis, consuming a significant amount of effort

solution

• Place the tool cabinet next to the production line, so that employees can quickly and easily retrieve tools
• The tool cabinet system automatically records the type, quantity, and personnel of tool requisition, and generates statistical reports in real time

Feedback Effectiveness

Usingthisisveryconvenient–Icanhandleeverything,fromtoolretrievalandretractiontodatastatistics allbymyself.

— WarehouseKeeper:Ms.Wang

-30% Reduced warehousing costs

+50% Enhanced operational efficiency

+40% Data accuracy

GuangdongMotorGroup,arenownedenterprise,commenceditsoperationsinChinain1995andservesasapartnerintheglobalautomotiveindustry,supplyingdoorsystems,trunkdoorsystems,seat frames,andelectronicdrivesystemstoover80automotivemanufacturersandmorethan30suppliersworldwide.TheGroup's warehousingcenterhandlesawidevarietyofmaterialsandinvolves complexinventorymanagement;furthermore,theemployeematerial requisitionprocessiscumbersome.Inactualproduction,duringtheshift handoverbetweendayandnightshifts,themanagementof"shared consumables+materials"oftenleadstochaoticoversight,discrepancies betweenrecordedandphysicalinventory,anddifficultiesin traceability–creatinganurgentneedforrefinedmanagementpractices.

Customer pain points

inaccurate requisition data and difficulties in monthly inventory statistics;
• There are frequent cases of employees repeatedly and excessively receiving materials, resulting in severe material waste, and it is impossible to monitor employees' non-standard behavior in material requisition;
• Valuable consumables such as thermocouples, titanium alloys, and nozzles are used frequently and are managed and distributed by the warehouse keeper in a unified manner, resulting in a heavy and tedious workload for the warehouse keeper

solution

Organize material statistics, and place a drawer cabinet and a weighing material cabinet in the workshop to manage commonly used and valuable materials;
• The material cabinet is unattended 24 hours a day, allowing employees to access and use as needed, with dedicated personnel managing the costs;
• Set material requisition permissions for each employee, strictly controlling the quantity and type of materials requisitioned by employees;
• The employee requisition data is automatically recorded in the system, ensuring accurate and visible data. Monthly and annual inventory checks can be easily managed

Feedback Effectiveness

It's much more convenient not having to have someone monitor the distribution of materials every day, and there's significantly less waste each month.

— Workshop Supervisor – Supervisor Liu

-20% Reduced warehousing costs

+40% Enhanced operational efficiency

+50% Data accuracy

JiangsuElectronicTechnologyCo.,Ltd.: Thecompanyspecializesinthe research,development, andmanufacturingofinnovativeelectronic components (includingchip-basedcomponents,sensitivecomponents, andhybridintegratedcircuits). Itsprimaryclientsincludeglobal leadingelectricalappliancemanufacturerssuchasGE,NEC, IBM,Apple,Foxconn,SONY,andWhirlpool. Thecompanyhandlesavast rangeofmaterialswithcomplexspecificationsandacumber some materialrequisitionprocess.Duetothesplit-shiftworkschedule,day-shiftpersonnelarerequiredtorequisitionmaterialsfortheni ghtshift inadvance, whichresultsinacumbersomematerialrequisition procedureandnecessitateseffectivecostcontrolmeasures.

Customer pain points

• There are many types of accessories and they are small in size, making the warehouse cluttered. The daily inventory checking by warehouse staff is time-consuming and laborious, and they cannot timely kn ow the actual inventory of each accessory;
• Employees frequently collect equipment accessories, and each time they need to spend a certain amo unt of time to retrieve the corresponding accessories;
• The storage of exclusive and specialized accessories is not standardized, often being scattered and ma king it difficult to retrieve

solution

Based on the frequency of material usage in its workshop, two intelligent material cabinets with a total of 204 storage locations are equipped to manage all accessories;
•The back-end system automatically records the usage of various molds, allowing real-time monitoring of mold inventory;
•Warehouse keepers do not need to specifically manage employees' mold requisition. Employees can self-service the requisition and return process, with each requisition taking only 30 seconds;
•Unified specification batch management, where employees receive one batch at a time

Feedback Effectiveness

With this material cabinet, you no longer have to worry about production being affected by missing molds

— WarehouseKeeper:Mr.Cheng

SERVICE GUARANTEE

Service guarantee - supporting independent industrial chain



Service guarantee - shop with peace of mind

Free Software Updates

Weofferafreesoftwareupdateservice,regularlyr eleasingnew versionsthatincludefeatureenhanc ements,vulnerabilityfixes,andmore;wealsoprovi defreesystemintegrationinterfaces,enablingcus tomerstomanagetheirdataeffortlessly.

Hardware Failure – Replace With New Unit

Weofferahardwarefailurereplacementservice:if yourdevicemalfunctions,itwillbereplacedfreeof chargeuponconfirmation,swiftlyresolvingtheiss ue andensuringaseamlessuserexperience.

Demand-Driven R&D

Collectreal-timecustomerfeedbackand requirements,identifycommoncustomerneeds, optimizeourproducts,andsupportourcustomers ontheirjourneyofgrowth.

Customer Training Services

Weprovidecustomerswithprofessionalone-on-o netraining servicescoveringproductknowledge, usageinstructions,and otherrelevanttopics,help ingthemmasterthenecessaryskills moreeffectiv elyandenhancetheiroverallusageexperience.