DBSeeder - Release Notes

build passing release v3.0.2 release date last monday github repo or version not found

Version 3.0.3

Release Date: 11.09.2021

System Requirements

• Operating system: any Java-enabled Linux, Mac or Windows variant

• Docker Desktop Community: 4.0.0 (e.g. from Docker for Windows release notes)

- Eclipse IDE: 2021.06 (e.g. from Eclipse Download Page)
- Gradle Build Tool: 7 (e.g. from here)
- Java Development Kit 16, (e.g. from here)
- an environment variable called HOME_ECLIPSE that points to the installation directory of Eclipse IDE, e.g.: C:\Software\eclipse\java-2021-06\eclipse

New Features

 Automatic creation of statistics files regarding improvement with and without constraints and total overview of all releases

Open issues

CockroachDB: (see here)

• HSQLDB: (see here)

• IBM Db2 Database: (see here)

OmnisciDB: (see here)

trino: (see here)VoltDB: (see here)

Windows 10 Performance Snapshot

The finishing touch to the work on a new release is a test run with all databases under identical conditions on three different systems - Ubuntu 20.04 via VMware and WSL2, Windows 10. The measured time includes the total time required for the DDL effort (database, schema, user, 5 database tables) and the DML effort (insertion of 7011 rows). The hardware used includes an AMD Ryzen 9 5950X CPU with 128GB RAM. The tests run exclusively on the computer in each case. The detailed results can be found in the DBSeeder repository in the resources/statistics directory.

The following table shows the results of the Windows 10 run. If the database can run with both activated and deactivated constraints (foreign, primary and unique key), the table shows the better value and in the column Improvement the relative value to the worse run. For example, the MonetDB database is faster with inactive constraints by 9.2% compared to the run with activated constraints.

DBMS	Туре	ms	Constraints	Improvement (%)
HSQLDB	embedded	2'864	active	
H2 Database Engine	embedded	2 ' 976	active - no choice	
TimescaleDB	client	3 ′ 797	inactive	10.1
PostgreSQL	client	3 ′ 804	inactive	3.5
MariaDB Server	client	3 ′ 815	active	-73.7
AgensGraph	client	3 ' 987	inactive	3.4
Exasol	client	4 ′ 195	active	-4.0
SQLite	embedded	4′426	active - no choice	
MS SQL Server	client	5 ′ 300	active	-3.2
CrateDB	client	5 ′ 342	active - no choice	
CockroachDB	client	5 ′ 630	active - no choice	
CUBRID	client	6 ' 456	active	-5.0
Percona Server for MySQL	client	6'614	active	-200.4
MySQL Database	client	7 ' 636	active	-147.4
H2 Database Engine	client	7 ′ 648	active - no choice	
MonetDB	client	8'844	inactive	7.1
Mimer SQL	client	9'286	active	-2.4
Oracle Database	client	12 ′ 808	active	-26.7
YugabyteDB	client	13 ′ 055	inactive	3.4
Apache Derby	client	15 ' 405	active	-3.2 -12.3
Apache Derby	embedded	16 ′ 202	active	-12.3
HSQLDB	client	17 ' 952	active	-3.5
IBM Informix	client	19 ' 946	active	-0.6
IBM Db2 Database	client	23 ′ 578	active	-3.1
OmniSciDB	client	37 ′ 538	active - no choice	
Firebird	client	76 ′ 446	inactive	18.4
PostgreSQL	trino	510'823	active - no choice	
MySQL Database	trino	1 ' 035 ' 999	active - no choice	
MS SQL Server	trino	1 ' 049 ' 892	active - no choice	
Oracle Database	trino	1 ′ 877 ′ 924	active - no choice	

- DBMS official DBMS name
- Type client version, embedded version or via trino
- ms total time of DDL and DML operations in milliseconds
- **Constraints** DML operations with active or inactive constraints (foreign, primary and unique key)
- Improvment improvement of total time if constraints are inactive

Detailed Open Issues

CockroachDB

• Issue: dropping and restoring the same index - SQL statement DROP INDEX constraint_kxn_2 CASCADE (see here).

HSQLDB

• Issue: java.sql.SQLSyntaxErrorException: user lacks privilege or object not found: SYS IDX KXN 26 10100 (see here).

```
2021-09-06 12:03:53,676 [DatabaseSeeder.java] INFO
tickerSymbolAnyCase='hsqldb_emb'
    2021-09-06 12:03:53,676 [DatabaseSeeder.java] INFO Start HSQLDB [embedded]
    2021-09-06 12:03:53,680 [AbstractDbmsSeeder.java] INFO tickerSymbolIntern
=hsqldb
    2021-09-06 12:03:53,688 [AbstractJdbcSeeder.java] INFO tickerSymbolExtern
=hsqldb emb
    java.sql.SQLSyntaxErrorException: user lacks privilege or object not found:
SYS_IDX_KXN_26_10100
        at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
        at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
        at org.hsqldb.jdbc.JDBCStatement.fetchResult(Unknown Source)
        at org.hsqldb.jdbc.JDBCStatement.execute(Unknown Source)
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.executeSQLStmnts(AbstractJdbcSeede
r.java:1351)
        at
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.dropTableConstraints(AbstractJdbcS
eeder.java:1220)
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.createData(AbstractJdbcSeeder.java
:420)
        at ch.konnexions.db seeder.DatabaseSeeder.main(DatabaseSeeder.java:168)
        Caused by: org.hsqldb.HsqlException: user lacks privilege or object not
found: SYS_IDX_KXN_26_10100
        at org.hsqldb.error.Error.error(Unknown Source)
        at org.hsqldb.error.Error.error(Unknown Source)
        at org.hsqldb.SchemaManager.getSchemaObject(Unknown Source)
        at org.hsqldb.ParserDQL.readSchemaObjectName(Unknown Source)
        at org.hsqldb.ParserDDL.compileAlterTableDropConstraint(Unknown Source)
        at org.hsqldb.ParserDDL.compileAlterTable(Unknown Source)
        at org.hsqldb.ParserDDL.compileAlter(Unknown Source)
        at org.hsqldb.ParserCommand.compilePart(Unknown Source)
        at org.hsqldb.ParserCommand.compileStatements(Unknown Source)
        at org.hsqldb.Session.executeDirectStatement(Unknown Source)
        at org.hsqldb.Session.execute(Unknown Source)
        ... 6 more`
```

IBM Db2 Database

• Issue: Docker image from docker pull ibmcom/db2:11.5.6.0 (see here).

OmniSciDB

Issue: connection problem with existing OmnisciDB (see here).

trino

- Issue: all connectors: absolutely unsatisfactory performance (see here).
- Issue: Oracle connector: Oracle session not disconnected (see here).
- Issue: Oracle connector: Support Oracle's NUMBER data type (see here).

VoltDB

• Issue: Java 16 not yet supported: java.lang.NullPointerException: Cannot invoke "io.netty_voltpatches.NinjaKeySet.size()" because "this.m_ninjaSelectedKeys" is null

```
2021-09-02 03:39:41,112 [DatabaseSeeder.java] INFO
tickerSymbolAnyCase='voltdb'
    2021-09-02 03:39:41,112 [DatabaseSeeder.java] INFO Start VoltDB
    2021-09-02 03:39:41,117 [AbstractDbmsSeeder.java] INFO tickerSymbolIntern
=voltdb
    2021-09-02 03:39:41,127 [AbstractJdbcSeeder.java] INFO tickerSymbolExtern
=voltdb
    java.lang.NullPointerException: Cannot invoke
"io.netty_voltpatches.NinjaKeySet.size()" because "this.m_ninjaSelectedKeys" is
null
org.voltcore.network.VoltNetwork.optimizedInvokeCallbacks(VoltNetwork.java:478)
        at org.voltcore.network.VoltNetwork.run(VoltNetwork.java:329)
        at java.base/java.lang.Thread.run(Thread.java:831)
    Sept. 02, 2021 3:39:41 AM org.voltcore.logging.VoltUtilLoggingLogger log
    SEVERE: NULL: Throwable: java.lang.NullPointerException: Cannot invoke
"io.netty_voltpatches.NinjaKeySet.size()" because "this.m_ninjaSelectedKeys" is
nul1
    java.lang.NullPointerException: Cannot invoke
"io.netty voltpatches.NinjaKeySet.size()" because "this.m ninjaSelectedKeys" is
null
org.voltcore.network.VoltNetwork.optimizedInvokeCallbacks(VoltNetwork.java:478)
        at org.voltcore.network.VoltNetwork.run(VoltNetwork.java:329)
        at java.base/java.lang.Thread.run(Thread.java:831)
    Sept. 02, 2021 3:39:41 AM org.voltcore.logging.VoltUtilLoggingLogger log
    SEVERE: NULL: Throwable: java.lang.NullPointerException: Cannot invoke
"io.netty_voltpatches.NinjaKeySet.size()" because "this.m_ninjaSelectedKeys" is
null
```