

Header 1

Header 2

Seite 1 Zeile 1 This chapter uses Volto to change displaying the dates in
Seite 1 Zeile 2 talkview and talklistview. To meet the same requirements in
Seite 1 Zeile 3 classic Plone see the chapter Turning Talks into Events.

Footer 1

Footer 2

Header 1

Header 2

Seite 2 Zeile 1 We use a technique called component shadowing to override an
Seite 2 Zeile 2 existing Volto component with our local custom version, without
Seite 2 Zeile 3 having to modify Volto's source code at all. You have to place the

Footer 1

Footer 2

Header 1

Header 2

Seite 3 Zeile 1 replacing component in the same original folder path inside the
Seite 3 Zeile 2 We start with the first case and change the font to another Google
Seite 3 Zeile 3 font, Lato. The overall font is defined in Volto and can be found in

Footer 1

Footer 2

Header 1

Header 2

Seite 4 Zeile 1 This chapter uses Volto to change displaying the dates in
Seite 4 Zeile 2 talkview and talklistview. To meet the same requirements in
Seite 4 Zeile 3 classic Plone see the chapter Turning Talks into Events.

Footer 1

Footer 2

Header 1

Header 2

Seite 5 Zeile 1 We use a technique called component shadowing to override an
Seite 5 Zeile 2 existing Volto component with our local custom version, without
Seite 5 Zeile 3 having to modify Volto's source code at all. You have to place the

Footer 1

Footer 2