

Header 1

Header 2

Contents	
Heading 1.1	2
Heading 2.1	2
Heading 2.2 ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ...	3

Footer 1

Footer 2

Header 1

Header 2

Heading 1.2	3
Heading 1.3	4
Heading 2.3	5
Heading 2.4	6

Footer 1

Footer 2

Header 1

Header 2

Heading 1.1

Seite 1 Zeile 1 This chapter uses Volto to change displaying the dates in

Heading 2.1

Seite 1 Zeile 2 talkview and talklistview. To meet the same requirements in

- Bullet 1
- Bullet 2
- Bullet 3

Seite 1 Zeile 3 classic Plone see the chapter Turning Talks into Events.

Footer 1

Footer 2

Header 1

Header 2

Seite 2 Zeile 1 We use a technique called component shadowing to override an

Heading 2.2

Seite 2 Zeile 2 existing Volto component with our local custom version, without

Heading 1.2

Seite 2 Zeile 3 having to modify Volto's source code at all. You have to place the

1. Numbered 1
2. Numbered 2
3. Numbered 3

Footer 1

Footer 2

Header 1

Header 2

Heading 1.3

Seite 3 Zeile 1 replacing component in the same original folder path inside the

Seite 3 Zeile 2 We start with the first case and change the font to another Google

Seite 3 Zeile 3 font, Lato. The overall font is defined in Volto and can be found in

Footer 1

Footer 2

Header 1

Header 2

Heading 2.3

Seite 1 Zeile 1 This chapter uses Volto to change displaying the dates in
Seite 1 Zeile 2 talkview and talklistview. To meet the same requirements in
Seite 1 Zeile 3 classic Plone see the chapter Turning Talks into Events.

Footer 1

Footer 2

Header 1

Header 2

Heading 2.4

Seite 2 Zeile 1 We use a technique called component shadowing to override an
Seite 2 Zeile 2 existing Volto component with our local custom version, without
Seite 2 Zeile 3 having to modify Volto's source code at all. You have to place the

Footer 1

Footer 2