

Heading 1.0	3
Heading 1.1	3
Heading ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... 1.2.....	4
Heading 2.0	4
Heading 2.1	5

Header 1

Header 2

Heading 2.3	6
Heading 2.4	7

Heading 1.0

Seite 1 Zeile 1 This chapter uses Volto to change displaying the dates in

Heading 1.1

Seite 1 Zeile 2 talkview and talklistview. To meet the same requirements in

- Bullet 1
- Bullet 2
- Bullet 3

Seite 1 Zeile 3 classic Plone see the chapter Turning Talks into Events.

Header 1

Header 2

Seite 2 Zeile 1 We use a technique called component shadowing to override an

Heading ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... sehr lang ... 1.2

Seite 2 Zeile 2 existing Volto component with our local custom version, without

Heading 2.0

Seite 2 Zeile 3 having to modify Volto's source code at all. You have to place the

1. Numbered 1
2. Numbered 2
3. Numbered 3

Footer 1

Footer 2

Header 1

Header 2

Heading 2.1

Seite 3 Zeile 1 replacing component in the same original folder path inside the

Seite 3 Zeile 2 We start with the first case and change the font to another Google

Seite 3 Zeile 3 font, Lato. The overall font is defined in Volto and can be found in

Footer 1

Footer 2

Header 1

Header 2

Heading 2.3

Seite 1 Zeile 1 This chapter uses Volto to change displaying the dates in
Seite 1 Zeile 2 talkview and talklistview. To meet the same requirements in
Seite 1 Zeile 3 classic Plone see the chapter Turning Talks into Events.

Footer 1

Footer 2

Header 1

Header 2

Heading 2.4

Seite 2 Zeile 1 We use a technique called component shadowing to override an
Seite 2 Zeile 2 existing Volto component with our local custom version, without
Seite 2 Zeile 3 having to modify Volto's source code at all. You have to place the

Footer 1

Footer 2