DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
10	**document**	**document**		container for document	dict	TET
11	document	createdAt		created at (DD.MM.YY HH:MM:SS)	str	system
11	document	createdBy		created by module	str	system
11	document	modifiedAt	x	last modified at (DD.MM.YY HH:MM:SS)	str	system
11	document	modifiedBy	x	last modified by module	str	system
11	document	noFonts	x	number fonts	int	TET
11	document	noFooters		number footers per page	int	LT
11	document	noHeaders		number headers per page	int	LT
11	document	noLines		number lines in document	int	TET
11	document	noLinesFooter		number footer lines	int	LT
11	document	noLinesHeader		number header lines	int	LT
11	document	noLinesHeading	x	number heading lines	int	LT
11	document	noLinesListBullet	x	number bulleted list lines	int	LT
11	document	noLinesListNumber	x	number numbered list lines	int	LT
11	document	noLinesTable		number table lines	int	LT
11	document	noLinesToc	x	number toc lines	int	LT
11	document	noListsBullet	x	number bulleted lists	int	LT
11	document	noListsNumber	x	number numbered lists	int	LT
11	document	noPages		number pages in document	int	TET
11	document	noParas		number paragraphs in document	int	TET
11	document	noSentences	x	number sentences in document	int	spaCy
11	document	noTables		number tables in document	int	LT
11	document	noWords		number words in document	int	TET
19	document	config	x	container for configuration	dict	TET
19	document	fonts	x	container for fonts	list	TET
19	document	headings		container for headings	list	TET
19	document	listsBullet		container for bulleted lists	list	TET
19	document	listsNumber		container for numeredd lists	list	TET
19	document	pages		container for pages	list	TET
19	document	params	x	container for parameters	dict	TET
20	**config**	**config**	x	container for configuration	dict	TET
21	config	parser		container for module parser	dict	TT
21	config	tokenizer		container for module tokenizer	dict	TET
22	config	jsonInclConfig		include the configuration data in the JSON file	bool	setup
22	config	jsonInclFonts		include the font data in the JSON file	bool	setup
22	config	jsonInclHeading		include the heading data in the JSON file	bool	setup
22	config	jsonInclListBullet		include the bulleted list data in the JSON file	bool	setup
22	config	jsonInclListNumber		include the numbered list data in the JSON file	bool	setup

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
22	config	`jsonInclParams`		include the parameters in the JSON file	bool	setup
22	config	`jsonInclSentences`		include the sentences in the JSON file	bool	setup
22	config	`jsonIndent`		Improves the readability of the JSON file	int	setup
22	config	`jsonSortKeys`		Sort the keys in ascending order	bool	setup
22	config	`ltFooterMaxDistance`		maximum Levenshtein distance for a footer line	int	setup
22	config	`ltFooterMaxLines`		maximum number of footers	int	setup
22	config	`ltHeaderMaxDistance`		Maximum Levenshtein distance for a header line	int	setup
22	config	`ltHeaderMaxLines`		Maximum number of headers	int	setup
22	config	`ltHeadingFileInclNoCtx`		number of lines following the heading to be included as context into the JSON file	bool	setup
22	config	`ltHeadingFileInclRegexp`		number of lines following the heading to be included as context into the JSON file	bool	setup
22	config	`ltHeadingMaxLevel`		maximum level of the heading structure	int	setup
22	config	`ltHeadingMinPages`		minimum number of pages to determine the headings	int	setup
22	config	`ltHeadingRuleFile`		file with rules to determine the headings	bool	setup
22	config	`ltHeadingToleranceLlx`		tolerance of vertical indentation in percent	int	setup
22	config	`ltListBulletMinEntries`		minimum number of entries to determine a bulleted list	int	setup
22	config	`ltListBulletRuleFile`		file with rules to determine the bulleted lists	bool	setup
22	config	`ltListBulletToleranceLlx`		tolerance of vertical indentation in percent	bool	setup
22	config	`ltListNumberFileInclRegexp`		if it is set to true, the regular expression for the numbered list is included in the JSON file	bool	setup
22	config	`ltListNumberMinEntries`		minimum number of entries to determine a numbered list	bool	setup
22	config	`ltListNumberRuleFile`		file with rules to determine the numbered lists	bool	setup
22	config	`ltListNumberToleranceLlx`		tolerance of vertical indentation in percent	bool	setup

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
22	config	ltTableFileInclEmptyColumns		if it is set to true, the empty ells are included in the separate JSON file with the tables	bool	setup
22	config	ltTocLastPage		maximum number of pages for the search of the TOC (from the beginning)	bool	setup
22	config	ltTocMinEntries		minimum number of TOC entries	bool	setup
22	config	spacyIgnoreBracket		ignore the tokens which are brackets ?	bool	setup
22	config	spacyIgnoreLeftPunct		ignore the tokens which are left punctuation marks, e.g. "(" ?	bool	setup
22	config	spacyIgnoreLineTypeFooter		ignore the tokens from line type footer ?	bool	setup
22	config	spacyIgnoreLineTypeHeader		ignore the tokens from line type header ?	bool	setup
22	config	spacyIgnoreLineTypeHeading		ignore the tokens from line type heading ?	bool	setup
22	config	spacyIgnoreLineTypeListBullet		ignore the tokens from line type bulleted list ?	bool	setup
22	config	spacyIgnoreLineTypeListNumber		ignore the tokens from line type numbered list ?	bool	setup
22	config	spacyIgnoreLineTypeTable		ignore the tokens from line type table ?	bool	setup
22	config	spacyIgnoreLineTypeToc		ignore the tokens from line type TOC ?	bool	setup
22	config	spacyIgnorePunct		ignore the tokens which are punctuations ?	bool	setup
22	config	spacyIgnoreQuote		ignore the tokens which are quotation marks ?	bool	setup
22	config	spacyIgnoreRightPunct		ignore the tokens which are right punctuation marks, e.g. ")" ?	bool	setup
22	config	spacyIgnoreSpace		ignore the tokens which consist of whitespace characters ?	bool	setup
22	config	spacyIgnoreStop		ignore the tokens which are part of a "stop list" ?	bool	setup
22	config	spacyTknAttrCluster		brown cluster ID	bool	setup
22	config	spacyTknAttrDep_		syntactic dependency relation	bool	setup
22	config	spacyTknAttrDoc		the parent document	bool	setup
22	config	spacyTknAttrEntIob_		IOB code of named entity tag	bool	setup
22	config	spacyTknAttrEntKbId_		knowledge base ID that refers to the named entity this token is a part of, if any	bool	setup

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
22	config	`spacyTknAttrEntType_`		named entity type	bool	setup
22	config	`spacyTknAttrHead`		the syntactic parent, or "governor", of this token	bool	setup
22	config	`spacyTknAttrI`		the index of the token within the parent document	bool	setup
22	config	`spacyTknAttrIdx`		the character offset of the token within the parent document	bool	setup
22	config	`spacyTknAttrIsAlpha`		does the token consist of alphabetic characters?	bool	setup
22	config	`spacyTknAttrIsAscii`		does the token consist of ASCii characters?	bool	setup
22	config	`spacyTknAttrIsBracket`		is the token a bracket?	bool	setup
22	config	`spacyTknAttrIsCurrency`		is the token a currency symbol?	bool	setup
22	config	`spacyTknAttrIsDigit`		does the token consist of digits?	bool	setup
22	config	`spacyTknAttrIsLeftPunct`		is the token a left punctuation mark, e.g. "(" ?	bool	setup
22	config	`spacyTknAttrIsLower`		is the token in lowercase?	bool	setup
22	config	`spacyTknAttrIsOov`		is the token out-of-vocabulary?	bool	setup
22	config	`spacyTknAttrIsPunct`		is the token punctuation?	bool	setup
22	config	`spacyTknAttrIsQuote`		is the token a quotation mark?	bool	setup
22	config	`spacyTknAttrIsRightPunct`		is the token a right punctuation mark, e.g. ")" ?	bool	setup
22	config	`spacyTknAttrIsSentEnd`		does the token end a sentence?	bool	setup
22	config	`spacyTknAttrIsSentStart`		does the token start a sentence?	bool	setup
22	config	`spacyTknAttrIsSpace`		does the token consist of whitespace characters?	bool	setup
22	config	`spacyTknAttrIsStop`		is the token part of a "stop list"?	bool	setup
22	config	`spacyTknAttrIsTitle`		is the token in titlecase?	bool	setup
22	config	`spacyTknAttrIsUpper`		is the token in uppercase?	bool	setup
22	config	`spacyTknAttrLang_`		language of the parent document's vocabulary	bool	setup
22	config	`spacyTknAttrLeftEdge`		the leftmost token of this token's syntactic descendants	bool	setup
22	config	`spacyTknAttrLemma_`		base form of the token, with no inflectional suffixes	bool	setup
22	config	`spacyTknAttrLex`		the underlying lexeme	bool	setup

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
22	config	spacyTknAttrLexId		sequential ID of the token's lexical type, used to index into tables, e.g. for word vectors	bool	setup
22	config	spacyTknAttrLikeEmail		does the token resemble an email address?	bool	setup
22	config	spacyTknAttrLikeNum		does the token represent a number?	bool	setup
22	config	spacyTknAttrLikeUrl		does the token resemble a URL?	bool	setup
22	config	spacyTknAttrLower_		lowercase form of the token text	bool	setup
22	config	spacyTknAttrMorph		morphological analysis	bool	setup
22	config	spacyTknAttrNorm_		the token's norm, i.e. a normalized form of the token text	bool	setup
22	config	spacyTknAttrOrth_		verbatim text content	bool	setup
22	config	spacyTknAttrPos_		coarse-grained part-of-speech from the Universal POS tag set	bool	setup
22	config	spacyTknAttrPrefix_		a length-N substring from the start of the token	bool	setup
22	config	spacyTknAttrProb		smoothed log probability estimate of token's word type	bool	setup
22	config	spacyTknAttrRank		sequential ID of the token's lexical type, used to index into tables, e.g. for word vectors	bool	setup
22	config	spacyTknAttrRightEdge		the rightmost token of this token's syntactic descendants	bool	setup
22	config	spacyTknAttrSent		the sentence span that this token is a part of	bool	setup
22	config	spacyTknAttrSentiment		a scalar value indicating the positivity or negativity of the token	bool	setup
22	config	spacyTknAttrShape_		transform of the token's string to show orthographic features	bool	setup
22	config	spacyTknAttrSuffix_		length-N substring from the end of the token	bool	setup
22	config	spacyTknAttrTag_		fine-grained part-of-speech	bool	setup
22	config	spacyTknAttrTensor		the token's slice of the parent doc's tensor	bool	setup
22	config	spacyTknAttrText		verbatim text content	bool	setup
22	config	spacyTknAttrTextWithWs		text content, with trailing space character if present	bool	setup

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
22	config	`spacyTknAttrVocab`		the vocab object of the parent doc	bool	setup
22	config	`spacyTknAttrWhitespace_`		trailing space character if present	bool	setup
30	**font**	**font**	x	container for font	dict	TET
31	font	`embedded`		embedded	bool	TET
31	font	`fontNo`		font number in document	int	TET
31	font	`fullName`		font full name	str	TET
31	font	`id`		font identification	str	TET
31	font	`italicAngle`		font italic angle	float	TET
31	font	`name`		font name	str	TET
31	font	`type`		font type	str	TET
31	font	`weight`		font weight	float	TET
40	**heading**	**heading**	x	container for headings	dict	LT
41	entry	`ctxtLine1`		1. context line	str	LT
41	entry	`ctxtLine2`		2. context line	str	LT
41	entry	`ctxtLine3`		3. context line	str	LT
41	**heading**	**toc**	x	container for toc	dict	LT
42	heading	entries		container for heading entries	list	LT
43	entry	entry		container for heading entry	dict	LT
43	entry	`level`		heading level	int	LT
43	entry	`lineNoPage`		line number in page	int	LT
43	entry	`pageNo`		page number in document	int	LT
43	entry	`regexp`	x	regular expression	str	LT
43	entry	`text`		heading text	str	LT
50	**list**	**bulleted list**	x	container for bulleted list	dict	LT
51	list	`format`		bullet format	str	LT
51	list	`listNo`		list number in document	int	LT
51	list	`noEntries`		number entries in list	int	LT
51	list	`pageNoFirst`		page number first entry	int	LT
51	list	`pageNoLast`		page number last entry	int	LT
52	list	entries		container for list entries	list	LT
53	entry	entry		container for bulleted list entry	dict	LT
53	entry	`entryNo`		entry number in list	int	LT
53	entry	`lineNoPageFirst`		first line in page	int	LT
53	entry	`lineNoPageLast`		last line in page	int	LT
53	entry	`pageNo`		page number in document	int	LT
53	entry	`paraNo`		paragraph number in page	int	LT
53	entry	`text`		list entry text	str	LT
60	**list**	**numbered list**	x	container for numbered list	dict	LT
61	list	`format`		bullet format	str	LT
61	list	`listNo`		list number in document	int	LT
61	list	`noEntries`		number entries in list	int	LT
61	list	`pageNoFirst`		page number first entry	int	LT
61	list	`pageNoLast`		page number last entry	int	LT
61	list	`regexp`	x	regular expression	str	LT
62	list	entries		container for list entries	list	LT

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
63	entry	entry		container for numbered list entry	dict	LT
63	entry	entryNo		entry number in list	int	LT
63	entry	lineNoPageFirst		first line in page	int	LT
63	entry	lineNoPageLast		last line in page	int	LT
63	entry	pageNo		page number in document	int	LT
63	entry	paraNo		paragraph number in page	int	LT
63	entry	text		list entry text	str	LT
70	**page**	**page**		container for page	dict	TET
71	page	lineNoFirst		number of first line in page	int	TET
71	page	lineNoLast		number of last line in page	int	TET
71	page	noLinesPage		number of lines in page	int	TET
71	page	noParasPage		number of paragraphs in page	int	TET
71	page	noWordsPage		number of words in page	int	TET
71	page	pageNo		page number in document	int	TET
71	page	paraNoFirst		number of first paragraph in page	int	TET
71	page	paraNoLast		number of last paragraph in page	int	TET
71	page	sentenceNoFirst		number of first sentence in page	int	spaCy
71	page	sentenceNoLast		number of last sentence in page	int	spaCy
71	page	wordNoFirst		number of first word in page	int	TET
71	page	wordNoLast		number of last word in page	int	TET
79	page	lines		container for lines	list	TET
79	page	paras		container for paragraphs	list	TET
80	**params**	**params**	x	container for parameters	dict	TET
81	params	parser		container for module parser	dict	TT
82	params	directoryName		file directory for intermediate files and final result files	str	params
82	params	documentId	x	document identification	int	params
82	params	environmentVariant		environment variant	str	params
82	params	fileNameCurr		name of input file	str	params
82	params	fileNameNext		name of output file	str	params
82	params	fileNameOrig		original file name	str	params
82	params	ltHeadingRequired		heading determination required	bool	params
82	params	ltListBulletRequired		bulleted list determination required	bool	params
82	params	ltListNumberRequired		numbered list determination required	bool	params
82	params	ltTableRequired		table determination required	bool	params
82	params	ltTocRequired		TOC determination required	bool	params
83	params	tokenizer		container for module tokenizer	dict	TET

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
100	**line**	**line**		container for lines	dict	TET
101	line	lineNo		line number in document	int	TET
101	line	lineNoPage		line number in page	int	TET
101	line	lineNoPara		line number in paragraph	int	TET
101	line	llx		x coordinate of the lower left corner	float	TET
101	line	noWordsLine		number of words in line	int	TET
101	line	pageNo		page number in document	int	TET
101	line	paraNo		paragraph number in document	int	TET
101	line	paraNoPage		paragraph number in page	int	TET
101	line	sentenceNo		sentence number in document	int	spaCy
101	line	tableCellNo		cell number in row	int	TET
101	line	tableCellSpan		cel span	int	TET
101	line	tableNo		table number in document	int	TET
101	line	tableRowNo		row number in table	int	TET
101	line	text		line text	str	TET
101	line	type		line type	str	TET, TL
101	line	urx		x coordinate of the upper right corner	float	TET
101	line	wordNoFirst		number word of first word in line	int	TET
101	line	wordNoLast		number word of last word in line	int	TET
101	line	wordNoParaFirst		word number in paragraph of first word in this line	int	TET
110	**para**	**para**		container for paragraph	dict	TET
111	para	lineNoFirst		number of first line in paragraph	int	TET
111	para	lineNoLast		number of last line in paragraph	int	TET
111	para	noLinesPara		number of lines in paragraph	int	TET
111	para	noWordsPara		number of words in paragraph	int	TET
111	para	pageNo		page number in document	int	TET
111	para	paraNo		paragraph number in document	int	TET
111	para	paraNoPage		paragraph number in page	int	TET
111	para	sentenceNoFirst		number of first sentence in paragraph	int	spaCy
111	para	sentenceNoLast		number of last sentence in paragraph	int	spaCy
111	para	tableCellNo		cell number in row	int	TET
111	para	tableCellSpan		cel span	int	TET
111	para	tableNo		table number in document	int	TET
111	para	tableRowNo		row number in table	int	TET
111	para	text		paragraph text	str	TET, spaCy

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
111	para	wordNoFirst		number of first word in paragraph	int	TET
111	para	wordNoLast		number of last word in paragraph	int	TET
119	para	sentences	x	container for sentences	list	spaCy
119	para	words		container for words	list	TET
120	**sentence**	**sentence**		container for sentences	dict	TET
121	sentence	sentenceNo		sentence number in document	int	TET
121	sentence	sentenceNoPage		sentence number in page	int	TET
121	sentence	sentenceNoPara		sentence number in paragraph	int	TET
121	sentence	text		sentence text	str	TET
121	sentence	wordNoFirst		number word of first word in sentence	int	TET
121	sentence	wordNoLast		number word of last word in sentence	int	TET
200	**word**	**word**		container for word	dict	TET
201	word	font	x	font identification	str	TET
201	word	lineNo		line number in document	int	TET
201	word	lineNoPage		line number in page	int	TET
201	word	llx		x coordinate of the lower left corner	float	TET
201	word	pageNo		page number in document	int	TET
201	word	paraNo		paragraph number in document	int	TET
201	word	sentenceNo		sentence number in document	int	spaCy
201	word	size	x	font size	float	TET
201	word	spacyTknAttrCluster		brown cluster ID	str	spaCy
201	word	spacyTknAttrDep_		syntactic dependency relation	str	spaCy
201	word	spacyTknAttrDoc		the parent document	str	spaCy
201	word	spacyTknAttrEntIob_		IOB code of named entity tag	str	spaCy
201	word	spacyTknAttrEntKbId_		knowledge base ID that refers to the named entity this token is a part of, if any	str	spaCy
201	word	spacyTknAttrEntType_		named entity type	str	spaCy
201	word	spacyTknAttrHead		the syntactic parent, or "governor", of this token	str	spaCy
201	word	spacyTknAttrI		the index of the token within the parent document	str	spaCy
201	word	spacyTknAttrIdx		the character offset of the token within the parent document	str	spaCy
201	word	spacyTknAttrIsAlpha		does the token consist of alphabetic characters?	bool	spaCy

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
201	word	spacyTknAttrIsAscii		does the token consist of ASCii characters?	bool	spaCy
201	word	spacyTknAttrIsBracket		is the token a bracket?	bool	spaCy
201	word	spacyTknAttrIsCurrency		is the token a currency symbol?	bool	spaCy
201	word	spacyTknAttrIsDigit		does the token consist of digits?	bool	spaCy
201	word	spacyTknAttrIsLeftPunct		is the token a left punctuation mark, e.g. "(" ?	bool	spaCy
201	word	spacyTknAttrIsLower		is the token in lowercase?	bool	spaCy
201	word	spacyTknAttrIsOov		is the token out-of-vocabulary?	bool	spaCy
201	word	spacyTknAttrIsPunct		is the token punctuation?	bool	spaCy
201	word	spacyTknAttrIsQuote		is the token a quotation mark?	bool	spaCy
201	word	spacyTknAttrIsRightPunct		is the token a right punctuation mark, e.g. ")" ?	bool	spaCy
201	word	spacyTknAttrIsSentEnd		does the token end a sentence?	bool	spaCy
201	word	spacyTknAttrIsSentStart		does the token start a sentence?	bool	spaCy
201	word	spacyTknAttrIsSpace		does the token consist of whitespace characters?	bool	spaCy
201	word	spacyTknAttrIsStop		is the token part of a "stop list"?	bool	spaCy
201	word	spacyTknAttrIsTitle		is the token in titlecase?	bool	spaCy
201	word	spacyTknAttrIsUpper		is the token in uppercase?	bool	spaCy
201	word	spacyTknAttrLang_		language of the parent document's vocabulary	str	spaCy
201	word	spacyTknAttrLeftEdge		the leftmost token of this token's syntactic descendants	str	spaCy
201	word	spacyTknAttrLemma_		base form of the token, with no inflectional suffixes	str	spaCy
201	word	spacyTknAttrLex		the underlying lexeme	str	spaCy
201	word	spacyTknAttrLexId		sequential ID of the token's lexical type, used to index into tables, e.g. for word vectors	str	spaCy
201	word	spacyTknAttrLikeEmail		does the token resemble an email address?	bool	spaCy
201	word	spacyTknAttrLikeNum		does the token represent a number?	bool	spaCy
201	word	spacyTknAttrLikeUrl		does the token resemble a URL?	bool	spaCy
201	word	spacyTknAttrLower_		lowercase form of the token text	str	spaCy
201	word	spacyTknAttrMorph		morphological analysis	str	spaCy

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
201	word	spacyTknAttrNorm_		the token's norm, i.e. a normalized form of the token text	str	spaCy
201	word	spacyTknAttrOrth_		verbatim text content	str	spaCy
201	word	spacyTknAttrPos_		coarse-grained part-of-speech from the Universal POS tag set	str	spaCy
201	word	spacyTknAttrPrefix_		a length-N substring from the start of the token	str	spaCy
201	word	spacyTknAttrProb		smoothed log probability estimate of token's word type	str	spaCy
201	word	spacyTknAttrRank		sequential ID of the token's lexical type, used to index into tables, e.g. for word vectors	str	spaCy
201	word	spacyTknAttrRightEdge		the rightmost token of this token's syntactic descendants	str	spaCy
201	word	spacyTknAttrSent		the sentence span that this token is a part of	str	spaCy
201	word	spacyTknAttrSentiment		a scalar value indicating the positivity or negativity of the token	str	spaCy
201	word	spacyTknAttrShape_		transform of the token's string to show orthographic features	str	spaCy
201	word	spacyTknAttrSuffix_		length-N substring from the end of the token	str	spaCy
201	word	spacyTknAttrTag_		fine-grained part-of-speech	str	spaCy
201	word	spacyTknAttrTensor		the token's slice of the parent doc's tensor	str	spaCy
201	word	spacyTknAttrText		verbatim text content	str	spaCy
201	word	spacyTknAttrTextWithWs		text content, with trailing space character if present	str	spaCy
201	word	spacyTknAttrVocab		the vocab object of the parent doc	str	spaCy
201	word	spacyTknAttrWhitespace_		trailing space character if present	str	spaCy
201	word	tableCellNo		cell number in row	int	TET
201	word	tableCellSpan		cel span	int	TET
201	word	tableNo		table number in document	int	TET
201	word	tableRowNo		row number in table	int	TET
201	word	text		word text	str	TET
201	word	type		line type	str	TET, TL
201	word	urx		x coordinate of the upper right corner	float	TET
201	word	wordNo		word number in document	int	TET
201	word	wordNoLine		word number in line	int	TET

DCR-CORE Processing Results

lvl	container	tag	opt	description	type	source
201	word	`wordNoPage`		word number in page	int	TET
201	word	`wordNoPara`		word number in paragraph	int	TET