

Colourimetry Data Dictionary

<i>Field Name</i>	<i>Data Types</i>	<i>Missing values</i>	<i>Description</i>	<i>Example</i>	<i>Notes</i>
<i>Paint Mixture</i>	alphabetic	n/a	The paint mixture used to create the sample.	A	
<i>Paint Sample</i>	numerical	n/a	An individual sample as seen in (reference to pictures).	3	Samples have the same number in both survey and colourimetry data.
<i>Uncovered L*</i>	numerical	n/a	The value indicating the brightness of the uncovered section.	40,31	In L* values, the higher the number is the darker the colour is, with 100 being perfect black (Hunt, 2011, p. 52-53).
<i>Uncovered a*</i>	numerical	n/a	The value of the colour hue on a spectrum between red and green, on the uncovered section of each sample.	47,06	
<i>Uncovered b*</i>	numerical	n/a	The value of the colour hue on a spectrum between blue and yellow, on the uncovered section of each sample.	29,66	
<i>TruVue L*</i>	numerical	n/a	The value indicating the brightness of the TruVue UV filter covered section.	37,46	
<i>TruVue a*</i>	numerical	n/a	The value of the colour hue on a spectrum between red and green, on the TruVue UV filter covered section of each sample.	50,21	
<i>TruVue b*</i>	numerical	n/a	The value of the colour hue on a	26,5	

			spectrum between blue and yellow, on the TruVue UV filter covered section of each sample.	
<i>Covered L*</i>	numerical	n/a	The value indicating the brightness of the covered section.	33,98
<i>Covered a*</i>	numerical	n/a	The value of the colour hue on a spectrum between red and green, on the covered section of each sample.	45,41
<i>Covered b*</i>	numerical	n/a	The value of the colour hue on a spectrum between blue and yellow, on the covered section of each sample.	28,71
<i>E</i>	numerical	n/a	The squared sum of the L*, a* and b* values.	64,57
<i>Covered vs. Uncovered</i>	numerical	n/a	The colour difference (ΔE) between the covered and uncovered sections of the samples.	4,6
<i>Covered vs. TruVue</i>	numerical	n/a	The colour difference (ΔE) between the covered and TruVue UV filter covered sections of the samples.	1,92
<i>Uncovered vs. TruVue</i>	numerical	n/a	The colour difference (ΔE) between the uncovered and TruVue UV filter covered sections of the samples.	2,78