### Sensing Technologies and Mathematics for Geomatics

GEO1001.2020 MSc Geomatics Delft University of Technology

### Homework 1

Name Konstantinos Pantelios, (5374367)

The data that were used in the following report were extracted from TU Dleft data portal. [1]

- 1 After lesson A1:
- 1.1 Compute mean statistics (mean, variance and standard deviation for each of the sensors variables), what do you observe from the results?
- For 1.1, the code computes the mean, the variance and the standard deviation of all the different variables (19) from sensors A, B, C, D and E. The results (Figure 1) are displayed separately for each of the sensors and each variable takes occupies different rows.

=== VALUES FOR SENSOR:	A =====						
True Direction->		209.40630048465266	variance:	10104.857537040565	standard	deviation:	100.5229204561853
Wind Speed->	mean:	1.290306946688207		1.2506491788047323	standard	deviation:	1.118324272652942
Crosswind Speed->		0.9649434571890144		0.9262185347673694			0.962402480653166
Headwind Speed->		0.16352988691437803		1.034522111788517			1.017114601108703
Temperature->	mean:	17.96910339256866	variance:	15.857862039390751	standard	deviation:	3.982193119298805
Globe Temperature->		21.544588045234246		68.1638115831204			8.256137812750003
Wind chill->		17.838206785137317		16.257877882926497			4.032105886869354
Relative humidity->	mean:	78.18477382875606	variance:	375.8581970813183			19.38706262127706
Heat stress index->	mean:	17.899596122778675	variance:	14.990791436236988	standard	deviation:	3.871794343226017
Dew point->	mean:	13.553877221324719	variance:	9.719544740983556	standard	deviation:	3.117618440570230
Psychro Wet Bulb Temp->	mean:	15.270718901453955	variance:	6.9412225849577585	standard	deviation:	2.634620007697079
Station pressure->		1016.1682552504037	variance:	38.45572894292478	standard	deviation:	6.201268333407673
Barometric pressure->		1016.1284329563813		38.4524145072175			6.201001089115974
Altitude->	mean:	-25.98707592891761	variance:	2662.5652610782413	standard	deviation:	51.60005097941514
Density Altitude->		137.31663974151857		26499.337542182006			162.7861712252672
NA Wet Bulb Temperature-	->mean:	15.981542810985461	variance:	10.008064017149449	standard	deviation:	3.163552436288902
VBGT->		17.25432148626817	variance:	16.128741421686968	standard	deviation:	4.016060435512266
TWL->	mean:	301.39293214862676	variance:	814.4374985107435	standard	deviation:	28.53835136287209
Direction , Mag->	mean:	208.90508885298868	variance:	10101.595596074496			100.5066942848808
True Direction->		183.41235864297255		9973.18819944488			99.86585101747684
Wind Speed->	mean:	1.242124394184168	variance:	1.300975939291838	standard	deviation:	1.140603322497281
Crosswind Speed->	mean:	0.8356219709208401	variance:	0.8782302674332721	standard	deviation:	0.937139406616364
Headwind Speed->	mean:	-0.12980613893376414					
Temperature->			variance:	1.25621175563275	standard	deviation:	1.120808527640983
	mean:	18.065428109854604		1.25621175563275 16.622350826415005			
Globe Temperature->		18.065428109854604 21.799434571890146	variance:		standard	deviation:	4.077051732123962
	mean:		variance: variance:	16.622350826415005	standard standard	<pre>deviation: deviation:</pre>	4.077051732123962 8.125431744671696
Wind chill->	<pre>mean: mean:</pre>	21.799434571890146	variance: variance: variance:	16.622350826415005 66.02264103731852	standard standard standard	deviation: deviation: deviation:	4.077051732123962 8.125431744671696 4.126614277588277
Wind chill-> Relative humidity->	<pre>mean: mean: mean:</pre>	21.799434571890146 17.945920840064623	variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418	standard standard standard standard	deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671696 4.126614277588277 20.21034326018201
Wind chill-> Relative humidity-> Heat stress index->	<pre>mean: mean: mean: mean:</pre>	21.799434571890146 17.945920840064623 77.87831179321486	variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844	standard standard standard standard standard	deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671696 4.126614277588277 20.21034326018201 3.928475772913266
Wind chill-> Relative humidity-> Heat stress index-> Dew point->	<pre>mean: mean: mean: mean: mean:</pre>	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604	variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.432921898366484	standard standard standard standard standard standard	deviation: deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671696 4.12661427758827 20.21034326018203 3.928475772913266
Vind chill-> Relative humidity-> Reat stress index-> Dew point-> Psychro Wet Bulb Temp->	mean: mean: mean: mean: mean: mean:	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604 13.530856219709205	variance: variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.432921898366484 9.632626245886195	standard standard standard standard standard standard standard	deviation: deviation: deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671696 4.126614277588277 20.21034326018201 3.928475772913266 3.103647248945378 2.6014473601525
Wind chill-> Relative humidity-> Reat stress index-> Reat stress index-> Reat stress index-> Reat stress index-> Restation pressure->	mean: mean: mean: mean: mean: mean:	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604 13.530856219709205 15.295516962843294	variance: variance: variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.432921898366484 9.632626245886195 6.767528367644411	standard standard standard standard standard standard standard standard	deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671696 4.126614277588277 20.21034326018201 3.928475772913266 3.103647248945375 2.6014473601525 6.068529872636183
Wind chill-> Relative humidity-> Heat stress index-> Dew point-> Psychro Wet Bulb Temp-> Station pressure-> Barometric pressure->	mean: mean: mean: mean: mean: mean: mean:	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604 13.530856219709205 15.295516962843294 1016.6570274636512	variance: variance: variance: variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.432921898366484 9.632626245886195 6.767528367644411 36.82705481507772	standard standard standard standard standard standard standard standard	deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671694 4.126614277588277 20.21034326018201 3.928475772913266 3.103647248945375 2.6014473601525 6.068529872636185 6.067453618503454
Wind chill-> Relative humidity-> Relative stress index-> Dew point-> Psychro Wet Bulb Temp-> Station pressure-> Barometric pressure-> Altitude->	mean:	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604 13.530856219709205 15.295516962843294 1016.6570274636512 1016.6164781906298	variance: variance: variance: variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.432921898366484 9.632626245886195 6.767528367644411 36.82705481507772 36.81399341269066	standard standard standard standard standard standard standard standard standard	deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671699 4.12661427758827* 20.21034326018201 3.928475772913269 3.103647248945375 2.6014473601525 6.068529872636181 6.067453618503454 50.44462112039165
Wind chill-> Relative humidity-> Relative themidity-> Reat stress index-> Rew point-> Resychro Wet Bulb Temp-> Station pressure-> Resymmetric pressure-> Retymetric pressure-> R	mean:	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604 13.530856219709205 15.295516962843294 1016.6570274636512 1016.6164781906298 -30.05815831987076 135.58077544426493	variance: variance: variance: variance: variance: variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.432921898366484 9.632626245886195 6.767528367644411 36.82705481507772 36.81399341269066 2544.679977868311	standard standard standard standard standard standard standard standard standard standard	deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671694 4.126614277588277 20.21034326018201 3.928475772913264 3.103647248945375 2.6014473601525 6.068529872636183 6.067453618503454 50.44482112039164 163.8672046544783
Wind chill—> Relative humidity-> Relative humidity-> Reat stress index-> Dew point-> Psychro Wet Bulb Temp-> Station pressure-> Rarometric pressure-> Altitude-> Density Altitude-> We Bulb Temperature-	mean:	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604 13.530856219709205 15.295516962843294 1016.6570274636512 1016.6164781906298 -30.05815831987076 135.58077544426493	variance: variance: variance: variance: variance: variance: variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.4329218983366484 9.632626245886195 6.7675283676444411 36.82705481507772 36.81399341269066 2544.679977868311 26852.460761272676	standard	deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation: deviation:	4.077051732123962 8.125431744671694 4.126614277588277 20.21034326018201 3.928475772913266 3.103647248945375 2.6014473601525 6.06852987263618 6.067453618503454 50.44482112039164 163.867204654478 3.131340404331009
Globe Temperature-> Wind chill-> Relative humidity-> Heat stress index-> Dew point-> Psychro Wet Bulb Temp-> Station pressure-> Barometric pressure-> Altitude-> Density Altitude-> NA Wet Bulb Temperature- WBGT-> TML->	mean:	21.799434571890146 17.945920840064623 77.87831179321486 18.00428109854604 13.530856219709205 15.295516962843294 1016.6570274636512 1016.6164781906298 -30.05815831987076 35.58077544426493 15.996809369951535	variance: variance: variance: variance: variance: variance: variance: variance: variance: variance: variance: variance: variance:	16.622350826415005 66.02264103731852 17.028945395995418 408.4579746943844 15.432921898366484 9.632626245886195 6.767528367644411 36.82705481507772 36.81399341269066 2544.679977868311 26852.460761272676 9.805292727795887	standard standard standard standard standard standard standard standard standard standard standard standard	deviation:	1.120808527640983 4.077051732123962 8.125431744671696 4.126614277588277 20.21034326018201 3.928475772913266 3.103647248945375 2.6014473601525 6.068529872636183 6.067453618503454 50.44482112039164 163.8672046544783 3.131340404331009 3.810249331290913

True Direction	=== VALUES FOR SENSOR:	C		
Main				: 87.75106476871754
Readuring Speed->   mean: 0.962999023443816				
Readurind Speed->   Crosperature->   mean: 17.9131626036691   variance: 16.090287224439   standard deviation: 1.127483099623798     Variance: 16.0902872244349   standard deviation: 1.2224878798145     Variance: 16.090287224439   standard deviation: 1.2224878798145     Variance: 17.91362257585   variance: 16.1344867997   standard deviation: 1.22224878798145     Variance: 17.9136253782534   variance: 17.84.47121810698139   standard deviation: 1.22625855100735     Variance: 17.922452667352534   variance: 17.84.47121810698139   standard deviation: 19.35125865260353     Variance: 17.9224726869797   variance: 17.226287289573999   standard deviation: 19.35125865260353     Variance: 17.9224726899799   variance: 17.226287289573999   standard deviation: 19.35125865260353     Variance: 17.922472699999   variance: 17.22628728957399   standard deviation: 19.35125865260353   variance: 17.22628728957399   standard deviation: 19.351258652603533   variance: 17.22628728957399   variance: 17.2262872895739   variance: 17.2262872895739   variance: 17.226287289590   variance: 17.226287289590   variance: 17.22628728950   variance: 17.22628728990   variance: 17.226				
Temperature				
Color   Pemperature				
Relative humidity->   mean: 17.77299919159256				
Real tries index->   mean: 17.96283267825384				
Reat stress index->				
Dev point->   mean: 13.458124494745352				
Experience   Mean: 15.196645109135003   variance: 7.26387289573896   standard deviation: 2.60053399019041   variance: 37.660354531584116   standard deviation: 6.1386055415085584   variance: 2007.4602347953355   standard deviation: 51.06340237373834   variance: 2007.4602347953355   variance: 2007.460234795335   variance: 2007.460234795335   variance: 2007.460234795335   variance: 2007.460234795345   variance: 2007.46023479   variance: 2007.460234795345   variance: 200				
### Barometric pressure->   Mac				
Name				
Density Altitude		mean: 1016.6518997574777	variance: 37.660394531584316 standard deviation	: 6.136806541808558
NA Wet Bulb Temperature->mean: 15.94236054971707	Altitude->	mean: -30.33872271624898	variance: 2607.4802547953855 standard deviation	: 51.063492387373834
NA Wet Bulb Temperature->mean: 15.94236054971707	Density Altitude->	mean: 129.62287793047696	variance: 26975.694884846056 standard deviation	: 164.2427924897956
Direction   Mag		->mean: 15.934236054971707		
Direction	WBGT->	mean: 17.22502021018593	variance: 16.540057093366812 standard deviation	: 4.066946900731163
True Direction-> mean: 19.32659660468877 variance: 8130.602307980361 standard deviation: 90.1698525449527 variance: 1.73911352929902 standard deviation: 1.3187545731637217 crosswind Speed-> mean: 1.2105092966855295 variance: 1.450916232128608 standard deviation: 1.2045398424828495 remperature-> mean: 17.99658261683193 variance: 16.232004530218397828 standard deviation: 1.0995694760855 standard deviation: 1.2045398424828495 standard deviation: 1.20453984248135 standard deviation: 1.20453984248135 standard deviation: 1.20453984248135 standard deviation: 1.20453984248135 standard deviation: 3.204508597595 standard deviation: 3.2069053902076 variance: 10.067811890385965 standard deviation: 3.20785555004768 standard deviation: 3.27298154657550575 variance: 2.4078555503019602 standard deviation: 3.272981546582813 standard deviation: 3.272981546582813 standard deviation: 3.272981546583813 standard deviation: 5.91054337399437 variance: 2.6555.40781590138 standard deviation: 5.91054337399437 variance: 2.6555.40781590138 standard deviation: 3.1985143314317264 variance: 3.983397189437 standard deviation: 3.1985143314317264 variance: 3.9833971895955 variance: 3.2027187846571 standard deviation: 9.1717528675544 standard deviation: 9.1717528675544 variance: 3.189418939898585 variance: 0.511802242657696 standard deviation: 0.74185576556980251 standard deviation: 9.17175328675344 variance: 9.304.524156473828 standard deviation: 9.645936146506 variance: 3.18948169438318 standard deviation: 9.17175328675344 variance: 9.304.524156473828 standard deviation: 9.645936038919	TWL->	mean: 301.8997574777688	variance: 766.2236781950229 standard deviation	: 27.68074562209304
True Direction-> mean: 19.32659660468877 variance: 8130.602307980361 standard deviation: 90.1698525449527 variance: 1.73911352929902 standard deviation: 1.3187545731637217 crosswind Speed-> mean: 1.2105092966855295 variance: 1.450916232128608 standard deviation: 1.2045398424828495 remperature-> mean: 17.99658261683193 variance: 16.232004530218397828 standard deviation: 1.0995694760855 standard deviation: 1.2045398424828495 standard deviation: 1.20453984248135 standard deviation: 1.20453984248135 standard deviation: 1.20453984248135 standard deviation: 1.20453984248135 standard deviation: 3.204508597595 standard deviation: 3.2069053902076 variance: 10.067811890385965 standard deviation: 3.20785555004768 standard deviation: 3.27298154657550575 variance: 2.4078555503019602 standard deviation: 3.272981546582813 standard deviation: 3.272981546582813 standard deviation: 3.272981546583813 standard deviation: 5.91054337399437 variance: 2.6555.40781590138 standard deviation: 5.91054337399437 variance: 2.6555.40781590138 standard deviation: 3.1985143314317264 variance: 3.983397189437 standard deviation: 3.1985143314317264 variance: 3.9833971895955 variance: 3.2027187846571 standard deviation: 9.1717528675544 standard deviation: 9.1717528675544 variance: 3.189418939898585 variance: 0.511802242657696 standard deviation: 0.74185576556980251 standard deviation: 9.17175328675344 variance: 9.304.524156473828 standard deviation: 9.645936146506 variance: 3.18948169438318 standard deviation: 9.17175328675344 variance: 9.304.524156473828 standard deviation: 9.645936038919	Direction , Mag->	mean: 183.08367016976555	variance: 7701.505933821689 standard deviation	: 87.75822430873183
True Direction-> mean: 19.32659660468877 variance: 8130.602307880361 standard deviation: 9.016985254462257 variance: 1.7991552928990 standard deviation: 1.318754571637217 Crosswind Speed-> mean: 1.210509266855295 variance: 1.45091622122660 standard deviation: 1.2045398424828495 variance: 1.69986134927 standard deviation: 1.2045398424828495 variance: 1.699861349837828 standard deviation: 1.1095669476059 variance: 1.699861349837828 standard deviation: 1.10956699476059 variance: 1.699861349837828 standard deviation: 4.092456053818847 variance: 16.599861349837828 standard deviation: 4.092456053818847 variance: 16.599861349837828 standard deviation: 4.0618678659 variance: 16.599861349837828 standard deviation: 4.0618678659 variance: 16.599861349379578 standard deviation: 4.061867611531 variance: 3.99.6864582290132 standard deviation: 4.061867611531 variance: 3.99.6864582290132 standard deviation: 9.407875550004769 Dew point-> mean: 17.92162498994907 variance: 3.99.6864582290132 standard deviation: 9.407875550004769 Dew point-> mean: 19.50618593371059 variance: 7.0415555901315288 standard deviation: 9.887355550004769 Dew point-> mean: 1016.7280113177042 variance: 34.9378649137933795 standard deviation: 9.887355550004769 variance: 7.0415555901301602 standard deviation: 9.68684337399437 variance: 2418.745529415378 standard deviation: 5.916564583813 variance: 2418.745529415378 standard deviation: 5.9165645458133 variance: 2418.745529415378 standard deviation: 5.9165645337399437 variance: 2655.40781991893 standard deviation: 5.91656495337399437 variance: 2655.407819918933935 standard deviation: 9.91854586833399437 variance: 2655.40781997593734 standard deviation: 5.918564958313 variance: 2655.40781997593734 standard deviation: 9.9185456495313 variance: 2655.40781997593734 standard deviation: 9.918564958313 variance: 2655.40781997593734 standard deviation: 9.918564958313 variance: 2655.40781997593734 standard deviation: 9.918564953373 variance: 2655.4078199793734 standard deviation: 9.918564953313 variance: 9.918564953319				
Wind Speed		_		
Crossvind Speed				
Headwind Speed				
Temperature				
Globe Temperature>   mean: 21.359296685529507				
Wind chill->				
Relative humidity-> mean: 77,94203718674213 variance: 389,6984592290132 standard deviation: 19.740781626597595 Heat stress index-> mean: 17.92162498994907 variance: 15.11153317215288 standard deviation: 3.87355550004769 Dew point-> mean: 13.50860953920776 variance: 15.0167811890385965 Psychro Wet Bulb Temp-> mean: 15.26018593371059 variance: 7.041555503019602 standard deviation: 3.172981545862813 Barometric pressure-> mean: 1016.7280113177042 variance: 34.97313496799955 Tatation pressure-> mean: 1016.7280113177042 variance: 34.938199997953734 standard deviation: 5.91381564953813 Barometric pressure-> mean: 1016.7380113177042 variance: 2418.745529415378 standard deviation: 5.91381654953813 Barometric pressure-> mean: 15.91642683912694 variance: 26505.40781590138 standard deviation: 5.91381654953813 WBGT-> mean: 17.17678979799 variance: 9304.524156473828 standard deviation: 3.937103732384643 TWL-> mean: 305.254567502021 variance: 615.7608138186043 standard deviation: 3.937103732384643 TWL-> mean: 223.95636363636365 variance: 9304.524156473828 standard deviation: 90.17775328675344  === VALUES FOR SENSOR: E ===================================				
Heat stress index->				
Dew point->   mean: 13.50860953920776   variance: 10.067811890385965   standard deviation: 2.6535929422237317   starion pressure->   mean: 1016.7280113177042   variance: 34.973641396799955   standard deviation: 5.913851654953813   Barometric pressure->   mean: 1016.6888843977364   variance: 34.938199997953734   standard deviation: 5.913851654953813   standard deviation: 5.91085437399437   variance: 24.7107518189168   variance: 2505.40781590138   standard deviation: 5.91085437399437   variance: 24.81478529415373   standard deviation: 5.91085437399437   variance: 2505.40781590138   standard deviation: 49.18074348172644   variance: 2505.40781590138   standard deviation: 49.18074348172644   variance: 2505.40781590138   standard deviation: 49.18074348172644   variance: 15.500916833369384   standard deviation: 3.9751203732384643   variance: 15.500916833369384   standard deviation: 3.971203732384643   variance: 30.918184043   variance: 615.7608138186043   standard deviation: 3.971203732384643   variance: 27.800486571   variance: 615.7608138186043   standard deviation: 24.814528281202612   variance: 0.31814330782573   standard deviation: 24.814528281202612   variance: 0.31814330782573   standard deviation: 3.971203732384643   variance: 27.800486571   variance: 27.800486651   variance: 27.800486666666666666666666666666666666666				
Psychro Wet Bulb Temp-> mean: 15.26018593371059   variance: 7.041555503019602   standard deviation: 2.6535929422237317   standard deviation: 5.910854337399437   standard deviation: 3.9371203732384643   standard deviation: 3.9371203732384643   standard deviation: 3.9371203732384643   standard deviation: 3.9371203732384643   standard deviation: 9.017775328675344   standard deviation: 9.01775328675344   standard deviation: 9.01745856982051   standard deviation: 9.0561734003420604   standard deviation: 9.0561734003426604   standard deviation: 9.05617340034260604   standard deviation: 9.056174403426604   standard deviation: 9.056174403426604   st				
Station pressure->   mean: 1016.7280113177042   variance: 34.973641396799955   standard deviation: 5.910854377399437   Altitude->   mean: 1016.688843977364   variance: 2418.745529415378   standard deviation: 5.910854337399437   Altitude->   mean: 132.41107518189168   variance: 26505.40781590138   standard deviation: 49.18074348172644   Density Altitude->   mean: 15.915642683912694   variance: 26505.40781590138   standard deviation: 162.80481508819506   NA Wet Bulb Temperature->mean: 17.1767987065481   variance: 15.500916833369384   standard deviation: 3.9371203732384643   TWL->   mean: 305.254567502021   variance: 615.7608138186043   standard deviation: 24.814528281202612   Direction , Mag->   mean: 197.8261924009701   variance: 8132.027187846571   standard deviation: 90.17775328675344     mean: 223.956363636365   variance: 9304.524156473828   standard deviation: 90.17775328675344     mean: 23.9563636363656   variance: 9304.524156473828   standard deviation: 90.17775328675344     mean: 23.9563636363656   variance: 0.5110202240587696   standard deviation: 0.7148567856982051   Crosswind Speed->   mean: 0.19494949494946   variance: 0.318941893684318   standard deviation: 0.5647514403420604   mean: 18.236020020202   variance: 19.035438016528925   standard deviation: 0.5647514403420604   mean: 18.2940202020202   variance: 19.129329989881776   standard deviation: 4.36796069611461   standard deviation: 4.36797529476584   standard deviation: 4.36796069114161   mean: 18.2940202020202   variance: 19.12932998881776   standard deviation: 4.36796069611461   standard deviation: 4.36797529476584   standard deviation: 4.36796069114161   standard deviation: 4.3679606961   standard deviation: 4.3699602831889857   standard deviat				
Barometric pressure->   mean: 1016.688843977364   variance: 34.93818997953734   standard deviation: 5.91085433739947   Altitude->   mean: -30.653193209377527   variance: 2418.745529415378   standard deviation: 49.18074348172644   variance: 26505.40781590138   standard deviation: 162.80481508819506   NA Wet Bulb Temperature->mean: 15.915642683912694   variance: 9.983397181945264   standard deviation: 3.1596514336149903   wariance: 615.76081838186043   standard deviation: 3.9371203732384643   wariance: 615.76081831816043   standard deviation: 24.81452281202612   variance: 0.3182.027187846571   standard deviation: 90.17775328675344   wariance: 9304.524156473828   standard deviation: 90.17775328675344   wariance: 0.3182.027187846571   standard deviation: 90.17775328675344   wariance: 0.3182418337825732   standard deviation: 0.7148567856982051   crosswind Speed->   mean: 0.596242424242424   variance: 0.3189441833684318   standard deviation: 0.5647514403420604   wariance: 19.035438016528925   standard deviation: 0.5647514403420604   wariance: 19.035438016528925   standard deviation: 4.362962069114161   Globe Temperature->   mean: 18.2804202020202   variance: 19.035438016528925   standard deviation: 4.362962069114161   Globe Temperature->   mean: 18.2804202020202   variance: 19.035438016528925   standard deviation: 4.373708940771182   wariance: 19.035438016528925   standard deviation: 4.373708940771182   wariance: 19.035438016528925   standard deviation: 4.362962069114161   wariance: 406.3302224115906   standard deviation: 4.297414954919509   wariance: 406.3302224115906   standard deviation: 50.808083				
Altitude-> mean: -30.653193209377527 variance: 2418.745529415378 standard deviation: 49.18074348172644 Density Altitude-> mean: 132.41107158189168 variance: 26505.40781590138 standard deviation: 162.80481508819506 variance: 9.983397181945264 standard deviation: 3.1596514336149903 WBGT-> mean: 17.1767987065481 variance: 15.500916833369384 standard deviation: 3.9371203732384643 TWL-> mean: 305.254567502021 variance: 615.7608138186043 standard deviation: 24.814528281202612 variance: 8132.027187846571 standard deviation: 90.17775328675344 standard deviation: 90.5645961416506 standard deviation: 0.5647514403420604 standard deviation: 0.5647514405420604 standard deviation: 0.5647514405420604 standard deviation: 0.5647514405426064 standard deviation: 0.5647544465427 standard deviation: 0.5647514405426566656666666 standard deviation: 0.56475144054054666666666666 standard deviation: 0.56475343666666666666 standard deviation: 0.56475343666666666666 standard deviation: 0.56475343666666666666 standard deviation: 0.56475343666666666666666 standard deviation: 0.5647534465546275 s				
Density Altitude				
NA Wet Bulb Temperature->mean: 15.915642683912694 variance: 9.983397181945264 standard deviation: 3.1596514336149903 WBGT-> mean: 17.1767987065481 variance: 15.5009168333369384 standard deviation: 3.9371203732334643 standard deviation: 3.9371203732334643 variance: 615.7608138186043 standard deviation: 90.17775328675344 standard deviation: 90.1777532867534 standard deviation: 90.1777532876584 standard deviation: 90.17775328776584 standard deviation: 90.177753				
WBGT->				
TWL-> mean: 305.254567502021 variance: 615.7608138186043 standard deviation: 24.814528281202612 variance: 8132.027187846571 standard deviation: 90.17775328675344  == VALUES FOR SENSOR: E				
Direction , Mag-> mean: 197.8261924009701 variance: 8132.027187846571 standard deviation: 90.17775328675344  === VALUES FOR SENSOR: E ===================================				
== VALUES FOR SENSOR: E ===================================				
True Direction-> mean: 223.9563636363655 variance: 9304.524156473828 standard deviation: 96.459961416506 wind Speed-> mean: 0.59624242424242 variance: 0.5110202240587696 standard deviation: 0.7148567856982051 standard deviation: 0.5647514403420604 mean: 0.194949494949496 variance: 0.3189441893684318 standard deviation: 0.5647514403420604 mean: 0.194949494949496 variance: 19.035438016528925 standard deviation: 0.5647514403420604 mean: 18.3539393939395 variance: 19.035438016528925 standard deviation: 4.362962069114161 Globe Temperature-> mean: 21.176161616161615 variance: 63.18996102438527 standard deviation: 4.362962069114161 mean: 18.294020202020 variance: 19.129329898581776 standard deviation: 4.373708940771182 mean: 18.294020202020 variance: 406.3302224115906 standard deviation: 20.157634345616813 mean: 18.286424242424246 variance: 18.46777529476584 standard deviation: 20.157634345616813 mean: 15.40666666666666 variance: 6.9946181818181802 standard deviation: 2.6447340474645427 station pressure-> mean: 15.406666666666666 variance: 6.9946181818181812 standard deviation: 2.6447340474645427 standard deviation: 2.6447340474645427 variance: 2891.26556620753 standard deviation: 51.877409015943826 mean: -25.9612121212121 variance: 2691.26556620753 standard deviation: 51.877409015943826 mean: -25.96121212121212 variance: 9.428372543209877 standard deviation: 3.934922235092439 mean: 17.185535353535353 variance: 15.483612996224876 standard deviation: 3.934922235092439 mean: 264.11531313131314 variance: 1289.3922059120498 standard deviation: 3.9508107801888555	Direction , Mag->	mean: 197.8261924009701	variance: 8132.027187846571 standard deviation	: 90.17775328675344
True Direction-> mean: 223.9563636363655 variance: 9304.524156473828 standard deviation: 96.459961416506 wind Speed-> mean: 0.59624242424242 variance: 0.5110202240587696 standard deviation: 0.7148567856982051 standard deviation: 0.5647514403420604 mean: 0.194949494949496 variance: 0.3189441893684318 standard deviation: 0.5647514403420604 mean: 0.194949494949496 variance: 19.035438016528925 standard deviation: 0.5647514403420604 mean: 18.3539393939395 variance: 19.035438016528925 standard deviation: 4.362962069114161 Globe Temperature-> mean: 21.176161616161615 variance: 63.18996102438527 standard deviation: 4.362962069114161 mean: 18.294020202020 variance: 19.129329898581776 standard deviation: 4.373708940771182 mean: 18.294020202020 variance: 406.3302224115906 standard deviation: 20.157634345616813 mean: 18.286424242424246 variance: 18.46777529476584 standard deviation: 20.157634345616813 mean: 15.40666666666666 variance: 6.9946181818181802 standard deviation: 2.6447340474645427 station pressure-> mean: 15.406666666666666 variance: 6.9946181818181812 standard deviation: 2.6447340474645427 standard deviation: 2.6447340474645427 variance: 2891.26556620753 standard deviation: 51.877409015943826 mean: -25.9612121212121 variance: 2691.26556620753 standard deviation: 51.877409015943826 mean: -25.96121212121212 variance: 9.428372543209877 standard deviation: 3.934922235092439 mean: 17.185535353535353 variance: 15.483612996224876 standard deviation: 3.934922235092439 mean: 264.11531313131314 variance: 1289.3922059120498 standard deviation: 3.9508107801888555	WATTIES FOR SPASOD.	P		
Wind Speed-> mean: 0.59624242424242 variance: 0.5110202240587696 standard deviation: 0.7148567856982051 Crosswind Speed-> mean: 0.43850505050505050505050505050505050505050		_		
Crosswind Speed->   mean: 0.43850505050505050505050505050505050505050				
Headwind Speed-> mean: 0.194949494949496   variance: 0.3189441893684318   standard deviation: 0.5647514403420604   Temperature-> mean: 18.3539393939395   variance: 19.035438016528925   standard deviation: 4.362962069114161   Globe Temperature-> mean: 21.17616161616165   variance: 63.18996102438527   standard deviation: 7.949211346063537   wind chill-> mean: 18.294020202020   variance: 19.129329898581776   standard deviation: 4.373708940771182   standard deviation: 4.373708940771182   standard deviation: 4.297414954915109   standard deviation: 4.297414954915109   standard deviation: 4.297414954915109   standard deviation: 4.297414954915109   standard deviation: 3.0690028231889857   standard deviation: 4.297414954915109   standard deviation: 3.0690028231889857   standard deviation: 4.297414954915109   standard deviation: 2.6447340474645427   standard deviation: 2.6447340474645427   standard deviation: 2.6447340474645427   standard deviation: 6.23892459895238   standard deviation: 6.23892459895238   standard deviation: 6.23892459895238   standard deviation: 51.877409015943826   Density Altitude-> mean: 15.9368888888889   variance: 29702.92147070707   standard deviation: 172.3453552339229   standard deviation: 3.0705655086986625   variance: 15.483612996224876   standard deviation: 3.934922235092439   standard deviation: 3.9369018088555   standard deviation: 3.9369018088555   standard deviation: 3.9369018088555   standard deviation: 4.29741495491509   standard deviation: 4.29741495491509   standard deviation: 5.877409015943826   standard deviation: 4.29741495491509   standard deviation: 5.877409015943826   standard deviat				
Temperature				
Globe Temperature				
Wind chill-> mean: 18.294020202020 variance: 19.129329898581776 standard deviation: 4.373708940771182 mean: 76.793050505055 variance: 406.3302224115906 standard deviation: 20.157634345616813 mean: 18.2864242424246 variance: 18.46777529476584 standard deviation: 4.297414954919509 mean: 13.558787878787879 variance: 9.418778328741965 standard deviation: 3.0690028231889857 psychro Wet Bulb Temp-> mean: 15.40666666666666666666666666666666666666				
Relative humidity-> mean: 76.7930505050505 variance: 406.3302224115906 standard deviation: 20.157634345616813 Heat stress index-> mean: 18.2864242424246 variance: 18.46777529476584 standard deviation: 4.297414954919509 Dew point-> mean: 13.558787878787879 variance: 9.418778328741965 standard deviation: 3.0690028231889857 Psychro Wet Bulb Temp-> mean: 15.40666666666666666666666666666666666666				
Heat stress index-> mean: 18.2864242424246				
Dew point->   mean: 13.55878787878787879   variance: 9.418778328741965   standard deviation: 3.0690028231889857				
Psychro Wet Bulb Temp->   mean: 15.40666666666666   variance: 6.994618181818182   standard deviation: 2.6447340474645427     Station pressure->   mean: 1016.1661010101009   variance: 38.92418015141312   standard deviation: 6.23892459895238     Barometric pressure->   mean: 1016.12779797978   variance: 38.91944545413724   standard deviation: 6.238545139224148     Altitude->   mean: -25.9612121212121   variance: 2691.26556620753   standard deviation: 51.877409015943826     Density Altitude->   mean: 150.84   variance: 29702.92147070707   standard deviation: 172.3453552339229     NA Wet Bulb Temperature->   mean: 15.9368888888889   variance: 9.428372543209877   standard deviation: 3.0705655086986625     WBGT->   mean: 17.18553553535535354   variance: 1289.3922059120498   standard deviation: 3.934822235092439     TML->   mean: 264.1153131313131   variance: 1289.3922059120498   standard deviation: 3.5.988107801888555				
Station pressure-> mean: 1016.1661010101009 variance: 38.92418015141312 standard deviation: 6.23892459895238 variance: 38.91944545413724 standard deviation: 6.238545139224148 variance: 2691.26556620753 standard deviation: 51.877409015943826 Density Altitude-> mean: 150.84 variance: 29702.92147070707 standard deviation: 172.3453552339229 NA Wet Bulb Temperature->mean: 15.9368888888889 variance: 9.428372543209877 standard deviation: 3.0705655086986625 variance: 15.483612996224876 standard deviation: 3.934922235092439 TML-> mean: 264.11531313131314 variance: 1289.3922059120498 standard deviation: 35.908107801888555				
Barometric pressure-> mean: 1016.12779797978 variance: 38.91944545413724 standard deviation: 6.238545139224148 Altitude-> mean: -25.96121212121212 variance: 2691.26556620753 standard deviation: 51.877409015943826 Density Altitude-> mean: 150.94 variance: 29702.92147070707 standard deviation: 172.3453552339229 NA Wet Bulb Temperature->mean: 15.936888888889 variance: 9.428372543209877 standard deviation: 3.0705655086986625 WBGT-> mean: 17.1855353535354 variance: 15.483612996224876 standard deviation: 3.934922235092439 TWL-> mean: 284.11531313131314 variance: 1289.3922059120498 standard deviation: 35.908107801888555				
Altitude-> mean: -25.961212121212 variance: 2691.26556620753 standard deviation: 51.877409015943826  Density Altitude-> mean: 150.84 variance: 29702.92147070707 standard deviation: 172.3453552339229  NA Wet Bulb Temperature->mean: 15.9368888888889 variance: 9.428372543209877 standard deviation: 3.0705655086986625  WBGT-> mean: 17.18553535353535 variance: 15.483612996224876 standard deviation: 3.934922235092439  TWL-> mean: 284.11531313131314 variance: 1289.3922059120498 standard deviation: 35.908107801888555				
Density Altitude-> mean: 150.84 variance: 29702.92147070707 standard deviation: 172.3453552339229  NA Wet Bulb Temperature->mean: 15.9368888888889 variance: 9.428372543209877 standard deviation: 3.0705655086986625  WBGT-> mean: 17.185535535355354 variance: 15.483612996224876 standard deviation: 3.934922235092439  TML-> mean: 264.1153131313131 variance: 1289.3922059120498 standard deviation: 35.908107801888555				
NA Wet Bulb Temperature->mean: 15.9368888888889 variance: 9.428372543209877 standard deviation: 3.0705655086986625 wariance: 15.483612996224876 standard deviation: 3.934922235092439 twice: 1289.3922059120498 standard deviation: 35.908107801888555				
WBGT-> mean: 17.185535353535354 variance: 15.483612996224876 standard deviation: 3.934922235092439 TWL-> mean: 284.1153131313134 variance: 1289.3922059120498 standard deviation: 35.908107801888555				
TWL-> mean: 284.1153131313134 variance: 1289.3922059120498 standard deviation: 35.908107801888555				
Tallance. S201.20327070007				
	billocaton , mag->		.altance. Szvi.zvsziv/3033/ Standard deviation	. 55.25104200554077

Figure 1: 'Mean, variance and standard deviation for each variable of the 5 sensors'

From a first glance we can see that in most variables the statistical indicators hold similar values between all the sensors.

There is a notable observation that can be derived from the variables Altitude and Density Altitude. The difference between mean and the standard deviations is such that could be only possible if the sensors are NOT fixated on the ground. So, we can hypothesize that all the sensors are strapped on balloons or drones and the measurement are taken from different heights Looking at the variable Wind Direction, True, it is apparent that the wind was rarely blowing from the North (in comparison to the other directions), which is information that can be used to calculate various correlations.

In general, there many different but related variables and the statistical indicators can reveal, on a surface level, possible correlations and interesting underlying facts or questions.

# 1.2 Create 1 plot that contains histograms for the 5 sensors Temperature values. Compare histograms with 5 and 50 bins, why is the number of bins important?

For 1.2, the codes computes and plots the Temperature histograms of 5 and 50 bins for each of the 5 different sensors. The following figure (Figure 2) illustrates the above comment in 10 different plots where each row of plots corresponds to each sensor and each column correspond to the histogram with the respective number of bins.




Figure 2: 'Bin comparison of 5 sensor Temperature Histogram'

It is immediately apparent that the number of bins in a histogram plays a major role in the transmission of the message that plot tries to convey. Basically, the number of bins depend on the scale of data (values) that need to be illustrated. As such, five (5) bins are not enough to be able to get substantial information from almost 2.500 different values and we lose important levels of detail. On the other hand, using 50 bins allows the graph to show much more detailed results. However, too many bars can also hinder the overall illustration of the figure.

Having that in mind I continue to code and plot the rest of the graphs using 30 bins when needed.

# 1.3 Create 1 plot where frequency poligons for the 5 sensors Temperature values overlap in different colours with a legend.

For 1.3, the code generates a plot of the frequency polygons for the variable Temperature, for each of the 5 sensors. The frequency polygons graph (Figure 3) derives from a Temperature CDF stepped histogram of 50 bins and the 5 sensors are overlapping each other with different colours.




Figure 3: 'Frequency polygons of the 5 sensors for Temperature'

# **1.4** Generate 3 plots that include the 5 sensors boxplot for: Wind Speed, Wind Direction and Temperature.

For 1.4, the code creates box-plots for the variables Wind Speed, Wind Direction and Temperature. The figure (Figure 4) shows the 3 different plots side by side with their respective variables' values for the x axis and the 5 different sensors as the boxes. The plot provides visualization of min, max, 25th, 50th,75th percentiles, mean and outliers.




Figure 4: 'Boxplots of the 5 sensors for Wind Speed Wind Direction and Temerature'

# 2 After lesson A2:

2.1 Plot PMF, PDF and CDF for the 5 sensors Temperature values in independent plots (or subplots). Describe the behaviour of the distributions, are they all similar? what about their tails?

For 2.1, the code computes and plots the PMF, PDF and CDF for the variable Temperature and for each of the 5 sensors. The figures (Figure 5, Figure 6, Figure 7) illustrate the above by combining the 5 sensors in one figure every time in order to display the 3 distributions separately.




Figure 5: 'PMF of the 5 sensor for Temperature Histograms'




Figure 6: 'PDF of the 5 sensor for Temperature Histograms'




Figure 7: 'CDF of the 5 sensor for Temperature Histograms'

Comparing the 3 distribution we can immediately figure out that there are major differences between each other as they use different methods. However, when comparing between sensors for each distribution the pattern remains basically the same. As for their tails, they seem to be right skewed.

# 2.2 For the Wind Speed values, plot the pdf and the kernel density estimation. Comment the differences.

For 2.2, the code outputs 5 plots of the PDF and KDE of the variable Wind Speed for each of the sensors. The figure (Figure 8) is a comparison between the PDF and the KDE of the above variable.




Figure 8: 'PDF and KDE of the 5 sensor for Wind Speed'

As it is expected the KDE resembles the respective PDF as it smooths it out

## 3 After lesson A3:

3.1 Compute the correlations between all the sensors for the variables: Temperature, Wet Bulb Globe Temperature (WBGT), Crosswind Speed. Perform correlation between sensors with the same variable, not between two different variables; for example, correlate Temperature time series between sensor A and B. Use Pearson's and Spearman's rank coefficients. Make a scatter plot with both coefficients with the 3 variables.

For 3.1, the codes computes Pearson's and Spearman's coefficients between all the of the 5 sensors for the variables Temperature, Wet Bulb Globe Temperature (WBGT), Crosswind Speed. The figure (Figure 9) illustrates the above mentions with 6 scatter plots (Pearson and Spearman for each variable). The sensor pairs are 10 in total (disregarding the symmetry).




Figure 9: 'Pearson and Spearman Correlations between the 5 sensors for Temperature, Wet Bulb Global Temperature and Cross Wind Speed'

#### **3.2** What can you say about the sensors' correlations?

For 3.2, almost all of the correlations of the sensors tend to follow the same patterns. Overall, is seems that sensor E is considerably distant (in term of correlation) from the other sensors. In detail, sensor pairs A-B, A-C, A-D, B-C, B-D and C-D show that relate the highest, ranging from 98.4 to almost 100 percent. While sensor pairs A-E, B-E, C-E and D-E seem to fall behind by 1-3%. The above correspond to all of the 3 variables for both correlation methods. However, for the variable Cross Wind Speed, Spearman's method reveals an outlier in the overall correlation of the sensors for this variable. The

GEO1001: Homework 1

pattern stays somewhat the same as the others, but with much lower overall correlation (from just 50 to 65%).

3.3 If we told you that that the sensors are located as follows, hypothesize which location would you assign to each sensor and reason your hypothesis using the correlations.

For 3.3, using the correlation of the sensors in combination with the proximity of the different sensors on the picture, we can guess their exact positions as below(Figure 10). The discrepancies in coefficients were such that the relative positions cannot be estimated with high certainty.




Figure 10: 'Possible Sensor Positions'

# 4 After lesson A4:

4.1 Plot the CDF for all the sensors and for variables Temperature and Wind Speed, then compute the 95% confidence intervals for variables Temperature and Wind Speed for all the sensors and save them in a table (txt or csv form).

For 4.1, the code creates the file confidence.txt where the 95% confidence intervals for variables Temperature and Wind Speed for all the sensors are stored. Additionally, it

shows a figure (Figure 11) of 10 plots for the CDFs (stepped histogram) of Temperature and Wind Speed for all the sensors.




Figure 11: 'CDF of the 5 sensor for Temperature and Wind Speed Histograms'

```
    ≡ confidence.txt

     1.246227038990971, 1.3343868543854427
     1.1971663346979249, 1.287082453670411
 3
     1.3243037885948932, 1.418622646328308
 4
     1.5296480419653757, 1.633650260379006
     0.5680599051948441, 0.6244249432900044
 5
 6
     17.81214113267346, 18.126065652463858
 7
     17.90472689963894, 18.226129320070267
     17.754926235060246, 18.071347006653575
     17.83814660824381, 18.15457772482005
 9
10
     18.181933946027776, 18.525944841851015
11
```

Figure 12: '95% confidence intervals for Wind Speed(lines 1-5) and Temperature(lines 6-10) of all the sensors'

- 4.2 Test the hypothesis: the time series for Temperature and Wind Speed are the same for sensors
  - 1) E, D;
  - 2) D, C;
  - 3) C, B;
  - 4) B, A;

For 4.2, to test the hypothesis, the code computes with "ttest" the p-values of the sensor pairs E-D, D-C, C-B, B-A (Figure 13).

#### GEO1001: Homework 1

### **4.3** What could you conclude from the p-values?

#### 0.002711172129731209 2 0.4657972008220813 3 0.18548636717619374 0.4004754260262924 4 5 3.3729639501474365e-212 4.610149126224334e-09 6 7 0.00010045473692816457 8 0.13351922750703515

Figure 13: 'p-values from 't-test' for Temperature(lines 1-4) and Wind Speed(lines 5-8)'

Judging from the p-values, the conclusion for the temperature is:

- E-D is statistically significant, null hypothesis rejected
- D-C is statistically insignificant, null hypothesis accepted
- C-B is statistically insignificant, null hypothesis accepted
- B-A is statistically insignificant, null hypothesis accepted

The conclusion for Wind Speed is:

- E-D is statistically significant, null hypothesis rejected
- D-C is statistically significant, null hypothesis rejected
- C-B is statistically significant, null hypothesis rejected
- B-A is statistically insignificant, null hypothesis accepted

```
The condition that was used to test the hypothesis was: p-value<0.05 -> Reject p-value>0.05 -> Accept
```

# 5 Bonus Question:

Your "employer" wants to estimate the day of maximum and minimum potential energy consumption due to air conditioning usage. To hypothesize regarding those days, you are asked to identify the hottest and coolest day of the measurement time series provided. How would you do that? Reason and program the python routine that would allow you to identify those days.

The measurements are taken every 20 minutes for every day of 24 hours (72 measurements pre day). So, the first step is to group the measurements for each day. To do this, the code selects all the values of temperature that correspond to each different day, computes the mean of these values and matches them inside a data-frame. After obtaining the mean

GEO1001: Homework 1

temperatures for each day, the code finds the days where the maximum and minimum temperatures occurred (Table 1).

Sensors	Min	Max
Sensor A	10-06-2020	26-06-2020
Sensor B	10-06-2020	26-06-2020
Sensor C	10-06-2020	26-06-2020
Sensor D	10-06-2020	26-06-2020
Sensor E	08-07-2020	25-06-2020

Table 1: 'Days that maximum and minimum temperature measurements occure for each of the 5 sensors'

From the table we can observe a major disparity for sensor E, getting the minimum temperature in a completely different day than the others. It gets the maximum temperature a day before than the other sensors. It is an observation that was already identified from the graphs of this report. That said, the rest of the sensors agree on their values and as such we could hypothesize that the day with the least energy consumption for airconditioning is the 10th of June 2020 and the day with the highest consumption, the 26th of June 2020.

The calculations were made with the assumption that the term "Day" relates to a 24 hour day. In the occasion that the term "Day" corresponds to specific hours with sufficient sunlight, then at the first step we would have to define these hours and grab their respective measurements to calculate the mean of the day. This depends completely on the employer's needs for air-conditioning.

#### References

[1] Daniela Maiullari and Clara Garcia Sanchez. Measured Climate Data in Rijsenhout. 8 2020.