



Challenge 1 — NetBIOS Enumeration



- **Hostname:** WIN-SERVER
- **Domain/Workgroup:** DOMAIN
- **Services Active:** Messenger service (<03>), File server/SMB (<20>).

Challenge 2 — Fast Nmap Scan



Target Accessibility: Host is up and responding.

Attack Surface: Critical remote access services (FTP, SSH) are active.

Data Services: SMB file sharing (139/445) and MySQL database (3306) are open.

Challenge 3 — DNS Records

The screenshot shows the Zenmap application window. The 'Target' field is set to '192.168.252.2'. The 'Command' field contains the Nmap command: `nmap -p 53 -Pn --script dns-nsid,dns-brute,dns-zone-transfer 192.168.252.2`. The 'Hosts' tab is selected, and the host '192.168.252.2' is listed. The 'Nmap Output' tab is active, displaying the scan results.

Nmap Output:

```
nmap -p 53 -Pn --script dns-nsid,dns-brute,dns-zone-transfer 192.168.252.2
```


Starting Nmap 7.99 (<https://nmap.org>) at 2026-05-09 18:33 -0700
NSE: [dns-zone-transfer] Skipping 'dns-zone-transfer' prerule, 'dnszonetransfer.domain' argument is missing.
Nmap scan report for 192.168.252.2
Host is up.

PORT	STATE	SERVICE
53/tcp	filtered	domain

Host script results:
|_dns-brute: Can't guess domain of "192.168.252.2"; use `dns-brute.domain` script argument.

Nmap done: 1 IP address (1 host up) scanned in 4.32 seconds


Challenge 4 — SNMPwalk



Expected leaked info (depends on VM):

- sysName
- sysDescr
- network interface list
- system uptime
- sometimes processes


Challenge 5 — TTL OS Fingerprinting



Expected Report Content:

- **Linux/Unix** \(\rightarrow\) TTL = 64
- **Windows** \(\rightarrow\) TTL = 128
- **Cisco / BSD** \(\rightarrow\) TTL = 255


Challenge 6 — Anonymous LDAP Query



Expected Report Documentation:

- If anonymous bind allowed (\(\rightarrow \)) Returns directory schemas, user objects, and Common Name (CN) entries.
- If not allowed (\(\rightarrow \)) Returns invalid credentials, error codes, or blank output blocks.


Challenge 7 — SMTP VRFY / EXPN



Expected Report Documentation:

- VRFY root \(\rightarrow\) Queries the email gateway to verify if the "root" mailbox user account exists.
- EXPN admin \(\rightarrow\) Queries the gateway to expand and expose members of the "admin" mailing distribution list.


Challenge 8 — NTP Enumeration



Expected Findings:

- ntp-info \(\rightarrow\) Returns the remote target system's current clock time.
- ntp-monlist \(\rightarrow\) Lists addresses of peers syncing time with this server.


Challenge 9 — FTP Banner Grabbing



- **Expected Findings:**

- Service Version \(\rightarrow\) Look for the explicit software name string (e.g., vsFTPD 2.3.4).

Challenge 10 — Anonymous FTP Login



Expected Findings:

- Anonymous FTP login allowed \(\rightarrow\) Output block confirms access state.
- Directory listing \(\rightarrow\) Dumps visible root directory folders and configurations.

Name : hagi mire abdisalam farah

Student ID : 52215225436