

ELC Meeting Tablet ADB control and use in Home Assistant

Note: I am not responsible for any damage that may occur from following my notes, wrongful modifications of the build.prop could brick the tablet

This has been tested on a WA8058T purchased off of Ali-Express, I have the 2gb / 16gb ROM version with NFC.

[AliExpress Link](#)

This tablet looks to be a very basic android build, hardware video acceleration does not seem to be working, and is not the best however it does seem to at least have adb root access, seems to be based off the ROCK 3A, a RK3568 dev board, maybe wont be to difficult to develop for would be really cool to have a Lineage OS build for these tablets.

Couple of quick notes

- Double tapping the power button will hide the system UI top and bottom bars locking the tablet into the companion app after launched
- With the ability to have adb root access it allows us to do some really cool things like setting and changing pin, to lock the tablet when away from home.
- To Access and change the boot application you can change this under settings, accessibility this does not seem to work with the minimal version of HA companion app, at least not when being managed by fdroid.

To get this working with Home Assistant you will first need to complete the two below, as these are out of the scope of the guide.

- Set a static IP reservation in your router for your tablet.
- *Install platform-tools, for adb commands
- Install Notepad++

**you can use a portable package with just adb commands do not need full platform-tools package*

For control of the LED on the tablet, this is achieved over adb commands unfortunately you need ADB root access for controls to work so first we need to modify the build.prop file in system folder so open command prompt and navigate to your adb location.

1. Connect to Tablet where XXX.XXX.X.X equals the IP of your tablet.

```
adb connect XXX.XXX.X.X
```

2. after that remount adb as root.

```
adb root
```

3. remount system as RW

```
adb remount
```

4. pull the build.prop to your computer for modification

```
adb pull /system/build.prop
```

Next open the pulled build.prop with Notepad++ and add the follow to the end of the file

```
ro.secure=0  
ro.debuggable=1
```

save and go back to your cmd window.

Now we are going to push the file back to the tablet and reboot.

```
adb push build.prop /system/build.prop
```

(make sure that this pushes successfully before rebooting)

```
adb reboot
```

Once the tablet has rebooted we can test the light controls over adb, to test this we will need to connect to the tablet again and then test light controls.

```
adb connect XXX.XXX.X.X
```

```
adb shell "echo w 0x03 > ./sys/devices/platform/led_con_h/zigbee_reset"
```

(turns on LED ring)

```
adb shell "echo w 0x06 > ./sys/devices/platform/led_con_h/zigbee_reset"
```

(turns LED ring blue)

```
adb shell "echo w 0x02 > ./sys/devices/platform/led_con_h/zigbee_reset"
```

(turns LED ring off)

Here is a chart of LED commands if using over cmd don't forget you need to run it with adb shell and the command in " " like above

LED Controls

```
echo w 0x00 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x01 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x02 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x03 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x04 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x05 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x06 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x07 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x08 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x09 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x0A > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x0B > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x0C > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x0D > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x0E > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x0F > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x10 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x11 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x12 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x13 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x14 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x15 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x16 > ./sys/devices/platform/led_con_h/zigbee_reset
echo w 0x17 > ./sys/devices/platform/led_con_h/zigbee_reset
```

Tablet LED Ring Control

Brightness UP (Doesn't work)
Brightness Down (Doesn't Work)
OFF
ON
Red
Green
Blue
White
Red Orange
Light_Blue
Light_Green
Flash 7 Color
Orange
Teal
Violet
Fade White
Orange_Yellow
Light_Blue2
Violet_Pink
Fade 7 Color
Yellow
Light_Blue3
Pink
Flash Red, Green, Blue

If you are able to control the led over adb after a fresh reboot of the tablet you are ready to go to start automating a couple of things to note, you have to turn on the led, before setting color, you have to toggle it exactly like you would pressing one of the cheap led remotes.

In Home Assistant, add the tablet to your HA using the Android Debugging Bridge, and the IP address of your tablet.

Now you are able to call lights in automations using the Services: ADB Shell Commands. You do not need quotes when filling in commands over the web interface. To setup a drop-down to control tablet light ring, look at the example below that lays out the basics of setting up this automation.

Example 1:

Create a drop down helper, to control tablet light ring with all the color values you wish to control as well as on and off. Then create a script, to check the drop-down and then fire the command, with value selected example below.

The screenshot shows the Home Assistant automation editor for an automation named 'Walltablet.led.Control'. The icon is 'mdi:tablet' and the mode is 'Single'. Below the configuration fields, the 'Sequence' section contains a single trigger: 'If Dropdown = On'. This trigger has an 'If' condition 'Confirm walltablet.led is On' and a 'Then' action 'Call a service 'Android Debug Bridge: ADB command' on Android TV'. The action's command field is redacted with a black box. There are buttons for '+ ADD FIELD', '+ ADD CONDITION', '+ ADD BUILDING BLOCK', and '+ ADD ACTION'.

After you have your script setup to toggle lights to drop down selection, you will create one automation, to watch for state change of the helper, when the state changes run the script you just created to control the light ring.

Here is an example of what mine looks like.

The screenshot shows an automation configuration interface. It is divided into three main sections: 'When', 'And if (optional)', and 'Then do'. Each section has a header with a question mark icon. The 'When' section contains a trigger: 'When walltablet.led changes to any state'. Below it is a button '+ ADD TRIGGER'. The 'And if (optional)' section has a descriptive text: 'This list of conditions needs to be satisfied for the automation to run. A condition can be satisfied or not at any given time, for example: 'If Jonathan is home'. You can use building blocks to create more complex conditions.' Below this text are two buttons: '+ ADD CONDITION' and '+ ADD BUILDING BLOCK'. The 'Then do' section contains an action: 'Script 'Walltablet.led.Control' on'. Below it are two buttons: '+ ADD ACTION' and '+ ADD BUILDING BLOCK'.

After this you have the ability to set the helper to the value you need, and the light should change to the color, **don't forget you need to turn on led ring on before changing the color.** After this you can just change the value of your helper in your automation to change the color of the light ring.

If anyone has any luck getting brightness modifications working or any more luck in controlling more features of this tablet series. Please let me know and we can get this document updated, please just link the document here on git hub while sharing.

Resources:

<https://yixu-elec.com/call-led-indicators-meeting-roomdisplay/>

Tablet Update (Shared) includes RKDevTools for windows.

This BUILD HAS BROKEN WIFI/BT reaching out to the sellers of my tablet currently.

[Link Shared By Seller](#)

Tablet SDKS (Shared)

[Link Shared By Seller](#)