

i APP INFORMATION



▶ PLAYSTORE INFORMATION

Title Loosid: Sober Recovery Network

Score] 4.3 [Installs] 100,000+ [Price] 0 [Android Version Support] Category | Social [Play Store URL] | Com.loosidapp |

Developer Loosid App LLC, Developer ID Loosid+App+LLC |

Developer Address | None |

Developer Website | http://loosidapp.com |

Developer Email | Support@loosidapp.com |

Release Date | Nov 15, 2018 [Privacy Policy] | Privacy link |

Description |

Sober shouldn't be somber! Discover Loosid, the ultimate sobriety companion app for anyone looking to join a clean, sober community. Loosid is a revolutionary app designed to help people in recovery or those who choose to get sober, connect and chat with like-minded individuals, access resources, milestones, and counters, and find sober events and activities in their area. Featured on Forbes, Today, NY Times, People, Good Morning America, and more!

At the core of the Loosid app is its robust community feature, which is designed to provide users with support where they can connect and chat with others who are on a similar journey. One of the key features of the Loosid community is its inclusivity. The app is not limited to people who are in recovery from alcohol or drug addiction, but also caters to those who have chosen to live a sober lifestyle for personal or health reasons. This creates a vibrant and diverse environment where users can celebrate milestones together, build relationships and friendships, and find inspiration to stay sober.

Loosid is the guide to living sober and alcohol clean: whether you want to set a clean time counter, connect with other sober members, listen to audio episodes of how people have overcome alcohol or addiction, live sober in the rooms and out, or date other clean singles, Loosid is for you!

The Loosid app is an essential tool for anyone who is committed to living a sober lifestyle. Its focus on community, inclusivity, safety, and support makes it an ideal platform for individuals who are in recovery from addiction, as well as those who have chosen to live a sober lifestyle for other reasons. With its user-friendly interface and wealth of chat features, the Loosid app is a must-have for anyone who wants to connect with others, find inspiration, and stay on track with their sobriety journey.

One of the most exciting features of Loosid is its social component. With Loosid, you'll be able to forge connections with sober individuals in your area and around the world. Whether you're looking for a sober buddy to hit up a meeting with, try out sober dating, or just to chat with someone who understands the challenges of sobriety, Loosid has you covered.

In addition to its social features, Loosid also offers a range of helpful tools and resources to help you stay sober. You'll have access to a clean time counter and tips, aa hotlines, rehab & treatment centers, and motivational quotes and voices from those that have overcome addiction to keep you focused and inspired. You can also use the app to track your progress, set goals, and monitor your sober time.

Looking for ways to stay engaged and active in our social network? Loosid has a range of community events to widen your sober grid. With Loosid, online dating has never been easier, helping sober singles connect and mingle. Loosid also offers boozeless restaurant guides, so you and your friends can celebrate milestones while also discovering no alcohol options.

HIGHLIGHTS

If you're looking for ways to stay engaged and active in your sobriety, Loosid has a range of community events and help. Meet and socialize with sober friends!

Loosid also offers boozeless guides, so you and your friends can discover new and exciting places to explore or attend a function without the peer pressure of drinking alcohol to stay social.

Take time to set your sobriety goals. Celebrate addiction recovery milestones featuring our customizable trackers and counters. Then celebrate your milestone by taking advantage of our dating system or non-alcoholic guides!

Need help? Use our crisis hotline for immediate help and support, and get access to aa (alcoholics anonymous) and local treatment center lists. Discover safety on the clean road to alcohol or addiction recovery.

Loosid is the perfect companion app to help you stay on track and live your best life. Celebrate recovery and sobriety today!

https://loosidapp.com/contact-us/

5 / 18
EXPORTED ACTIVITIES

View All ♥

10 / 25
EXPORTED RECEIVERS

View All ♥

View All ♥

View All ♥

View All ♥

SCAN OPTIONS

№ DECOMPILED CODE

* SIGNER CERTIFICATE

Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2018-11-08 17:50:24+00:00 Valid To: 2048-11-08 17:50:24+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0x62e21a73148c594b208801653bbac9574ec1d106

Hash Algorithm: sha256

md5: 018834ae599e5d2a4dc378f2ae82d5cb

sha1: 60187a93c660f071e15ee5f530cc14153436ef68

sha256: e3311fc74ccb5d997c1668ef72f943e939d7a86a7e57a880235b7f580a644140

sha512:

 $\verb|c9444ab2dc4978733716aab113c6decb9ed2b12628f5786ddd9a5f3cf27c36052cf65a875cafe2ca13dee748a71408d816350096a60e63224c60485afd6021fe$

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: bc60394767c71a32abcf26c0de194e63df7eb97b00f2247de0eda67b0b3a6e7d

Found 1 unique certificates

EAPPLICATION PERMISSIONS

Search:

PERMISSION	STATUS \$	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.	

PERMISSION	STATUS \$	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.	
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.	
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.	
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.	
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.	
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.	

PERMISSION	STATUS [♦]	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.	
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.	
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications	

Showing 1 to 10 of 46 entries

<u>Previous</u>	1	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>Next</u>

ANDROID API

Search:

API	FILES ♦
Android Notifications	
Base64 Decode	
Base64 Encode	
Certificate Handling	
Content Provider	
Crypto	

API	FILES \$
Dynamic Class and Dexloading	
Execute OS Command	
Get Installed Applications	
Get Network Interface information	

Showing 1 to 10 of 38 entries

<u>Previous</u>	1	<u>2</u>	<u>3</u>	<u>4</u>	Next

■ BROWSABLE ACTIVITIES

Search:

ACTIVITY \$	INTENT
com.facebook.CustomTabActivity	Schemes: fbconnect://, Hosts: cct.com.loosidapp,
com.loosidapp.MainActivity	Schemes: https://, loosidapp://, deeplink://, Hosts: loosidapp.onelink.me, loosidapp.com, posts, audio, allaudios, account, guides, dating, soberhelp, chat, dailygratitude, Path Prefixes: /vZuQ, /linking,

Showing 1 to 2 of 2 entries

Previous	1	Next

△ NETWORK SECURITY

									Search:		
NO	*	SCOPE	\$	SEVERITY	,		*	DESCRIPTION			♦
				No	data ava	ilable in table	2				
Showing 0 to 0 of 0	0 entries										
										<u>Previous</u>	Next
EE CERTIFICATE A	ANALYSIS										
	HIGH		WAR				INFO				
	0		•	,			1		Search:		
TITLE		*	SEVERITY	\$	DESCI	RIPTION					\$
Signed Applicati	ion		info		Applic	ation is signe	d with a code si	gning certificate			
Showing 1 to 1 of 1	1 entries										
4										<u>Previous</u> 1	<u>Next</u>
Q MANIFEST ANA	ALYSIS										
	HIGH 1		WAR 1				INFO 0			SUPPRESSED 0	
									Search:		

NO ♦	ISSUE	♦ SEVERITY ♦	DESCRIPTION	OPTIONS (
1	App can be installed on a vulnerable Android version Android 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.	
2	App Link assetlinks.json file not found [android:name=com.loosidapp.MainActivity] [android:host=https://loosidapp.com]	high	App Link asset verification URL (https://loosidapp.com/.well-known/assetlinks.json) not found or configured incorrectly. (Status Code: 403). App Links allow users to redirect from a web URL/email to the mobile app. If this file is missing or incorrectly configured for the App Link host/domain, a malicious app can hijack such URLs. This may lead to phishing attacks, leak sensitive data in the URI, such as PII, OAuth tokens, magic link/password reset tokens and more. You must verify the App Link domain by hosting the assetlinks.json file and enabling verification via [android:autoVerify="true"] in the Activity intent-filter.	
3	Broadcast Receiver (com.dieam.reactnativepushnotification.modules.RNPushNotificationBootEventReceiver is not Protected. [android:exported=true]	warning)	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

NO ♦	ISSUE	SEVERITY \$	DESCRIPTION	OPTIONS \$
4	Broadcast Receiver (io.invertase.firebase.messaging.ReactNativeFirebaseMessagingReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	
5	Activity (com.canhub.cropper.CropImageActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

NO 🖣	ISSUE	*	SEVERITY	DESCRIPTION .	OPTIONS \$
6	Broadcast Receiver (com.amazon.device.iap.ResponseReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.amazon.inapp.purchasing.Permission.NOTIFY [android:exported=true]		warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	

NO ♦	ISSUE	SEVERITY \$	DESCRIPTION \$	OPTIONS \$
7	Broadcast Receiver (com.onesignal.notifications.receivers.FCMBroadcastReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	
8	Activity (com.onesignal.notifications.activities.NotificationOpenedActivityHMS) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
9	Broadcast Receiver (com.onesignal.notifications.receivers.NotificationDismissReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

11/26/24, 6:18 PM

NO ♦	ISSUE ♦	SE	EVERITY \$	DESCRIPTION \$	OPTIONS ♦
10	Broadcast Receiver (com.onesignal.notifications.receivers.BootUpReceiver) is not Protected. [android:exported=true]	Wa	varning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

Showing 1 to 10 of 20 entries

<u>Previous</u>	1	<u>2</u>	<u>Next</u>
-----------------	---	----------	-------------

</> CODE ANALYSIS

HIGH	WARNING	INFO	SECURE	SUPPRESSED
3	9	4	2	0

Search:

NO ∳	ISSUE	*	SEVERITY 束	STANDARDS	FILES	*	OPTIONS ♦
1	App can write to App Directory. Sensitive Information should be encrypted.		info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14			
2	The App uses an insecure Random Number Generator.		warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6			
3	The App logs information. Sensitive information should never be logged.		info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3			

NO ♦	ISSUE	SEVERITY \$	STANDARDS	FILES \$	OPTIONS \$
4	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2		
5	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14		
6	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality		
7	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4		
8	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4		
9	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4		

NO ♦	ISSUE ♦	SEVERITY \$	STANDARDS	FILES \$	OPTIONS \$
10	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2		

Showing 1 to 10 of 18 entries



Search:

SHARED LIBRARY BINARY ANALYSIS

No Shared Objects found.

NO SHARED OBJECT NX PIE STACK CANARY RELRO RELRO RELRO RELRO RELRO RELRO STRIPPED

No data available in table

Showing 0 to 0 of 0 entries




NIAP ANALYSIS v1.3

Search:

Showing 0 to 0 of 0 entries

<u>Previous</u>	<u>Next</u>
<u>Previous</u>	<u>Next</u>

FILE ANALYSIS



Showing 0 to 0 of 0 entries




Search:


FIREBASE DATABASE ANALYSIS


TITLE SEVERITY | **DESCRIPTION** App talks to a The app talks to Firebase database at https://loosid-1541174860307.firebaseio.com info Firebase database Firebase Remote Config is disabled for Firebase secure https://firebaseremoteconfig.googleapis.com/v1/projects/628723516426/namespaces/firebase:fetch? Remote key=AlzaSyB5xYuZfnHWKzY5RvuS4ZrSyFlzsaz52jl. This is indicated by the response: {'state': 'NO_TEMPLATE'} Config disabled


Showing 1 to 2 of 2 entries


○ MALWARE LOOKUP











Showing 1 to 5 of 5 entries

<u>Previous</u>	1	<u>Next</u>

BEHAVIOUR ANALYSIS

Search:

RULE ID 🛊	BEHAVIOUR \$	LABEL	FILES ♦
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/reactnativeimageresizer/a.java com/rnmaps/maps/p.java s2/a.java

RULE ID 🛊	BEHAVIOUR \$	LABEL -	FILES \$
00003	Put the compressed bitmap data into JSON object	camera	y <u>8/L.java</u>
00004	Get filename and put it to JSON object	file collection	
00005	Get absolute path of file and put it to JSON object	file	com/appsflyer/internal/AFg1nSDK.java om/a.java vj/f.java
00009	Put data in cursor to JSON object	file	com/reactnativecommunity/asyncstorage/a.java fn/e.java wb/t0.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	
00012	Read data and put it into a buffer stream	file	
00013	Read file and put it into a stream	file	
00014	Read file into a stream and put it into a JSON object	file	
00015	Put buffer stream (data) to JSON object	file	wb/t0.java

Showing 1 to 10 of 65 entries

<u>Previous</u> 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>Next</u>

SERVER LOCATIONS



This app may communicate with the following OFAC sanctioned list of countries.

	Search:	
DOMAIN &	COUNTRY/REGION	Å
No data available in table		

Showing 0 to 0 of 0 entries

<u>Previous</u>	Next

Q DOMAIN MALWARE CHECK

Search:

DOMAIN .	STATUS	GEOLOCATION
.facebook.com	ok	No Geolocation information available.
accounts.google.com	ok	IP: 172.253.122.84 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
aomedia.org	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
api-diagnostics.revenuecat.com	ok	IP: 18.233.255.154 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
api-paywalls.revenuecat.com	ok	IP: 18.233.255.154 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

Seate Analysis		
DOMAIN .	STATUS	GEOLOCATION
api.apphud.com	ok	IP: 172.64.80.1 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api.mixpanel.com	ok	IP: 35.190.25.25 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
api.onesignal.com	ok	IP: 104.17.111.223 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api.revenuecat.com	ok	IP: 34.198.224.250 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
appleid.a	ok	No Geolocation information available.

<u>Previous</u> 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>Next</u>

URLS

Search: URL FILE data:cs:audiopurposecs:2007 uf/d.java http://dashif.org/guidelines/trickmode http://dashif.org/guidelines/last-segment-number w7/e.java data:image data:image/png;base64,ivborw0kggoaaaansuheugaaaaeaaaabcaqaaac1hawcaaaac0leqvr42mnkyaaaaayaajcb0c8aaaaasuvork5cyii= pd/a.java data:pxheight com/onesignal/inAppMessages/int data:pxheight: mg/m0.java file:/// file:/// t2/n0.java file:/// gs/o.java file:///android_asset/ is/a.java com/onesignal/common/AndroidU http://\$uri http://%s/inspector/device?name=%s&app=%s&device=%s pc/d.java Showing 1 to 10 of 89 entries **Previous** <u>5</u> 2 3 <u>4</u> 9 <u>Next</u> • • •

EMAILS

₹ TRACKERS

Search:

TRACKER NAME	CATEGORIES .	URL
AppsFlyer	Analytics	https://reports.exodus-privacy.eu.org/trackers/12
Bugsnag	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/207
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Microsoft Visual Studio App Center Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/243
Microsoft Visual Studio App Center Crashes	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/238
MixPanel	Analytics	https://reports.exodus-privacy.eu.org/trackers/118
OneSignal		https://reports.exodus-privacy.eu.org/trackers/193

Showing 1 to 10 of 10 entries

<u>Previous</u>	1	<u>Next</u>

POSSIBLE HARDCODED SECRETS

```
▼ Showing all 32 secrets
```

"CodePushDeploymentKey": "LCnYbIMTj46B1_qR3Zb9tNemfl0zHkYmCvryB"

"bugsnag_api_key": "6191a2dca5c02d4a61b126616a8e8fa8"

"com.google.firebase.crashlytics.mapping_file_id": "6c9f7d2b4a38485e80c20b0cc190e5ab"

"facebook_client_token": "209611e215d87889f907983f59fe33c3"

"firebase_database_url": "https://loosid-1541174860307.firebaseio.com"

"google_api_key": "AlzaSyB5xYuZfnHWKzY5RvuS4ZrSyFlzsaz52jl"

"google_crash_reporting_api_key":"AlzaSyB5xYuZfnHWKzY5RvuS4ZrSyFlzsaz52jl"

3071c8717539de5d5353f4c8cd59a032

UC1upXWg5QVmyOSwozp755xLqquBKjjU+di6U8QhMlM=

258EAFA5-E914-47DA-95CA-C5AB0DC85B11

9a04f079-9840-4286-ab92-e65be0885f95

9b8f518b086098de3d77736f9458a3d2f6f95a37

cc2751449a350f668590264ed76692694a80308a

2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3

edef8ba9-79d6-4ace-a3c8-27dcd51d21ed

e2719d58-a985-b3c9-781a-b030af78d30e

11f00dc53be30cfe213781d453297cf1

ee4655b3ec0d2ace448aa481008538b7

8a3c4b262d721acd49a4bf97d5213199c86fa2b9

470fa2b4ae81cd56ecbcda9735803434cec591fa

FBA3AF4E7757D9016E953FB3EE4671CA2BD9AF725F9A53D52ED4A38EAAA08901

c56fb7d591ba6704df047fd98f535372fea00211

df6b721c8b4d3b6eb44c861d4415007e5a35fc95

E3F9E1E0CF99D0E56A055BA65E241B3399F7CEA524326B0CDD6EC1327ED0FDC1

16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a

FFE391E0EA186D0734ED601E4E70E3224B7309D48E2075BAC46D8C667EAE7212

c682b8144a8dd52bc1ad63

7d73d21f1bd82c9e5268b6dcf9fde2cb

ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n

3BAF59A2F5331C30675FAB35FF5FFF0D116142D3D4664F1C3CB804068B40614F

a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc

85053bf24bba75239b16a601d9387e17

A STRINGS

From APK Resource

► Show all **488** strings

From Code

► Show all **43934** strings

From Shared Objects

AE ACTIVITIES

▼ Showing all **18** activities

com.loosidapp.MainActivity

com.superwall.sdk.paywall.vc.SuperwallPaywallActivity

com.masteratul.exceptionhandler.DefaultErrorScreen

com.yalantis.ucrop.UCropActivity

com.canhub.cropper.CropImageActivity

com.onesignal.notifications.activities.NotificationOpenedActivityHMS

com.onesignal.notifications.activities.NotificationOpenedActivity

 $\underline{com.one signal.notifications.activities.Notification Opened Activity \underline{Android 22 And Older}$

com.facebook.FacebookActivity

com.facebook.CustomTabMainActivity

com.facebook.CustomTabActivity

com.onesignal.core.activities.PermissionsActivity

com.google.android.gms.auth.api.signin.internal.SignInHubActivity

com.revenuecat.purchases.amazon.purchasing.ProxyAmazonBillingActivity

com.android.billingclient.api.ProxyBillingActivity

com.android.billingclient.api.ProxyBillingActivityV2

com.google.android.gms.common.api.GoogleApiActivity

com.google.android.play.core.common.PlayCoreDialogWrapperActivity



▼ Showing all **29** services

com.loosidapp.PushNotificationService

com.loosidapp.PushNotificationService

 $\underline{io.invertase.firebase.messaging.ReactNativeFirebaseMessagingHeadlessService}$

<u>io.invertase.firebase.messaging.ReactNativeFirebaseMessagingService</u>

com.google.firebase.components.ComponentDiscoveryService

com.google.android.gms.metadata.ModuleDependencies

expo.modules.location.services.LocationTaskService

com.smartlook.android.job.worker.record.UploadRecordJob

 $\underline{com.smartlook.android.job.worker.session.UploadSessionJob}$

com.smartlook.android.job.worker.record.ProcessVideoDataJob

com.smartlook.android.job.worker.internallog.UploadInternalLogJob

com.onesignal.notifications.services.HmsMessageServiceOneSignal

<u>com.google.firebase.messaging.FirebaseMessagingService</u>

com.google.firebase.sessions.SessionLifecycleService

androidx.work.impl.background.systemalarm.SystemAlarmService

 $\underline{androidx.work.impl.background.systemjob.SystemJobService}$

<u>androidx.work.impl.foreground.SystemForegroundService</u>

androidx.room.MultiInstanceInvalidationService

com.onesignal.core.services.SyncService

 $\underline{com.one signal.core.services.SyncJobService}$

 $\underline{com.google.android.gms.auth.api.signin.RevocationBoundService}$

com.google.android.gms.measurement.AppMeasurementService

 $\underline{com.google.android.gms.measurement.App MeasurementJob Service}$

<u>com.tanguyantoine.react.MusicControlNotification\$NotificationService</u>

com.google.android.datatransport.runtime.backends.TransportBackendDiscovery

com.google.android.datatransport.runtime.scheduling.jobscheduling.JobInfoSchedulerService

 $\underline{io.nlopez.smartlocation.activity.providers.ActivityGooglePlayServicesProvider\\ \$ActivityRecognitionService}$

 $\underline{io.n lopez.smartlocation.geocoding.providers.AndroidGeocodingProvider\$AndroidGeocodingService}$

▼ Showing all **25** receivers

com.mixpanel.android.mpmetrics.MixpanelPushNotificationDismissedReceiver

com.dieam.reactnativepushnotification.modules.RNPushNotificationActions

com.dieam.reactnativepushnotification.modules.RNPushNotificationPublisher

com.dieam.reactnativepushnotification.modules.RNPushNotificationBootEventReceiver

io.invertase.firebase.messaging.ReactNativeFirebaseMessagingReceiver

com.smartlook.android.core.session.TimeChangeBroadcastReceiver

com.amazon.device.iap.ResponseReceiver

com.onesignal.notifications.receivers.FCMBroadcastReceiver

com.onesignal.notifications.receivers.NotificationDismissReceiver

com.onesignal.notifications.receivers.BootUpReceiver

com.onesignal.notifications.receivers.UpgradeReceiver

com.google.firebase.iid.FirebaseInstanceIdReceiver

androidx.work.impl.utils.ForceStopRunnable\$BroadcastReceiver

androidx.work.impl.background.systemalarm.ConstraintProxy\$BatteryChargingProxy

androidx.work.impl.background.systemalarm.ConstraintProxy\$BatteryNotLowProxy

androidx.work.impl.background.systemalarm.ConstraintProxy\$StorageNotLowProxy

androidx.work.impl.background.systemalarm.ConstraintProxy\$NetworkStateProxy

androidx.work.impl.background.systemalarm.RescheduleReceiver

androidx.work.impl.background.systemalarm.ConstraintProxyUpdateReceiver

androidx.work.impl.diagnostics.DiagnosticsReceiver

com.facebook. Current Access Token Expiration Broad cast Receiver

com. facebook. Authentication Token Manager \$ Current Authentication Token Changed Broadcast Receiver the facebook of the company of the co

com.google.android.gms.measurement.AppMeasurementReceiver

androidx.profileinstaller.ProfileInstallReceiver

com.google.android.datatransport.runtime.scheduling.jobscheduling.AlarmManagerSchedulerBroadcastReceiver

PROVIDERS

▼ Showing all **13** providers

io. invertase. firebase. crashlytics. React Native Firebase Crashlytics Init Provider and Comparison of the Comparison

io.invertase.firebase.app.ReactNativeFirebaseAppInitProvider

com.reactnative.ivpusic.imagepicker.lvpusicImagePickerFileProvider

cl.ison.RNShareFileProvider

com.reactnativecommunity.webview.RNCWebViewFileProvider

com.RNFetchBlob.Utils.FileProvider

expo.modules.filesystem.FileSystemFileProvider

expo.modules.imagepicker.fileprovider.ImagePickerFileProvider com.smartlook.android.SmartlookInstaller com.canhub.cropper.CropFileProvider androidx.startup.InitializationProvider com.facebook.internal.FacebookInitProvider com.google.firebase.provider.FirebaseInitProvider

\$LIBRARIES

▼ Showing all **2** libraries org.apache.http.legacy android.ext.adservices

SBOM

▼ Showing all **91** Versioned Packages androidx.activity:activity-compose@1.8.2 androidx.activity:activity-ktx@1.8.2 androidx.activity:activity@1.8.2 androidx.annotation:annotation-experimental@1.4.0 androidx.appcompat:appcompat-resources@1.7.0 androidx.appcompat:appcompat@1.7.0 androidx.arch.core:core-runtime@dynamic androidx.asynclayoutinflater:asynclayoutinflater@1.0.0 androidx.autofill:autofill@1.1.0 androidx.browser:browser@1.6.0 androidx.cardview:cardview@1.0.0 androidx.compose.animation:animation-core@1.6.7 androidx.compose.animation:animation@1.6.7 androidx.compose.foundation:foundation-layout@1.6.7 androidx.compose.foundation:foundation@1.6.7 androidx.compose.material3:material3@1.2.1 androidx.compose.material:material-icons-core@1.6.7 androidx.compose.material:material-ripple@1.6.7 androidx.compose.runtime:runtime-saveable@1.6.7

androidx.compose.runtime:runtime@1.6.7

androidx.compose.ui:ui-geometry@1.6.7

androidx.compose.ui:ui-graphics@1.6.7

androidx.compose.ui:ui-text@1.6.7

androidx.compose.ui:ui-tooling-preview@1.6.7

androidx.compose.ui:ui-unit@1.6.7

androidx.compose.ui:ui-util@1.6.7

androidx.compose.ui:ui@1.6.7

androidx.coordinatorlayout:coordinatorlayout@1.2.0

androidx.core:core-ktx@1.13.1

androidx.core:core@1.13.1

androidx.cursoradapter:cursoradapter@1.0.0

androidx.customview:customview-poolingcontainer@1.0.0

androidx.customview:customview@1.1.0

androidx.databinding:viewbinding@7.2.1

androidx.datastore:datastore-preferences@1.0.0

androidx.datastore:datastore@1.0.0

androidx.documentfile:documentfile@1.0.0

androidx.drawerlayout:drawerlayout@1.1.1

androidx.dynamicanimation:dynamicanimation@1.0.0

androidx.emoji2:emoji2-views-helper@1.3.0

androidx.emoji2:emoji2@1.3.0

androidx.exifinterface:exifinterface@1.3.6

androidx.fragment:fragment@1.5.4

androidx.interpolator:interpolator@1.0.0

androidx.javascriptengine:javascriptengine@1.0.0-beta01

androidx.legacy:legacy-support-core-ui@1.0.0

androidx.legacy:legacy-support-core-utils@1.0.0

androidx.legacy:legacy-support-v4@1.0.0

androidx.lifecycle:lifecycle-livedata-core-ktx@2.8.1

androidx.lifecycle:lifecycle-livedata-core@2.8.1

androidx.lifecycle:lifecycle-livedata@2.8.1

androidx.lifecycle:lifecycle-process@2.8.1

androidx.lifecycle:lifecycle-runtime-ktx@2.8.1

androidx.lifecycle:lifecycle-runtime@2.8.1

androidx.lifecycle:lifecycle-service@2.8.1

androidx.lifecycle:lifecycle-viewmodel-ktx@2.8.1

androidx.lifecycle:lifecycle-viewmodel-savedstate@2.8.1

androidx.lifecycle:lifecycle-viewmodel@2.8.1 androidx.loader:loader@1.0.0 androidx.localbroadcastmanager:localbroadcastmanager@1.0.0 androidx.media:media@1.7.0 androidx.print:print@1.0.0 androidx.privacysandbox.ads:ads-adservices-java@1.0.0-beta05 androidx.privacysandbox.ads:ads-adservices@1.0.0-beta05 androidx.profileinstaller:profileinstaller@1.3.1 androidx.recyclerview:recyclerview@1.3.0 androidx.room:room-ktx@2.6.1 androidx.room:room-runtime@2.6.1 androidx.savedstate:savedstate-ktx@1.2.1 androidx.savedstate:savedstate@1.2.1 androidx.slidingpanelayout:slidingpanelayout@1.0.0 androidx.sqlite:sqlite-framework@2.4.0 androidx.sqlite:sqlite@2.4.0 androidx.startup:startup-runtime@1.1.1 androidx.swiperefreshlayout:swiperefreshlayout@1.1.0 androidx.tracing:tracing-ktx@1.2.0 androidx.tracing:tracing@1.2.0 androidx.transition:transition@1.5.0 androidx.vectordrawable:vectordrawable-animated@1.1.0 androidx.vectordrawable:vectordrawable@1.1.0 androidx.versionedparcelable:versionedparcelable@1.1.1 androidx.viewpager2:viewpager2@1.0.0 androidx.viewpager:viewpager@1.0.0 androidx.webkit:webkit@1.4.0 androidx.work:work-runtime-ktx@2.9.0 androidx.work:work-runtime@2.9.0 com.google.android.material:material@1.12.0 org.jetbrains.kotlinx:kotlinx-coroutines-android@1.8.1 org.jetbrains.kotlinx:kotlinx-coroutines-core@1.8.1 org.jetbrains.kotlinx:kotlinx-coroutines-guava@1.8.1 org.jetbrains.kotlinx:kotlinx-coroutines-play-services@1.8.1 ► Show all **1057** Packages

() FILES

► Show all **3260** files

© 2024 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.

Version v4.2.5