

PHENOTYPE PORTFOLIO EVALUATION

The 62-repository cohort
and 30 active-named projects

Read-only audit | September 15, 2026

The count is smaller. The remaining challenge is trustworthy ownership, verification and installed-product closure.

The reduction in repository count is real as an observed organization change, but the audit does not establish that semantic complexity, maintenance burden or installation friction fell by the same amount. Several source owners remain duplicated, active consumers still point to unavailable old locations, and important checks still fail to enforce their advertised contracts.

The highest-leverage action is not another consolidation batch. Close three kinds of gap: (1) the current ID/role/decision map and dependency resolution; (2) trustworthy assurance instruments; (3) a small number of real installed product candidates. Keep the existing workers and useful work, but require a bounded parent outcome and an independent proof artifact.

Useful progress is visible. Forgecode's former promotion PR is now merged into main. Civis has new source-backed archive-persistence work with populated round-trip assertions. Several repositories honestly distinguish code landed, unsupported, or unshipped paths. These improvements should be preserved rather than swept into another reset.

The headline remains: fewer repositories is not yet the same as fewer competing authorities, fewer unsupported claims, or more current viable products. Give each active target its correct role-specific acceptance test. Give dependencies a pinned consumer contract. Give held and historical work safe custody, not a manufactured product release.

Opening observation	Closing observation
62 repository IDs	61 currently listed IDs
30 unprefixed active candidates	29 unprefixed names; original cohort retained
0 platform-archived repositories	0 platform-archived repositories
Names are an organizational hint	Not lifecycle approval or evidence of preservation

No repository mutation, product build, native installation or lifecycle certification was performed. Source facts, metadata observations, policy conflicts and proposed work are distinguished throughout.

1 / Scope, limits and how to use this report

This is a bounded, read-only current-state evaluation, not certification of all code or a new migration order. The opening scope is all 62 repository IDs requested by the user. The 30 unprefixed names are an observed candidate cohort matching the user's stated active count; no current approved 30-item policy roster was independently established. A later list returned 61 IDs and 29 unprefixed names. The report retains the opening cohort and records later identity/access differences.

The audit read bounded root documentation for 61 of the original IDs, including AirLock under its renamed identity. MobileMcp could not be read and did not resolve by ID. Selected source, manifests, workflow configuration, six latest-release records and a prior promotion PR were examined more deeply. A source excerpt can prove a specific implementation or configuration defect. A README can prove that a claim or contradiction is present, not that the feature works or fails at runtime.

No native product suites, full branch histories, local worktrees, live agent sessions, deployment/DNS settings, all CI/check/review states, package registries, graphical apps or real benchmark/pilot programs were executed or exhaustively inspected. No approved product CVP is certified by this pass; that is an audit scope limit, not a finding that none of the products works.

The record is sequential. References to main name the branch read and record the returned file blob where available. They do not mean that all source came from the same immutable repository head. Latest-release data is endpoint metadata from the observation, not a universal inventory of all versions and distribution channels. All native-run and preservation conclusions that need more evidence remain open.

The 62-row assessment is complete as a triage and next-acceptance map. Code, test, deployment, UX, security and history completeness for every repository is not claimed. The next work is evidence completion and bounded CVP delivery, not a repeat of this full audit on unchanged repositories.

Priority P0 means an observed trust, dependency, safety or ownership issue can undermine downstream acceptance. It is not an instruction to start every P0 task simultaneously. P1 is product qualification or an important contract correction; P2 is bounded research or retained/reference maintenance. Priorities and dispositions here are recommendations, not approved work assignments.

SOURCE_CONFIRMED means the inspected bytes or configuration support the precise finding. REMOTE_METADATA means the connector reported the property or state; it is not a runtime test. ROOT_CONTRACT_CONFLICT means instructions or claims disagree, not that the underlying application was proved broken. ACCESS_UNRESOLVED is not deletion. ANALYST_INFERENCE is a conclusion whose alternatives remain explicit.

There are no aggregate completion percentages. Eighty-five percent is a coverage floor in the accepted assurance policy, not a numerical score this audit assigns to a product. A task, PR, integrated revision, verified artifact, published release and adopted installation are distinct states.

Reading order: inventory changes; portfolio-level findings; release observations; the 30 active-candidate cards; the 32 retained/reference cards; acceptance and execution plan; source index. The adjacent Markdown/JSON/CSV are editable projections of the same records.

2 / The denominator changed during the pass

The opening census matched the request. A closing read returned one fewer accessible ID and multiple renamed categories. This report does not silently change the requested cohort or infer successful deletion from that difference.

Category by observed name	Opening	Closing
Unprefixed active candidate	30	29
Dependency	10	10
Paused (non-reference)	11	4
Paused reference	7	7
Incubation-like name	0	7
Target undecided	4	4
Listed total	62	61

Stable ID	Opening name	Closing name
960016965	zz-pause-AgsLag	zz-inc-AgsLag
1017123874	zz-pause-RIPFitnessApp	zz-inc-RIPFitnessApp
1020556829	zz-pause-VibeKanban	zz-inc-VibeKanban
1164684829	zz-pause-Parpoura	zz-inc-Parpoura
1164703420	zz-pause-QuadSGM	zz-inc-QuadSGM
1273002818	zz-aa-dep-MobileMcp	Not resolved
1284536541	zz-pause-SessionLedger	zz-inc-SessionLedger
1308558334	zz-pause-ResearchLedger	zz-inc-ResearchLedger
1319179066	AirLock	zz-aa-dep-AirLock

Refreshed VibeKanban, AGSLAG and SessionLedger README blobs still say pause/no development after the zz-inc renames. A new name is not an accepted scope/permission supersession. MobileMcp remains access-unresolved; other absent old URLs similarly do not prove deletion.

Evidence: OBS-OPEN, OBS-CLOSE, S318, S319, S320, W01

3 / Portfolio-level findings

F01 The live cohort changes while being evaluated

P0 | REMOTE_METADATA

Opening: 62 IDs/30 unprefixed names. Closing: 61 IDs/29 unprefixed, AirLock becomes a dependency and seven pause names become zz-inc. MobileMcp is not resolved. Refreshed VibeKanban, AgsLag and SessionLedger headers still say pause.

Impact: Names and mutable counts cannot be a stable work queue or permission source.

Next: Preserve the 62-ID cohort; reconcile explicit decisions for the nine observation changes. Publish separate active, dependency, incubation, paused/reference and unresolved sets.

Evidence: OBS-OPEN, OBS-CLOSE, S266, S318, S319, S320, W01

F02 AgilePlus does not enforce its advertised all-language 85% coverage

P0 | SOURCE_CONFIRMED

The inspected workflow enforces Rust line coverage at 20%, enforces Python at 85%, prints Go coverage without a fail floor, and echoes the aggregate claim. These are configured controls, not measured coverage results.

Impact: Successful workflow completion can overstate the accepted assurance contract. The inspected workflow also does not establish independent unit/integration/E2E metrics.

Next: Use approved denominator inventories, isolated suite measurements and real aggregate evaluation; seed below-threshold, missing and wrong-revision records and prove nonzero failure.

Evidence: S239, S238

F03 The documentation-health replacement is still a success-returning scaffold

P0 | SOURCE_CONFIRMED

docs-health counts Markdown files but leaves Vale, markdownlint and link detection TODO, emits empty findings and returns Ok. Its smoke test is empty.

Impact: A consolidated tool can preserve or reintroduce the original false-green behavior; wrappers must not certify unexecuted checks.

Next: Implement or adapt real native checks; fail on missing required tools, traversal errors and broken fixtures; prove hosted failure propagation.

Evidence: S304

F04 Consolidation left active consumers pointing at inaccessible source locations

P0 | SOURCE_PLUS_ACCESS_LIMIT

PhenoFabric fetches a manifest crate from KooshaPari/nanovms; that name and ID 1199379049 are unavailable here. HeliosLab depends on clap-ext, whose old URL also returns 404, plus an old observability location.

Impact: A cache-warm developer build may succeed while a clean checkout cannot resolve its dependencies. This audit has not executed a clean build or proved deletion.

Next: Verify source/API-equivalent successors and immutable dependency identity; perform cache-isolated fetch/build/consumer tests before retiring any old location.

Evidence: S235, S315, OBS-404, W01, W04

F05 Multiple repositories still expose overlapping source ownership

P0 | SOURCE_CONFIRMED_WITH_POLICY_OPEN

ShareCLI core lib.rs has identical Git blob cb35ab8d... in PhenoTooling and sharecli. PhenoTooling registers absorbed ShareCLI crates. PhenoAI registers Eidolon crates while Eidolon remains active.

Impact: A deliberate mirror is possible, but a missing single-writer/release policy permits divergent fixes and reintroduces the duplication consolidation was intended to remove.

Next: Decide source owner, distribution/mirror contract, consumer pins and integration lead per capability; do not delete a copy solely because one file matches.

Evidence: S312, S313, S314, S316, S253

F06 Published release metadata is ahead of actual downloadable product evidence

P0 | REMOTE_RELEASE_METADATA

AgilePlus latest release Installers + green tests has no attached assets. Forgecode latest September 15 release has no assets. Jcode fork latest release returns only a FreeBSD x86_64 archive.

Impact: Tags and release descriptions are not proof that the user can install the tested fork or desktop product on Mac/Windows. Other package channels were not exhaustively inspected.

Next: Resolve the actual distribution channel; bind source, build, signed artifact, install, update and run receipts. Qualify Mac/Windows channels actually used by the operator.

Evidence: S309, S311, S308

F07 Civis improved state persistence but the player build is still weakly specified

P1 | SOURCE_AND_RELEASE_METADATA

Commit 264359af adds populated archive round-trip cases and mirrors cultural/ideological/aggression/unrest state. The Mac script still builds a minimal Bevy feature set and permits absent assets. Latest stable is September 5 CLI archives.

Impact: Substantive world correctness work is real; it does not establish game-first presentation, continuity or a qualified installed .app.

Next: Define required presentation/assets, build the real player artifact, and run create/play/intervene/save/quit/reopen plus bounded unattended continuation. Preserve subsystem determinism tests without globalizing them.

Evidence: S300, S301, S302, S305

F08 Forgecode integration did advance

P1 | REMOTE_PR_METADATA

Promotion PR #277, previously open in the September 11 audit, merged into main September 12 at 10:02:14 UTC. Current release has a newer tag but no attached binaries.

Impact: This is verified integration progress, not evidence of a stalled worker. Installed artifact and current behavior remain separate questions.

Next: Test the actual current executable for session/search/readonly boundaries and streaming; publish and identify the same candidate, rather than reopening completed promotion work.

Evidence: S307, S311, S254

F09 Product identity still drifts away from the accepted intent

P1 | ROOT_CONTRACT_CONFLICT

Tracera is advertised as audit/observability rather than the canonical product graph. HeliosLab root/manifest describe mixed workbench/config identities. helios-cli excludes its vendored Codex implementation from the root workspace. Pine mixes 70% and 25%.

Impact: Agents can pass a build for the wrong product surface or write more documentation for a changed goal without a decision.

Next: Name one current target and its public endpoint; bind the exact acceptance journey and build profile. Preserve future intent without claiming it is shipped.

Evidence: S244, S249, S315, S248, S256

F10 PhenoAI minimum-toolchain claim conflicts with its resolver

P1 | SOURCE_PLUS_OFFICIAL_DOCS

The workspace selects resolver 3 while advertising rust-version 1.75. Official Cargo documentation requires Rust 1.84 or newer for resolver 3.

Impact: The manifest cannot establish a coherent old-toolchain build promise. Native compatibility was not tested here.

Next: Choose and test the accepted minimum toolchain, member inheritance and lockfile behavior; fix the contract and implementation together.

Evidence: S316, W03

F11 Retained dependencies and paused repositories retain destructive or stale instructions

P0 | ROOT_CONTRACT_CONFLICT

AgentApiPlusPlus says both do not delete/merge and deprecated/will delete. Parpoura mixes pause, migration and deletion. Some current incubation-like names retain explicit no-work text.

Impact: Workers can select whichever paragraph supports an action. A header or rename is not an authenticated decision record.

Next: Record latest scoped human decisions and supersession pointers in existing authority; constrain credentials separately; do not resume mass deletions or mass unpausing.

Evidence: S284, S275, S318, S319, S320

F12 A smaller count is not yet a proven simpler dependency graph

P1 | ANALYST_INFERENCE_FROM_SOURCE

The current 62-ID portfolio has fewer repository homes, but PhenoTooling now bundles broad subsystems, PhenoAI absorbs device code, and old dependency locations persist.

Impact: Context width may have moved into wider workspaces and ambiguous package ownership instead of actually shrinking semantic change cost.

Next: Measure affected packages, duplicate implementations, dependency cycles, context/file footprint per change and clean consumer build time. Use package/applet boundaries before another repo-count target.

Evidence: S312, S316, S235, S315

F13 Some products have honest role-specific exceptions

P1 | ROOT_CONTRACT_EVIDENCE

CivicSurvival-public explicitly omits private generators/server and is not a third-party buildable snapshot. Eidolon distinguishes unsupported/default paths and an unshipped REST daemon. WorldSphereMod distinguishes CODE_LANDED and PROVEN.

Impact: These boundaries should be retained, not erased to force a universal green score or artificial .app deliverable.

Next: Qualify the actual distributed mod, native driver or selected game profile, and explicitly model inaccessible producer evidence.

Evidence: S262, S253, S257

F14 Documentation/landing/observability migration needs a consumer proof, not another registry

P1 | SCOPE_GAP_AND_RECOMMENDATION

The current roster and source references do not by themselves demonstrate where the former PhenoDocs renderer, landing publication, journey verifier and retired framework dependencies are actually built and used.

Impact: Renaming or copying a tooling package is not evidence of documentation deployment, private/public safety or preserved integration behavior.

Next: Identify existing canonical tool packages and content consumers, keep AgilePlus repo-scoped, and demonstrate one real docs/landing/app route with revision-linked product media. No new registry is required.

Evidence: S232, S304, S264, S288

4 / Release presence is not CVP acceptance

These are six sampled latest-release endpoint responses, not an exhaustive distribution-channel audit. Files were not downloaded, installed or run. A tag or auto-generated source archive is not the same artifact as a native app, CLI binary or deployable service.

Repository / release / date (UTC)	Observed attached assets	Acceptance gap
Civis / v0.5.0 2026-09-05 [S305]	Linux AMD64, macOS ARM64 and Windows AMD64 CLI archives	No current game-app acceptance established by these CLI assets.
sharecli / v0.3.0 2026-07-05 [S306]	macOS ARM64 and Linux AMD64 archives plus checksums (uploaded July 14)	Map the current source/UI changes to an actual candidate; old release is not current-source proof.
AgilePlus / v2026.09.0 2026-08-22 [S309]	None attached in returned release	Title promises installers; resolve actual artifact channel and clean installation.
forgecode / v2.13.21-h.0.2.1 2026-09-15 [S311]	None attached in returned release	Integration and tag exist; verified installable fork channel not established.
jcode / v0.85.0-k1.0.0 2026-09-15 [S308]	One FreeBSD x86_64 archive	Mac/Windows fork distribution and installed identity need actual receipts.
Tracera / v0.49 2026-09-03 [S310]	Windows archive and release manifest	Scorecard checkpoint is not qualified proof of current product-graph frontend/backend.

PhenoFabric latest-stable release endpoint returned 404. That is not evidence that no prerelease, package, local build or alternate channel exists. Those remain to be inspected by the owner.

5 / Active-candidate assessments

All original 30 unprefixed names remain in this section. AirLock transitioned to dependency status during the pass. Each card is an evidence-grounded next acceptance contract, not an assigned completion percentage.

01 BytePort

ID 861430079 | P1 | QUALIFY A BOUNDED DEPLOYMENT

Role: Git-to-deployment application

Observed: The README describes Go/API and desktop/web paths, but labels manifest delivery and isolated microVM execution planned. Development instructions still refer to NVMS. A UI/compose startup is not deployment completion.

Next useful outcome: Select one already-supported target; reconcile the NVMS consumer boundary and run a clean repo-to-service deployment without an adjacent developer checkout.

Acceptance proof: Authenticated connect, build, deploy, inspect logs, update and rollback; failed provisioning leaves known state; installed client or hosted route has exact artifact provenance.

Next comparison (not executed): Compare a matched application deployment with the simplest direct cloud/deployment workflow, including recovery and operator steps.

Evidence: S241

02 Tracera

ID 1162254344 | P1 | RECONCILE PRODUCT IDENTITY; THEN QUALIFY

Role: Persistent product/system graph and gap discovery

Observed: Its current README foregrounds observability, audit and session memory rather than the user-confirmed canonical product graph. The latest inspected GitHub release is v0.49 (September 3), a scorecard checkpoint with a Windows archive and manifest, not evidence of the full desired desktop product.

Next useful outcome: Keep the graph identity and automatic dissatisfaction/gap detection explicit. Exercise one persistent product-model journey; preserve evidence links as a supporting view, not a replacement identity.

Acceptance proof: Import a real product, traverse bounded component detail, expose a genuine missing/failed capability, link evidence, restart and retain state. Validate actual installed/hosted frontend against actual backend.

Next comparison (not executed): Compare product-model exploration and gap diagnosis against the current manual repository audit, not merely log search.

Evidence: S244, S310

5 / Active candidates, continued

03 Civis

ID 1164684442 | P1 | CLOSE THE PLAYER BUILD

Role: Persistent systemic game

Observed: A source diff adds archive persistence for culture/ideology/aggression/unrest and real round-trip assertions. The Mac builder still selects only bevy,egui,client-bins and tolerates missing assets. Latest stable GitHub release v0.5.0 (September 5) exposes three CLI archives, not a current qualified game app.

Next useful outcome: Pin a game-first candidate, required presentation profile and asset manifest. Close the world-create/play/intervene/save/reopen journey before widening mechanics. Reconcile old global-determinism and research-only claims with current intent.

Acceptance proof: Install outside the checkout, launch through the OS, show real renderer/animation/audio, mutate a populated world, save/restore meaningful state, and prove bounded unattended continuation. Native visual review and performance under load are required.

Next comparison (not executed): Use the already-defined living-settlement witness and bounded engine comparison; do not choose engines or declare fun from headless tests.

Evidence: S236, S300, S301, S302, S305

04 helios-cli

ID 1165315873 | P1 | RESOLVE WHAT THE SHIPPED BINARY IS

Role: Codex-derived CLI / harness workspace

Observed: The README says the root workspace is the harness system and excludes vendored codex-rs/codex-cli. Root workspace success therefore does not establish a functioning Codex-derived coding agent.

Next useful outcome: Name the actual installable product and build root. Separate reusable harness packages from the agent executable while retaining their integration contract.

Acceptance proof: A clean install uses the advertised binary to read a repository, edit an allowed file, run real tests, refuse prohibited scope, survive a tool error, and resume a session.

Next comparison (not executed): Matched coding task against direct upstream Codex and existing ForgeCode/Jcode; compare fork delta and maintenance burden.

Evidence: S248

5 / Active candidates, continued

05 portage

ID 1165351720 | P1 | RUN A REAL EVALUATION

Role: Harbor-derived evaluation framework

Observed: The README carefully distinguishes upstream PyPI from this fork and optional Rust bridge support, but still instructs cloning portage-TEMP. Static oracle badges and suite-info commands do not prove useful benchmark execution.

Next useful outcome: Correct the consumer install target and run one real agent/environment benchmark with a deliberately failing candidate and missing-extra case.

Acceptance proof: Clean fork install, task execution, trustworthy pass/fail reward, retained logs, cancellation and resource limits; optional bridge unavailability must be explicit.

Next comparison (not executed): Compare identical tasks through this fork and upstream Harbor; retain local changes only for evidenced workflow/quality/performance value.

Evidence: S250

06 HeliosLab

ID 1167587447 | P0 | RECONCILE SCOPE AND DEPENDENCIES

Role: Currently a config/flags/secrets phenocli workspace

Observed: The README simultaneously says 65%, 80%, stable and a desktop/journeys lab, while the manifest confirms six config-oriented crates. It depends on old clap-ext and PhenoObservability locations; clap-ext returned 404 in this pass.

Next useful outcome: Resolve whether this is the intended agent workbench or a config product without erasing useful code. Repoint only after verifying source/API equivalence and accepted ownership.

Acceptance proof: Clean supported-toolchain build without retired private caches; config/flag/secrets workflows persist correctly and do not disclose secrets; then prove the actual chosen UI/CLI product.

Next comparison (not executed): Compare the accepted workflow, not two unrelated products sharing one repo name.

Evidence: S249, S315

5 / Active candidates, continued

07 AgilePlus

ID 1169608854 | P0 | REPAIR FALSE ASSURANCE BEFORE ACCEPTANCE

Role: Reusable repository-scoped work/spec tooling

Observed: Coverage CI enforces 20% Rust lines, prints Go coverage without a threshold, and the aggregate 85% gate echoes success without evaluating artifacts. README includes static 100% claims and an incompatible shelf identity. Latest published release titled Installers + green tests has zero uploaded assets.

Next useful outcome: Implement independent suite/metric denominators and failure propagation, remove unrelated portfolio content, and publish a real scoped CLI/MCP/desktop candidate through its actual local state contract.

Acceptance proof: Unit/integration/E2E and other required families meet accepted floors; critical obligations all pass. Separate subjects remain isolated; live engine receipts back transitions; clean installation and real UI/MCP CRUD succeed.

Next comparison (not executed): Compare governed repository work against current ad-hoc files/CLI, while proving the tool works for an unrelated external project.

Evidence: S238, S239, S309

08 PhenoDesign

ID 1169864396 | P1 | RESTORE AN UNAMBIGUOUS ROLE

Role: Shared design and asset foundation candidate

Observed: The active-named repository still consists of an archived/migrated notice dated July 29 with no concrete successor. This is not a usable design-system handoff.

Next useful outcome: Inventory retained editable assets, tokens, licenses and actual consumers. Resolve ownership; do not regenerate the brand or create a new library solely to replace missing documentation.

Acceptance proof: Two real consumers use versioned tokens/components or asset exports; editable sources and licensed inputs are traceable; visual baselines and no-color/accessibility rules exist.

Next comparison (not executed): Compare consistency and change propagation against the current per-product asset duplication.

Evidence: S251

5 / Active candidates, continued

09 Dino

ID 1177712269 | P1 | QUALIFY THE INSTALLED GAME PATH

Role: DINOForge game mod platform and companion

Observed: The README claims broad pack/asset/bridge/companion capability, 3,613+ tests and 95%+ coverage, but its status section is a development milestone summary. Those claims were not independently reproduced.

Next useful outcome: Use the supported installed game and actual companion build to exercise one substantial pack; keep private/game dependencies explicit.

Acceptance proof: Clean install, pack validation, runtime ECS/asset integration, UI interaction, save compatibility, hot reload or clear restart, and clean disable/uninstall. Required assets and failure logs are retained.

Next comparison (not executed): Compare the same mod-author/player task with the prior manual mod workflow; no invented standalone macOS game app.

Evidence: [S252](#)

10 sharecli

ID 1191459198 | P0 | RESOLVE DUPLICATE AUTHORITY; SHIP CURRENT CANDIDATE

Role: OS-adjacent process/resource supervisor

Observed: Its core source has the exact same blob in PhenoTooling and the standalone repo; PhenoTooling registers the copied crates. Latest inspected stable release is v0.3.0, published July 5, with Mac ARM/Linux archives uploaded July 14. Current source/UI claims must not be attributed to that release without a diff.

Next useful outcome: Name one source/release owner or explicit synchronized distribution contract. Then prove the current supervisor under realistic concurrent agent/background/foreground workloads.

Acceptance proof: No inappropriate command coalescing, secret/cache cross-talk or stuck children; cancel/retry/failure semantics survive; real native tray/CLI installs and resource limits protect foreground use.

Next comparison (not executed): Compare identical workloads without the supervisor and against existing supervision; measure correctness first, tail latency/resource relief second.

Evidence: [S243](#), [S306](#), [S312](#), [S313](#), [S314](#)

5 / Active candidates, continued

11 PhenoRegistry

ID 1201113097 | P0 | REPAIR THE LIVE MAP

Role: Curated portfolio identity/projection tooling or data authority

Observed: The root advertises 111 repositories and retired authorities. Search surfaces copied platform work templates still referring to approximately 170 repositories. Neither is the current 62-ID roster.

Next useful outcome: Generate a current ID/name/role projection and attach scoped accepted decisions; separate GitHub observations from intended roles and mutable work state.

Acceptance proof: Renames retain identity, missing access is not deletion, paused/dependency/TBD classes are explicit, every advertised owner resolves, and stale facts are visibly dated.

Next comparison (not executed): Compare time to correctly answer where a capability lives and what is release-blocked against the current manual audit.

Evidence: S228

12 PhenoAI

ID 1201987910 | P0 | RECONCILE EXPANDED BOUNDARY

Role: AI library/provider workspace with newly absorbed device code

Observed: README says three AI crates, while Cargo.toml lists routing, embeddings, Eidolon device crates, PlayCua native code and more. Resolver 3 is selected alongside a declared Rust 1.75 floor; official Cargo docs require Rust 1.84+ for resolver 3.

Next useful outcome: Establish which packages are reusable AI primitives, device adapters or product code, and who writes/releases each. Make toolchain claims executable rather than upgrading the label alone.

Acceptance proof: Clean minimum-toolchain matrix, one authorized provider/MCP/embedding consumer path, negative credential and cancellation cases, and no competing independent Eidolon implementation without a declared contract.

Next comparison (not executed): Compare the accepted thin integration layer with direct provider SDKs; do not make a generic AI umbrella the default destination for unrelated code.

Evidence: S245, S316, W03

5 / Active candidates, continued

13 PhenoMLX

ID 1214745478 | P1 | QUALIFY A SELF-CONTAINED INFERENCE PROFILE

Role: OMLX-derived inference and research application

Observed: The current README still depends on an installed /Applications/oMLX.app environment, local Python injections and adjacent research checkouts. It distinguishes some CPU-only/placeholder work, but broad performance claims are not qualification evidence.

Next useful outcome: Select one supported model/backend and produce a reproducible extension or self-contained install with explicit upstream/fork identity and research boundaries.

Acceptance proof: Clean install, model load/inference/cancel/unload/restart, memory-pressure/OOM handling, valid credential and data paths, and measured quality/performance using the actual shipped artifact.

Next comparison (not executed): Matched upstream OMLX/MLX or selected local server baseline, with model, quantization, inputs and hardware controlled.

Evidence: S246

14 PhenoTooling

ID 1220333985 | P0 | TRUST AND OWNERSHIP REPAIR

Role: Reusable developer/verification tooling collection

Observed: The root remains a Genesis scaffold description, while the workspace contains many absorbed systems including Journeys, ShareCLI, eye tracking and orchestration. docs-health has three implementation TODOs, returns empty findings and an empty smoke test.

Next useful outcome: Qualify the actual gate commands and identify per-package writer/release/consumer ownership. Preserve richer local intent systems; do not turn the collection into a universal product registry.

Acceptance proof: Seeded broken input fails locally and in CI; nonzero errors propagate; missing backends are not green; an unrelated repo can use each published tool without copying the portfolio.

Next comparison (not executed): Compare each tool to the free/OSS native instrument it wraps; wrappers must add policy or usability without weakening evidence.

Evidence: S232, S304, S312, S313

5 / Active candidates, continued

15 PhenolInfra

ID 1220334053 | P0 | PROVE CONSUMER CLOSURE

Role: Infrastructure/runtime composition home

Observed: The README still describes nanovms, PhenoCompose and BytePort consolidation. The old nanovms endpoint/ID is unavailable through this connection, while active consumers still reference it. The intended post-migration ownership is not demonstrated by this README.

Next useful outcome: Map runtime/FFI/manifest packages to their accepted homes and all affected consumers; separate deploy configuration from product implementation.

Acceptance proof: An authorized clean runtime provision/run/stop/cleanup path works; FFI ABI, source provenance, storage custody and rollback are verified. No schema or package is substituted merely because its name matches.

Next comparison (not executed): Compare exact deployment/isolation jobs with existing native/VM tooling; no new platform requirements solely to justify the repository.

Evidence: [S242](#)

16 Eidolon

ID 1220437668 | P1 | QUALIFY EXPLICIT LIVE DRIVERS

Role: Cross-platform device automation and sandbox interfaces

Observed: A detailed matrix distinguishes real, feature-gated and unsupported paths; REST daemon and crates publication are explicitly not shipped. Older 90%/alpha language coexists with that more useful matrix. PhenoAI now lists Eidolon crates too.

Next useful outcome: Preserve the honest capability matrix and resolve the active source owner. Finish one consented desktop automation/recording path and one defined isolation path before more backends.

Acceptance proof: Real screenshot/input/state checks under permissions; denial, lost display, absent runtime and unsupported platform fail explicitly. Do not confuse requested sandbox policy with introspected enforcement.

Next comparison (not executed): Compare a matched automation journey with the existing native/platform driver; validate security boundaries separately from throughput.

Evidence: [S253](#), [S316](#)

5 / Active candidates, continued

17 forgecode

ID 1226104769 | P1 | INTEGRATED; RELEASE INSTALL PATH OPEN

Role: HeliosLite coding-agent CLI fork

Observed: The previous h0.1.7 promotion PR #277 is now merged into main. The current README claims a separate heliosLite canonical repository/package. Latest GitHub release v2.13.21-h.0.2.1, September 15, has no uploaded assets; package registries were not audited.

Next useful outcome: Select the actual install/update channel and immutable artifact. Reconcile binary/brand aliases and legacy session behavior without rewriting old conversation stores.

Acceptance proof: Installed fork, not accidental upstream binary, passes task execution and SSE failure/reconnect; legacy/foreign sessions remain read-only; recall/forget honor scope; update/rollback preserves state.

Next comparison (not executed): Compare the current fork against its upstream and Jcode on the same bounded task, including connection failures and concurrent children.

Evidence: [S254](#), [S307](#), [S311](#)

18 OmniRoute

ID 1226171396 | P1 | QUALIFY THE FORK DELTA

Role: Maintained upstream-derived AI gateway/contribution fork

Observed: The root is upstream-facing and advertises extensive provider/free-tier budgets and upstream releases. Those marketing numbers were not revalidated and do not establish your own fork deployment or accepted contribution state.

Next useful outcome: Separate upstream contributions, local fork integration, deployed instance and user-installed version. Prove the local routing changes against selected real providers with protected credentials.

Acceptance proof: Provider auth, streaming, fallback, quota accounting, cancellation and update/recovery behave correctly. External terms/quotas remain source-dated claims, not invented guaranteed free capacity.

Next comparison (not executed): Matched requests through upstream and fork; preserve task success and error semantics while measuring local improvements.

Evidence: [S255](#)

5 / Active candidates, continued

19 Pine

ID 1226547140 | P2 | RESEARCH, NOT A GENERAL COMPATIBILITY CLAIM

Role: Experimental application compatibility runtime

Observed: The README simultaneously says 70% and 25% pre-alpha. It declares a very broad Wine-equivalent goal but lists unresolved translation/isolation questions and five foundation crates.

Next useful outcome: Keep the larger research intent, but select one explicit binary/API/platform compatibility experiment. Reuse established components where beneficial rather than promising arbitrary cross-OS execution.

Acceptance proof: One real previously unsupported test program runs with correct observable behavior and bounded failures; reference semantics, supported imports and overhead are documented. No generic CVP label from compilation alone.

Next comparison (not executed): Compare the identical program with the relevant Wine/Proton/VM/native path, not generic guessed overhead percentages.

Evidence: S256

20 WorldSphereMod

ID 1241972761 | P1 | CLOSE THE ACTUAL IN-GAME RENDER PROFILE

Role: WorldBox 3D hard fork

Observed: The README usefully distinguishes CODE_LANDED from PROVEN, but names a local wip/208-height-fix branch as canonical while remote main is the inspected baseline. Many presentation features remain off or asset-bake deferred.

Next useful outcome: Reconcile the actual game-tested branch and package. Verify Compound-Spheres provenance and consumer pin before enabling or pruning renderer variants.

Acceptance proof: Installed mod displays the declared entities/terrain/water/lighting/UI on the supported game version; no asset fallbacks hide missing content; save/reload, disable and uninstall are tested.

Next comparison (not executed): Use the same save/camera/actions against upstream and the candidate; visuals need direct review and measured frame timing.

Evidence: S257

5 / Active candidates, continued

21 Melosviz

ID 1262466303 | P1 | QUALIFY REAL MEDIA, NOT DEMO OUTPUT

Role: Music visualization studio and native/web shells

Observed: The README offers a deterministic offline demo and an Electrobus app path, but its production stack mentions a C4D stub. Demonstrating a generated ZIP does not prove the real media/rendering path.

Next useful outcome: Choose a real audio track and supported production renderer/backend; package a native app or correctly deployed web profile with explicit optional-service handling.

Acceptance proof: Import, analyze, play/sync, edit preset, render/export, reopen and recover from a backend failure; validate audio/video output rather than file existence; capture an authentic polished app journey.

Next comparison (not executed): Compare time-to-usable visualization/export with the current manual or selected existing toolchain.

Evidence: S258

22 substrate

ID 1269596554 | P1 | BOUND ROUTING OWNERSHIP AND QUALIFY

Role: AI dispatch gateway and TUI

Observed: The README presents a concise runtime contract: SSE, retries, fallback, budgets, metrics and admin API. AgentApiPlusPlus separately claims both retained dependency status and absorption into substrate.

Next useful outcome: Distinguish model-provider routing from control of agent processes. Declare the retained dependency/adaptor contract and prove one safe gateway session end to end.

Acceptance proof: Authentic streaming/cancel/failure cases, no duplicate charges or replayed unsafe requests, admin authorization, budget continuity and bounded logs. Do not certify production from /health alone.

Next comparison (not executed): Compare its intended minimal gateway/agent-control task with OmniRoute/Bifrost/CLIPProxy and direct endpoints.

Evidence: S259, S284

5 / Active candidates, continued

23 PhenoLab

ID 1269695199 | P1 | RUN AND AUDIT A REAL BENCHMARK

Role: Reproducible evaluation/lab consumer

Observed: The root still says pheno-harness and instructs a specs submodule/portage-TEMP installation. It distinguishes itself from the Harbor product but cites historical oracle/status claims rather than new execution evidence.

Next useful outcome: Resolve install/submodule dependencies and run a seeded positive and known-negative evaluation in the supported environment; inspect current oracles rather than assuming prior fixes persisted.

Acceptance proof: Source/config/model versions, inputs, results, failures, costs and artifacts are reproducible. Missing implementation/environment cannot silently skip required acceptance and produce success.

Next comparison (not executed): Compare a real agent task with the direct Harbor/Portage baseline; suite metadata introspection is not an evaluation workload.

Evidence: [S260](#)

24 PhenoGfx

ID 1271708536 | P1 | QUALIFY CONSUMER INTEROP

Role: Shared graphics/data SDK

Observed: The README has a focused four-module contract (Rust voxel; Unity terrain/water/postfx), but calls it scaffolding 2/10. It conditions supersession on consumer references, which is the correct kind of gate but not proof it passed.

Next useful outcome: Verify one shared data-format/FFI path into actual game consumers and map donor provenance; preserve engine-specific capabilities that are not equivalent.

Acceptance proof: Chunk/heightfield/mesh data and error behavior agree across the real consumers, including failed persistence and missing assets; native package/ABI tests and performance budgets pass.

Next comparison (not executed): Compare shared implementation and separate prior copies under the same game scene; require reduced change burden without lost rendering behavior.

Evidence: [S261](#)

5 / Active candidates, continued

25 CivicSurvival-public

ID 1308570444 | P1 | QUALIFY THE DISTRIBUTED MOD; RESPECT THE BOUNDARY

Role: Public source/docs surface for a distributed CS2 mod

Observed: The README explicitly says private generators and server sources are omitted and this public snapshot is not independently buildable. It advertises Paradox Mods distribution and warns beta saves are not version-stable.

Next useful outcome: Trace the published player artifact to its qualified build and verify the actual mod journey. Do not invent the missing private components or count their absence as an accidental public build regression.

Acceptance proof: Supported game install, onboarding, crisis mechanics, actual privacy defaults, declared save migration/limitations and uninstall behavior are demonstrated. Public-source transparency is not sufficient correctness evidence.

Next comparison (not executed): Compare the actual player experience and operator burden against vanilla plus the relevant prior mod workflow.

Evidence: [S262](#)

26 AirLock

ID 1319179066 | P1 | TRANSITIONED TO DEPENDENCY DURING AUDIT

Role: No-mistakes-derived Git publication gate

Observed: Initial inventory placed AirLock among the 30 unprefixed names. During this pass its stable ID resolved to zz-aa-dep-AirLock. The README remains the no-mistakes proxy/worktree pipeline with upstream installation.

Next useful outcome: Record the ID-preserving role change and actual consumers. Retain the fork under dependency rules; verify the publication gate before relying on it for lifecycle safety.

Acceptance proof: Known-invalid candidate is not forwarded; dirty user work remains intact; interrupted operations reconcile outcomes before retry; permissions and provider failures cannot be treated as passes.

Next comparison (not executed): Compare the local patch delta with upstream no-mistakes on positive/negative gated pushes using disposable remotes.

Evidence: [S268](#), [S266](#)

5 / Active candidates, continued

27 ghostty

ID 1322607630 | P1 | QUALIFY OWNED DELTA AND CHANNEL

Role: Terminal emulator fork / embeddable terminal dependency

Observed: The README prepends a fork note but retains upstream download links and maturity claims. Those establish the referenced upstream story, not a measured quality level for this fork.

Next useful outcome: List intentional patches and decide whether this is an independently distributed terminal or an embeddable dependency. Trace terminal-fabric work to its current accepted home rather than assuming it vanished.

Acceptance proof: Installed owned build passes terminal/input/render/clipboard/session cases for its supported platform; embedded use has a versioned contract; upstream and fork update channels cannot silently switch.

Next comparison (not executed): Run the same terminal conformance and real agent session in upstream and fork, including wide characters, paste and resize.

Evidence: [S263](#)

28 KooshaPari

ID 1349458262 | P1 | PUBLISH ONLY CURRENT VERIFIED CLAIMS

Role: Profile / public portfolio consumer

Observed: The profile links several renamed or absent products and advertises 101 merged OmniRoute PRs/rank #5. This pass did not reverify those statistics. Tracera is still positioned as audit infrastructure rather than the clarified product graph.

Next useful outcome: Generate the public selection from approved product identity and bounded evidence; preserve historical achievements as dated claims rather than advertising deleted download routes as current.

Acceptance proof: All public destinations resolve to the intended product or historical note; contribution metrics have exact query/window provenance; public build has no private data; landing/docs/app domains are tested.

Next comparison (not executed): Measure whether an unfamiliar visitor can install and understand a selected product without private explanation.

Evidence: [S264](#)

5 / Active candidates, continued

29 PhenoFabric

ID 1363521465 | P0 | REPAIR DEPENDENCY; PROVE A REAL ROUTE

Role: Distributed compute/data/I-O graph runtime

Observed: The root remains the original research/planning baseline while Cargo lists substantial implementation including GUI/TUI/capture/transport. Its NVMS adapter still fetches KooshaPari/nanovms, unavailable by old name and ID in this connection. Latest stable release endpoint returned 404.

Next useful outcome: Verify the manifest/runtime successor by API and provenance, not matching crate name. Resolve dependencies, then demonstrate one real producer-consumer path and publish its actual profile.

Acceptance proof: Clean reproducible build, authenticated two-node surface or task route, cancellation/reconnect, bounded contention and appropriate same-host fast path. GUI shell existence does not prove remoting or compute meshing.

Next comparison (not executed): Compare the chosen route against its existing specialized transport; measure useful outcome and tail latency, not graph-editor appearance.

Evidence: S247, S234, S235

30 jcode

ID 1365855438 | P0 | QUALIFY INSTALL AND DESTRUCTIVE-ACTION BOUNDARIES

Role: Coding-agent harness fork

Observed: Latest GitHub fork release v0.85.0-k1.0.0 exists (September 15), but its observed attached asset list contains only a FreeBSD x86_64 archive. README install/update paths still predominantly point at upstream jcode.sh, while manual download points to this fork.

Next useful outcome: Prove the exact fork installation/update path on the actual Mac and Windows hosts. Preserve successful connection/subagent work while making irreversible actions depend on explicit external authority.

Acceptance proof: Installed digest/version matches tested fork; SSE loss and child restart do not duplicate actions; state survives update; scope/approval controls reject unauthorized deletion, force push and admin merge.

Next comparison (not executed): Compare the same task under failing provider connections against current ForgeCode/Codex behavior; do not use throughput as safety evidence.

Evidence: S265, S308

6 / Retained, held and reference repositories

32 original cohort entries. Their finish line is an explicit maintained dependency, accepted incubation, deliberate hold or verified custody state—not a universal requirement to ship a new application.

01 zz-pause-ref-ProjectSpyn

ID 707502317 | P2

CUSTODY ONLY

Observed: The header says paused ASU FSE100 project, while inherited text claims all work migrated without a specific successor.

Next: Preserve history and explicitly mark unverified historical migration language. Do not create new CVP work.

Acceptance: Recoverable source, license and historical identity are recorded; no claim that undocumented absorption is proven.

Evidence: S293

02 zz-pause-AgsLag

ID 960016965 | P0; closing: zz-inc-AgsLag

INCUBATION NAME CONFLICTS WITH PAUSED CONTENT

Observed: Closing list resolves this ID to zz-inc-AgsLag. Its refreshed README still says pause, pending merge into zz-agslag, and zz-agslag-dash retired. A new prefix did not resolve the actual strategy authority.

Next: Request/locate the exact accepted incubation decision and its bounded charter. Preserve the strategy/allocation responsibilities without silently assigning them to AgilePlus or a document ledger.

Acceptance: One role, source lineage, owner, scope, graduation condition and allowed actions are explicit. No new work or deletion proceeds from the name alone.

Evidence: S274, S319, OBS-CLOSE

03 zz-pause-Localbase

ID 980996178 | P2

KEEP RESEARCH/PRODUCT BOUNDARY DISTINCT

Observed: The README describes Cosmos marketplace, provider/API and frontend subsystems under permanent pause.

Next: Preserve historical work and any authorized existing data. Do not silently import its marketplace/blockchain requirements into PhenoFabric or resume deployment.

Acceptance: Custody, licenses, outstanding secrets/infrastructure and historical status are known. Future reuse requires a bounded accepted requirement, not name similarity.

Evidence: S276

6 / Retained scope, continued

04 zz-pause-ref-AtomsTech

ID 998124581 | P2

CUSTODY ONLY

Observed: Paused/reference header sits above a generic archived/migrated notice with no target.

Next: Keep the reference with dated role and provenance. Identify any still-owned domain/credential obligations separately.

Acceptance: Historical source remains recoverable, obsolete live claims are flagged, and no new product work or deletion is inferred.

Evidence: S294

05 zz-pause-ref-AtomsBot

ID 1009324469 | P2

HONOR THE EXPLICIT FREEZE

Observed: The README explicitly prohibits new commits, PRs, issues, releases, dependents and agent work without owner sign-off.

Next: Maintain read-only observation and external custody records. Do not edit the repository merely to satisfy a generic portfolio checklist.

Acceptance: No automated mutation occurs; any future resumption requires explicit scoped supersession and appropriate credential review.

Evidence: S295

06 zz-pause-ref-KaskMan

ID 1015249259 | P2

CUSTODY ONLY

Observed: The README says no longer maintained and absorbed or irrelevant, without identifying precise target parity.

Next: Preserve; flag migration status as unverified rather than converting the sentence into retirement authority.

Acceptance: Stable ID, history, retained artifacts and access are known; no manufactured application or quality target is added.

Evidence: S296

6 / Retained scope, continued

07 zz-pause-RIPFitnessApp

ID 1017123874 | P2; closing: zz-inc-RIPFitnessApp

CONFIRM WHETHER A REVIVAL WAS ACTUALLY AUTHORIZED

Observed: Earlier header says permanent pause/retirement. Closing name is zz-inc-RIPFitnessApp, without a retrieved new product charter.

Next: Preserve the old application and identify a bounded new user job only if a scoped decision exists; no obligation to manufacture a CVP from coursework/history.

Acceptance: Explicit owner and decision separate archival custody from an actual incubation task. Existing secrets and user data are handled privately.

Evidence: S283, OBS-CLOSE

08 zz-pause-VibeKanban

ID 1020556829 | P0; closing: zz-inc-VibeKanban

EXPLICIT NO-DEVELOPMENT NOTICE STILL PRESENT

Observed: Despite the closing zz-inc-VibeKanban name, its refreshed README still explicitly says reference/inspiration only and tells agents to stop unarchiving/developing it.

Next: Do not treat the prefix as permission. Locate an explicit human supersession before new work. Preserve usable reference material and fork provenance.

Acceptance: Until a scoped supersession is established, no automatic development, new integration authority or retirement action; any approved experiment must state why it is needed.

Evidence: S281, S318, OBS-CLOSE

09 zz-pause-ref-Synthia

ID 1048244869 | P2

RESPECT THE NO-WORK NOTICE

Observed: The top-level instruction says no longer needed/stop working, followed by upstream PAL MCP material.

Next: Retain as reference and distinguish upstream documentation from owned maintained capability. Do not resume bot/provider development.

Acceptance: Source/upstream lineage and retained rights are recorded; no operational dependency is added without a new decision.

Evidence: S297

6 / Retained scope, continued

10 zz-pause-ref-472P2FlameWar

ID 1069864709 | P2

CUSTODY ONLY

Observed: The document has pause/retired boilerplate rather than an active product contract.

Next: Keep protected reference material and provenance; resolve any uncertainty outside the repository before changes.

Acceptance: Historical identity and recovery are documented; no regression or CVP claim is invented from an inactive course project.

Evidence: S298

11 zz-aa-dep-AgentApiPlusPlus

ID 1077977094 | P0

CONFLICTING RETAIN/DELETE INSTRUCTIONS

Observed: The README simultaneously says owned hard-fork dependency, do not pause/delete/archive/merge, and migrated to substrate with future deletion.

Next: Reconcile one current decision and actual substrate/process-control consumers. Preserve upstream and local history and prove any claimed replacement is semantically equivalent.

Acceptance: Real agent lifecycle, stream and error contracts work on pinned versions; no destructive transition is derived from the obsolete paragraph.

Evidence: S284

12 zz-aa-dep-CliproxyApiPlusPlus

ID 1159182006 | P2

KEEP AS A DEPENDENCY WITH AN EXPLICIT DELTA

Observed: The retained header and fork attribution are relatively clear: provider routing/auth/quota/diagnostics extensions of router-for-me/CLIProxyAPI.

Next: Publish the intentional patch set, upstream base, real consumer pins and install/update policy. Avoid duplicating upstream claims as evidence for the fork.

Acceptance: Authentic provider streaming/cancellation/auth/limit cases pass; documented integrations resolve; fork-network history is protected.

Evidence: S285

6 / Retained scope, continued

13 zz-pause-Thegent

ID 1162255140 | P2

RETAIN PAUSE; DO NOT INHERIT ITS BROAD AUTHORITY

Observed: The pause header coexists with 100% spec/test/trace, 60% active runtime and a broad dotfiles/bootstrap/multi-agent hub description.

Next: Preserve the latest restrictions and identify any existing consumers that need compatibility maintenance. Extract no new canonical authority from completion percentages.

Acceptance: Current role and supported retained interfaces are explicit; historical labor/strategy intent remains traceable; no background worker resumes new product work from stale ACTIVE text.

Evidence: S273

14 zz-pause-Parpoura

ID 1164684829 | P0; closing: zz-inc-Parpoura

VERIFY SEMANTIC SUCCESSOR BEFORE ANY RETIREMENT

Observed: Earlier README says paused and migrated research documents to ResearchLedger, with venture Python superseded by AgilePlus and future deletion. Closing name is zz-inc-Parpoura; the new intended contract was not retrieved.

Next: Reconcile the scoped incubation/retirement decision. Separate copied research from executable venture behavior and verify any claimed successor with a matched consumer case.

Acceptance: Every retained capability has explicit source/target responsibility and evidence; paused/retained obligations and new incubation are not conflated.

Evidence: S275, OBS-CLOSE

15 zz-pause-QuadSGM

ID 1164703420 | P2; closing: zz-inc-QuadSGM

CHARTER BEFORE RESTART

Observed: Earlier header pauses a Python governance/template system with task, docs and QC tooling. Closing list now says zz-inc-QuadSGM; the corresponding decision was not established.

Next: Determine whether a bounded independent experiment is intended or the material remains reference for existing tools. Do not create a second portfolio policy authority.

Acceptance: Document one authorized experiment, inputs/outputs and relationship to current tooling; preserve history and avoid conflicting enforcement.

Evidence: S278, OBS-CLOSE

6 / Retained scope, continued

16 zz-aa-dep-UnityDoorstop

ID 1185005735 | P2

RETAIN PREBOOT/LOAD ORDER CONTRACT

Observed: The fork exposes Unity Doorstop as an early .NET assembly loader with upstream workflow/artifact references.

Next: Pin the actual build consumed by Dino or other mods and document loader/runtime compatibility and local patches.

Acceptance: The supported game/runtime loads the correct managed entrypoint once, fails safely when missing/incompatible, and preserves upstream notices and provenance.

Evidence: S289

17 zz-aa-dep-Planify

ID 1194326424 | P2

PRESERVE; RESOLVE OUTDATED PRODUCT COMPARISON

Observed: The dependency header coexists with a June PM-frontend competition against AgilePlus and Tracera, with no newly established decision in this read.

Next: Keep source provenance and licensing; identify actual consumers and whether this is an adapter, maintained fork or an approved future UI experiment.

Acceptance: Pinned build and required API/upgrade contracts work. Do not let the old competition statement redefine Tracera or AgilePlus today.

Evidence: S286

18 zz-pause-GitHub

ID 1199812615 | P2

PRESERVE; CHECK PUBLICATION RESPONSIBILITY ELSEWHERE

Observed: The paused README refers to the old .github repository and says archived/retired, while platform metadata says unarchived.

Next: Separate authored account policy from any necessary specially named GitHub publication surface. Do not recreate, rename or enable workflows without the accepted owner decision.

Acceptance: Required default community files and workflow references are intentionally provided or intentionally absent; historical code is preserved and no inferred redirect is used as proof.

Evidence: S282

6 / Retained scope, continued

19 zz-tbd-Pheno

ID 1200273587 | P0

DO NOT USE AS AN UNADJUDICATED ABSORPTION TARGET

Observed: The README calls it a shelf of about 30 independent repositories and adds a TBD merge-target header. That is a workspace organization model, not proof of one coherent product or canonical implementation.

Next: Inventory nested Git roots, separate dirty work and retained artifacts, and record a component-level destination map. Resolve the existing ban/exception history before any new imports.

Acceptance: Every source capability and independent history is mapped; no recursive copy loses a nested repository; one approved owner per component; no deletion or broad merge authorization is implied.

Evidence: S271

20 zz-pause-FocalPoint

ID 1220449881 | P0

DO NOT TREAT IT AS PROVEN SCREEN-TIME SUCCESSOR

Observed: The header says paused and absorbed into PhenoTooling; the underlying description is dependency management. This differs from the FocalPoint product in PhenoApps.

Next: Resolve by repository IDs, historical paths and actual component/API behavior. Preserve distinct histories until the transfer map proves what each contains.

Acceptance: No product feature or user data is declared redundant solely because the repository name matches. Any consumer migration passes a real test.

Evidence: S277, S269

21 zz-aa-dep-Bifrost

ID 1226168548 | P2

KEEP CONSUMER-LED MAINTENANCE

Observed: The retained header preserves maximhq/Bifrost attribution; the remaining large product claims and package routes largely describe upstream.

Next: Establish fork delta and exact deployed/imported versions in the route family, especially duplicated routing responsibility with OmniRoute and substrate.

Acceptance: Representative request, stream, fallback, quota, permission and failure behavior is tested on the owned revision; package identity remains explicit.

Evidence: S287

6 / Retained scope, continued

22 zz-pause-ref-NetWeave

ID 1226264690 | P2

PRESERVE A REUSABLE IDEA WITHOUT FORCED ABSORPTION

Observed: The source describes a Go traffic/road-network simulator and Canvas UI, with education, planning and possible game use under a pause header.

Next: Retain as reference. A future Civis reuse proposal must identify the exact algorithm and contract, not import an entire traffic product by analogy.

Acceptance: Source and provenance remain available; no new engine scope, deleted duplicate or release obligation is inferred from conceptual relevance.

Evidence: S299

23 zz-aa-dep-PhenoMCPServers

ID 1271786703 | P2

QUALIFY FRAMEWORK AND CONSUMER RESOLUTION

Observed: The README defines an implementations registry and legitimate catalog schema, but depends on old PhenoFastMCP locations not present in the opening roster.

Next: Locate the actual framework package source and pins. Keep runnable server packages separate from generated catalog projections and portfolio ownership.

Acceptance: One selected server installs and interoperates with a real client, including malformed requests, cancellation, permission denial and missing backend handling.

Evidence: S288

24 zz-tbd-PhenoApps

ID 1272990345 | P0

RECONCILE THE ACTUAL PRODUCT LINEAGE

Observed: On apps-extract, one README simultaneously says compilation broken, builds green, and compilation still blocks production. It describes the actual screen-time/FocalPoint app, unlike the other FocalPoint repository. Adjacent PhenoObservability is required by the documented build.

Next: Compare actual branch/source/manifests with the separate FocalPoint ID and existing accepted product intent. Build in isolation with explicit dependencies before choosing a destination.

Acceptance: Distinct capabilities, platform entitlements, private assets, data migrations and source history receive a disposition. Conflicting progress claims are replaced by one revision-specific observation.

Evidence: S269, S277

6 / Retained scope, continued

25 zz-tbd-MobileCli

ID 1273002789 | P2

KEEP FORK AND DEVICE CONTRACTS INTACT

Observed: The source retains upstream mobilecli installation and device-control scope. The displayed license identifies FSL-1.1-Apache-2.0; this audit did not adjudicate its license terms or local patch delta.

Next: Identify required Eidolon/other consumers and compare actual mobile-device operations. Review the specific license and upstream relationship before porting or productizing.

Acceptance: Selected physical/emulated-device paths work with consent and correct denial behavior; independent subprocess/API boundary, patches, distribution and license obligations are recorded.

Evidence: S272

26 zz-aa-dep-MobileMcp

ID 1273002818 | P0; closing: ACCESS UNRESOLVED

DO NOT CLASSIFY AS DELETED OR MIGRATED

Observed: Present in the opening cohort, its README read and stable repository-ID lookup returned 404; it is absent from the closing 61-ID list.

Next: Have the authorized owner resolve access/transfer/removal and report the actual successor, consumers and preserved source receipts. Do not synthesize a successful migration.

Acceptance: Identity and custody are established by authorized evidence; every current consumer either resolves the retained dependency or is explicitly blocked.

Evidence: OBS-OPEN, OBS-CLOSE, OBS-404, W01

27 zz-pause-SessionLedger

ID 1284536541 | P2; closing: zz-inc-SessionLedger

PRESERVE DATA CONTRACT; RECONCILE ROLE

Observed: The closing name is zz-inc-SessionLedger, but the refreshed header still says long pause. The retained tool advertises daemon, archive, replay and Dioxus viewer with some publication channels unfinished.

Next: Bind any revival to an explicit scoped decision. Consumers may use a qualified retained version without requiring a whole new product release; protect private captures and credential boundaries.

Acceptance: Actual archive/restore and provenance verification retain session fidelity; live versus recorded state is distinct; paused obligations and new development permissions are explicit.

Evidence: S279, S320, OBS-CLOSE

6 / Retained scope, continued

28 zz-pause-ResearchLedger

ID 1308558334 | P2; closing: zz-inc-ResearchLedger

PRESERVE VAULTS; VERIFY THE NEW CHARTER

Observed: Earlier paused source describes a Tauri app with local Markdown/SQLite, browser captures and credential handling. Closing name is zz-inc-ResearchLedger; no live app or new charter was validated.

Next: Locate the accepted incarnation/owner decision; keep captures private and avoid mandatory dependencies from every product onto unfinished research integrations.

Acceptance: Existing vault/import/export contracts remain readable and recoverable. New browser/native operations require consent, scoped fixtures and actual evidence.

Evidence: S280, OBS-CLOSE

29 zz-aa-dep-TurboQuant

ID 1315997929 | P2

VERIFY LOCAL APPLICABILITY, NOT JUST UPSTREAM CLAIMS

Observed: The README carries extensive upstream adoption and quality/performance claims. Those experiments and external PRs were not re-executed or independently verified in this pass.

Next: Identify the exact codec/backend/model profile used by your products and reproduce bounded quality plus memory/latency evidence before adopting a default.

Acceptance: Matched baseline shows reported quality/performance tradeoffs on real hardware; failure/OOM behavior, format compatibility and attribution are explicit.

Evidence: S290

30 zz-aa-dep-PhenoUnslowStudio

ID 1328507619 | P2

KEEP THE FORK/CONSUMER BOUNDARY CLEAR

Observed: The dependency header retains the upstream Unslow Studio description and assets; it is not evidence of a separately qualified Phenotype product.

Next: Record intentional changes and a clean install path for the real model workflow using this fork. Do not fabricate branding or original performance ownership.

Acceptance: A safe bounded train/infer/export flow succeeds with required versions, resources, model/data permissions and clear failure behavior.

Evidence: S291

6 / Retained scope, continued

31 zz-aa-dep-CompoundSpheres3D

ID 1330430083 | P2

VERIFY THREE-SOURCE MERGE AT THE CONSUMER

Observed: The README calls it canonical and describes a three-source merge with upstream and WSM3D renderer lineage. Those claims need more than source folder presence.

Next: Resolve submodule/assembly pins and check the intended terrain/height-field/culling behavior in the actual game build.

Acceptance: Selected source capabilities, assets and ABI are retained; render correctness/performance and failure cases pass against the known working baseline.

Evidence: S292

32 zz-tbd-PhenoSDKs

ID 1369043600 | P2

PRESERVE PACKAGES; DECIDE OWNERSHIP BY CONSUMERS

Observed: The README says target undecided and lists Go SDK plus observability. Presence in a collection does not establish a compatible new package/versioning home.

Next: List module/import identities, real consumers, release obligations and provenance. Choose existing product or foundation owners by contract; avoid another generic utilities repository.

Acceptance: Clean consumers resolve exact versions without old relative paths; package namespaces and licenses survive; old identifiers have deliberate compatibility treatment.

Evidence: S270

7 / The acceptance contract still applies

Carry forward the already accepted assurance and delivery contracts. Do not weaken them to get a green badge, and do not restart their documentation generation. A product candidate must identify its current accepted horizon, public entrypoint, build profile, platforms, required assets, state ownership and real consumer journey.

Unit, integration, E2E and each other required assurance family need independent coverage and meaningful denominators at their accepted floors (at least 85% unless an existing contract is stronger). Critical obligations and selected mandatory checks must all pass. Union coverage, skipped suites, missing backends, empty tests, copied badges and self-declared percentages do not meet those conditions. Unsupported measurements become explicit instrument work or an authorized exception, never a fabricated result.

Documentation acceptance means complete applicable intent/spec/architecture/operations contracts, source-backed SOTA, executable examples, current version/source links and honest status. Preserve richer existing prompt scrapes and provenance systems. A renamed or copied docs checker must demonstrate that it actually detects bad input. PhenoDocs and AgilePlus remain reusable tools; the subject repository owns its own content/state under the accepted contract.

A pilot compares one bounded real job against rational alternatives, with controls and negative results. A case study proves an intended user can install, use, recover and understand the actual product. The candidate comparisons listed on the product cards are recommended next experiments, not completed competitor research.

For macOS desktop products, use the installed .app outside the checkout, not dev mode. Qualify the correct assets/features, resource use, UI states, accessibility, persistence and recovery. For CLI/tools, use real installations, clean stdout/machine formats and VHS plus native result assertions. For libraries, use real consumer packages. For mods, use the supported installed game and distribution path. For infra, prove provision/run/failure/cleanup/restore. For research systems, prove the specified experiment rather than inventing a desktop shell.

Keep real product recordings separate from authored branding/illustrations. Do not let synthetic screens, stub backends or promotional edits become product evidence. Keep private captures out of public site/search artifacts. Bind source revision, profile, artifact digest, verification run and published route. Protect foreground games and Ableton by global resource admission; coverage instrumentation and uninstrumented performance runs remain separate.

No irreversible lifecycle action is authorized by this report. Existing source retention and fork-network no-delete constraints stand. An incubation rename is not a human supersession. A held dependency can remain supported without new product development, and a reference repository need not be rebuilt merely to satisfy a generic template.

8 / Convert current work into installed outcomes

Do not serialize every independent product behind rebuilding the entire governance ecosystem. Run a small assurance/dependency lane and a small CVP lane in parallel, bounded by real review, native-platform and hardware capacity. Reconcile duplicate writer ownership before overlapping source edits, not by halting unrelated work.

First resolve current IDs and permission-changing decisions, then assign the two trust repairs (AgilePlus coverage and PhenoTooling docs-health) to their current owners. In parallel, close source-resolution failures for the Fabric/Infra/HeliosLab consumers and settle the explicit ShareCLI/Eidolon source-writer boundary.

For visible user value, pick one GUI/game candidate and one operator tool candidate from current runnable evidence. Civis is a strong GUI/game candidate because useful world work exists and the packaging profile is concrete. Forgecode or ShareCLI is a strong operator-tool candidate. The final choice depends on the local installed state not visible in this audit; do not start all three merely because they are named here.

The next outcome should be a tested current artifact you can install and use, not an empty release or another hundred-page specification. A known integration that already landed (such as Forgecode #277) should not be redone. An inherited target-blocking defect should remain owned, even when a narrow PR did not introduce it.

For migration work, source workers prepare the component transfer and destination workers own integration. A family lead owns the joint outcome. Unique worktrees, locked shared-manifest edits, exact base revisions and receipt-aware retry are required. Do not let a lost harness connection cause blind resubmission of a mutation.

Report installed CVPs, independently verified capabilities, release-to-installed revision lag, unresolved source locations, stale role decisions, test-instrument defects, escaped installed defects, and active outcome WIP. Do not optimize commit counts, branch counts, document counts or raw repository counts as substitute outcomes.

Do not translate this into a one-agent-per-repository rule. Several workers may contribute to one product through bounded capability slices. Shared destination manifests, lockfiles, migrations and releases need an integration owner and non-overlapping or coordinated writes.

9 / Proposed next work; not new permissions

These are bounded proposed packages for existing owners. Only WP07 has an explicit hard dependency on WP02. Priority, shared-resource exclusion and work-in-progress admission are separate from technical dependencies. No speculative calendar or effort totals are presented.

WP01 Reconcile current ID and decision projection

Owner: PhenoRegistry + portfolio coordinator

Scope: Resolve the seven incubation transitions, AirLock role and MobileMcp access. Preserve original cohort. Do not create a new registry.

Acceptance: One ID-keyed current map with explicit unknowns, decision provenance and allowed actions; latest no-work restrictions cannot be overridden by a prefix.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F01, F11

WP02 Qualify the verification instruments

Owner: AgilePlus + PhenoTooling owners

Scope: Repair real coverage aggregate and docs-health checks in isolated branches; reuse existing native instruments.

Acceptance: Known missing/below-threshold/wrong-revision/empty-suite/broken-link fixtures fail locally and hosted. No blanket waivers or echo success.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F02, F03

WP03 Close source/dependency migration gaps

Owner: PhenoFabric + HeliosLab + PhenoInfra/package owners

Scope: Locate API-equivalent dependency sources, recorded pins and supported toolchains; verify clean resolution with no warm checkout.

Acceptance: All selected manifest/FFI/consumer builds succeed from an isolated fetch and the correct supported toolchain, or have exact owned blockers.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F04, F10

WP04 Resolve duplicate writer and release ownership

Owner: sharecli + Eidolon + PhenoTooling + PhenoAI leads

Scope: Declare per-package single writer, mirror/distribution policy, consumers and source history. Freeze conflicting writers, not useful independent work.

Acceptance: One known authority per live capability; integration strategy and parity tests before retiring copies.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F05, F12

WP05 Qualify installed Civis game candidate

Owner: Civis product/integration owner

Scope: Use current accepted game-first horizon and required graphics/audio/assets. Preserve new persistence tests and run the player path outside the checkout.

Acceptance: Install/launch, meaningful play/intervention, save/quit/reopen and bounded continuation all pass; exact build/profile and honest visual review attached.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F07

WP06 Qualify actual coding harness fork channels

Owner: forgecode + jcode + helios-cli owners

Scope: Choose actual executable/build root, package it and verify current installed identity; preserve completed Forgecode promotion.

Acceptance: Clean supported-host install/update, session continuity, streaming recovery and negative scope tests pass on the distributed artifact.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F06, F08, F09

WP07 Qualify reusable AgilePlus/PhenoDocs delivery

Owner: AgilePlus + accepted docs/landing consumer owners

Scope: Prove repository-scoped work receipts and unrelated-project tooling use. Locate actual PhenoDocs renderer/publishing owner and qualify one site.

Acceptance: No hardcoded portfolio state; docs build with links/private-data checks; one real CLI/MCP/desktop work journey and correct published artifact.

Hard prerequisites: WP02 | Findings: F02, F06, F14

WP08 Qualify Tracera as the intended product graph

Owner: Tracera owner

Scope: Resolve identity, then execute persistent product import/navigation/gap discovery on the actual frontend/backend profile.

Acceptance: A real product model survives restart and exposes a genuine missing capability with evidence; supporting logs do not replace product identity.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F09

WP09 Run a real routing/inference/evaluation chain

Owner: OmniRoute + substrate + PhenoMLX + portage + PhenoLab owners

Scope: Use existing pinned providers/backends and selected workload; keep internal fork delivery distinct from upstream contribution.

Acceptance: Successful and known-negative task results, auth/cancel/fallback/budget behavior and measured resource/quality outcomes are retained.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F09, F12, F13

WP10 Qualify native game/graphics/creative consumers

Owner: Dino + WorldSphereMod + PhenoGfx + Melosviz owners

Scope: Use supported installed game/media targets and actual assets; qualify shared dependency boundaries without relabeling mocks as live.

Acceptance: Real consumer task, errors, persist/reopen and uninstall/export behavior are demonstrated. Copyright/licensing, hardware and source provenance explicit.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F13

WP11 Close privacy, publication and brand truth

Owner: KooshaPari + accepted landing/design owners

Scope: Repair stale product/download identities from qualified records, preserve upstream attribution and inspect actual editable asset ownership.

Acceptance: Public pages route to intended products, no private captures escape, metrics have query provenance, and current art/screenshots match actual products.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F06, F14

WP12 Keep retained forks and paused/reference scope safe

Owner: Dependency maintainers + coordinator

Scope: Apply role-specific maintenance/custody, verify active consumers and resolve explicit no-work supersessions without mass operations.

Acceptance: No unapproved deletion/archive/branch rewrite; unknown custody remains unknown; meaningful retained interfaces work or are explicitly blocked.

Hard prerequisites: None specified beyond local preflight/authority | Findings: F01, F11

10 / Source index and reproducibility

Each evidence label links to the inspected source location. Metadata and selected file hashes are preserved in evidence/sources.json. Raw connector responses and complete repository trees are not included. Branch names may advance; use the captured blob/commit or re-resolve the current head when executing. Official docs explain platform/tool behavior, not the state of your private machines.

S228 · KooshaPari/PhenoRegistry / README.md

ref: main; blob: cc1d3544c52e70ec6b7db0c16d5fac753ff3ee00; bounded README range; not whole-repository proof

S232 · KooshaPari/PhenoTooling / README.md

ref: main; blob: 9d534492dfc364e93b1bd85e9158cff5fc8942b5; bounded README range; not whole-repository proof

S236 · KooshaPari/Civis / README.md

ref: main; blob: bb9bf1090ad5b3b92060223f8f8432ca9363b44f; bounded README range; not whole-repository proof

S238 · KooshaPari/AgilePlus / README.md

ref: main; blob: e3d317d302433868b36c7ab93643646e9976ec31; bounded README range; not whole-repository proof

S241 · KooshaPari/BytePort / README.md

ref: main; blob: 1f2ab4c8cd60edf17a19c84b207a4256dc7757c7; bounded README range; not whole-repository proof

S242 · KooshaPari/PhenoInfra / README.md

ref: main; blob: f75ab5b42ee26100b79ac4f9f10e6d7937f70184; bounded README range; not whole-repository proof

S243 · KooshaPari/sharecli / README.md

ref: main; blob: cf711afaca3947bda0a3d1c1a52cfc5c0d6886b6; bounded README range; not whole-repository proof

S244 · KooshaPari/Tracera / README.md

ref: main; blob: 0a8995c5fd7043361a001e96d407c65f3e0ec6b7; bounded README range; not whole-repository proof

S245 · KooshaPari/PhenoAI / README.md

ref: main; blob: c050ec66e51c53f62353c6dc83b386294c72c9b5; bounded README range; not whole-repository proof

S246 · KooshaPari/PhenoMLX / README.md

ref: main; blob: 42e22485c6956600fcd637658608d29011e32110; bounded README range; not whole-repository proof

S247 · KooshaPari/PhenoFabric / README.md

ref: main; blob: 581eeb8794d288d4c18c6c66588d1594e3db4e25; bounded README range; not whole-repository proof

S248 · KooshaPari/helios-cli / README.md

ref: main; blob: f71ee6abdc07d63ef90d03bd5b8d29707af1e380; bounded README range; not whole-repository proof

S249 · KooshaPari/HeliosLab / README.md

ref: main; blob: 9ce35abe88beedfc1090dfa30957bc81b0972d1d; bounded README range; not whole-repository proof

S250 · KooshaPari/portage / README.md

ref: main; blob: 5fe3756c542a812051a683be4f9362a1365864d9; bounded README range; not whole-repository proof

S251 · KooshaPari/PhenoDesign / README.md

ref: main; blob: 32fb645b48a5401d24c43464ca7fc93d5b26c0e9; bounded README range; not whole-repository proof

S252 · KooshaPari/Dino / README.md

ref: main; blob: 95f11713ae1e0ee68afa51fef973b617ede6ae70; bounded README range; not whole-repository proof

S253 · KooshaPari/Eidolon / README.md

ref: main; bounded README range; not whole-repository proof

S254 · KooshaPari/forgencode / README.md

ref: main; blob: cff704bcf3bf7350ac5228c2849196746b345a02; bounded README range; not whole-repository proof

S255 · KooshaPari/OmniRoute / README.md

ref: main; blob: 9089b642b89c19fa9359b4cc57095fc25bae4833; bounded README range; not whole-repository proof

S256 · KooshaPari/Pine / README.md

ref: main; blob: 8ff762cff0c6c79fe40b7b77e40315ec46a4e3a5; bounded README range; not whole-repository proof

S257 · KooshaPari/WorldSphereMod / README.md

ref: main; blob: e42f1e393b2bbc7b88577f275ddf67804aab5364; bounded README range; not whole-repository proof

S258 · KooshaPari/Melosviz / README.md

ref: main; blob: aeb7aff5d4214bfa7425cc4ea4fa6364c4a07a29; bounded README range; not whole-repository proof

S259 · KooshaPari/substrate / README.md

ref: main; blob: 5a933e41583735bbf3ae4b82dcfb25fa68433a7a; bounded README range; not whole-repository proof

S260 · KooshaPari/PhenoLab / README.md

ref: main; blob: 4810488a56099212d344dca49c10ec8025f2036f; bounded README range; not whole-repository proof

S261 · KooshaPari/PhenoGfx / README.md

ref: main; blob: 98e8e03afa0c8adb2d35463134ecd345c5ecd18d; bounded README range; not whole-repository proof

S262 · KooshaPari/CivicSurvival-public / README.md

ref: main; blob: 897f7b42eee4c64f23a9d86205ab0d060e3f9cc9; bounded README range; not whole-repository proof

S263 · KooshaPari/ghostty / README.md

ref: main; blob: ff6cb75685900c4dd4e8f7840e2f202bfba76d8a; bounded README range; not whole-repository proof

S264 · KooshaPari/KooshaPari / README.md

ref: main; blob: 2eff43f3235f631a6e91c1680113b0315656ab54; bounded README range; not whole-repository proof

S265 · KooshaPari/jcode / README.md

ref: master; blob: 4ccdb48a064f46437526be3b610300b8d373f6e8; bounded README range; not whole-repository proof

S268 · KooshaPari/zz-aa-dep-AirLock / README.md

ref: main; blob: 0b6f292a6a731a3f70f2a9918b8ffe6a3f314774; bounded README range; not whole-repository proof

S269 · KooshaPari/zz-tbd-PhenoApps / README.md

ref: apps-extract; blob: 4cb2afc674cb4ae0fa9121cd98c57eb7ca08ec9a; bounded README range; not whole-repository proof

S270 · KooshaPari/zz-tbd-PhenoSDKs / README.md

ref: main; blob: 335b59d101f68fa4212e75fa73700be86f2ce107; bounded README range; not whole-repository proof

S271 · KooshaPari/zz-tbd-Pheno / README.md

ref: main; blob: c16c73a4066af3daf1c9fed5ef4e31c07f8a94de; bounded README range; not whole-repository proof

S272 · KooshaPari/zz-tbd-MobileCli / README.md

ref: main; blob: 117d050ad4c2556a6cc41d56e86b2a5c2d6bba79; bounded README range; not whole-repository proof

S273 · KooshaPari/zz-pause-Thegent / README.md

ref: main; blob: 15a2507928440547c3e631a94a7e6625675e6839; bounded README range; not whole-repository proof

S274 · KooshaPari/zz-pause-AgsLag / README.md

ref: main; blob: fc90395ebbe81dec1338a5552dac5023205f7bc9; bounded README range; not whole-repository proof

S275 · KooshaPari/zz-pause-Parpoura / README.md

ref: main; blob: 3db9a1d20fd28312b1d64f3b8a8a4ef0b30051bb; bounded README range; not whole-repository proof

S276 · KooshaPari/zz-pause-Localbase / README.md

ref: main; blob: 360b1693ddb2effbcbfcb1c3f7225cda89c75b5; bounded README range; not whole-repository proof

S277 · KooshaPari/zz-pause-FocalPoint / README.md

ref: main; blob: 00b4037b090ea595dc803507b3f281606dfb9912; bounded README range; not whole-repository proof

S278 · KooshaPari/zz-pause-QuadSGM / README.md

ref: main; blob: 02335b01efd183c618781aa57d3f46f581f68e0a; bounded README range; not whole-repository proof

S279 · KooshaPari/zz-pause-SessionLedger / README.md

ref: main; blob: c016858d85c827ce4d50a884dd299c1965b4674e; bounded README range; not whole-repository proof

S280 · KooshaPari/zz-pause-ResearchLedger / README.md

ref: main; blob: d6be2ca9fc09fd3e539996295f16dc8456bd7f15; bounded README range; not whole-repository proof

S281 · KooshaPari/zz-pause-VibeKanban / README.md

ref: main; blob: 2f962614372ea2c97a817e7f32ea75f1c6dfb2ea; bounded README range; not whole-repository proof

S282 · KooshaPari/zz-pause-GitHub / README.md

ref: main; blob: 8edbd67ce9fae69adbe1a9bc6bca0d05dc50cdc8; bounded README range; not whole-repository proof

S283 · KooshaPari/zz-pause-RIPFitnessApp / README.md

ref: main; blob: 0a025e1d59a317e8c40076a264efe07dcb4f041f; bounded README range; not whole-repository proof

S284 · KooshaPari/zz-aa-dep-AgentApiPlusPlus / README.md

ref: main; blob: 3ef4be3eb98802f92d08c4d7183c8aee1dce277e; bounded README range; not whole-repository proof

S285 · KooshaPari/zz-aa-dep-CliproxyApiPlusPlus / README.md

ref: main; blob: 17e615aadd9c529beecb8a81e46885dce3135dc2; bounded README range; not whole-repository proof

S286 · KooshaPari/zz-aa-dep-Planify / README.md

ref: master; blob: ccb960b41feda0e78b25c5ab919a948088eae38d; bounded README range; not whole-repository proof

S287 · KooshaPari/zz-aa-dep-Bifrost / README.md

ref: main; blob: 3f808b8b2d9f25a82b8aa18fa29e2689ff3980ef; bounded README range; not whole-repository proof

S288 · KooshaPari/zz-aa-dep-PhenoMCPServers / README.md

ref: main; blob: f7746e9f7b263d5cce23a2831a5793f41876cc78; bounded README range; not whole-repository proof

S289 · KooshaPari/zz-aa-dep-UnityDoorstop / README.md

ref: master; blob: 1ae257ba83b6f23042db4e7ad1f4c921e2e21178; bounded README range; not whole-repository proof

S290 · KooshaPari/zz-aa-dep-TurboQuant / README.md

ref: main; blob: a7b74859a5d5bdd1a8399fd36dadca9256566b51; bounded README range; not whole-repository proof

S291 · KooshaPari/zz-aa-dep-PhenoUnslothStudio / README.md

ref: main; blob: dcf1a5a70e89a7d0ec5298aec02c6f5f7168e793; bounded README range; not whole-repository proof

S292 · KooshaPari/zz-aa-dep-CompoundSpheres3D / README.md

ref: main; blob: c1ef3c3a033e37ca2d97240d7743db38b9ebb317; bounded README range; not whole-repository proof

S293 · KooshaPari/zz-pause-ref-ProjectSpyn / README.md

ref: main; blob: 5100ecaefb9a491152650c5ba4747c3fe2ec5df0; bounded README range; not whole-repository proof

S294 · KooshaPari/zz-pause-ref-AtomsTech / README.md

ref: main; blob: 0568c872fb91057931d8264913b4d7767bdbc3da; bounded README range; not whole-repository proof

S295 · KooshaPari/zz-pause-ref-AtomsBot / README.md

ref: main; blob: 7b156830d001c844735d0eafa3b431d46d9bc068; bounded README range; not whole-repository proof

S296 · KooshaPari/zz-pause-ref-KaskMan / README.md

ref: main; blob: 62d8bd6b4e7339c5699feff39f1e67455d4fdbc; bounded README range; not whole-repository proof

S297 · KooshaPari/zz-pause-ref-Synthia / README.md

ref: main; blob: a3a1b1ef0271cd2d9f38d3b75da47f01db3a652a; bounded README range; not whole-repository proof

S298 · KooshaPari/zz-pause-ref-472P2FlameWar / README.md

ref: main; blob: de9a011b45cdefbb77bb8dbe833d0657900c66f6; bounded README range; not whole-repository proof

S299 · KooshaPari/zz-pause-ref-NetWeave / README.md

ref: main; blob: 2a5c95d21bcda772a3798bc6fc9ea5cb7658fb66; bounded README range; not whole-repository proof

S234 · KooshaPari/PhenoFabric / Cargo.toml

ref: main; blob: 0ab5327ee2d97b2c5633aa890113c59405bccd2c; selected source read; native execution not performed

S235 · KooshaPari/PhenoFabric / crates/phenotype-nvms-adapter/Cargo.toml

ref: main; blob: 9e3bcc2704c19a2a58a4745440147ccc94e9109e; selected source read; native execution not performed

S239 · KooshaPari/AgilePlus / .github/workflows/coverage.yml

ref: main; blob: ba2f6a40ab54753a18abea6a7aa735a39980e85b; selected source read; native execution not performed

S266 · KooshaPari/AirLock / contents

ref: initial-name; 301 body points to repository ID 1319179066

S300 · KooshaPari/Civis / commit diff

ref: 264359afc8dc08c31f55b0ee951842067d135751; source diff and added tests inspected; tests not executed

S301 · KooshaPari/Civis / crates/engine/src/engine.rs

ref: 264359afc8dc08c31f55b0ee951842067d135751; blob: 19ceec43d96b92ba6ed3f9267ef6447f466bc9ef; selected source read; native execution not performed

S302 · KooshaPari/Civis / scripts/build-macos-app.sh

ref: main; blob: 2ce5d99e017ce0679e508ef75cd1a2b2fe4bc219; selected source read; native execution not performed

S304 · KooshaPari/PhenoTooling / crates/docs-health/src/main.rs

ref: dd0cf322ae72785a6511ede52db2d594360a3372; blob: 8c31243a22e15aaae8f054ad711a908c7213dd9b; selected source read; native execution not performed

S305 · KooshaPari/Civis / releases/latest

ref: v0.5.0; latest-release endpoint metadata; assets not downloaded, installed, or executed; other distribution channels not exhaustively searched

S306 · KooshaPari/sharecli / releases/latest

ref: v0.3.0; latest-release endpoint metadata; assets not downloaded, installed, or executed; other distribution channels not exhaustively searched

S308 · KooshaPari/jcode / releases/latest

ref: v0.85.0-k1.0.0; latest-release endpoint metadata; assets not downloaded, installed, or executed; other distribution channels not exhaustively searched

S309 · KooshaPari/AgilePlus / releases/latest

ref: v2026.09.0; latest-release endpoint metadata; assets not downloaded, installed, or executed; other distribution channels not exhaustively searched

S310 · KooshaPari/Tracera / releases/latest

ref: v0.49; latest-release endpoint metadata; assets not downloaded, installed, or executed; other distribution channels not exhaustively searched

S311 · KooshaPari/forgencode / releases/latest

ref: v2.13.21-h.0.2.1; latest-release endpoint metadata; assets not downloaded, installed, or executed; other distribution channels not exhaustively searched

S307 · KooshaPari/forgencode / pull/277

ref: ad073e4d2f4c3eeebf3e0767bc48fdf5a04a1711; merged status and target branch verified; full check/review history not re-executed

S312 · KooshaPari/PhenoTooling / Cargo.toml

ref: main; blob: f016e8a1aef01b2b1282de863adb43884cc8d161; selected source read; native execution not performed

S313 · KooshaPari/PhenoTooling / crates/sharecli-core/src/lib.rs

ref: main; blob: cb35ab8d126c4571a2f329869efaec5102d94906; selected source read; native execution not performed

S314 · KooshaPari/sharecli / crates/sharecli-core/src/lib.rs

ref: main; blob: cb35ab8d126c4571a2f329869efaec5102d94906; selected source read; native execution not performed

S315 · KooshaPari/HeliosLab / Cargo.toml

ref: main; blob: 599751c7058770b9de9440fdc1e17d1ecc2b29b9; selected source read; native execution not performed

S316 · KooshaPari/PhenoAI / Cargo.toml

ref: main; blob: 7139cb61a95c7f303dec31ab8e0ea8403fbfd818; selected source read; native execution not performed

W01 · official_documentation

404 can conceal inaccessible private resources; not deletion proof

W02 · official_documentation

Git redirects versus project-site and action-reference exceptions

W03 · official_documentation

resolver 3 requires Rust 1.84+; Cargo.lock constrains resolution

W04 · official_documentation

Git dependencies, lockfiles, revisions and source resolution

S318 · KooshaPari/zz-inc-VibeKanban / README.md

ref: main; blob: 2f962614372ea2c97a817e7f32ea75f1c6dfb2ea; closing-header recheck: new zz-inc name still carries the same paused/restricted README blob

S319 · KooshaPari/zz-inc-AgsLag / README.md

ref: main; blob: fc90395ebbe81dec1338a5552dac5023205f7bc9; closing-header recheck: new zz-inc name still carries the same paused/restricted README blob

S320 · KooshaPari/zz-inc-SessionLedger / README.md

ref: main; blob: c016858d85c827ce4d50a884dd299c1965b4674e; closing-header recheck: new zz-inc name still carries the same paused/restricted README blob

OBS-OPEN · connector_inventory_observation

Opening paged repository list/search, 62 stable IDs, 30 unprefixed names; normalized inventory, not raw API export or atomic snapshot.

OBS-CLOSE · connector_inventory_observation

Closing list returned 61 stable IDs, 29 unprefixed; AirLock renamed and seven pause names became zz-inc. Missing MobileMcp remains unresolved. Sequential observation.

OBS-404 · connector_access_observation

nanovms name and ID 1199379049 returned 404; clap-ext name returned 404; MobileMcp name and ID 1273002818 returned 404. No deletion conclusion.