

Current state. One owner per repository.

A bounded GitHub evaluation and current-name packet reconciliation

September 16, 2026 · Pacific time

24 current non-zz repositories. 24 tailored owner folders. The user reports one existing chat per repository. Earlier ten-chat Tracera and paired-product instructions are superseded; their technical workstreams and independent assurance obligations remain.

Two consistent connected listings returned 42 repository IDs. The previous ZIP contained 32 subject folders; 22 matched the current 24 names. This update adds .github and PhenoShared and retains older capability folders as historical context, not extra live assignments.

What this reading edition contains

Source-backed priority findings; a per-repository current state and next proof; the one-owner execution contract; validation and source limitations. The full ZIP contains the deeper preserved specifications, pilots, schemas and explanatory-atlas program.

What it does not claim

No local chats or worktrees were observed. No native products were built or executed. Full branch history, every hosted check, current deployments and installed artifacts were not audited. Commit and handoff result counts remain author-reported unless specifically qualified. No GitHub state was modified.

Start: docs/OWNER-QUICKSTART.md

Then: docs/products/<current-name>/AGENT-PROMPT.md

The two strongest immediate corrections

Civis: build the executable the harness expects

The new native-runtime report records that gameplay never ran because the binary precheck failed. It infers a cache race and proposes cargo clean --release after the build. The inspected workflow instead shows a direct target-selection gap: it selects only --bin civ-standalone while the harness expects civ-server as well.

Cargo documents that explicit target flags build only selected targets; release cleanup removes release artifacts. Do not execute the clean-after-build recommendation. First inspect target/profile configuration, explicitly build both binaries, and pass validated emitted paths to the harness. This is source-level diagnosis, not a native reproduction of Civis.

New persistence changes are genuine work to preserve. Qualify a real populated game, the required presentation profile, and save/return. No screenshots plus passing library tests do not justify a near-100% visual-polish conclusion.

Sources: Civis game-e2e.yml at 8650471500; native-runtime report introduced by 5d66e2bacd; Cargo build and clean documentation. Exact URLs are in the subject STATE.md.

AgilePlus: its gate still overstates the floor

The pinned workflow at 3cc0c145ae enforces Python 85%, Rust 20%, and prints Go coverage without a threshold. The final job merely echoes that all languages enforce 85%. New REPL and packaging changes do not establish that this independent assurance contract has been fixed.

Qualify report retrieval and denominator/source identity, plus missing and below-floor failure propagation. Preserve separate unit, integration and E2E measurements. These are configured thresholds, not measured actual product coverage.

Source: AgilePlus .github/workflows/coverage.yml at 3cc0c145ae; exact URL in its packet.

Consolidation and green results need narrower claims

PhenoShared: included members are not the entire product

An actual diff integrates two registry crates and changes one health dependency to a local source. Its handoff reports 81 workspace members and 310 crate directories, retains an excluded broken Python crate and still references donor Git locations. Compilation of a selected workspace does not settle excluded-package or consumer obligations.

The handoff also calls the repository formerly PhenoAI, while the current stable ID matches historical Pheno/pheno. Reconcile rename history and absorbed-source lineage separately. Keep each current product owner involved; library absorption is not automatic absorption of the whole product.

ShareCLI: retain useful cleanup, prove compatibility

PR858 is merged. Its current metadata reports 141 files changed, 15 additions and 29,625 deletions, while the prose contains older counts. Internal reference checks and compilation are useful screening, not proof that no supported public consumer used a removed API or CLI command.

Compare the actual final before/after interface and consumer graph. Confirm preserved supervisor semantics, isolation, cancellation and foreground performance. Do not undo the cleanup wholesale or accept it purely from the lower line count.

Melosviz: useful rehearsal is not live creative output

The offline source creates solid-colour FFmpeg clips and runs downstream assembly/master/shipping. It explicitly labels them placeholders. Retain this rehearsal, but require distinct typed results and qualification for real rendering, playable media and actual creative quality. Job-spec JSON cannot silently become equivalent to a rendered video.

Sources: PhenoShared commit/handoff at 345c602d78; ShareCLI PR858; Melosviz commit31f19056f4. All exact sources appear in each packet.

Owner packets 01-03

.github

ID 1199812615 | branch main | sampled bcd1aac744

Recent history adds profile content, but the pinned root README still says long pause and ARCHIVED / RETIRED.

Next proof: One role and allowed-action statement; actual user-profile/default-file consumers verified.

Then: Qualify reusable defaults; Publish a truthful account surface.

Packet: docs/products/.github/START-HERE.md

AgilePlus

ID 1169608854 | branch main | sampled 3cc0c145ae

Recent history adds handoffs, a REPL block-comment fix, v0.2.4 and cargo-dist build dependency/scoping changes. Pinned coverage workflow remains Python 85%, Rust 20%, Go report-only, with an echo-only aggregate claim.

Next proof: Injected missing, wrong-SHA and below-floor reports fail. Critical obligations are complete; accepted independent floors are actually enforced.

Then: Qualify current command and state behavior; Deliver the actual selected release.

Packet: docs/products/AgilePlus/START-HERE.md

BytePort

ID 861430079 | branch main | sampled 0b4a23b119

Two recent changes report removal of duplicate/conflicting global logger initialization in the Tauri application.

Next proof: No initialization panic, no duplicated/missing required logs, no secret exposure.

Then: Close one deployment path; Exercise current shared dependencies.

Packet: docs/products/BytePort/START-HERE.md

Owner packets 04-06

CivicWarfare

ID 1308570444 | branch main | sampled f300fe9258

Sampled default history remains dependency updates in the CivicSurvival UI; no newer default-history product delivery was found in the bounded sample.

Next proof: Exact worker receipt distinguishes local, published, integrated and installed state.

Then: Qualify the current distributed mod; Verify release provenance and UX.

Packet: docs/products/CivicWarfare/START-HERE.md

Civis

ID 1164684442 | branch main | sampled 8650471500

New persistence changes cover riot/migrant accumulators, scenario taxation, era progression, emergence samples and significance. A new acceptance report for older 264359af explicitly records that the gameplay precheck failed before gameplay ran.

Next proof: Both exact executables exist before launch; a missing target fails clearly; the actual harness advances past precheck. Native proof is still required.

Then: Run the real game witness; Protect long-lived world semantics.

Packet: docs/products/Civis/START-HERE.md

Dino

ID 1177712269 | branch main | sampled 17119051e7

The latest sampled default history contains dependency updates, not a newly evidenced in-game product qualification.

Next proof: A current worker receipt and source-to-game artifact map.

Then: Complete one actual pack journey; Compare authoring and reuse.

Packet: docs/products/Dino/START-HERE.md

Owner packets 07-09

HeliosCLI

ID 1165315873 | branch main | sampled 1615dcd44f

Recent commits expand root Dependabot coverage and update a Mergify configuration field.

Next proof: A clean install launches the intended fork, not a harness-only package or upstream binary.

Then: Complete a controlled coding task; Close update and upstream contracts.

Packet: docs/products/HeliosCLI/START-HERE.md

HeliosLab

ID 1167587447 | branch main | sampled 863830bc5a

Recent TypeScript configuration changes report reducing diagnostics from 3187 to about 287 by explicit include/exclude and aliases. Earlier formatting used Biome unsafe fixes across many files.

Next proof: No supported code disappears without another checker or an accepted reason; known bad inputs fail.

Then: Close scoped remaining errors and actual UX; Qualify cross-product configuration contracts.

Packet: docs/products/HeliosLab/START-HERE.md

HeliosLite

ID 1226104769 | branch main | sampled 6de2d161d8

Sampled head is unchanged from the prior baseline. Recent recorded work contains share/LSP shell E2E and author-reported local passes plus named inherited CI failures.

Next proof: Exact blocker IDs, owners and wakeup conditions; no replay of completed work.

Then: Prove resilient installed execution; Deliver and compare the owned binary.

Packet: docs/products/HeliosLite/START-HERE.md

Owner packets 10-12

KCode

ID 1365855438 | branch master | sampled 88a996e030

Latest work adds HERDR idle debounce, retry-grace/error-hold and overrides; the preceding handoff reports 258/266 passing tests.

Next proof: All mandatory failures have reproduced repair or explicit approved exception; no percentage-based pass.

Then: Exercise restart and duplicate-event safety; Qualify release and peer comparison.

Packet: docs/products/KCode/START-HERE.md

Khostty

ID 1322607630 | branch main | sampled 79e27b63f9

The bounded latest default history is README/badge changes. No new terminal implementation is demonstrated by that sample.

Next proof: Clear upstream/owned feature and compatibility map.

Then: Run the terminal correctness corpus; Prove the actual differentiated use.

Packet: docs/products/Khostty/START-HERE.md

KooshaPari

ID 1349458262 | branch main | sampled 9ac2bdb938

Latest sampled commit absorbs an incubating site/project; no current production-domain verification was performed here.

Next proof: One truthful publication inventory with private/public separation.

Then: Build and deploy the actual surface; Publish actual product proof.

Packet: docs/products/KooshaPari/START-HERE.md

Owner packets 13-15

Melosviz

ID 1262466303 | branch main | sampled edbbd40016

New director/storyboard tests accompany an offline pipeline that creates solid-colour placeholder MP4 clips via FFmpeg, then assembles/masters/ships them. The source explicitly labels the generation as placeholder.

Next proof: Known absent backend, failed render and malformed/zero-duration media are rejected or explicitly blocked; rehearsal stays runnable.

Then: Run real creative output; Qualify installation and comparison.

Packet: docs/products/Melosviz/START-HERE.md

OmniRoute

ID 1226171396 | branch main | sampled 863b427a00

PR745 is recorded as merged. The preceding refactor extracts 13 provider handlers from route.ts into handler modules; reported line reduction and lint success are not behavioral parity.

Next proof: Before/after behavior preserved on defined cases; no fallback converts errors into success.

Then: Run a realistic routing stress/fault workload; Qualify actual deployed fork.

Packet: docs/products/OmniRoute/START-HERE.md

PhenoApps

ID 1272990345 | branch apps-extract | sampled be4194594f

Default branch is apps-extract, not main. Recent sampled commits absorb NetWeave; collection-level capability and release completeness were not established.

Next proof: Every material app has a disposition, active source, missing-obligation record and exact owner; unknown is not discarded.

Then: Complete one runnable app without blocking the collection; Refine shared boundaries with PhenoShared.

Packet: docs/products/PhenoApps/START-HERE.md

Owner packets 16-18

PhenoDesign

ID 1169864396 | branch main | sampled d11733b152

Sampled default history remains workflow formatting/security fixes. Other products mention design-v3 guidance, but its actual editable asset/source location was not validated here.

Next proof: One source/export/consumer map with licenses, privacy and revision identity.

Then: Qualify one real cross-product design change; Produce honest product media.

Packet: docs/products/PhenoDesign/START-HERE.md

PhenoFabric

ID 1363521465 | branch main | sampled 3c052cc28d

Recent commits replace bespoke/demo login UI with hosted AuthKit integration and desktop authentication commands. Actual successful authentication and two-node I/O were not executed here.

Next proof: No demo success, credential leak or irrecoverable login loop; actual scoped user state.

Then: Prove one real two-node path; Demonstrate locality and contention behavior.

Packet: docs/products/PhenoFabric/START-HERE.md

PhenoLab

ID 1269695199 | branch main | sampled 47758a1010

Latest sampled default history still records serving/configuration and evaluation integration work from Sep12.

Next proof: Exact native-run or explicit not-run status; no status inferred from suite inventory.

Then: Run positive and known-negative benchmark cases; Reconcile shared extraction and reproducibility.

Packet: docs/products/PhenoLab/START-HERE.md

Owner packets 19-21

PhenoRegistry

ID 1201113097 | branch main | sampled 8502db07c1

The current default history contains a handbook absorption. New PhenoShared work integrates registry implementation crates while this repository remains listed and owned.

Next proof: One writer/owner per governed field; no duplicate registry inferred from package names.

Then: Refresh the actual non-zz dispatch map; Make projections truthful and reproducible.

Packet: docs/products/PhenoRegistry/START-HERE.md

PhenoShared

ID 1200273587 | branch main | sampled 345c602d78

The source diff adds two registry workspace members and makes phenotype-health a local dependency. Its handoff reports 81 members/310 crate directories, an excluded broken Python crate, and remaining external Phenolnfra references.

Next proof: No file-presence or compilation-only absorption verdict; each retained public capability has a real owner/consumer/profile.

Then: Close one donor-to-consumer dependency slice; Establish package-level release and reuse discipline.

Packet: docs/products/PhenoShared/START-HERE.md

Portage

ID 1165351720 | branch main | sampled 7204235dbb

Recent history merges an upstream-sync branch and commits upstream-synced evaluation result timestamps.

Next proof: Each result has producer/source provenance; imported evidence is not represented as a new local run.

Then: Run matched positive/negative tasks; Qualify install and shared consumers.

Packet: docs/products/Portage/START-HERE.md

Owner packets 22-24

ShareCLI

ID 1191459198 | branch main | sampled 19cdb88da5

PR858 is merged: API metadata reports 141 changed files, 15 additions and 29,625 deletions. Commit prose describes unrelated/unused module removal and removal of a util command. The PR description has older smaller counts.

Next proof: No required behavior silently removed; replaced/moved capability has qualified successor and migration evidence.

Then: Prove the real supervisor under contention; Resolve reusable ownership and ship.

Packet: docs/products/ShareCLI/START-HERE.md

Tracera

ID 1162254344 | branch main | sampled c5a6c52a38

Recent default history repairs invalid mixed uses/run workflow steps and revises the Vercel CLI invocation/pins.

Next proof: A real repo/capability maps to source/requirements and a genuine discrepancy with correct evidence, not only sample JSON.

Then: Close durability and consistent interfaces; Qualify real deployment and independent acceptance.

Packet: docs/products/Tracera/START-HERE.md

WorldSphereMod

ID 1241972761 | branch main | sampled 5157797518

Sampled default head remains the Sep5 terrain color fix. Earlier user reports said work shifted toward storage and multi-game testing; current local destination is unknown.

Next proof: No work falsely attributed here; linked infrastructure ownership and next product action are clear.

Then: Qualify the true rendering candidate; Compare and preserve upstream semantics.

Packet: docs/products/WorldSphereMod/START-HERE.md

How to use the update without restarting work

One chat owns the outcome, not every approval

The existing owner maintains atlas, intent/specs, implementation, assurance, SOTA/pilot and delivery as workstreams. Use actual designated independent review and meaningful negative oracles; one owner does not waive review or permit self-approved exceptions. No additional permanent chats or unrestricted subagents are presumed.

Return an actual worker receipt

Report host/worktree, current branch and source SHA, accepted parent outcome, active task/PR, actual tested and installed artifact identity, last meaningful execution, blockers, consumer impacts and next action. The supplied templates are empty by design; they are not evidence that a chat read the ZIP.

Keep the ecosystem-first rule

Reuse, modify or narrowly wrap mature external and owned capabilities before handrolling. Improve authoritative shared implementations for current and credible future consumers. Repository ownership limits writes, not reasoning. Cross-repo work needs linked ownership, contract tests and rollout/rollback; local simplicity must not export greater complexity.

Separate state and scope

Task, PR, integration, qualified artifact, publication and installed/adopted use remain distinct. Inherited repository-local defects remain parent work. Unknown external actions need named owners and wakeup conditions, not an unqualified done. Absence from the current inventory is not deletion or accepted migration.

Safety and resource admission

No new merge/admin/delete/force-push/retirement/publication/DNS authority is granted. Preserve current work, provenance, private data and fork custody. Protect foreground CPU/GPU/audio through real global admission. Chat count is not native execution capacity.

Validation, scope and dispatch coverage

Folder audit

Base ZIP: 259 files; 32 subject folders. Current cohort: 24 non-zz repositories. Exact-name coverage before update: 22/24. Added folders: .github and PhenoShared. Ten other historical/capability folders are preserved and not dispatched. The old archive is unchanged.

Each current folder contains

START-HERE.md; STATE.md; NEXT-ACTIONS.md; AGENT-PROMPT.md; CURRENT-STATE.json; WORKER-RECEIPT.template.json; DOSSIER.md; PILOT.json. The complete package retains the previous detailed specs, tests and research. The current instructions supersede old staffing without erasing technical obligations.

Executed package checks

The current packet validator checks exact ID/name/branch coverage, one owner each, missing folders, projection drift, source identity syntax, action contracts and unsupported session/qualification claims. The reference suite has 203 passing tests after two missing policy links were repaired. Full native product tests and actual coverage were not run.

What passing these checks means

The dispatch package is internally consistent and preserves a verifiable change manifest. It does not authenticate an agent, prove the truth of an author-written result, certify semantic completeness, or authorize an operational change. Imported historical validations keep their original scope.

Read and distribute

Use the full v1.2 ZIP for a new copy, or review the delta against its old/new file hashes before applying to an edited copy. Do not blindly overwrite locally modified records. Give each existing chat its current-name folder prompt plus the shared contract. Keep the prior reading PDF as historical background; this is the current dispatch reading edition.

No source repository, deployed service, package registry or native application was changed by this evaluation.