Nama : Ahmad Rizki

Nim : 251011700651

```
Command Prompt - "\xampp\mysql\bin\mysql.exe" -u root
C:\>"\xampp\mysql\bin\mysql.exe" -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 9
Server version: 10.4.32-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> drop kampus
    -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kampus' at
line 1
MariaDB [(none)]> drop database kampus;
Query OK, 3 rows affected (0.056 sec)

MariaDB [(none)]> show databases;
+--------------------+
| Database           |
+--------------------+
| information_schema |
| mysql              |
| performance_schema |
| perkuliahan        |
| phpmyadmin         |
| test               |
| toko_sepatu        |
+--------------------+
7 rows in set (0.003 sec)

MariaDB [(none)]> create database kampus;
Query OK, 1 row affected (0.003 sec)

MariaDB [(none)]> use kampus;
Database changed
MariaDB [kampus]> create table jurusan (id_jurusan int primary key, nama_jurusan varchar(50));
Query OK, 0 rows affected (0.030 sec)

MariaDB [kampus]> create table mahasiswa (nim char(10) primary key, nama_mhs varchar(35), id_jurusan int, foreign key(id_jurusan) references jurusan(id_jurusan));
Query OK, 0 rows affected (0.071 sec)

MariaDB [kampus]> alter table mahasiswa add (angkatan int);
Query OK, 0 rows affected (0.024 sec)
```

```
Command Prompt - "\xampp\mysql\bin\mysql.exe" -u root

MariaDB [kampus]> create table dosen (nidn char(10) primary key, nama_dosen varchar(35), id_jurusan int, foreign key(id_jurusan) references jurusan(id_jurusan));
Query OK, 0 rows affected (0.061 sec)

MariaDB [kampus]> create table mata_kuliah (kode_mk char(6) primary key, nama_mk varchar(35), sks int, id_jurusan int,vforeign key(id_jurusan) references jurusan(id_jur
usan));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'key(id_juru
san) references jurusan(id_jurusan))' at line 1
MariaDB [kampus]> create table mata_kuliah (kode_mk char(6) primary key, nama_mk varchar(35), sks int, id_jurusan int, foreign key(id_jurusan) references jurusan(id_jur
usan));
Query OK, 0 rows affected (0.069 sec)

MariaDB [kampus]> desc jurusan;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| id_jurusan  | int(11)     | NO   | PRI | NULL    |       |
| nama_jurusan | varchar(50) | YES  |     | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
2 rows in set (0.045 sec)

MariaDB [kampus]> desc mahasiswa;
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| nim       | char(10)    | NO   | PRI | NULL    |       |
| nama_mhs  | varchar(35) | YES  |     | NULL    |       |
| id_jurusan | int(11)     | YES  | MUL | NULL    |       |
| angkatan  | int(11)     | YES  |     | NULL    |       |
+-----------+-------------+------+-----+---------+-------+
4 rows in set (0.027 sec)

MariaDB [kampus]> desc dosen;
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| nidn      | char(10)    | NO   | PRI | NULL    |       |
| nama_dosen | varchar(35) | YES  |     | NULL    |       |
| id_jurusan | int(11)     | YES  | MUL | NULL    |       |
+-----------+-------------+------+-----+---------+-------+
3 rows in set (0.040 sec)

MariaDB [kampus]> desc mata_kuliah;
```

Command Prompt - "\xampp\mysql\bin\mysql.exe" -u root

```
MariaDB [kampus]> desc mata_kuliah;
+------------+-------------+------+-----+---------+-------+
| Field      | Type        | Null | Key | Default | Extra |
+------------+-------------+------+-----+---------+-------+
| kode_mk    | char(6)     | NO   | PRI | NULL    |       |
| nama_mk    | varchar(35) | YES  |     | NULL    |       |
| sks        | int(11)     | YES  |     | NULL    |       |
| id_jurusan | int(11)     | YES  | MUL | NULL    |       |
+------------+-------------+------+-----+---------+-------+
4 rows in set (0.046 sec)

MariaDB [kampus]> alter table jurusan add (dekanku varchar(35));
Query OK, 0 rows affected (0.037 sec)
Records: 0  Duplicates: 0  Warnings: 0

MariaDB [kampus]> desc jurusan;
+--------------+-------------+------+-----+---------+-------+
| Field        | Type        | Null | Key | Default | Extra |
+--------------+-------------+------+-----+---------+-------+
| id_jurusan   | int(11)     | NO   | PRI | NULL    |       |
| nama_jurusan | varchar(50) | YES  |     | NULL    |       |
| dekanku      | varchar(35) | YES  |     | NULL    |       |
+--------------+-------------+------+-----+---------+-------+
3 rows in set (0.045 sec)

MariaDB [kampus]> insert into jurusan values
    -> Bye

C:\>"\xampp\mysql\bin\mysql.exe" -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 10
Server version: 10.4.32-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use kampus
Database changed
MariaDB [kampus]> insert into jurusan values
    -> (02111, 'Sistem Informasi', 'Wowo'), (02112, 'Teknik Informatika', 'Gibran'), (02113, 'Kedokteran', 'Rafiee'), (02114, 'Teknik Mesin', 'elbert'), (02115, 'Teknik
 Industri', 'Wildan'), (02116, 'Agra Bisnis', 'Doni'), (02117, 'Sastra Jawa', 'Nasywan'), (02118, 'Sastra Inggris', 'Kuple'), (02119, 'Teknik Sipil', 'Zioo'), (021110,
'Teknik Elektro', 'Lucan');
```

13.16
08/04/2026

Command Prompt - "\xampp\mysql\bin\mysql.exe" -u root

```
MariaDB [kampus]> select * from jurusan;
+------------+--------------------+---------+
| id_jurusan | nama_jurusan       | dekanku |
+------------+--------------------+---------+
|       2111 | Sistem Informasi   | Wowo    |
|       2112 | Teknik Informatika | Gibran  |
|       2113 | Kedokteran         | Rafiee  |
|       2114 | Teknik Mesin       | elbert  |
|       2115 | Teknik Industri    | Wildan  |
|       2116 | Agra Bisnis        | Doni    |
|       2117 | Sastra Jawa        | Nasywan |
|       2118 | Sastra Inggris     | Kuple   |
|       2119 | Teknik Sipil       | Zioo    |
|      21110 | Teknik Elektro     | Lucan   |
+------------+--------------------+---------+
10 rows in set (0.001 sec)

MariaDB [kampus]> insert into jurusan values
    -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '' at line 1
MariaDB [kampus]> insert into mahasiswa values
    -> ('2510117000', 'Asep', 2111, 2000), ('2510117001', 'Budi', 2112, 2001), ('2510117002', 'Ucup', 2113, 2002), ('2510117003', 'Dodit', 2114, 2003), ('2510117004', '
Ambon', 2115, 2004), ('2510117005', 'Qodri', 2116, 2005), ('2510117006', 'Dadi', 2117, 2006), ('2510117007', 'Asep', 2118, 2007), ('2510117008', 'Kiploy', 2119, 2008),
('2510117009', 'Angga', 21110, 2009);
Query OK, 10 rows affected (0.021 sec)
Records: 10  Duplicates: 0  Warnings: 0

MariaDB [kampus]> select * from mahasiswa;
+------------+----------+------------+----------+
| nim        | nama_mhs | id_jurusan | angkatan |
+------------+----------+------------+----------+
| 2510117000 | Asep     |       2111 |     2000 |
| 2510117001 | Budi     |       2112 |     2001 |
| 2510117002 | Ucup     |       2113 |     2002 |
| 2510117003 | Dodit    |       2114 |     2003 |
| 2510117004 | Ambon    |       2115 |     2004 |
| 2510117005 | Qodri    |       2116 |     2005 |
| 2510117006 | Dadi     |       2117 |     2006 |
| 2510117007 | Asep     |       2118 |     2007 |
| 2510117008 | Kiploy   |       2119 |     2008 |
| 2510117009 | Angga    |      21110 |     2009 |
+------------+----------+------------+----------+
10 rows in set (0.001 sec)
```

13.17
08/04/2026

Command Prompt - "\xampp\mysql\bin\mysql.exe" -u root

```
MariaDB [kampus]> insert into dosen valuese
    -> ('1000000001', 'Bernadia', 2111),  ('1000000002', 'Salomo', 2112),  ('1000000003', 'Baskara', 2113),  ('1000000004', 'Iqbal', 2114),  ('1000000005', 'Bernadia',
2115),  ('1000000006', 'Bayu Skak', 2116),  ('1000000007', 'Ayu', 2117),  ('1000000008', 'Iis Dahlia', 2118),  ('1000000009', 'Rivan', 2119),  ('1000000010', 'Danil', 2
1110);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'valuese
('1000000001', 'Bernadia', 2111),  ('1000000002', 'Salomo', 2112),  (...' at line 1
MariaDB [kampus]> insert into dosen values ('1000000001', 'Bernadia', 2111),  ('1000000002', 'Salomo', 2112),  ('1000000003', 'Baskara', 2113),  ('1000000004', 'Iqbal',
 2114),  ('1000000005', 'Bernadia', 2115),  ('1000000006', 'Bayu Skak', 2116),  ('1000000007', 'Ayu', 2117),  ('1000000008', 'Iis Dahlia', 2118),  ('1000000009', 'Rivan
', 2119),  ('1000000010', 'Danil', 21110);
Query OK, 10 rows affected (0.022 sec)
Records: 10  Duplicates: 0  Warnings: 0

MariaDB [kampus]> select * from dosen;
+------------+------------+------------+
| nidn       | nama_dosen | id_jurusan |
+------------+------------+------------+
| 1000000001 | Bernadia   |       2111 |
| 1000000002 | Salomo     |       2112 |
| 1000000003 | Baskara    |       2113 |
| 1000000004 | Iqbal      |       2114 |
| 1000000005 | Bernadia   |       2115 |
| 1000000006 | Bayu Skak  |       2116 |
| 1000000007 | Ayu        |       2117 |
| 1000000008 | Iis Dahlia |       2118 |
| 1000000009 | Rivan      |       2119 |
| 1000000010 | Danil      |      21110 |
+------------+------------+------------+
10 rows in set (0.001 sec)

MariaDB [kampus]>
```

13.17
08/04/2026

Command Prompt - "\xampp\mysql\bin\mysql.exe" -u root

```
MariaDB [kampus]> select * from dosen;
+------------+------------+------------+
| nidn       | nama_dosen | id_jurusan |
+------------+------------+------------+
| 1000000001 | Bernadia   |       2111 |
| 1000000002 | Salomo     |       2112 |
| 1000000003 | Baskara    |       2113 |
| 1000000004 | Iqbal      |       2114 |
| 1000000005 | Bernadia   |       2115 |
| 1000000006 | Bayu Skak  |       2116 |
| 1000000007 | Ayu        |       2117 |
| 1000000008 | Iis Dahlia |       2118 |
| 1000000009 | Rivan      |       2119 |
| 1000000010 | Danil      |      21110 |
+------------+------------+------------+
10 rows in set (0.001 sec)

MariaDB [kampus]> insert into Mata_Kuliah values
    -> ('SI1001','Basis Data',2,2111),('TI1002','Kalkulus',3,2112),('KD1001','Anatomi',3,2113),('TM1001','Fisika',3,2114),('TN1001','Matematika',3,2115),('AB1001','Peng
antar Ilmu Pertanian',3,2116),('SJ1001','Tata Bahasa Jawa',3,2117),('SN1001','Grammar',2,2118),('TS1001','Ilmu Bahan',3,2119),('TE1001','Teori Meda Elektromagnetik',3,2
1110);
Query OK, 10 rows affected (0.038 sec)
Records: 10  Duplicates: 0  Warnings: 0

MariaDB [kampus]> select * from mata_kuliah;
+---------+---------------------------+------+------------+
| kode_mk | nama_mk                   | sks  | id_jurusan |
+---------+---------------------------+------+------------+
| AB1001  | Pengantar Ilmu Pertanian  |    3 |       2116 |
| KD1001  | Anatomi                   |    3 |       2113 |
| SI1001  | Basis Data                |    2 |       2111 |
| SJ1001  | Tata Bahasa Jawa          |    3 |       2117 |
| SN1001  | Grammar                   |    2 |       2118 |
| TE1001  | Teori Meda Elektromagnetik |    3 |      21110 |
| TI1002  | Kalkulus                  |    3 |       2112 |
| TM1001  | Fisika                    |    3 |       2114 |
| TN1001  | Matematika                |    3 |       2115 |
| TS1001  | Ilmu Bahan                |    3 |       2119 |
+---------+---------------------------+------+------------+
10 rows in set (0.019 sec)

MariaDB [kampus]>
```

15.02
08/04/2026