

```
1 #include <stdio.h>
2
3 int main() {
4     int principal, rate, time, simple_interest;
5
6     printf("Enter Principal: ");
7     scanf("%d", &principal);
8     printf("Enter Rate of Interest: ");
9     scanf("%d", &rate);
10    printf("Enter Time (in years): ");
11    scanf("%d", &time);
12
13    simple_interest = (principal * rate * time) / 100;
14
15    printf("Simple Interest = %d\n", simple_interest);
16    return 0;
17 }
18
19
```

Compile Result

```
Enter Principal: 777  
Enter Rate of Interest: 7  
Enter Time (in years): 7  
Simple Interest = 380
```

```
[Process completed - press Enter]
```

Coding C

Auto saved at 08:13:25

RUN

MENU

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int m1, m2, m3, m4, m5, total, percentage;
6
7     printf("Enter marks of 5 subjects (out of 100 each):\n");
8     scanf("%d %d %d %d %d", &m1, &m2, &m3, &m4, &m5);
9
10    total = m1 + m2 + m3 + m4 + m5;
11    percentage = total / 5;
12
13    printf("Total Marks = %d\n", total);
14    printf("Percentage = %d%%\n", percentage);
15    return 0;
16 }
17
```

Compile Result

Enter marks of 5 subjects (out of 100 each):

57 75

89

90

97

Total Marks = 408

Percentage = 81%

[Process completed - press Enter]

Coding C

Auto saved at 08:09:12

RUN

MENU

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int basic, hra, da, allowance, gross;
6
7     printf("Enter Basic Salary: ");
8     scanf("%d", &basic);
9
10    printf("Enter HRA: ");
11    scanf("%d", &hra);
12
13    printf("Enter DA: ");
14    scanf("%d", &da);
15
16    printf("Enter Other Allowance: ");
17    scanf("%d", &allowance);
18
19    gross = basic + hra + da + allowance;
20
21    printf("Gross Salary = %d", gross);
22
23    return 0;
24 }
```

Compile Result

Enter Basic Salary: 67766

Enter HRA: 78876

Enter DA: 677

Enter Other Allowance: 6878

Gross Salary = 154197

[Process completed - press Enter]

Coding C

Nothing changed

RUN

MENU

```
1 #include <stdio.h>
2
3 int main() {
4     int fahrenheit, celsius;
5
6     printf("Enter temperature in Fahrenheit: ");
7     scanf("%d", &fahrenheit);
8
9     // Multiply before dividing to prevent integer truncation to 0
10    celsius = (fahrenheit - 32) * 5 / 9;
11
12    printf("Temperature in Celsius = %d°C\n", celsius);
13    return 0;
14 }
```

Compile Result

```
Enter temperature in Fahrenheit: 67  
Temperature in Celsius = 19°C
```

```
[Process completed - press Enter]
```

```
1 #include <stdio.h>
2
3 int main() {
4     int a, b, temp;
5
6     printf("Enter first value (a): ");
7     scanf("%d", &a);
8     printf("Enter second value (b): ");
9     scanf("%d", &b);
10
11     printf("\nBefore swap: a = %d, b = %d\n", a, b);
12
13     temp = a;
14     a = b;
15     b = temp;
16
17     printf("After swap: a = %d, b = %d\n", a, b);
18     return 0;
19 }
20
21
```

Compile Result

Enter first value (a): 5

Enter second value (b): 6

Before swap: a = 5, b = 6

After swap: a = 6, b = 5

[Process completed - press Enter]

Coding C

Nothing changed

RUN

MENU

```
1 #include <stdio.h>
2
3 int main() {
4     int a, b;
5
6     printf("Enter first value (a): ");
7     scanf("%d", &a);
8     printf("Enter second value (b): ");
9     scanf("%d", &b);
10
11     printf("\nBefore swap: a = %d, b = %d\n", a, b);
12
13     a = a + b;
14     b = a - b;
15     a = a - b;
16
17     printf("After swap:  a = %d, b = %d\n", a, b);
18     return 0;
19 }
```

Compile Result

Enter first value (a): 5

Enter second value (b): 6

Before swap: a = 5, b = 6

After swap: a = 6, b = 5

[Process completed - press Enter]

```
1 #include <stdio.h>
2
3 int main() {
4     float base, height, area;
5
6     printf("Enter base and height of the triangle: ");
7     scanf("%f %f", &base, &height);
8
9     area = 0.5 * base * height;
10
11     printf("Area of Triangle = %.2f\n", area);
12     return 0;
13 }
14
```

Compile Result

```
Enter base and height of the triangle: 5 6  
Area of Triangle = 15.00
```

```
[Process completed - press Enter]
```

Coding C

Auto saved at 09:38:08

RUN

MENU

```
1 #include <stdio.h>
2
3 int main() {
4     int total_seconds = 31558150;
5     int remaining_seconds;
6     int days, hours, minutes;
7
8     days = total_seconds / 86400;
9     remaining_seconds = total_seconds % 86400;
10
11     hours = remaining_seconds / 3600;
12     remaining_seconds = remaining_seconds % 3600;
13
14     minutes = remaining_seconds / 60;
15
16     printf("Total seconds: %d\n", total_seconds);
17     printf("Converted time: %d Days, %d Hours, and %d Minutes\n", days, hours, minutes);
18     return 0;
19 }
20
```

Compile Result

Total seconds: 31558150

Converted time: 365 Days, 6 Hours, and 9 Minutes

[Process completed - press Enter]

Coding C

Nothing changed

RUN

MENU

```
1 #include <stdio.h>
2
3 int main() {
4     float m, p, c, e, cm;
5
6     printf("Enter marks in Mathematics (out of 200): ");
7     scanf("%f", &m);
8     printf("Enter marks in Physics (out of 200): ");
9     scanf("%f", &p);
10    printf("Enter marks in Chemistry (out of 200): ");
11    scanf("%f", &c);
12    printf("Enter marks in Entrance Exam (out of 100): ");
13    scanf("%f", &e);
14    cm = (m / 2.0) + (p / 2.0) + (c / 2.0) + e;
15
16    printf("\nCut-Off Mark = %.2f / 400.00\n", cm);
17    return 0;
18 }
19
```

Compile Result

```
Enter marks in Mathematics (out of 200): 170  
Enter marks in Physics (out of 200): 160  
Enter marks in Chemistry (out of 200): 178  
Enter marks in Entrance Exam (out of 100): 86
```

```
Cut-Off Mark = 340.00 / 400.00
```

```
[Process completed - press Enter]
```

```
1 #include <stdio.h>
2
3 int main() {
4     long total_seconds;
5     int hours, minutes, seconds;
6
7     printf("Enter total seconds: ");
8     scanf("%ld", &total_seconds);
9
10    hours = total_seconds / 3600;
11    minutes = (total_seconds % 3600) / 60;
12    seconds = total_seconds % 60;
13
14    printf("Time = %02d:%02d:%02d\n", hours, minutes, seconds);
15    return 0;
16 }
17
18
```

Compile Result

Enter total seconds: 5373

Time = 01:29:33

[Process completed - press Enter]

Coding C

Nothing changed

RUN

MENU

```
1 #include <stdio.h>
2
3 int main() {
4     int hours, minutes, seconds;
5     long total_seconds;
6
7     printf("Enter hours: ");
8     scanf("%d", &hours);
9     printf("Enter minutes: ");
10    scanf("%d", &minutes);
11    printf("Enter seconds: ");
12    scanf("%d", &seconds);
13
14    total_seconds = (hours * 3600L) + (minutes * 60L) + seconds;
15
16    printf("Total Seconds = %ld\n", total_seconds);
17    return 0;
18 }
19
```

Compile Result

Enter hours: 37

Enter minutes: 37

Enter seconds: 37

Total Seconds = 135457

[Process completed - press Enter]