Twitter in the Parliament - A Text-based Analysis of German Political Entities

Patrick Schulze, Simon Wiegrebe

Supervisors:

Prof. Dr. Christian Heumann, Prof. Dr. Paul W. Thurner

7. Juli 2020

Main Contributions

- Construction of data set containing more than 500k Tweets and more than 90 variables using web scraping and twitter scraping
- Topic modeling of Twitter messages by German Members of Parliament (MPs)
- Extension of analytical tools available for examination of topic-metadata relationships
- Discussion of causal inference framework within a topic modeling context

Topic Modeling

- Latent Dirichlet Allocation (LDA) by Blei, Ng, and Jordan (2003) as first probabilistic topic model
- Based on LDA and other topic models: Structural Topic Model (STM), by Roberts, Stewart, and Airoldi (2016)

Data

- MP-level data scraped from www.bundestag.de/abgeordnete using BeautifulSoup and Selenium Web Driver
- Electoral-district-level social-economic data extracted from www.bundeswahlleiter.de
- German federal election 2017 results retrieved from www.bundeswahlleiter.de
- Maximum available number of 3200 Tweets per MP downloaded using the Tweepy API

Results

- Hyperparameter search yields 15 distinct topics
- Topic labeling conducted manually (human judgment)
- Descriptive discussion of relationship between metadata and topics
- Causal inference: estimation of cause-effect relationships between document-sepcific features (e.g. political party) and topics

Bibliography

- Blei, David M, Andrew Y Ng, and Michael I Jordan (2003). "Latent dirichlet allocation". In: *Journal of machine Learning research* 3.Jan, pp. 993–1022.
- Roberts, Margaret E., Brandon M. Stewart, and Edoardo M. Airoldi (2016). "A model of text for experimentation in the social sciences". In: *Journal of the American Statistical Association* 111.515, pp. 988–1003.