
Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Worksheet
Query Builder
-- Question 1
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film INNER JOIN film_category ON film.film_id = film_category.film_id
INNER JOIN Category ON film_category.category_id = category.category_id
LEFT JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
LEFT OUTER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
INNER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.105 seconds
TITLE NAME INVENTORY
1 DISCIPLE MOTHER Travel 6
2 DIVORCE SHINING Sports 2
3 DOCTOR GRAIL Children 2
4 EXPENDABLE STALLION Documentary 8
5 EYES DRIVING Sci-Fi 5
6 ALASKA PHANTOM Music 7
7 FROGMEN BREAKING Travel 3
(5 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Worksheet
Query Builder
-- Question 1
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film INNER JOIN film_category ON film.film_id = film_category.film_id
INNER JOIN Category ON film_category.category_id = category.category_id
LEFT JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
LEFT OUTER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
INNER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.043 seconds
TITLE NAME INVENTORY
1 DARKO DORADO Action 3
2 DESERT POSEIDON Horror 6
3 DISCIPLE MOTHER Travel 6
4 DIVORCE SHINING Sports 2
5 DOCTOR GRAIL Children 2
6 EASY GLADIATOR Action 5
7 ALASKA PHANTOM Music 7
(5 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Lab6
Worksheet
Query Builder
-- Question 1
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film INNER JOIN film_category ON film.film_id = film_category.film_id
INNER JOIN Category ON film_category.category_id = category.category_id
LEFT JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
LEFT OUTER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
INNER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.057 seconds
TITLE
NAME
INVENTORY
1 ALASKA PHANTOM Music 7
2 CADDYSHACK JEDI Action 4
3 DARKO DORADO Action 3
4 DESERT POSEIDON Horror 6
5 DISCIPLE MOTHER Travel 6
6 DIVORCE SHINING Sports 2
7 DOCTOR GRAIL Children 2
(5 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Lab6
Worksheet
Query Builder
-- Question 1
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film INNER JOIN film_category ON film.film_id = film_category.film_id
INNER JOIN Category ON film_category.category_id = category.category_id
LEFT JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
LEFT OUTER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
INNER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
All Rows Fetched: 8 in 0.028 seconds
OG_MOVIE
OG_TITLE
SEQUEL
SEQUEL_TITLE
1 598 MOSQUITO ARMAGEDDON 571 METAL ARMAGEDDON
2 844 STEERS ARMAGEDDON 838 STAGECOACH ARMAGEDDON
3 334 FREDDY STORM 276 ELEMENT FREDDY
4 261 DUFFEL APOCALYPSE 32 APOCALYPSE FLAMINGOS
5 838 STAGECOACH ARMAGEDDON 598 MOSQUITO ARMAGEDDON
6 571 METAL ARMAGEDDON 507 LADYBUGS ARMAGEDDON
7 276 ELEMENT FREDDY 154 CLASH FREDDY
(5 more...)


Connections
LAST_UPDATE
FILM_ACTOR
FILM_CATEGORY
FILM_TEXT
INVENTORY
INVENTORY_ID
FILM_ID
STORE_ID
LAST_UPDATE
LANGUAGE
PAYMENT
RENTAL
STAFF
STORE
Views
Indexes
Packages
Procedures
Functions
Reports
All Reports
About Your Database
All Objects
Analytic View Reports
Application Express
ASH and AWR
Database Administration
Data Dictionary
Data Dictionary Reports
Data Modeler Reports
OLAP Reports
PLSQL
Security
Streams
Table
TimesTen Reports
User Defined Reports
XML
Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Lab6
Worksheet
Query Builder
-- Question 1
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film INNER JOIN film_category ON film.film_id = film_category.film_id
INNER JOIN Category ON film_category.category_id = category.category_id
LEFT JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
LEFT OUTER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
INNER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
All Rows Fetched: 7 in 0.086 seconds
OG_MOVIE
OG_TITLE
SEQUEL
SEQUEL_TITLE
1 838 STAGECOACH ARMAGEDDON 598 MOSQUITO ARMAGEDDON
2 801 SISTER FREDDY 334 FREDDY STORM
3 844 STEERS ARMAGEDDON 838 STAGECOACH ARMAGEDDON
4 276 ELEMENT FREDDY 154 CLASH FREDDY
5 261 DUFFEL APOCALYPSE 32 APOCALYPSE FLAMINGOS
6 598 MOSQUITO ARMAGEDDON 571 METAL ARMAGEDDON
7 571 METAL ARMAGEDDON 507 LADYBUGS ARMAGEDDON
(5 more...)


Connections
LAST_UPDATE
FILM_ACTOR
FILM_CATEGORY
FILM_TEXT
INVENTORY
INVENTORY_ID
FILM_ID
STORE_ID
LAST_UPDATE
LANGUAGE
PAYMENT
RENTAL
STAFF
STORE
Views
Indexes
Packages
Procedures
Functions
Reports
All Reports
About Your Database
All Objects
Analytic View Reports
Application Express
ASH and AWR
Database Administration
Data Dictionary
Data Dictionary Reports
Data Modeler Reports
OLAP Reports
PLSQL
Security
Streams
Table
TimesTen Reports
User Defined Reports
XML
Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Lab6
Worksheet
Query Builder
-- Question 1
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film INNER JOIN film_category ON film.film_id = film_category.film_id
INNER JOIN Category ON film_category.category_id = category.category_id
LEFT JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
LEFT OUTER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
Select film.title, category.name, count(inventory.inventory_id) as Inventory
From film LEFT OUTER JOIN film_category ON film.film_id = film_category.film_id
LEFT OUTER JOIN Category ON film_category.category_id = category.category_id
INNER JOIN inventory ON film.film_id = inventory.film_id
Group by film.title, category.name;
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.092 seconds
OG_MOVIE
OG_TITLE
SEQUEL
SEQUEL_TITLE
1 612 MUSSOLINI SPOILERS 0 Nothing to see here
2 613 MYSTIC TRUMAN 0 Nothing to see here
3 614 NAME DETECTIVE 0 Nothing to see here
4 615 NASH CHOCOLAT 0 Nothing to see here
5 616 NATIONAL STORY 0 Nothing to see here
6 617 NATURAL STOCK 0 Nothing to see here
7 618 NECKLACE OUTBREAK 0 Nothing to see here
(5 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet History
Lab6
Worksheet Query Builder
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.037 seconds
TITLE
1 ACADEMY DINOSAUR
2 ACE GOLDFINGER
3 ADAPTATION HOLES
4 AFFAIR PREJUDICE
5 AFRICAN EGG
6 AGENT TRUMAN
7 AIRPLANE SIERRA
(5 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet History
Lab6
Worksheet Query Builder
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.031 seconds
TITLE
1 ACADEMY DINOSAUR
2 ACE GOLDFINGER
3 ADAPTATION HOLES
4 AFFAIR PREJUDICE
5 AFRICAN EGG
6 AGENT TRUMAN
7 AIRPLANE SIERRA
(6 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet History
Lab6
Worksheet Query Builder
-- Question 2
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,f2.film_id AS Sequel, f2.title AS Sequel_Title
From film f1 INNER JOIN film f2 ON f1.film_id = f2.sequel
Where f1.rating != f2.rating;
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Connections
LAST_UPDATE
FILM_ACTOR
FILM_CATEGORY
FILM_TEXT
INVENTORY
INVENTORY_ID
FILM_ID
STORE_ID
LAST_UPDATE
LANGUAGE
PAYMENT
RENTAL
STAFF
STORE
Views
Indexes
Packages
Procedures
Functions
Reports
All Reports
About Your Database
All Objects
Analytic View Reports
Application Express
ASH and AWR
Database Administration
Data Dictionary
Data Dictionary Reports
Data Modeler Reports
OLAP Reports
PLSQL
Security
Streams
Table
TimesTen Reports
User Defined Reports
XML
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.024 seconds
TITLE
1 ACADEMY DINOSAUR
2 ACE GOLDFINGER
3 ADAPTATION HOLES
4 AFFAIR PREJUDICE
5 AFRICAN EGG
6 AGENT TRUMAN
7 AIRPLANE SIERRA
(6 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet History
Lab6
Worksheet Query Builder
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Where inventory.film_id is NULL
Order by film.title asc;
Select film.title
From film
Where film_id NOT IN (Select film_id From Inventory)
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
Fetched 50 rows in 0.03 seconds
TITLE
1 ACADEMY DINOSAUR
2 ACE GOLDFINGER
3 ADAPTATION HOLES
4 AFFAIR PREJUDICE
5 AFRICAN EGG
6 AGENT TRUMAN
7 AIRPLANE SIERRA
(6 more...)



Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Lab6
Worksheet
Query Builder
Select f1.film_id AS OG_Movie, f1.title AS OG_TITLE,nvl(f2.film_id, 0) AS Sequel, nvl(f2.title ,'Nothing to see here')AS Sequel_Title
From film f1 LEFT OUTER JOIN film f2 ON f1.film_id = f2.sequel;
-- Question 3
Select film.title
From film INNER JOIN Inventory on film.film_id = inventory.film_id
Group by film.title
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Where inventory.film_id is NULL
Order by film.title asc;
Select film.title
From film
Where film_id NOT IN (Select film_id From Inventory)
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
All Rows Fetched: 42 in 0.027 seconds
TITLE
1 ALICE FANTASIA
2 APOLLO TEEN
3 ARGONAUTS TOWN
4 ARK RIDGEMONT
5 ARSENIC INDEPENDENCE
6 BOONDOCK BALLROOM
7 BUTCH PANTHER
(7 more...)



Welcome Page
Script.sql
INVENTORY
SQL Worksheet
History
Lab6
Worksheet
Query Builder
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Where inventory.film_id is NULL
Order by film.title asc;
Select film.title
From film
Where film_id NOT IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film.film_id NOT IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where NOT EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
All Rows Fetched: 42 in 0.03 seconds
TITLE
1 ALICE FANTASIA
2 APOLLO TEEN
3 ARGONAUTS TOWN
4 ARK RIDGEMONT
5 ARSENIC INDEPENDENCE
6 BOONDOCK BALLROOM
7 BUTCH PANTHER
(8 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet History
Lab6
Worksheet Query Builder
Connections
LAST_UPDATE
FILM_ACTOR
FILM_CATEGORY
FILM_TEXT
INVENTORY
INVENTORY_ID
FILM_ID
STORE_ID
LAST_UPDATE
LANGUAGE
PAYMENT
RENTAL
STAFF
STORE
Views
Indexes
Packages
Procedures
Functions
Reports
All Reports
About Your Database
All Objects
Analytic View Reports
Application Express
ASH and AWR
Database Administration
Data Dictionary
Data Dictionary Reports
Data Modeler Reports
OLAP Reports
PLSQL
Security
Streams
Table
TimesTen Reports
User Defined Reports
XML
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Where inventory.film_id is NULL
Order by film.title asc;
Select film.title
From film
Where film_id NOT IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film.film_id NOT IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where NOT EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
All Rows Fetched: 42 in 0.03 seconds
TITLE
1 ALICE FANTASIA
2 APOLLO TEEN
3 ARGONAUTS TOWN
4 ARK RIDGEMONT
5 ARSENIC INDEPENDENCE
6 BOONDOCK BALLROOM
7 BUTCH PANTHER
(8 more...)


Welcome Page
Script.sql
INVENTORY
SQL Worksheet History
Lab6
Worksheet Query Builder
Connections
LAST_UPDATE
FILM_ACTOR
FILM_CATEGORY
FILM_TEXT
INVENTORY
INVENTORY_ID
FILM_ID
STORE_ID
LAST_UPDATE
LANGUAGE
PAYMENT
RENTAL
STAFF
STORE
Views
Indexes
Packages
Procedures
Functions
Reports
All Reports
About Your Database
All Objects
Analytic View Reports
Application Express
ASH and AWR
Database Administration
Data Dictionary
Data Dictionary Reports
Data Modeler Reports
OLAP Reports
PLSQL
Security
Streams
Table
TimesTen Reports
User Defined Reports
XML
From film
Where film_id IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film_id IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
--Question 4
Select film.title
From film LEFT JOIN Inventory on film.film_id = inventory.film_id
Where inventory.film_id is NULL
Order by film.title asc;
Select film.title
From film
Where film_id NOT IN (Select film_id From Inventory)
Order by film.title asc;
Select film.title
From film
Where film.film_id NOT IN (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Select film.title
From film
Where NOT EXISTS (Select inventory.film_id From inventory where film.film_id = inventory.film_id)
Order by film.title asc;
Script Output
Query Result
Query Result 1
SQL
All Rows Fetched: 42 in 0.042 seconds
TITLE
1 ALICE FANTASIA
2 APOLLO TEEN
3 ARGONAUTS TOWN
4 ARK RIDGEMONT
5 ARSENIC INDEPENDENCE
6 BOONDOCK BALLROOM
7 BUTCH PANTHER
(9 more...)