

Oracle Connections

- Lab5b
- Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ACTOR
 - FILM_CATEGORY
 - FILM_TEXT
 - INVENTORY
 - LANGUAGE
 - PAYMENT
 - RENTAL
 - RENTAL_ID

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.114 seconds

Worksheet Query Builder

Script Output Query Result Task completed in 0.114 seconds

1 row inserted.

1 row inserted.

Commit complete.

Table PAYMENT truncated.

Table RENTAL truncated.

Table STAFF altered.

Table STAFF altered.

Table STORE altered.

Oracle Connections

- Lab5b
- Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

Select film_id,title,release_year From Film;

Script Output Query Result SQL Fetched 50 rows in 0.024 seconds

	FILM_ID	TITLE	RELEASE_YEAR
1	612	MUSSOLINI SPOILERS	2006
2	613	MYSTIC TRUMAN	2006
3	614	NAME DETECTIVE	2006
4	615	NASH CHOCOLAT	2006
5	616	NATIONAL STORY	2006
6	617	NATURAL STOCK	2006
7	618	NECKLACE OUTBREAK	2006
8	619	NEIGHBORS CHARADE	2006
9	620	NEMO CAMPUS	2006
10	621	NETWORK PEAK	2006
11	622	NEWSIES STORY	2006
12	623	NEWTON LABYRINTH	2006
13	624	NIGHTMARE CHILL	2006
14	625	NONE SPKING	2006
15	626	NOON PAPI	2006
16	627	NORTH TEQUILA	2006
17	628	NORTHWEST POLISH	2006

Line 1 Column 34 Insert Modified Unix/Mac: LF

Connections

- Oracle Connections
 - Lab5b
 - Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.117 seconds

Worksheet Query Builder

```
Select film_id,title,release_year From Film;
```

Script Output Query Result Task completed in 0.117 seconds

FILM_ID	TITLE
374	GRAFFITI LOVE
375	GRAIL FRANKENSTEIN
376	GRAPES FURY
377	GREASE YOUTH
378	GREATEST NORTH
379	GREEDY ROOTS
380	GREEK EVERYONE
381	GRINCH MESSAGE
382	GRIT CLOCKWORK
612	MUSSOLINI SPOILERS
613	MYSTIC TRUMAN
614	NINE DETECTIVE
615	NASH CHOCOLAT
616	NATIONAL STORY
617	NATURAL STOCK
618	NECKLACE OUTBREAK
619	NEIGHBORS CHARADE

Line 1 Column 34 Insert Modified Unix/Mac: LF

Connections

- Oracle Connections
 - Lab5b
 - Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE
 - FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
Select film_id,title,release_year  
From Film  
Where Length < 170;
```

Script Output SQL SQL | Fetched 50 rows in 0.027 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	567 MEET CHOCOLATE	2006
2	568 MEMENTO ZOOLANDER	2006
3	569 MENAGERIE RUSHMORE	2006
4	570 MERMAID INSECTS	2006
5	571 METAL ARMAGEDDON	2006
6	572 METROPOLIS COMA	2006
7	573 MICROCOSMOS PARADISE	2006
8	574 MIDNIGHT WESTWARD	2006
9	575 MIDSUMMER GROUNDHOG	2006
10	576 MIGHTY LUCK	2006
11	577 MILE MULAN	2006
12	578 MILLION ACE	2006
13	579 MINDS TRUMAN	2006
14	580 MINE TITANS	2006
15	581 MINORITY KISS	2006
16	582 MIRACLE VIRTUAL	2006
17	583 MISSION ZOOLANDER	2006

Line 3 Column 20 Insert Modified Unix/Mac: LF

Connections

- LAB6
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE
 - FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.103 seconds

Worksheet Query Builder

```

Select film_id,title,release_year
From Film
Where Length < 170;

```

Script Output Query Result Task completed in 0.103 seconds

FILM_ID	TITLE
641	ORANGE GRAPES
642	ORDER BETRAYED
643	ORIENT CLOSER
644	OSCAR GOLD
645	OTHERS SOUP
646	OUTBREAK DIVINE
647	OUTFIELD MASSACRE
648	OUTLAW HANKY
649	OZ LIAISONS
650	PACIFIC AMISTAD
651	PACKER MADIGAN
652	PALOMA JAWBREAKER
653	PANIC CLUB
654	PANKY SUBMARINE
655	PANTHER REDS
656	PAPI NECKLACE

876 rows selected.

Line 3 Column 20 Insert Modified Unix/Mac: LF

Connections

- Lab5b
- Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ACTOR
 - FILM_CATEGORY
 - FILM_TEXT
 - INVENTORY
 - LANGUAGE
 - PAYMENT
 - RENTAL
 - STAFF
 - STORE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 FILM

Worksheet Query Builder

```

Select film_id,title,release_year
From Film
Where special_features = ('Trailers,Deleted Scenes');

```

Script Output Query Result SQL Fetched 50 rows in 0.078 seconds

	FILM_ID	TITLE	RELEASE_YEAR
1	622	NEWSIES STORY	2006
2	409	HEARTBREAKERS BRIGHT	2006
3	838	STAGECOACH ARMAGEDDON	2006
4	972	WHISPERER GIANT	2006
5	819	SONG HEDWIG	2006

Connections: Lab5b, Lab6

Tables (Filtered): ACTOR, ADDRESS, CATEGORY, CITY, COUNTRY, CUSTOMER, FILM, FILM_ACTOR, FILM_CATEGORY, FILM_TEXT, INVENTORY, LANGUAGE, PAYMENT, RENTAL, STAFF, STORE

Reports: All Reports, About Your Database, All Objects, Analytic View Reports, Application Express, ASH and AWR, Database Administration, Data Dictionary, Data Dictionary Reports, Data Modeler Reports, OLAP Reports, PLSQL, Security, Streams, Table, TimesTen Reports, User Defined Reports, XML

Worksheet: Query Builder

```

Select film_id,title,release_year
From Film
Where special_features = ('Trailers,Deleted Scenes');

```

Script Output: Task completed in 0.068 seconds

Query Result:

FILM_ID	TITLE
622	NEWSIES STORY
409	HEARTBREAKERS BRIGHT
904	TRAIN BUNCH
255	DRIVING POLISH
260	DUDE BRINNESS
341	FROST HEAD
343	FULL FLATLINERS
351	GASLIGHT CRUSADE
727	RESURRECTION SILVERADO
454	IMPACT ALADDIN
468	INVASION CYCLONE
78	BLAZING PATRIOTE

Connections: Oracle Connections, Lab5b, Lab6

Tables (Filtered): ACTOR, ADDRESS, CATEGORY, CITY, COUNTRY, CUSTOMER, FILM, FILM_ACTOR, FILM_CATEGORY, FILM_TEXT, INVENTORY, LANGUAGE, PAYMENT, RENTAL, STAFF

Reports: All Reports, About Your Database, All Objects, Analytic View Reports, Application Express, ASH and AWR, Database Administration, Data Dictionary, Data Dictionary Reports, Data Modeler Reports, OLAP Reports, PLSQL, Security, Streams, Table, TimesTen Reports, User Defined Reports, XML

Worksheet: Query Builder

```

SELECT film_id, title, release_year --special_features
FROM film
WHERE special_features LIKE '%Trailers%'
AND special_features LIKE '%Deleted Scenes%';

```

Query Result: SQL | Fetched 50 rows in 0.051 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	619 NEIGHBORS CHARADE	2006
2	622 NEWSIES STORY	2006
3	623 NEWTON LABYRINTH	2006
4	624 NIGHTMARE CHILL	2006
5	629 NOTORIOUS REUNION	2006
6	631 NOVOCAINE FLIGHT	2006
7	909 TREASURE COMMAND	2006
8	910 TREATMENT JEKYLL	2006
9	918 TWISTED PIRATES	2006
10	919 TYCOON GATHERING	2006
11	925 UNITED PILOT	2006
12	926 UNTOUCHABLES SUNRISE	2006
13	233 DISCIPLE MOTHER	2006
14	237 DIVORCE SHINING	2006
15	243 DOORS PRESIDENT	2006
16	245 DOUBLE WRATH	2006
17	658 PARIS WEEKEND	2006

Connections

- Oracle Connections
 - Lab5b
 - Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ACTOR
 - FILM_CATEGORY
 - FILM_TEXT
 - INVENTORY
 - LANGUAGE
 - PAYMENT
 - RENTAL
 - STAFF

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
SELECT film_id, title, release_year --special_features
FROM film
WHERE special_features LIKE '%Trailers%'
AND special_features LIKE '%Deleted Scenes%';
```

Query Result Script Output

Task completed in 0.204 seconds

```

92 BOWFINGER GABLES
94 BRAVEHEART HUMAN
95 BREAKFAST GOLDFINGER
102 BUBBLE GROSSE
108 BUTCH PANTHER
113 CALIFORNIA BIRDS
189 CREATURES SHAKESPEARE

FILM_ID TITLE
-----
200 CURTAIN VIDEOTAPE
201 CYCLONE FAMILY
638 OPERATION OPERATION
646 OUTBREAK DIVINE
647 OUTFIELD MASSACRE
650 PACIFIC AMISTAD
652 PAJAMA JAWBREAKER
654 PANKY SUBMARINE
656 PAPI NECKLACE

240 rows selected.
```

Connections

- Oracle Connections
 - Lab5b
 - Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE title > 'AirLine';
```

Script Output Query Result

SQL | Fetched 50 rows in 0.029 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	406 HAUNTING PIANIST	2006
2	407 HAWK CHILL	2006
3	408 HEAD STRANGER	2006
4	409 HEARTBREAKERS BRIGHT	2006
5	410 HEAVEN FREEDOM	2006
6	411 HEAVENLY GUN	2006
7	412 HEAVYWEIGHTS BEAST	2006
8	413 HEDWIG ALTER	2006
9	414 HELLFIGHTERS SIERRA	2006
10	415 HIGH ENCINO	2006
11	416 HIGHBALL POTTER	2006
12	417 HILLS NEIGHBORS	2006
13	418 HOBBIT ALIEN	2006
14	419 HOCUS FRIDA	2006
15	420 HOLES BRAUNIGAN	2006
16	421 HOLIDAY GAMES	2006
17	422 HOLLOW JEOPARDY	2006

Line 3 Column 17 | Insert | Modified | Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

0.1280001 seconds

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE title > 'Airline';
```

Script Output Query Result

Task completed in 0.128 seconds

641 ORANGE GRAPES
642 ORDER BETRAYED
643 ORIENT CLOSER
644 OSCAR GOLD
645 OTHERS SOUP
646 OUTBREAK DIVINE
647 OUTFIELD MASSACRE
648 OUTLAW HANKY

FILM_ID TITLE

649 OZ LIAISONS
650 PACIFIC AMISTAD
651 PACKER MADIGAN
652 PAJAMA JAWBREAKER
653 PANIC CLUB
654 PANKY SUBMARINE
655 PANTHER REDS
656 PAPI NECKLACE

954 rows selected.

Line 3 Column 17 Insert Modified Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

SQL All Rows Fetched: 38 in 0.023 seconds

Worksheet Query Builder

```
SELECT film_id, title, release_year, round(replacement_cost) AS Rounded
FROM film
WHERE round(replacement_cost) = 25;
```

Script Output Query Result

All Rows Fetched: 38 in 0.023 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	617 NATURAL STOCK	2006
2	628 NORTHWEST POLISH	2006
3	917 TUXEDO MILE	2006
4	499 KING EVOLUTION	2006
5	503 KRAMER CHOCOLATE	2006
6	505 LABYRINTH LEAGUE	2006
7	442 HUNTING MUSKETEERS	2006
8	277 ELEPHANT TROJAN	2006
9	184 CORE SUIT	2006
10	188 CRAZY HOME	2006
11	360 GLASS DYING	2006
12	48 BACKLASH UNDEFEATED	2006
13	67 BERETS AGENT	2006
14	470 ISHTAR ROCKETEER	2006
15	472 ITALIAN AFRICAN	2006
16	974 WILD APOLLO	2006
17	986 WONKA SEA	2006

Line 3 Column 36 Insert Modified Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.036 seconds

Worksheet Query Builder

```
SELECT film_id, title, release_year--, round(replacement_cost) AS Rounded
FROM film
WHERE round(replacement_cost) = 25;
```

Script Output Query Result Task completed in 0.036 seconds

791 SHOW LORD
97 BRIDE INTRIGUE
10 ALADDIN CALENDAR
378 GREATEST NORTH
917 TUXEDO MILE
882 TENENBAUMS COMMAND
327 FOOL MOCKINGBIRD
360 GLASS DYING
499 KING EVOLUTION
583 KRAMER CHOCOLATE
585 LABYRINTH LEAGUE

FILM_ID TITLE

142 CHICKEN HELLFIGHTERS
144 CHINATOWN GLADIATOR
146 CHITTY LOCK
718 REBEL AIRPORT
527 LOLA AGENT

38 rows selected.

Line 3 Column 36 Insert Modified Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE title like 'D%';
```

Script Output SQL SQL | Fetched 50 rows in 0.049 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	225 DESTINATION JERK	2006
2	226 DESTINY SATURDAY	2006
3	227 DETAILS PACKER	2006
4	228 DETECTIVE VISION	2006
5	229 DEVIL DESIRE	2006
6	230 DIARY PANIC	2006
7	231 DINOSAUR SECRETARY	2006
8	232 DIRTY ACE	2006
9	233 DISCIPLE MOTHER	2006
10	234 DISTURBING SCARFACE	2006
11	235 DIVIDE MONSTER	2006
12	236 DIVINE RESURRECTION	2006
13	237 DIVORCE SHINING	2006
14	238 DOCTOR GRAIL	2006
15	239 DOGMA FAMILY	2006
16	240 DOLLS RAGE	2006
17	241 DONNIE ALLEY	2006

Line 3 Column 23 Insert Modified Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.057 seconds

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE title LIKE 'D%';
```

Script Output Query Result Task completed in 0.057 seconds

FILM_ID TITLE

232	DIRTY ACE
233	DISCIPLE MOTHER
234	DISTURBING SCARFACE
235	DIVINE MONSTER
236	DIVINE RESURRECTION
237	DIVORCE SHINING

65 rows selected.

Line 3 Column 23 Insert Modified Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE lower(description) like 'mad%';
```

Script Output SQL Query Result Fetched 50 rows in 0.027 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	482 JEOPARDY ENCINO	2006
2	485 JERSEY SASSY	2006
3	489 JUGGLER HARDLY	2006
4	490 JUMANJI BLADE	2006
5	293 EXORCIST STING	2006
6	295 EXPENDABLE STALLION	2006
7	302 FANTASIA PARK	2006
8	309 FEUD FROGMEN	2006
9	312 FIDDLER LOST	2006
10	661 PAST SUICIDES	2006
11	675 PHANTOM GLORY	2006
12	796 SIERRA DIVIDE	2006
13	800 SINNERS ATLANTIS	2006
14	802 SKY MIRACLE	2006
15	812 SMOKING BARBARELLA	2006
16	813 SMOOCHY CONTROL	2006
17	547 MAGIC MALLRATS	2006

Line 1 Column 36 Insert Modified Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.108 seconds

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE lower(description) like 'mad%';
```

Script Output Query Result Task completed in 0.108 seconds

218 rows selected.

FILM_ID	TITLE
63	BEDAZZLED HARRIED
106	BULLWORTH COMMANDMENTS
111	CADDYSHACK JEDI
1	ACADEMY DINOSAUR
9	ALABAMA DEVIL
15	ALLEN CENTER
930	VACATION BOONDOCK
939	VERTIGO NORTHWEST
940	VICTORY ACADEMY
944	VIRGIN DAISY
948	VOICE PEACH
634	ODDS BOOGIE
638	OPERATION OPERATION
644	OSCAR GOLD
645	OTHERS SOUP
649	OZ LIAISONS

Line 1 Column 36 Insert Modified Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
SELECT film_id, title, release_year, length
FROM film
WHERE length between 70 and 90
```

Script Output SQL Query Result SQL | Fetched 50 rows in 0.044 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	567 MEET CHOCOLATE	2006
2	568 MEMENTO ZOOLANDER	2006
3	574 MIDNIGHT WESTWARD	2006
4	587 MOD SECRETARY	2006
5	589 MODERN DORADO	2006
6	910 TREATMENT JEKYLL	2006
7	916 TURN STAR	2006
8	919 TYCOON GATHERING	2006
9	923 UNFAITHFUL KILL	2006
10	928 UPTOWN YOUNG	2006
11	225 DESTINATION JERK	2006
12	227 DETAILS PACKER	2006
13	229 DEVIL DESIRE	2006
14	668 PEAK FOREVER	2006
15	669 PEARL DESTINY	2006
16	672 PERFECT GROOVE	2006
17	678 PICKUP DRIVING	2006

Waiting for Query Result to finish Line 1 Column 39 Insert Modified Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.065 seconds

Worksheet Query Builder

```
SELECT film_id, title, release_year -- length
FROM film
WHERE length Between 70 and 90
```

Script Output Query Result Task completed in 0.065 seconds

713 RAINBOW SHOCK
714 RANDOM GO
718 REBEL AIRPORT
723 REIGN GENTLEMEN
161 CLUE GRAIL
165 COOLBLOODED DARLING
169 COMFORTS RUSH
176 CONGENIALITY QUEST
527 LOLA AGENT
532 LOSER HUSTLER
534 LOUISIANA HARRY

FILM_ID TITLE

537 LOVER TRUMAN
541 LUKE MUMMY
641 ORANGE GRAPES
649 OZ LIATSONS
651 PACKER MADIGAN

159 rows selected.

Waiting for Query Result to finish | Line 1 Column 39 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE rating = 'PG-13' or rating = 'R';
```

Script Output SQL SQL | Fetched 50 rows in 0.048 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	384 GROSSE WONDERFUL	2006
2	385 GROUNDHOG UNCUT	2006
3	389 GUNFIGHTER MUSSOLINI	2006
4	390 GUYS FALCON	2006
5	391 HALF OUTFIELD	2006
6	393 HALLOWEEN NUTS	2006
7	394 HAMLET WISDOM	2006
8	395 HANDICAP BOONDOCK	2006
9	400 HARDLY ROBBERS	2006
10	403 HARRY IDAHO	2006
11	294 EXPECTATIONS NATURAL	2006
12	296 EXPRESS LONELY	2006
13	298 EYES DRIVING	2006
14	299 FACTORY DRAGON	2006
15	300 FALCON VOLUME	2006
16	301 FAMILY SWEET	2006
17	303 FANTASY TROOPERS	2006

Waiting for Query Result to finish | Line 3 Column 40 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.068 seconds

Worksheet Query Builder

```
SELECT film_id, title, release_year
FROM film
WHERE rating = 'PG-13' or rating = 'R';
```

Script Output Query Result Task completed in 0.068 seconds

FILM_ID	TITLE
182	COURTESY PERVERTED
183	CONVERSATION DOWNHILL
184	CORE SUIT
191	CROOKED FROGMEN
192	CROSSING DIVORCE
195	CROWDS TELEMAR
197	CRUSADE HONEY
199	CUPBOARD SINNERS
200	CURTAIN VIDEOTAPE
640	OPUS ICE
641	ORANGE GRAPES
642	ORDER BETRAYED
643	ORIENT CLOSER
648	OUTLAW HANKY
649	OZ LIAISONS
651	PACKER MADIGAN
652	PAJAMA JAWBREAKER

418 rows selected.

Waiting for Query Result to finish | Line 3 Column 40 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 FILM

Worksheet Query Builder

```
SELECT avg(rental_rate) as average, min(rental_rate) as min, max(rental_rate) as max
FROM film;
```

Script Output SQL All Rows Fetched: 1 in 0.132 seconds

	AVERAGE	MIN	MAX
1	2.98	0.99	4.99

Waiting for Query Result to finish (1 more...) | Line 2 Column 11 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page | Lab6 | FILM | 0.122 seconds

Worksheet | Query Builder

```
SELECT avg(rental_rate) as average, min(rental_rate) as min, max(rental_rate) as max
FROM film;
```

Script Output | Query Result | Task completed in 0.122 seconds

FILM_ID	TITLE
197	CRUSADE HONEY
199	CUPBOARD SINNERS
280	CURTAIN VIDEOTAPE
640	OPUS ICE
641	ORANGE GRAPES
642	ORDER BETRAYED
643	ORIENT CLOSER
648	OUTLAW HANKY
649	OZ LIAISONS
651	PACKER MADIGAN
652	PAJAMA JAWBREAKER

418 rows selected.

AVERAGE	MIN	MAX
2.98	.99	4.99

Waiting for Query Result to finish (1 more...) | Line 2 Column 11 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page | Lab6 | FILM |

Worksheet | Query Builder

```
SELECT count(film_id) as total_films
From film;
```

Script Output | Query Result | All Rows Fetched: 1 in 0.033 seconds

TOTAL_FILMS
1000

Waiting for Query Result to finish (1 more...) | Line 2 Column 11 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page | Lab6 | FILM | 0.078 seconds

Worksheet | Query Builder

```
SELECT count(film_id) as total_films
From film;
```

Script Output | Query Result | Task completed in 0.078 seconds

418 rows selected.

AVERAGE	MIN	MAX
2.98	.99	4.99

TOTAL_FILMS

1000

Waiting for Query Result to finish (1 more...) | Line 2 Column 11 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page | Lab6 | FILM |

Worksheet | Query Builder

```
SELECT film_id, round(rental_rate * 1.045, 2) AS rounded_rental_tax
From film
order by rounded_rental_tax desc;
```

Script Output | Query Result | SQL | Fetched 50 rows in 0.132 seconds

FILM_ID	ROUNDED_RENTAL_TAX
1	5.21
2	5.21
3	5.21
4	5.21
5	5.21
6	5.21
7	5.21
8	5.21
9	5.21
10	5.21
11	5.21
12	5.21
13	5.21
14	5.21
15	5.21
16	5.21
17	5.21

Waiting for Query Result to finish (1 more...) | Line 3 Column 34 | Insert | Modified | Unix/Mac: LF

Connections

- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
 - FILM_ID
 - TITLE
 - DESCRIPTION
 - RELEASE_YEAR
 - LANGUAGE_ID
 - ORIGINAL_LANGUAGE_ID
 - RENTAL_DURATION
 - RENTAL_RATE
 - LENGTH
 - REPLACEMENT_COST
 - RATING
 - SPECIAL_FEATURES
 - LAST_UPDATE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page | Lab6 | FILM | 0.213 seconds

Worksheet | Query Builder

```
SELECT film_id, round(rental_rate * 1.045, 2) AS rounded_rental_tax
FROM film
ORDER BY rounded_rental_tax desc;
```

Script Output | Query Result | Task completed in 0.213 seconds

FILM_ID	ROUNDED_RENTAL_TAX
634	1.03
635	1.03
636	1.03
641	1.03
646	1.03
647	1.03
650	1.03
651	1.03
652	1.03
656	1.03

1,000 rows selected.

Waiting for Query Result to finish (1 more...) | Line 3 Column 34 | Insert | Modified | Unix/Mac: LF

Connections

- Oracle Connections
- Lab5b
- Lab6
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - REST Data Services
 - Materialized Views
 - Materialized View Logs
 - Synonyms

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page | Lab6 | |

Worksheet | Query Builder

```
SELECT film_id, title, NVL(release_year, 'unknown') AS release_year
FROM film
ORDER BY release_year ASC;
```

Query Result | SQL | Fetched 50 rows in 0.103 seconds

FILM_ID	TITLE	RELEASE_YEAR
1	383 GROOVE FICTION	2006
2	384 GROSSE WONDERFUL	2006
3	385 GROUNDHOG UNCUT	2006
4	386 GUMP DATE	2006
5	387 GUN BONNIE	2006
6	388 GUNFIGHT MOON	2006
7	389 GUNFIGHTER MUSSOLINI	2006
8	390 GUYS FALCON	2006
9	391 HALF OUTFIELD	2006
10	392 HALL CASSIDY	2006
11	393 HALLOWEEN NUTS	2006
12	394 HAMLET WISDOM	2006
13	395 HANDICAP BOONDOCK	2006
14	396 HANGING DEEP	2006
15	397 HANKY OCTOBER	2006
16	398 HANOVER GALAXY	2006
17	399 HAPPINESS UNITED	2006

Oracle SQL Developer interface showing a query execution result.

Connections: Oracle Connections, Lab5b, Lab6 (selected).

Query Builder:

```
SELECT film_id,title,NVL(release_year, 'unknown') AS release_year
FROM film
ORDER BY release_year ASC;
```

Script Output: Task completed in 0.107 seconds

Query Result:

FILM_ID	TITLE
641	ORANGE GRAPES
642	ORDER BETRAYED
643	ORIENT CLOSER
644	OSCAR GOLD
645	OTHERS SOUP
646	OUTBREAK DIVINE
647	OUTFIELD MASSACRE
648	OUTLAW HANKY
649	OZ LIAISONS
650	PACIFIC AMISTAD
651	PACKER MADIGAN
652	PAJAMA JAWBREAKER
653	PANIC CLUB
654	PANKY SUBMARINE
655	PANTHER REDS
656	PAPI NECKLACE

1,000 rows selected.

Oracle SQL Developer interface showing a query execution result.

Connections: Oracle Connections, Lab5b, Lab6 (selected).

Query Builder:

```
SELECT Distinct rating, substr(rating,1,2) AS Sub
from film;
```

Script Output: All Rows Fetched: 5 in 0.034 seconds

Query Result:

RATING	SUB
1 PG	PG
2 G	G
3 R	R
4 NC-17	NC
5 PG-13	PG

Oracle Connections

- Lab5b
- Lab6
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - REST Data Services
 - Materialized Views
 - Materialized View Logs
 - Synonyms

Worksheet

```
SELECT Distinct rating, substr(rating,1,2) AS Sub
from film;
```

Script Output

Task completed in 0.041 seconds

647 OUTFIELD MASSACRE
648 OUTLAW HANKY
649 OZ LIAISONS
650 PACIFIC AMISTAD
651 PACKER MADIGAN
652 PAJAMA JAWBREAKER
653 PANIC CLUB
654 PANKY SUBMARINE
655 PANTHER REDS
656 PAPI NECKLACE

1,000 rows selected.

RATING	SU
PG	PG
G	G
R	R
NC-17	NC
PG-13	PG

Connections

- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE

Worksheet

```
SELECT
COUNT(*) AS total_rentals,
COUNT(*) - COUNT(return_date) AS not_returned,
ROUND((COUNT(*) - COUNT(return_date)) / COUNT(*) * 100, 2) AS percent_not_returned
FROM rental;
```

Script Output

SQL | All Rows Fetched: 1 in 0.031 seconds

TOTAL_RENTALS	NOT_RETURNED	PERCENT_NOT_RETURNED	
1	16044	183	1.14

Line 5 Column 13 | Insert | Modified | Unix/Mac: LF

Connections

- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.034 seconds

Worksheet Query Builder

```
SELECT
COUNT(*) AS total_rentals,
COUNT(*) - COUNT(return_date) AS not_returned,
ROUND((COUNT(*) - COUNT(return_date)) / COUNT(*) * 100, 2) AS percent_not_returned
FROM RENTAL
```

Script Output Query Result Task completed in 0.034 seconds

1,000 rows selected.

RATING	SU
PG	PG
G	G
R	R
NC-17	NC
PG-13	PG

TOTAL_RENTALS	NOT_RETURNED	PERCENT_NOT_RETURNED
16844	183	1.14

Line 5 Column 13 Insert Modified Unix/Mac: LF

Connections

- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
select rental_id || ' - Rented: ' || rental_date as rental_info
from rental;
```

Script Output SQL Query Result SQL | Fetched 50 rows in 0.022 seconds

RENTAL_ID	RENTAL_DATE
11133	31-MAY-05
11134	31-MAY-05
11135	31-MAY-05
11136	31-MAY-05
11137	31-MAY-05
11138	31-MAY-05
11139	31-MAY-05
11140	31-MAY-05
11141	31-MAY-05
11142	31-MAY-05
11143	31-MAY-05
11144	31-MAY-05
11145	31-MAY-05
11146	31-MAY-05
11147	31-MAY-05
11148	31-MAY-05
11149	31-MAY-05

(1 more...) Line 2 Column 13 Insert Modified Unix/Mac: LF

Connections

- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

0.352 seconds

Worksheet Query Builder

```
select rental_id || ' - Rented: ' || rental_date as rental_info
from rental;
```

Script Output Query Result

Task completed in 0.352 seconds

RENTAL_INFO

4312	- Rented: 07-JUL-05
4313	- Rented: 07-JUL-05
4314	- Rented: 07-JUL-05
4315	- Rented: 07-JUL-05
4316	- Rented: 07-JUL-05
4317	- Rented: 07-JUL-05
4318	- Rented: 07-JUL-05
4319	- Rented: 07-JUL-05
4320	- Rented: 07-JUL-05
4321	- Rented: 07-JUL-05

Only 5,000 rows currently supported in a script results
5,000 rows selected.

(1 more...) | Line 2 Column 13 | Insert | Modified | Unix/Mac: LF

Connections

- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

SQL | Fetched 50 rows in 0.047 seconds

Worksheet Query Builder

```
SELECT rental_id || ' - Rented in: ' || TO_CHAR(rental_date, 'Month') AS rental_info
FROM rental;
```

RENTAL_INFO

1	2748 - Rented in: June
2	2749 - Rented in: June
3	2750 - Rented in: June
4	2751 - Rented in: June
5	2752 - Rented in: June
6	2753 - Rented in: June
7	2754 - Rented in: June
8	2755 - Rented in: June
9	2756 - Rented in: June
10	2757 - Rented in: June
11	2758 - Rented in: June
12	2759 - Rented in: June
13	2760 - Rented in: June
14	2761 - Rented in: June
15	2762 - Rented in: June
16	2763 - Rented in: June
17	2764 - Rented in: June

(2 more...) | Line 1 Column 8 | Insert | Modified | Unix/Mac: LF

Connections

- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.2770001 seconds

Worksheet Query Builder

```
SELECT rental_id || ' - Rented in: ' || TO_CHAR(rental_date, 'Month') AS rental_info
FROM rental;
```

Script Output Query Result

Task completed in 0.277 seconds

RENTAL_ID	RENTAL_DATE	RENTAL_INFO
4824	Rented in: July	4824 - Rented in: July
4825	Rented in: July	4825 - Rented in: July
4826	Rented in: July	4826 - Rented in: July
4827	Rented in: July	4827 - Rented in: July
4828	Rented in: July	4828 - Rented in: July
4829	Rented in: July	4829 - Rented in: July
4830	Rented in: July	4830 - Rented in: July
4831	Rented in: July	4831 - Rented in: July
4832	Rented in: July	4832 - Rented in: July
4833	Rented in: July	4833 - Rented in: July
4834	Rented in: July	4834 - Rented in: July

RENTAL_INFO

4835 - Rented in: July

4836 - Rented in: July

4837 - Rented in: July

4838 - Rented in: July

4839 - Rented in: July

4840 - Rented in: July

Only 5,000 rows currently supported in a script results

5,000 rows selected.

(2 more...) | Line 1 Column 8 | Insert | Modified | Unix/Mac: LF

Connections

- Lab5b
- Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - ADDRESS_ID
 - ADDRESS
 - ADDRESS2
 - DISTRICT
 - CITY_ID
 - POSTAL_CODE
 - PHONE
 - LAST_UPDATE
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.04 seconds

Worksheet Query Builder

```
select address_id, address2, postal_code
from address
where (address2 is NULL) and (postal_code is NULL);
```

Script Output Query Result

Task completed in 0.04 seconds

ADDRESS_ID	ADDRESS2	POSTAL_CODE
1		
2		
3		
4		

(2 more...) | Line 3 Column 52 | Insert | Modified | Unix/Mac: LF

Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
 - ADDRESS_ID
 - ADDRESS
 - ADDRESS2
 - DISTRICT
 - CITY_ID
 - POSTAL_CODE
 - PHONE
 - LAST_UPDATE
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
select address_id, address2, postal_code
from address
where (address2 is NULL) and (Postal_code is NULL);
```

Script Output Query Result

SQL All Rows Fetched: 4 in 0.02 seconds

	ADDRESS_ID	ADDRESS2	POSTAL_CODE
1	1 (null)	(null)	
2	2 (null)	(null)	
3	3 (null)	(null)	
4	4 (null)	(null)	

(2 more...) | Line 3 Column 52 | Insert | Modified | Unix/Mac: LF

Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
 - ADDRESS_ID
 - ADDRESS
 - ADDRESS2
 - DISTRICT
 - CITY_ID
 - POSTAL_CODE
 - PHONE
 - LAST_UPDATE
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 ADDRESS

Worksheet Query Builder

```
select address_id, address2, postal_code
from address
where (address2 is NULL) or (Postal_code is NULL);
```

Script Output Query Result

SQL Fetched 50 rows in 0.027 seconds

	ADDRESS_ID	ADDRESS2	POSTAL_CODE
1	547 (null)	74568	
2	548 (null)	51309	
3	549 (null)	25866	
4	550 (null)	55676	
5	551 (null)	15414	
6	552 (null)	5753	
7	553 (null)	19151	
8	554 (null)	841	
9	555 (null)	77642	
10	556 (null)	39976	
11	557 (null)	26284	
12	558 (null)	52234	
13	559 (null)	11892	
14	560 (null)	12905	
15	561 (null)	63022	
16	562 (null)	57380	
17	563 (null)	47498	

(2 more...) | Line 3 Column 28 | Insert | Modified | Unix/Mac: LF

Connections: Lab5b, Lab6

Tables (Filtered): ACTOR, ADDRESS, ADDRESS_ID, ADDRESS2, DISTRICT, CITY_ID, POSTAL_CODE, PHONE, LAST_UPDATE, CATEGORY, CITY, COUNTRY, CUSTOMER, FILM, FILM_ACTOR

Script Output: Task completed in 0.076 seconds

```

select address_id, address2, postal_code
from address
where (address2 is NULL) or (Postal_code is NULL);

```

ADDRESS_ID	ADDRESS2	POSTAL_CODE
394		3000
395		29818
396		83536
397		27796
398		8816
399		966
400		5239
401		73824
402		46043
403		10417
404		30586
405		11067
406		13496
407		61587
408		79940
409		7664
410		86868

603 rows selected.

Connections: Lab5b, Lab6

Tables (Filtered): ACTOR, ADDRESS, ADDRESS_ID, ADDRESS2, DISTRICT, CITY_ID, POSTAL_CODE, PHONE, LAST_UPDATE, CATEGORY, CITY, COUNTRY, CUSTOMER, FILM, FILM_ACTOR

Script Output: SQL | Fetched 50 rows in 0.019 seconds

```

SELECT film_id, rating, rental_rate
FROM film
WHERE rating = 'PG-13' AND rental_rate > 4.5 OR rating = 'R';

```

FILM_ID	RATING	RENTAL_RATE
1	578 PG-13	4.99
2	579 PG-13	4.99
3	580 PG-13	4.99
4	583 PG-13	4.99
5	911 PG-13	4.99
6	913 R	0.99
7	917 R	2.99
8	922 PG-13	4.99
9	923 R	2.99
10	925 R	0.99
11	227 R	4.99
12	229 R	4.99
13	231 R	2.99
14	234 R	2.99
15	236 R	2.99
16	242 R	0.99
17	245 R	0.99

Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
 - ADDRESS_ID
 - ADDRESS
 - ADDRESS2
 - DISTRICT
 - CITY_ID
 - POSTAL_CODE
 - PHONE
 - LAST_UPDATE
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.071 seconds

Worksheet Query Builder

```
SELECT film_id, rating, rental_rate
FROM film
WHERE rating = 'PG-13' AND rental_rate > 4.5 OR rating = 'R';
```

Script Output Query Result Task completed in 0.071 seconds

FILM_ID	RATING	RENTAL_RATE
168	R	.99
170	PG-13	4.99
171	R	4.99
173	PG-13	4.99
177	R	4.99
523	R	.99
525	R	.99
526	R	2.99
531	R	.99
535	R	.99
543	R	4.99
640	R	4.99
643	R	2.99
648	PG-13	4.99
649	R	2.99
652	R	.99

272 rows selected.

(2 more...) | Line 4 Column 1 | Insert | Modified | Unix/Mac: LF

Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
 - ADDRESS_ID
 - ADDRESS
 - ADDRESS2
 - DISTRICT
 - CITY_ID
 - POSTAL_CODE
 - PHONE
 - LAST_UPDATE
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6

Worksheet Query Builder

```
SELECT film_id, rating, rental_rate
FROM film
WHERE rating in ('PG-13', 'R') and rental_rate > 4.5;
```

Script Output SQL Fetched 50 rows in 0.031 seconds

FILM_ID	RATING	RENTAL_RATE
1	614 PG-13	4.99
2	633 PG-13	4.99
3	294 PG-13	4.99
4	300 PG-13	4.99
5	310 R	4.99
6	312 R	4.99
7	749 R	4.99
8	765 R	4.99
9	768 PG-13	4.99
10	769 PG-13	4.99
11	316 R	4.99
12	320 PG-13	4.99
13	323 R	4.99
14	324 PG-13	4.99
15	211 PG-13	4.99
16	214 PG-13	4.99
17	219 PG-13	4.99

(2 more...) | Line 3 Column 54 | Insert | Modified | Unix/Mac: LF

Connections

- Lab5b
- Lab6
 - Tables (Filtered)
 - ACTOR
 - ADDRESS
 - ADDRESS_ID
 - ADDRESS
 - ADDRESS2
 - DISTRICT
 - CITY_ID
 - POSTAL_CODE
 - PHONE
 - LAST_UPDATE
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ACTOR

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 0.083 seconds

Worksheet Query Builder

```
SELECT film_id, rating, rental_rate
FROM film
WHERE rating in ('PG-13', 'R') and rental_rate > 4.99;
```

Script Output Query Result Task completed in 0.083 seconds

FILM_ID	RATING	RENTAL_RATE
817	R	4.99
826	PG-13	4.99
141	PG-13	4.99
708	R	4.99
710	R	4.99
711	R	4.99
721	PG-13	4.99
725	R	4.99
159	R	4.99
170	PG-13	4.99
171	R	4.99
173	PG-13	4.99
177	R	4.99
543	R	4.99
640	R	4.99
648	PG-13	4.99

142 rows selected.

(2 more...) | Line 3 Column 54 | Insert | Modified | Unix/Mac: LF

Connections

- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE
- Views
- Indexes

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page Lab6 RENTAL

Worksheet Query Builder

```
SELECT rental_id, return_date - rental_date as days_between
from rental
order by rental_id asc;
```

Script Output SQL Query Result Fetched 50 rows in 0.03 seconds

RENTAL_ID	DAYS_BETWEEN
1	2
2	4
3	8
4	10
5	9
6	3
7	5
8	3
9	3
10	6
11	8
12	5
13	5
14	1
15	9
16	1
17	2

(2 more...) | Line 3 Column 24 | Insert | Modified | Unix/Mac: LF

Connections

- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
 - RENTAL_ID
 - RENTAL_DATE
 - INVENTORY_ID
 - CUSTOMER_ID
 - RETURN_DATE
 - STAFF_ID
 - LAST_UPDATE
- STAFF
- STORE
- Views
- Indexes

Worksheet | Query Builder

```
SELECT rental_id, return_date - rental_date as days_between
from rental
order by rental_id asc;
```

Script Output | Query Result

Task completed in 0.278 seconds

RENTAL_ID	DAYS_BETWEEN
4987	5
4988	7
4989	8
4990	1
4991	4
4992	7
4993	2
4994	0
4995	4
4996	7

Only 5,000 rows currently supported in a script results
5,000 rows selected.

(2 more...) | Line 3 Column 24 | Insert | Modified | Unix/Mac: LF