

Script.sql

SQL Worksheet History

Lab6

Worksheet Query Builder

```
-- Question 1
Create table Staff_old_Records
(Staff_Id Number(11,0) PRIMARY KEY,
First_Name Varchar(25) NOT NULL,
Last_Name Varchar(25),
SSN Number(9,0) Constraint Social UNIQUE,
Birth_Date Date Default Date '1900-01-01',
Hire_Date Date,
CONSTRAINT hire_date_check CHECK (hire_date > Birth_date));

comment on column staff_old_records.hire_date IS 'This corresponds to the day the employee was hired';

ALTER TABLE STAFF
add(Salary Number(11,0) , SSN Number(9,0));

-- TO ALLOW FOR NULL TO BE ENTERED
ALTER TABLE Staff MODIFY (ADDRESS_ID NULL);
ALTER TABLE Staff MODIFY (STORE_ID NULL);
ALTER TABLE Staff MODIFY (USERNAME NULL);
ALTER TABLE Staff MODIFY (PASSWORD NULL);

MERGE INTO Staff s
USING staff_old_records so
ON (s.staff_id = so.staff_id)
```

Script Output x Query Result x

Task completed in 0.08 seconds

Error starting at line : 15 in command -
ALTER TABLE STAFF
add(Salary Number(11,0) , SSN Number(9,0))
Error report -
ORA-01430: column being added already exists in table

https://docs.oracle.com/error-help/db/ora-01430/01430_000000 - "column being added already exists in table"

*Cause: An ALTER TABLE ADD statement specified the name of a column that was already in the table. All column names must be unique within a table.

*Action: Specify a unique name for the new column, then re-execute the statement.

Table STAFF_OLD_RECORDS dropped.

Table STAFF_OLD_RECORDS created.

Comment created.

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- REST Data Services
- Materialized Views
- NON_ACTIVE_STAFF_MV
- STAFF_ID
- FIRST_NAME
- LAST_NAME
- ADDRESS_ID
- PICTURE

Script.sql

SQL Worksheet History

Lab6

Worksheet Query Builder

Data Import Wizard - Step 1 of 5

Data Preview

Source: Local File

File: /Users/koreyrod/Desktop/Programming/CIS 2109/Lab 7/Lab_048_DDL_Data.txt

File Format

☒ Header After Skip Skip Rows: 0

Format: text ☒ Preview Row Limit: 100

Encoding: UTF8

Delimiter: , Line Terminator: standard: CR LF, CR or LF

Left Enclosure: " Right Enclosure: "

File Contents

Staff_Id	First_Na...	Last_Na...	SSN	Birth_D...	Hire_Date	Salary
123	Harvey	Goldberg	9820124	01/01/1...	06/05/2...	55000
234	Paul	Maxwell	8975382	02/10/1...	07/14/2...	62000
345	Peter	Feynman	7394104	05/17/2...	09/08/2...	88000
456	Sally	Maxwell	1325639	07/22/2...	01/01/2...	67000
567	Sally	Feynman	1325640	09/01/1...	06/03/2...	102000
1	Mike	Hillyer	6725640	02/10/1...	06/05/2...	108000

Help

< Back Next > Finish Cancel

https://docs.oracle.com/error-help/db/ora-01430/01430_000000 - "column being added already exists in table"

*Cause: An ALTER TABLE ADD statement specified the name of a column that was already in the table. All column names must be unique within a table.

*Action: Specify a unique name for the new column, then re-execute the statement.

Script.sql

SQL Worksheet History

Lab6

Worksheet Query Builder

```
-- Question 1
Create table Staff_old_Records
(Staff_ID Number(11,0) PRIMARY KEY,
First_Name Varchar(25) NOT NULL,
Last_Name Varchar(25),
SSN Number(9,0) Constraint Social UNIQUE,
Birth_Date Date Default Date '1900-01-01',
Hire_Date Date,
CONSTRAINT hire_date_check CHECK (hire_date > Birth_date));

comment on column staff_old_records.hire_date IS 'This corresponds to the day the employee was hired';

ALTER TABLE STAFF
add(Salary Number(11,0) , SSN Number(9,0));

-- TO ALLOW FOR NULL TO BE ENTERED
ALTER TABLE Staff MODIFY (ADDRESS_ID NULL);
ALTER TABLE Staff MODIFY (STORE_ID NULL);
ALTER TABLE Staff MODIFY (USERNAME NULL);
ALTER TABLE Staff MODIFY (PASSWORD NULL);

MERGE INTO Staff s
USING staff_old_records so
ON (s.staff_ID = so.staff_id)
```

Script Output x Query Result x

Task completed in 0.109 seconds

re-execute the statement.

Table STAFF_OLD_RECORDS dropped.

Table STAFF_OLD_RECORDS created.

Comment created.

Error starting at line : 13 in command -
ALTER TABLE STAFF
add(Salary Number(11,0) , SSN Number(9,0))
Error report -
ORA-01430: column being added already exists in table
<https://docs.oracle.com/error-help/db/ora-01430/01430.00000> - "column being added already exists in table"
*Cause: An ALTER TABLE ADD statement specified the name of a column that was already in the table. All column names must be unique within a table.
*Action: Specify a unique name for the new column, then re-execute the statement.

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV
- STAFF_ID
- FIRST_NAME
- LAST_NAME
- ADDRESS_ID
- PICTURE

Script.sql

SQL Worksheet History

Lab6

Worksheet Query Builder

```
INSERT (
Staff_ID,
First_Name,
Last_Name,
ADDRESS_ID,
PICTURE,
EMAIL,
STORE_ID,
ACTIVE,
USERNAME,
PASSWORD,
LAST_UPDATE,
SSN,
SALARY
) VALUES
(so.staff_id,so.first_name,so.last_name,
NULL,NULL,NULL,NULL,0,NULL,NULL,SYSDATE,so.ssn,so.salary);

UPDATE Staff
Set Salary = 30000
Where staff_id = 2;
```

Question 2 (Incomplete)

Create or replace view Non_Active_Staff AS

Script Output x Query Result x

Task completed in 0.176 seconds

ALTER TABLE STAFF MODIFY (PASSWORD NULL);

Error report -
ORA-01451: column to be modified to NULL cannot be modified to NULL
<https://docs.oracle.com/error-help/db/ora-01451/01451.00000> - "column to be modified to NULL cannot be modified to NULL"
*Cause: the column may already allow NULL values, the NOT NULL constraint is part of a primary key or check constraint.
*Action: if a primary key or check constraint is enforcing the NOT NULL constraint, then drop that constraint.

Error starting at line : 21 in command -
ALTER TABLE Staff MODIFY (PASSWORD NULL)
Error report -
ORA-01451: column to be modified to NULL cannot be modified to NULL
<https://docs.oracle.com/error-help/db/ora-01451/01451.00000> - "column to be modified to NULL cannot be modified to NULL"
*Cause: the column may already allow NULL values, the NOT NULL constraint is part of a primary key or check constraint.
*Action: if a primary key or check constraint is enforcing the NOT NULL constraint, then drop that constraint.

6 rows merged.

Line 48 Column 59 | Insert | Modified | Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

Script.sql

SQL Worksheet History

Lab6

Worksheet

Query Builder

```

INSERT (
  Staff_ID,
  First_Name,
  Last_Name,
  Address_ID,
  PICTURE,
  EMAIL,
  STORE_ID,
  ACTIVE,
  USERNAME,
  PASSWORD,
  LAST_UPDATE,
  SSN,
  SALARY
) VALUES
(so.staff_id,so.first_name,so.last_name,
NULL,NULL,NULL,0,NULL,NULL,SYSDATE,so.ssn,so.salary);

UPDATE Staff
Set Salary = 30000
Where staff_id = 2;

```

Script Output

Query Result

Task completed in 0.105 seconds

https://docs.oracle.com/error-help/db/ora-01451/01451. 00000 - "column to be modified to NULL cannot be modified to NULL"

*Cause: the column may already allow NULL values, the NOT NULL constraint is part of a primary key or check constraint.

*Action: if a primary key or check constraint is enforcing the NOT NULL constraint, then drop that constraint.

Error starting at line : 21 in command -

```

ALTER TABLE Staff MODIFY (PASSWORD NULL)

```

Error report -

ORA-01451: column to be modified to NULL cannot be modified to NULL

https://docs.oracle.com/error-help/db/ora-01451/01451. 00000 - "column to be modified to NULL cannot be modified to NULL"

*Cause: the column may already allow NULL values, the NOT NULL constraint is part of a primary key or check constraint.

*Action: if a primary key or check constraint is enforcing the NOT NULL constraint, then drop that constraint.

6 rows merged.

1 row updated.

Line 52 Column 20 | Insert | Modified| Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

Script.sql

SQL Worksheet History

Lab6

Worksheet

Query Builder

```

UPDATE Staff
Set Salary = 30000
Where staff_id = 2;

-- Question 2
Create or replace view Non_Active_Staff AS
SELECT *
FROM STAFF s
WHERE Active = 0;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'Korey'
Where staff_id = 2;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET Active = 0
Where staff_id = 2;

CREATE OR REPLACE VIEW Non_Active_Staff AS
SELECT *
FROM STAFF
WHERE Active = 0;

```

Script Output

Query Result

Task completed in 0.1 seconds

drop view non_active_staff_mv

Error report -

ORA-00942: table or view does not exist

https://docs.oracle.com/error-help/db/ora-00942/00942. 00000 - "table or view does not exist"

*Cause: The specified table or view did not exist, or a synonym pointed to a table or view that did not exist.

To find existing user tables and views, query the ALL_TABLES and ALL_VIEWS data dictionary views. Certain privileges may be required to access the table. If an application returned this message, then the table that the application tried to access did not exist in the database, or the application did not have access to it.

*Action: Check each of the following

- The spelling of the table or view name is correct.
- The referenced table or view name does exist.
- The synonym points to an existing table or view.

Materialized view NON_ACTIVE_STAFF_MV dropped.

View NON_ACTIVE_STAFF created.

Line 58 Column 18 | Insert | Modified| Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

Script.sql

SQL Worksheet History

Worksheet

Query Builder

```

UPDATE Staff
Set Salary = 30000
Where staff_id = 2;

-- Question 2
Create or replace view Non_Active_Staff AS
SELECT *
FROM STAFF s
WHERE Active = 0;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'Korey'
Where staff_id = 2;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET Active = 0
Where staff_id = 2;

CREATE OR REPLACE VIEW Non_Active_Staff AS
SELECT *
FROM STAFF
WHERE Active = 0
  
```

Script Output

Query Result

Task completed in 0.054 seconds

<https://docs.oracle.com/error-help/db/ora-00942/00942> - "table or views does not exist"

*Cause: The specified table or view did not exist, or a synonym pointed to a table or view that did not exist. To find existing user tables and views, query the ALL_TABLES and ALL_VIEWS data dictionary views. Certain privileges may be required to access the table. If an application returned this message, then the table that the application tried to access did not exist in the database, or the application did not have access to it.

*Action: Check each of the following

- The spelling of the table or view name is correct.
- The referenced table or view name does exist.
- The synonym points to an existing table or view.

Materialized view NON_ACTIVE_STAFF_MV dropped.

View NON_ACTIVE_STAFF created.

1 row updated.

Line 62 Column 20 | Insert | Modified | Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

Script.sql

SQL Worksheet History

Worksheet

Query Builder

```

UPDATE Staff
Set Salary = 30000
Where staff_id = 2;

-- Question 2
Create or replace view Non_Active_Staff AS
SELECT *
FROM STAFF s
WHERE Active = 0;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'Korey'
Where staff_id = 2;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET Active = 0
Where staff_id = 2;

CREATE OR REPLACE VIEW Non_Active_Staff AS
SELECT *
FROM STAFF
WHERE Active = 0
  
```

Script Output

Query Result

Task completed in 0.087 seconds

pointed to a table or view that did not exist. To find existing user tables and views, query the ALL_TABLES and ALL_VIEWS data dictionary views. Certain privileges may be required to access the table. If an application returned this message, then the table that the application tried to access did not exist in the database, or the application did not have access to it.

*Action: Check each of the following

- The spelling of the table or view name is correct.
- The referenced table or view name does exist.
- The synonym points to an existing table or view.

Materialized view NON_ACTIVE_STAFF_MV dropped.

View NON_ACTIVE_STAFF created.

1 row updated.

1 row updated.

Line 66 Column 20 | Insert | Modified | Unix/Mac: LF

Connections: Oracle Connections, Lab5b, Lab6

Tables (Filtered): ACTOR, ADDRESS, CATEGORY, CITY, COUNTRY, CUSTOMER, FILM, FILM_ACTOR, FILM_CATEGORY, FILM_TEXT, INVENTORY, LANGUAGE, PAYMENT, RENTAL, STAFF, STAFF_OLD_RECORDS, STORE

Views: NON_ACTIVE_STAFF

Indexes: STAFF_ID, FIRST_NAME, LAST_NAME, ADDRESS_ID, PICTURE

Script.sql

SQL Worksheet History

Worksheet: Query Builder

```

FROM STAFF s
WHERE Active = 0;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'Korey'
Where staff_id = 2;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET Active = 0
Where staff_id = 2;

CREATE OR REPLACE VIEW Non_Active_Staff AS
SELECT *
FROM STAFF
WHERE Active = 0
WITH CHECK OPTION;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'John'
WHERE staff_id = 2;

UPDATE Non_Active_Staff -- THIS FAILS
SET Active = 1

```

Script Output: Task completed in 0.15 seconds

privileges may be required to access the table. If an application returned this message, then the table that the application tried to access did not exist in the database, or the application did not have access to it. Check each of the following:

- The spelling of the table or view name is correct.
- The referenced table or view name does exist.
- The synonym points to an existing table or view.

Materialized view NON_ACTIVE_STAFF_MV dropped.

View NON_ACTIVE_STAFF created.

1 row updated.

1 row updated.

View NON_ACTIVE_STAFF created.

Line 73 Column 19 | Insert | Modified | Unix/Mac: LF

Connections: Oracle Connections, Lab5b, Lab6

Tables (Filtered): ACTOR, ADDRESS, CATEGORY, CITY, COUNTRY, CUSTOMER, FILM, FILM_ACTOR, FILM_CATEGORY, FILM_TEXT, INVENTORY, LANGUAGE, PAYMENT, RENTAL, STAFF, STAFF_OLD_RECORDS, STORE

Views: NON_ACTIVE_STAFF

Indexes: STAFF_ID, FIRST_NAME, LAST_NAME, ADDRESS_ID, PICTURE

Script.sql

SQL Worksheet History

Worksheet: Query Builder

```

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'Korey'
Where staff_id = 2;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET Active = 0
Where staff_id = 2;

CREATE OR REPLACE VIEW Non_Active_Staff AS
SELECT *
FROM STAFF
WHERE Active = 0
WITH CHECK OPTION;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'John'
WHERE staff_id = 2;

UPDATE Non_Active_Staff -- THIS FAILS
SET Active = 1
Where staff_id = 2;

```

Script Output: Task completed in 0.147 seconds

the application did not have access to it.

*Action: Check each of the following:

- The spelling of the table or view name is correct.
- The referenced table or view name does exist.
- The synonym points to an existing table or view.

Materialized view NON_ACTIVE_STAFF_MV dropped.

View NON_ACTIVE_STAFF created.

1 row updated.

1 row updated.

View NON_ACTIVE_STAFF created.

1 row updated.

Line 77 Column 20 | Insert | Modified | Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

STAFF_ID

FIRST_NAME

LAST_NAME

ADDRESS_ID

PICTURE

Script.sql

SQL Worksheet History

Lab6

Worksheet

Query Builder

```

WHERE staff_id = 2;

CREATE OR REPLACE VIEW Non_Active_Staff AS
SELECT *
FROM STAFF
WHERE Active = 0
WITH CHECK OPTION;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'John'
WHERE staff_id = 2;

UPDATE Non_Active_Staff -- THIS FAILS
SET Active = 1
WHERE staff_id = 2;

CREATE MATERIALIZED VIEW Non_Active_Staff_MV AS
SELECT *
FROM Staff
where active = 0;

UPDATE Non_Active_Staff_mv -- THIS FAILS

```

Script Output

Task completed in 0.104 seconds

UPDATE Non_Active_Staff -- THIS FAILS

SET Active = 1

WHERE staff_id = 2

Error at Command Line : 81 Column : 18

Error report -

SQL Error: ORA-01402: view WITH CHECK OPTION where-clause violation

<https://docs.oracle.com/error-help/db/ora-01402/000000> - "view WITH CHECK OPTION where-clause violation"

*Cause: An INSERT or UPDATE statement was attempted on a view created with the CHECK OPTION. This would have resulted in the creation of a row that would not satisfy the view's WHERE clause.

*Action: Examine the view's WHERE clause in the dictionary table VIEWS. If the current view does not have the CHECK OPTION, then its FROM clause must reference a second view that is defined using the CHECK OPTION. The second view's WHERE clause must also be satisfied by any INSERT or UPDATE statements. To insert the row, it may be necessary to insert it directly into the underlying table, rather than through the view.

More Details :

<https://docs.oracle.com/error-help/db/ora-01402/>

Line 81 Column 20 | Insert | Modified | Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

STAFF_ID

FIRST_NAME

LAST_NAME

ADDRESS_ID

PICTURE

Script.sql

SQL Worksheet History

Lab6

Worksheet

Query Builder

```

WHERE Active = 0
WITH CHECK OPTION;

UPDATE Non_Active_Staff -- BOTH THE TABLE AND VIEW ARE AFFECTED
SET First_Name = 'John'
WHERE staff_id = 2;

UPDATE Non_Active_Staff -- THIS FAILS
SET Active = 1
WHERE staff_id = 2;

CREATE MATERIALIZED VIEW Non_Active_Staff_MV AS
SELECT *
FROM Staff
where active = 0;

UPDATE Non_Active_Staff_mv -- THIS FAILS
SET First_Name = 'Jane'
WHERE staff_id = 2;

UPDATE Non_Active_Staff_mv -- THIS FAILS
SET Active = 1
WHERE staff_id = 2;

```

Script Output

Task completed in 0.302 seconds

Error at Command Line : 81 Column : 18

Error report -

SQL Error: ORA-01402: view WITH CHECK OPTION where-clause violation

<https://docs.oracle.com/error-help/db/ora-01402/000000> - "view WITH CHECK OPTION where-clause violation"

*Cause: An INSERT or UPDATE statement was attempted on a view created with the CHECK OPTION. This would have resulted in the creation of a row that would not satisfy the view's WHERE clause.

*Action: Examine the view's WHERE clause in the dictionary table VIEWS. If the current view does not have the CHECK OPTION, then its FROM clause must reference a second view that is defined using the CHECK OPTION. The second view's WHERE clause must also be satisfied by any INSERT or UPDATE statements. To insert the row, it may be necessary to insert it directly into the underlying table, rather than through the view.

More Details :

<https://docs.oracle.com/error-help/db/ora-01402/>

Materialized view NON_ACTIVE_STAFF_MV created.

Line 87 Column 18 | Insert | Modified | Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

STAFF_ID

FIRST_NAME

LAST_NAME

ADDRESS_ID

PICTURE

Script.sql

SQL Worksheet History

Worksheet

Query Builder

```

UPDATE Non_Active_Staff --- THIS FAILS
SET Active = 1
WHERE staff_id = 2;

CREATE MATERIALIZED VIEW Non_Active_Staff_MV AS
SELECT *
FROM Staff
where active = 0;

UPDATE Non_Active_Staff_mv --- THIS FAILS
SET First_Name = 'Jane'
WHERE staff_id = 2;

UPDATE Non_Active_Staff_mv --- THIS FAILS
SET Active = 1
WHERE staff_id = 2;

SELECT * FROM Non_Active_Staff;
select * from non_active_staff_mv;
select * from staff;

```

Script Output

Query Result

Task completed in 0.074 seconds

Materialized view NON_ACTIVE_STAFF_MV created.

Error starting at line : 89 in command -
UPDATE Non_Active_Staff_mv --- THIS FAILS
SET First_Name = 'Jane'
WHERE staff_id = 2
Error at Command Line : 91 Column : 18
Error report -
SQL Error: ORA-01732: data manipulation operation not legal on this view
<https://docs.oracle.com/error-help/db/ora-01732.00000> - "data manipulation operation not legal on this view"
*Cause: An attempt was made to use an UPDATE, INSERT, or DELETE statement on a view that contains expressions or functions or was derived from more than one table. If a join operation was used to create the view or the view contains virtual columns derived from functions or expressions, then the view may only be queried.
*Action: UPDATE, INSERT, or DELETE rows in the base tables instead and restrict the operations on the view to queries.
More Details :
<https://docs.oracle.com/error-help/db/ora-01732/>

| Line 91 Column 20 | Insert | Modified | Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV

STAFF_ID

FIRST_NAME

LAST_NAME

ADDRESS_ID

PICTURE

Script.sql

SQL Worksheet History

Worksheet

Query Builder

```

UPDATE Non_Active_Staff --- THIS FAILS
SET Active = 1
WHERE staff_id = 2;

CREATE MATERIALIZED VIEW Non_Active_Staff_MV AS
SELECT *
FROM Staff
where active = 0;

UPDATE Non_Active_Staff_mv --- THIS FAILS
SET First_Name = 'Jane'
WHERE staff_id = 2;

UPDATE Non_Active_Staff_mv --- THIS FAILS
SET Active = 1
WHERE staff_id = 2;

SELECT * FROM Non_Active_Staff;
select * from non_active_staff_mv;
select * from staff;

```

Script Output

Query Result

Task completed in 0.135 seconds

more details -
<https://docs.oracle.com/error-help/db/ora-01732/>
Error starting at line : 93 in command -
UPDATE Non_Active_Staff_mv --- THIS FAILS
SET Active = 1
WHERE staff_id = 2
Error at Command Line : 95 Column : 18
Error report -
SQL Error: ORA-01732: data manipulation operation not legal on this view
<https://docs.oracle.com/error-help/db/ora-01732.00000> - "data manipulation operation not legal on this view"
*Cause: An attempt was made to use an UPDATE, INSERT, or DELETE statement on a view that contains expressions or functions or was derived from more than one table. If a join operation was used to create the view or the view contains virtual columns derived from functions or expressions, then the view may only be queried.
*Action: UPDATE, INSERT, or DELETE rows in the base tables instead and restrict the operations on the view to queries.
More Details :
<https://docs.oracle.com/error-help/db/ora-01732/>

| Line 95 Column 20 | Insert | Modified | Unix/Mac: LF

Connections

- Oracle Connections
 - Lab5b
 - Lab6
- Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ACTOR
 - FILM_CATEGORY
 - FILM_TEXT
 - INVENTORY
 - LANGUAGE
 - PAYMENT
 - RENTAL
 - STAFF
 - STAFF_OLD_RECORDS
 - STORE
- Views
 - NON_ACTIVE_STAFF
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- REST Data Services
- Materialized Views
 - NON_ACTIVE_STAFF_MV
 - STAFF_ID
 - FIRST_NAME
 - LAST_NAME
 - ADDRESS_ID
 - PICTURE

Script.sql

SQL Worksheet History

Worksheet

```

SELECT * FROM Non_Active_Staff;
select * from non_active_staff_mv;
select * from staff;

-- Question 3
CREATE FUNCTION Staff_total (Staff_ID IN NUMBER)
RETURN NUMBER
IS Staff_nbr NUMBER(11,2);
BEGIN
  SELECT COUNT(*)
  INTO Staff_nbr
  FROM Staff s
  WHERE s.Salary < (Select salary from staff where staff_id = staff_total.staff_id);
  return(Staff_nbr);
END;

SELECT staff_total(2) from dual;

SELECT staff_id, salary, staff_total(Staff_id)
from staff;

```

Script Output

Task completed in 0.319 seconds

Error at Command Line : 95 Column : 18

Error report -

SQL Error: ORA-01732: data manipulation operation not legal on this view

https://docs.oracle.com/error-help/db/ora-01732/01732_000000.html - "data manipulation operation not legal on this view"

*Cause: An attempt was made to use an UPDATE, INSERT, or DELETE statement on a view that contains expressions or functions or was derived from more than one table. If a join operation was used to create the view or the view contains virtual columns derived from functions or expressions, then the view may only be queried.

*Action: UPDATE, INSERT, or DELETE rows in the base tables instead and restrict the operations on the view to queries.

More Details : <https://docs.oracle.com/error-help/db/ora-01732/>

Function STAFF_TOTAL dropped.

Function STAFF_TOTAL compiled

Line 113 Column 9 | Insert | Modified | Unix/Mac: LF

Connections

- Oracle Connections
 - Lab5b
 - Lab6
- Tables (Filtered)
 - ACTOR
 - ADDRESS
 - CATEGORY
 - CITY
 - COUNTRY
 - CUSTOMER
 - FILM
 - FILM_ACTOR
 - FILM_CATEGORY
 - FILM_TEXT
 - INVENTORY
 - LANGUAGE
 - PAYMENT
 - RENTAL
 - STAFF
 - STAFF_OLD_RECORDS
 - STORE
- Views
 - NON_ACTIVE_STAFF
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- REST Data Services
- Materialized Views
 - NON_ACTIVE_STAFF_MV
 - STAFF_ID
 - FIRST_NAME
 - LAST_NAME
 - ADDRESS_ID
 - PICTURE

Script.sql

SQL Worksheet History

Worksheet

```

select * from non_active_staff_mv;
select * from staff;

-- Question 3
CREATE FUNCTION Staff_total (Staff_ID IN NUMBER)
RETURN NUMBER
IS Staff_nbr NUMBER(11,2);
BEGIN
  SELECT COUNT(*)
  INTO Staff_nbr
  FROM Staff s
  WHERE s.Salary < (Select salary from staff where staff_id = staff_total.staff_id);
  return(Staff_nbr);
END;

SELECT staff_total(2) from dual;

SELECT staff_id, salary, staff_total(Staff_id)
from staff;

-- Question 4
CREATE OR REPLACE PROCEDURE Salary_Increase (p_store NUMBER) AS
BEGIN

```

Script Output

SQL All Rows Fetched: 1 in 0.05 seconds

STAFF_TOTAL(2)
1

Line 115 Column 33 | Insert | Modified | Unix/Mac: LF

Script.sql

SQL Worksheet History

Worksheet Query Builder

```

BEGIN
  SELECT COUNT(*)
  INTO Staff_Nbr
  FROM Staff s
  WHERE s.Salary < (Select salary from staff where staff_id = staff_total.staff_id);
  return(Staff_nbr);
END;

SELECT staff_total(2) from dual;

SELECT staff_id, salary, staff_total(Staff_id)
from staff;

-- Question 4
CREATE OR REPLACE PROCEDURE Salary_Increase (p_store NUMBER) AS
BEGIN
  UPDATE Staff
  SET Salary = Salary + 1000
  WHERE Store_ID = p_store;
END;

execute salary_increase(1);
rollback; -- It reverts the changes from the procedure

```

Script Output x Query Result x

SQL All Rows Fetched: 7 in 0.033 seconds

STAFF_ID	SALARY	STAFF_TOTAL(STAFF_ID)
1	108000	6
2	30000	0
3	123 55000	1
4	234 62000	2
5	345 88000	4
6	456 67000	3
7	567 102000	5

Line 118 Column 12 | Insert | Modified| Unix/Mac: LF

Script.sql

SQL Worksheet History

Worksheet Query Builder

```

FROM Staff s
WHERE s.Salary < (Select salary from staff where staff_id = staff_total.staff_id);
return(Staff_nbr);
END;

SELECT staff_total(2) from dual;

SELECT staff_id, salary, staff_total(Staff_id)
from staff;

-- Question 4
CREATE OR REPLACE PROCEDURE Salary_Increase (p_store NUMBER) AS
BEGIN
  UPDATE Staff
  SET Salary = Salary + 1000
  WHERE Store_ID = p_store;
END;

execute salary_increase(1);
rollback; -- It reverts the changes from the procedure

```

Script Output x Query Result x

Task completed in 0.235 seconds

WARNING: An attempt was made to use an UPDATE, INSERT, or DELETE statement on a view that contains expressions or functions or was derived from more than one table. If a join operation was used to create the view or the view contains virtual columns derived from functions or expressions, then the view may only be queried.

*Action: UPDATE, INSERT, or DELETE rows in the base tables instead and restrict the operations on the view to queries.

More Details :
<https://docs.oracle.com/error-help/db/ora-01732/>

Function STAFF_TOTAL dropped.

Function STAFF_TOTAL compiled

Procedure SALARY_INCREASE dropped.

Procedure SALARY_INCREASE compiled

Line 126 Column 5 | Insert | Modified| Unix/Mac: LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV
- STAFF_ID
- FIRST_NAME
- LAST_NAME
- ADDRESS_ID
- PICTURE

Script.sql

SQL Worksheet History

Worksheet

Query Builder

```

FROM STAFF S
WHERE s.Salary < (Select salary from staff where staff_id = staff_total.staff_id);
return(Staff_nbr);
END;

SELECT staff_total(2) from dual;

SELECT staff_id, salary, staff_total(Staff_id)
from staff;

-- Question 4
CREATE OR REPLACE PROCEDURE Salary_Increase (p_store NUMBER) AS
BEGIN
    UPDATE Staff
    SET Salary = Salary + 1000
    WHERE Store_ID = p_store;
END;

execute salary_increase(1);
rollback; -- It reverts the changes from the procedure

```

Script Output

Query Result

Task completed in 0.104 seconds

used to create the view or the view contains virtual columns derived from functions or expressions, then the view may only be queried.

*Action: UPDATE, INSERT, or DELETE rows in the base tables instead and restrict the operations on the view to queries.

More Details : <https://docs.oracle.com/error-help/db/ora-01732/>

Function STAFF_TOTAL dropped.

Function STAFF_TOTAL compiled.

Procedure SALARY_INCREASE dropped.

Procedure SALARY_INCREASE compiled.

PL/SQL procedure successfully completed.

| Line 128 Column 28 | Insert | Modified | Unix/Mac | LF

Connections

Oracle Connections

Lab5b

Lab6

Tables (Filtered)

- ACTOR
- ADDRESS
- CATEGORY
- CITY
- COUNTRY
- CUSTOMER
- FILM
- FILM_ACTOR
- FILM_CATEGORY
- FILM_TEXT
- INVENTORY
- LANGUAGE
- PAYMENT
- RENTAL
- STAFF
- STAFF_OLD_RECORDS
- STORE

Views

- NON_ACTIVE_STAFF

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

REST Data Services

Materialized Views

- NON_ACTIVE_STAFF_MV
- STAFF_ID
- FIRST_NAME
- LAST_NAME
- ADDRESS_ID
- PICTURE

Script.sql

SQL Worksheet History

Worksheet

Query Builder

```

FROM STAFF S
WHERE s.Salary < (Select salary from staff where staff_id = staff_total.staff_id);
return(Staff_nbr);
END;

SELECT staff_total(2) from dual;

SELECT staff_id, salary, staff_total(Staff_id)
from staff;

-- Question 4
CREATE OR REPLACE PROCEDURE Salary_Increase (p_store NUMBER) AS
BEGIN
    UPDATE Staff
    SET Salary = Salary + 1000
    WHERE Store_ID = p_store;
END;

execute salary_increase(1);
rollback; -- It reverts the changes from the procedure

```

Script Output

Query Result

Task completed in 0.125 seconds

*Action: UPDATE, INSERT, or DELETE rows in the base tables instead and restrict the operations on the view to queries.

More Details : <https://docs.oracle.com/error-help/db/ora-01732/>

Function STAFF_TOTAL dropped.

Function STAFF_TOTAL compiled.

Procedure SALARY_INCREASE dropped.

Procedure SALARY_INCREASE compiled.

PL/SQL procedure successfully completed.

Rollback complete.

| Line 129 Column 10 | Insert | Modified | Unix/Mac | LF