

Patient Name : MS.CHIANA MIKOVA
Patient Id : 15206
Age/DOB/Gender : 47Y/24/01/1977/Female
Reported On : 15/02/2025 09:58
Customer Type : -
Ref. Doctor Name : Dr.
Print Version : v.1

Registered On : 04/02/2025 17:13
Collected On : 04/2/2025 17:39
Nationality : Russian Federation
Sample UID No. : D002W000027661
Customer Name : Self
Patient UID No. : 784197749616864 (Emirates ID)

Heavy Metals Profile


Test Name	Technology	Value	Units	Normal Range
ARSENIC	ICP-MS	3.47	µg/L	<5
CADMIUM	ICP-MS	0.93	µg/L	<1.5
MERCURY	ICP-MS	>10	µg/L	<5
LEAD	ICP-MS	30.26	µg/L	<150
CHROMIUM	ICP-MS	0.84	µg/L	<30
BARIUM	ICP-MS	1.19	µg/L	<30
COBALT	ICP-MS	0.15	µg/L	0.10 - 1.50
CAESIUM	ICP-MS	3.27	µg/L	<5
THALLIUM	ICP-MS	0.05	µg/L	<1
URANIUM	ICP-MS	0.03	µg/L	<1
STRONTIUM	ICP-MS	18.98	µg/L	8 - 38
ANTIMONY	ICP-MS	5.51	µg/L	0.10 - 18
TIN	ICP-MS	0.16	µg/L	<2
MOLYBDENUM	ICP-MS	0.93	µg/L	0.70 - 4
SILVER	ICP-MS	1.12	µg/L	<4
VANADIUM	ICP-MS	0.44	µg/L	<0.8
BERYLLIUM	ICP-MS	0.04	µg/L	0.10 - 0.80
BISMUTH	ICP-MS	0.35	µg/L	0.10 - 0.80
SELENIUM	ICP-MS	157.1	µg/L	60 - 340
ALUMINIUM	ICP-MS	20.63	µg/L	<30
NICKEL	ICP-MS	0.93	µg/L	<15
MANGANESE	ICP-MS	15.04	µg/L	7.10 - 20

Method : ICP - MASS SPECTROMETRY

--End Of Report--



Rajesh Thapa
Quality Manager
Technologist- Medical
Laboratory
DHA No. 45935548-002



Lifenity Genomic Laboratory DMCC
HDS Business Centre, Level 6, 601-608
JLT, Cluster M, P.O Box 502180, Dubai, UAE
☎ +971 8005425, +971 045638000
✉ Info.genomics@lifenity.ae
🌐 www.lifenity.ae

Patient Name : MS.CHIANA MIKOVA
Patient Id : 15206
Age/DOB/Gender : 47Y/24/01/1977/Female
Reported On : 15/02/2025 09:58
Customer Type : -
Ref. Doctor Name : Dr.
Print Version : v.1

Registered On : 04/02/2025 17:13
Collected On : 04/2/2025 17:39
Nationality : Russian Federation
Sample UID No. : D002W000027661
Customer Name : Self
Patient UID No. : 784197749616864 (Emirates ID)

Please scan this QR Code for Validation

You will be redirected to "www.genomic.lifenity.ae", if not redirected to this URL then this report is Invalid



Rajesh Thapa
Quality Manager
Technologist- Medical
Laboratory
DHA No. 45935548-002