

**Patient Name** : MS.CHIANA .  
**Patient Id** : 15272  
**Age/DOB/Gender** : 47Y/1977-01-24/Female  
**Nationality** : -  
**Customer Type** : Collection Center  
**Ref. Doctor Name** : -  
**External Patient Id** : MRN 71367  
**Print Version** : v.1

**Registered On** : 01-05-2024 16:10  
**Sample Received On** : 01-05-2024:13:00  
**Reported On** : 08-05-2024 20:23  
**Sample UID No.** : D002B042001528  
**Customer Name** : AIMS  
**Patient UID No.** : -- (Other)

### Heavy Metals Profile

Test Name	Technology	Value	Units	Normal Range
ARSENIC	ICP-MS	3.31	g/L	<5
CADMIUM	ICP-MS	1.31	g/L	<1.5
MERCURY	ICP-MS	3.79	g/L	<5
LEAD	ICP-MS	32.03	g/L	<150
CHROMIUM	ICP-MS	2.54	g/L	<30
BARIUM	ICP-MS	1.51	g/L	<30
COBALT	ICP-MS	0.2	g/L	0.10 - 1.50
CAESIUM	ICP-MS	2.29	g/L	<5
THALLIUM	ICP-MS	0.03	g/L	<1
URANIUM	ICP-MS	0.06	g/L	<1
STRONTIUM	ICP-MS	26.55	g/L	8 - 38
ANTIMONY	ICP-MS	3.1	g/L	0.10 - 18
TIN	ICP-MS	0.21	g/L	<2
MOLYBDENUM	ICP-MS	0.77	g/L	0.70 - 4
SILVER	ICP-MS	0.27	g/L	<4
VANADIUM	ICP-MS	0.28	g/L	<0.8
BERYLLIUM	ICP-MS	0.04	g/L	0.10 - 0.80
BISMUTH	ICP-MS	0.14	g/L	0.10 - 0.80
SELENIUM	ICP-MS	133.37	g/L	60 - 340
ALUMINIUM	ICP-MS	21.76	g/L	<30
NICKEL	ICP-MS	2.53	g/L	<15
MANGANESE	ICP-MS	8.99	g/L	7.10 - 20

Method : ICP - MASS SPECTROMETRY

Note: Reference range has been obtained after considering 95% population as cutoff

Please correlate with clinical conditions.



Reviewed By  
Rajesh Thapa  
Quality Manager  
Technologist-Medical  
Laboratory  
DHA No. 45935548-002



Authenticated By  
DR. Nirupama Sabhapathy  
Chief Pathologist  
Specialist Clinical Pathologist  
DHA NO. 65077850-001

**Patient Name** : MS.CHIANA .  
**Patient Id** : 15272  
**Age/DOB/Gender** : 47Y/1977-01-24/Female  
**Nationality** : -  
**Customer Type** : Collection Center  
**Ref. Doctor Name** : -  
**External Patient Id** : MRN 71367  
**Print Version** : v.1

**Registered On** : 01-05-2024 16:10  
**Sample Received On** : 01-05-2024:13:00  
**Reported On** : 08-05-2024 20:23  
**Sample UID No.** : D002B042001528  
**Customer Name** : AIMS  
**Patient UID No.** : -- (Other)

--End Of Report--

**Please scan this QR Code for Validation**

You will be redirected to "www.genomic.lifinity.ae", if not redirected to this URL then this report is Invalid



Reviewed By  
Rajesh Thapa  
Quality Manager  
Technologist-Medical  
Laboratory  
DHA No. 45935548-002



Authenticated By  
DR. Nirupama Sabhapathy  
Chief Pathologist  
Specialist Clinical Pathologist  
DHA NO. 65077850-001